

Gulf of Mexico Harmful Algal Bloom Bulletin

4 February 2008

NOAA Ocean Service

NOAA Satellites and Information Service

Last bulletin: January 28, 2008

Conditions Report

NE Florida: There is currently no indication of a harmful algal bloom along the coast in Northeast Florida.


SW Florida: There is currently no indication of a harmful algal bloom along the coast in Southwest Florida. No impacts are expected today through Monday, February 11.

Analysis

SW Florida: There is no indication of a harmful algal bloom at the coast in Southwest Florida. Samples received this past week from Pinellas County to Monroe County (including north of the Florida Keys) indicate that *Karenia brevis* is not present alongshore (FWRI; 2/1). Background concentrations were detected 3-32 miles offshore of Sarasota County (FWRI; 1/23). This area will continue to be monitored via satellite imagery. Elevated chlorophyll levels alongshore of Pinellas, Hillsborough, Charlotte and Lee Counties are most likely due to confirmed non-harmful algae. Conditions are not favorable for bloom formation through Friday, February 8.


Please note that due to technical difficulties, SeaWiFS imagery is temporarily unavailable; MODIS imagery (2/3) is displayed on pages 1 and 2 of this bulletin.

~Fenstermacher, Fisher



Satellite chlorophyll image with possible HAB areas shown by red polygon(s). Cell concentration sampling data from January 28 to 30 shown as red (high), orange (medium), yellow (low b), brown (low a), blue(very low b), purple (very low a), pink (present), and green (not present). For a list of cell count data providers and a key to the cell concentration categories, please see the HABFS bulletin guide:

http://www.csc.noaa.gov/crs/habf/habfs_bulletin_guide.pdf




Wind speed and direction are averaged over 12 hours from buoy measurements. Length of line indicates speed; angle indicates direction. Red indicates that the wind direction favors upwelling near the coast. Values to the left of the dotted vertical line are measured values; values to the right are forecasts.

SW Florida: South to southeast winds today through Wednesday (5-20 kts; 5-10 m/s). Southerlies to westerlies on Wednesday night becoming northerlies on Thursday through Friday (10-15 kts; 5-8 m/s).

Please note the following restrictions on all SeaWiFS imagery derived from CoastWatch.

1. Data are restricted to civil marine applications only; i.e. federal, state, and local government use/distribution is permitted.
2. Image products may be published in newspapers. Any other publishing arrangements must receive GeoEye approval via the CoastWatch Program.



Satellite chlorophyll image and forecast winds for February 5, 2008 12Z with Cell concentration sampling data from January 28 to 30 shown as red (high), orange (medium), yellow (low b), brown (low a), blue (very low b), purple (very low a), pink (present), and green (not present). For a list of cell count data providers and a key to the cell concentration categories, please see the HABFS bulletin guide: http://www.csc.noaa.gov/crs/habf/habfs_bulletin_guide.pdf

Verified and suspected HAB areas shown in red. Other areas of high chlorophyll concentration shown in yellow (see p. 1 analysis for interpretation).

Wind conditions from Naples, FL

