

Admiralty Inlet, Wash.

T.M. 120 W.

Predicted Tidal Current

January, 2005

Flood Direction, 180 True.

Ebb (-) Direction, 5 True.

NOAA, National Ocean Service

Day	Slack Water		Maximum Current		Slack Water		Maximum Current		Slack Water		Maximum Current		Slack Water		Maximum Current	
	Time	Time	Time	Time	Time	Time	Time	Time	Time	Time	Time	Time	Time	Time	Time	Time
	h.m.	h.m.	Veloc	h.m.	h.m.	Veloc	h.m.	h.m.	Veloc	h.m.	h.m.	Veloc	h.m.	h.m.	Veloc	h.m.
			Knots			Knots			Knots			Knots			Knots	
1	245	559	2.1	916	1246	-2.2		1826	0.2		2358	-1.9				
2	327	636	1.8	941	1325	-2.3	1758	1930	0.4	2106						
3		58	-1.6	416	717	1.4	1007	1408	-2.6	1834	2038	0.7	2254			
4		210	-1.2	517	803	1.1	1034	1453	-2.8	1912	2145	1.2				
5	40	332	-1.1	631	856	0.8	1105	1542	-3.1	1953	2248	1.7				
6	210	451	-1.1	753	955	0.6	1143	1633	-3.4	2036	2345	2.3				
7	322	601	-1.3	912	1055	0.5	1230	1725	-3.7	2122						
8		38	2.8	420	701	-1.5	1019	1155	0.5	1325	1817	-4.0	2209			
9		128	3.2	510	754	-1.8	1116	1253	0.6	1424	1909	-4.2	2256			
10		215	3.5	556	843	-2.1	1208	1349	0.7	1525	2000	-4.2	2343			
11		302	3.6	638	930	-2.3	1259	1445	0.8	1627	2051	-4.1				
12	30	347	3.6	718	1017	-2.6	1350	1541	0.9	1729	2142	-3.8				
13	117	431	3.4	756	1103	-2.8	1444	1639	1.0	1833	2234	-3.4				
14	204	516	3.0	832	1150	-2.9	1539	1740	1.0	1942	2329	-2.8				
15	253	600	2.5	906	1237	-3.0	1636	1844	1.1	2059						
16		29	-2.2	345	645	2.0	939	1327	-3.1	1734	1954	1.2	2226			
17		137	-1.6	444	733	1.5	1011	1418	-3.1	1832	2106	1.3				
18	2	254	-1.2	555	826	1.0	1042	1511	-3.1	1926	2216	1.6				
19	135	417	-1.1	721	924	0.6	1115	1605	-3.1	2017	2319	1.8				
20	252	534	-1.1	853	1026	0.3	1151	1658	-3.1	2104						
21		13	2.1	350	637	-1.2		1125	0.2		1747	-3.2	2146			
22		100	2.3	437	727	-1.4		1218	0.2		1832	-3.2	2225			
23		140	2.4	515	809	-1.6		1306	0.2		1912	-3.2	2301			
24		216	2.6	548	845	-1.8	1233	1348	0.3	1500	1950	-3.2	2335			
25		249	2.6	618	918	-1.9	1307	1427	0.4	1545	2025	-3.2				
26	7	320	2.6	646	949	-2.0	1339	1505	0.4	1629	2100	-3.1				
27	38	350	2.6	711	1019	-2.2	1411	1543	0.5	1714	2135	-2.9				
28	110	419	2.4	734	1049	-2.3	1443	1623	0.6	1803	2212	-2.6				
29	143	448	2.2	756	1119	-2.4	1516	1706	0.7	1858	2252	-2.3				
30	218	518	1.9	816	1151	-2.6	1553	1755	0.8	2002	2338	-1.9				
31	258	551	1.6	837	1227	-2.7	1634	1850	1.0	2116						

Admiralty Inlet, Wash.

T.M. 120 W.

Predicted Tidal Current

February, 2005

Flood Direction, 180 True.

Ebb (-) Direction, 5 True.

NOAA, National Ocean Service

Day	Slack Water			Maximum Current			Slack Water			Maximum Current			Slack Water			Maximum Current		
	Time	Time	Veloc	Time	Time	Veloc	Time	Time	Veloc	Time	Time	Veloc	Time	Time	Veloc	Time	Time	Veloc
	h.m.	h.m.	Knots	h.m.	h.m.	Knots	h.m.	h.m.	Knots	h.m.	h.m.	Knots	h.m.	h.m.	Knots	h.m.	h.m.	Knots
1		33	-1.5	346	628	1.2	859	1309	-2.8	1722	1954	1.2	2245					
2		142	-1.2	447	713	0.9	925	1358	-2.9	1815	2105	1.5						
3	23	305	-1.0	610	810	0.5	959	1457	-3.1	1911	2217	1.8						
4	154	433	-1.0	750	921	0.3	1045	1600	-3.3	2008	2322	2.3						
5	306	549	-1.3	917	1037	0.3	1152	1704	-3.5	2102								
6		20	2.7	401	649	-1.6	1017	1147	0.4	1312	1805	-3.8	2154					
7		112	3.1	448	739	-2.0	1105	1250	0.7	1429	1901	-3.9	2243					
8		159	3.3	528	824	-2.4	1150	1347	1.0	1540	1954	-4.0	2331					
9		242	3.4	605	907	-2.7	1234	1441	1.3	1645	2044	-3.9						
10	16	324	3.3	640	948	-3.0	1318	1534	1.5	1747	2134	-3.6						
11	102	405	3.0	712	1029	-3.2	1404	1626	1.6	1849	2224	-3.1						
12	147	444	2.6	742	1110	-3.3	1452	1719	1.7	1952	2315	-2.6						
13	233	524	2.1	811	1152	-3.2	1543	1815	1.6	2058								
14		9	-2.0	324	604	1.5	838	1236	-3.1	1637	1916	1.5	2212					
15		111	-1.5	422	648	1.0	904	1324	-3.0	1736	2023	1.5	2335					
16		225	-1.1	539	739	0.5	929	1420	-2.8	1837	2134	1.5						
17	102	351	-1.0		843	0.2		1521	-2.7	1937	2244	1.6						
18	218	513	-1.0		957	0.0		1624	-2.7	2032	2343	1.8						
19	316	616	-1.3		1108	0.0		1722	-2.7	2120								
20		31	2.0	400	703	-1.5		1206	0.2		1812	-2.8	2201					
21		112	2.2	436	740	-1.8	1130	1254	0.4	1416	1855	-2.9	2238					
22		147	2.3	506	813	-2.0	1156	1336	0.6	1513	1934	-3.0	2312					
23		218	2.4	533	842	-2.2	1222	1414	0.8	1603	2011	-3.0	2345					
24		248	2.4	557	910	-2.4	1248	1450	1.0	1651	2046	-2.9						
25	17	316	2.3	618	936	-2.6	1314	1526	1.2	1738	2122	-2.8						
26	50	343	2.1	637	1003	-2.7	1343	1603	1.3	1826	2159	-2.5						
27	124	411	1.9	656	1031	-2.9	1414	1643	1.5	1918	2240	-2.2						
28	202	440	1.6	714	1102	-3.0	1451	1728	1.6	2016	2326	-1.9						

Admiralty Inlet, Wash. T.M. 120 W.

Predicted Tidal Current March, 2005
 Flood Direction, 180 True. Ebb (-)Direction, 5 True.
 NOAA, National Ocean Service

Day	Slack Water			Maximum Current			Slack Water			Maximum Current			Slack Water			Maximum Current		
	Time	Time	Veloc	Time	Time	Veloc	Time	Time	Veloc	Time	Time	Veloc	Time	Time	Veloc	Time	Time	Veloc
	h.m.	h.m.	Knots	h.m.	h.m.	Knots	h.m.	h.m.	Knots	h.m.	h.m.	Knots	h.m.	h.m.	Knots	h.m.	h.m.	Knots
1	244	513	1.2	734	1138	-3.0	1535	1820	1.6	2122								
2		21	-1.5	337	552	0.9	758	1222	-3.0	1628	1921	1.7	2240					
3		129	-1.2	447	641	0.5	825	1317	-3.0	1729	2033	1.8						
4	8	255	-1.1		747	0.2		1424	-3.0	1836	2149	2.0						
5	131	423	-1.2		912	0.1		1539	-3.0	1942	2259	2.3						
6	236	535	-1.5	924	1038	0.3	1149	1652	-3.2	2043	2358	2.6						
7	327	630	-2.0	1007	1150	0.6	1328	1757	-3.4	2138								
8		49	2.8	409	716	-2.4	1046	1251	1.1	1450	1855	-3.5	2229					
9		135	2.9	446	757	-2.8	1126	1344	1.5	1600	1947	-3.5	2316					
10		216	2.9	520	836	-3.2	1205	1434	1.9	1703	2037	-3.4						
11	2	256	2.7	550	914	-3.4	1245	1522	2.1	1801	2125	-3.1						
12	47	333	2.3	618	950	-3.5	1326	1608	2.2	1858	2212	-2.7						
13	132	410	1.9	645	1027	-3.5	1408	1655	2.2	1953	2300	-2.3						
14	220	447	1.4	709	1105	-3.3	1453	1744	2.1	2051	2351	-1.8						
15	312	525	1.0	732	1146	-3.1	1543	1837	1.8	2152								
16		49	-1.4	417	607	0.5	752	1232	-2.8	1639	1937	1.6	2301					
17		159	-1.2		700	0.2		1326	-2.5	1741	2045	1.5						
18	16	321	-1.1		810	-0.1		1433	-2.3	1846	2156	1.5						
19	125	441	-1.2		935	-0.1		1545	-2.2	1948	2258	1.6						
20	221	540	-1.5		1051	0.0		1650	-2.3	2040	2349	1.8						
21	304	623	-1.8	1031	1149	0.3	1307	1745	-2.4	2126								
22		30	1.9	338	659	-2.1	1050	1236	0.6	1422	1832	-2.5	2206					
23		106	2.0	407	729	-2.3	1111	1317	0.9	1522	1913	-2.6	2243					
24		137	2.0	432	757	-2.6	1135	1354	1.3	1614	1953	-2.7	2320					
25		207	2.0	454	823	-2.8	1159	1430	1.6	1703	2031	-2.6	2356					
26		236	1.8	514	850	-3.0	1225	1506	1.9	1751	2109	-2.5						
27	33	305	1.6	533	917	-3.2	1255	1543	2.1	1839	2150	-2.3						
28	112	335	1.4	553	947	-3.3	1329	1623	2.3	1930	2233	-2.1						
29	155	407	1.1	614	1022	-3.3	1408	1708	2.3	2025	2322	-1.8						
30	246	445	0.8	638	1102	-3.3	1455	1800	2.2	2126								
31		19	-1.5	350	530	0.5	704	1150	-3.1	1550	1900	2.1	2236					

Admiralty Inlet, Wash.

T.M. 120 W.

Predicted Tidal Current

April, 2005

Flood Direction, 180 True.

Ebb (-) Direction, 5 True.

NOAA, National Ocean Service

Day	Slack Water			Maximum Current			Slack Water			Maximum Current			Slack Water			Maximum Current			
	Time	Time	Veloc	Time	Time	Veloc	Time	Time	Veloc	Time	Time	Veloc	Time	Time	Veloc	Time	Time	Veloc	
	h.m.	h.m.	Knots	h.m.	h.m.	Knots	h.m.	h.m.	Knots	h.m.	h.m.	Knots	h.m.	h.m.	Knots	h.m.	h.m.	Knots	
1			130	-1.4			629	0.2				1251	-2.9			1655	2010	2.1	2350
2			252	-1.4			749	0.0				1405	-2.7			1805	2124	2.1	
3	58		409	-1.6			922	0.1				1527	-2.7			1915	2231	2.2	
4	154		511	-2.0	910		1045	0.5	1218			1643	-2.7	2020		2329		2.3	
5	240		602	-2.5	946		1151	1.0	1356			1750	-2.8	2118					
6			19	2.4	319		645	-2.9	1022			1247	1.5	1513	1848			-2.9	2211
7			104	2.3	354		724	-3.3	1059			1337	2.0	1619	1940			-2.9	2301
8			145	2.2	425		801	-3.6	1136			1423	2.4	1717	2029			-2.8	2349
9			223	1.9	453		837	-3.7	1213			1507	2.6	1811	2116			-2.6	
10	36		300	1.6	519		912	-3.7	1251			1549	2.7	1901	2202			-2.3	
11	124		336	1.2	543		947	-3.5	1330			1632	2.6	1951	2248			-2.0	
12	216		412	0.8	604		1023	-3.3	1411			1716	2.4	2040	2337			-1.7	
13	315		451	0.5	623		1101	-3.0	1456			1803	2.1	2132					
14			32	-1.5			535	0.1				1145	-2.7	1546	1856			1.8	2228
15			136	-1.3			631	-0.1				1237	-2.3	1643	1956			1.6	2328
16			248	-1.3			745	-0.3				1342	-2.1	1745	2100			1.5	
17	24		357	-1.5			911	-0.2				1456	-1.9	1848	2200			1.5	
18	113		450	-1.8			1026	0.0				1607	-1.9	1946	2251			1.6	
19	154		532	-2.1	947		1124	0.4	1302			1708	-2.0	2038	2335			1.6	
20	227		607	-2.4	1003		1211	0.9	1421			1801	-2.1	2125					
21			13	1.6	256		637	-2.7	1024			1251	1.4	1523	1848			-2.2	2210
22			48	1.5	320		706	-3.0	1048			1330	1.8	1618	1932			-2.2	2253
23			121	1.4	343		735	-3.2	1115			1407	2.2	1708	2015			-2.2	2336
24			153	1.3	405		805	-3.5	1144			1445	2.5	1757	2058			-2.2	
25	20		227	1.1	428		837	-3.6	1218			1524	2.8	1846	2142			-2.1	
26	106		303	0.9	453		913	-3.7	1257			1607	2.9	1936	2229			-2.0	
27	158		342	0.7	521		953	-3.6	1340			1654	2.8	2030	2322			-1.8	
28	300		428	0.4	552		1039	-3.5	1429			1746	2.7	2126					
29			22	-1.7			524	0.2				1132	-3.2	1525	1845			2.5	2225
30			130	-1.7			635	0.1				1237	-2.8	1628	1949			2.4	2324

Admiralty Inlet, Wash. T.M. 120 W.

Predicted Tidal Current May, 2005
 Flood Direction, 180 True. Ebb (-) Direction, 5 True.
 NOAA, National Ocean Service

Day	Slack Water		Maximum Current		Slack Water		Maximum Current		Slack Water		Maximum Current		Slack Water		Maximum Current			
	Time	Time	Time	Time	Time	Time	Time	Time	Time	Time	Time	Time	Time	Time	Time	Time		
	h.m.	h.m.	Veloc	Veloc	h.m.	h.m.	Veloc	Veloc	h.m.	h.m.	Veloc	Veloc	h.m.	h.m.	Veloc	Veloc		
			Knots	Knots			Knots	Knots			Knots	Knots			Knots	Knots		
1			240	-1.9			801	0.1			1353	-2.5			1736	2055	2.2	
2	17		345	-2.2	803		928	0.4	1054		1515	-2.3	1846		2157		2.1	
3	105		440	-2.6	842	1044		0.9	1248		1632	-2.2	1953	2253			2.0	
4	146		528	-3.0	919	1146		1.5	1418		1740	-2.3	2055	2343			1.9	
5	223		610	-3.4	956	1239		2.0	1531		1839	-2.3	2153					
6			28	1.7	255		650	-3.6	1033		1326	2.4	1632	1933			-2.2	2248
7			110	1.4	325		727	-3.8	1109		1410	2.7	1726	2023			-2.2	2341
8			150	1.1	353		803	-3.8	1145		1451	2.8	1815	2109			-2.1	
9	33		228	0.9	417		837	-3.7	1222		1532	2.8	1901	2154			-1.9	
10	126		305	0.6	440		912	-3.5	1259		1611	2.7	1945	2239			-1.8	
11	224		343	0.3	459		948	-3.2	1337		1652	2.5	2028	2326			-1.7	
12			424	0.1			1026	-2.9	1418		1735	2.3	2112					
13			16	-1.6			511	-0.1			1108	-2.6	1502	1820			2.1	2156
14			111	-1.6			609	-0.2			1157	-2.3	1550	1910			1.9	2241
15			209	-1.6			720	-0.3			1255	-2.0	1644	2003			1.7	2324
16			304	-1.8			838	-0.2			1404	-1.7	1741	2055			1.6	
17	4		352	-2.1			949	0.2			1516	-1.6	1841	2145			1.5	
18	38		432	-2.4	853	1048		0.6	1249		1625	-1.6	1941	2231			1.3	
19	109		509	-2.7	913	1137		1.1	1412		1726	-1.6	2039	2313			1.2	
20	137		543	-3.0	937	1221		1.7	1519		1821	-1.7	2134	2354			1.1	
21	204		616	-3.3	1005	1303		2.2	1616		1911	-1.8	2227					
22			33	0.9	231		651	-3.6	1037		1344	2.7	1708	1959			-1.9	2319
23			113	0.8	300		727	-3.8	1113		1425	3.0	1758	2047			-1.9	
24	10		154	0.7	332		806	-3.9	1152		1509	3.2	1847	2135			-2.0	
25	104		238	0.6	408		849	-3.9	1235		1554	3.3	1936	2225			-2.0	
26	202		327	0.4	448		935	-3.8	1322		1643	3.2	2025	2319			-2.0	
27	308		422	0.3	534		1026	-3.6	1412		1734	3.1	2114					
28			16	-2.1			526	0.2			1123	-3.2	1506	1828			2.8	2202
29			115	-2.2			640	0.2			1228	-2.7	1605	1924			2.5	2248
30			214	-2.5	634		801	0.4	930		1342	-2.3	1707	2022			2.2	2331
31			311	-2.8	724		921	0.8	1123		1500	-2.0	1814	2118			1.9	

Admiralty Inlet, Wash.

T.M. 120 W.

Predicted Tidal Current

June, 2005

Flood Direction, 180 True.

Ebb (-) Direction, 5 True.

NOAA, National Ocean Service

Day	Slack Water			Maximum Current			Slack Water			Maximum Current			Slack Water			Maximum Current		
	Time	Time	Veloc	Time	Time	Veloc	Time	Time	Veloc	Time	Time	Veloc	Time	Time	Veloc	Time	Time	Veloc
	h.m.	h.m.	Knots	h.m.	h.m.	Knots	h.m.	h.m.	Knots	h.m.	h.m.	Knots	h.m.	h.m.	Knots	h.m.	h.m.	Knots
1	11	403	-3.1	808	1032	1.3	1306	1618	-1.8	1924	2213	1.6						
2	49	451	-3.4	850	1133	1.8	1432	1728	-1.7	2033	2304	1.3						
3	124	535	-3.6	930	1226	2.3	1541	1831	-1.7	2139	2353	1.0						
4	156	617	-3.7	1008	1313	2.6	1640	1927	-1.7	2242								
5		38	0.8	226	656	-3.7	1046	1356	2.8	1730	2017	-1.8	2342					
6		121	0.6	255	734	-3.7	1123	1437	2.9	1814	2103	-1.8						
7	39	202	0.4	322	811	-3.5	1159	1516	2.8	1855	2146	-1.7						
8		242	0.2		847	-3.4	1235	1553	2.7	1933	2228	-1.7						
9		322	0.1		923	-3.1	1312	1631	2.6	2009	2310	-1.7						
10		405	0.0		1000	-2.9	1348	1708	2.4	2045	2353	-1.8						
11		453	-0.1		1040	-2.6	1427	1747	2.3	2120								
12		37	-1.8		546	-0.2		1125	-2.3	1507	1827	2.1	2153					
13		122	-2.0		648	-0.1		1216	-2.0	1552	1909	1.8	2225					
14		206	-2.1		755	0.1		1317	-1.6	1642	1953	1.6	2255					
15		248	-2.3	729	902	0.4	1042	1426	-1.4	1740	2038	1.3	2323					
16		329	-2.6	752	1004	0.8	1229	1540	-1.2	1844	2125	1.1	2351					
17		409	-2.9	820	1059	1.4	1358	1650	-1.2	1954	2214	0.9						
18	20	450	-3.2	852	1149	1.9	1509	1754	-1.3	2102	2302	0.7						
19	52	531	-3.5	928	1236	2.4	1609	1852	-1.5	2206	2352	0.6						
20	129	615	-3.8	1008	1323	2.9	1702	1945	-1.6	2305								
21		41	0.5	211	659	-4.0	1050	1408	3.2	1751	2035	-1.8						
22	0	132	0.5	259	746	-4.1	1134	1454	3.4	1837	2124	-2.0						
23	54	225	0.5	351	835	-4.1	1220	1541	3.5	1922	2213	-2.2						
24	150	320	0.5	447	925	-3.9	1308	1628	3.4	2005	2303	-2.3						
25	248	420	0.6	549	1019	-3.6	1357	1716	3.2	2046	2354	-2.5						
26	348	524	0.6	659	1116	-3.1	1448	1804	2.9	2125								
27		46	-2.7	448	633	0.7	820	1218	-2.6	1542	1854	2.5	2203					
28		138	-3.0	546	746	0.9	953	1327	-2.1	1641	1945	2.0	2240					
29		231	-3.1	640	900	1.2	1134	1443	-1.6	1746	2038	1.5	2316					
30		323	-3.3	731	1010	1.6	1311	1601	-1.4	1900	2133	1.1	2351					

Admiralty Inlet, Wash.

T.M. 120 W.

Predicted Tidal Current

July, 2005

Flood Direction, 180 True.

Ebb (-) Direction, 5 True.

NOAA, National Ocean Service

Day	Slack Water			Maximum Current			Slack Water			Maximum Current			Slack Water			Maximum Current		
	Time	Time	Veloc	Time	Time	Veloc	Time	Time	Veloc	Time	Time	Veloc	Time	Time	Veloc	Time	Time	Veloc
	h.m.	h.m.	Knots	h.m.	h.m.	Knots	h.m.	h.m.	Knots	h.m.	h.m.	Knots	h.m.	h.m.	Knots	h.m.	h.m.	Knots
1			413	-3.4	819	1113	2.0	1434	1717	-1.3	2019	2229	0.8					
2	25		502	-3.5	904	1209	2.3	1541	1823	-1.4	2137	2323	0.5					
3	100		549	-3.5	947	1258	2.5	1636	1920	-1.5	2247							
4		14	0.4	136	632	-3.5	1027	1342	2.7	1722	2009	-1.6	2348					
5		102	0.3	213	714	-3.4	1105	1422	2.7	1801	2052	-1.7						
6		146	0.2		752	-3.4	1141	1459	2.7	1836	2131	-1.7						
7		228	0.2		829	-3.2	1216	1533	2.7	1908	2208	-1.8						
8		309	0.2		905	-3.1	1249	1606	2.6	1938	2243	-1.9						
9		350	0.1		941	-2.9	1323	1639	2.5	2007	2318	-2.0						
10		434	0.2		1019	-2.6	1357	1711	2.3	2033	2353	-2.1						
11		521	0.2		1100	-2.3	1433	1745	2.1	2058								
12		28	-2.2	455	613	0.3	732	1146	-2.0	1513	1819	1.8	2122					
13		105	-2.4	531	710	0.5	854	1240	-1.6	1558	1857	1.5	2145					
14		144	-2.6	608	812	0.7	1028	1346	-1.3	1653	1939	1.1	2209					
15		227	-2.7	647	917	1.1	1208	1501	-1.1	1802	2027	0.8	2237					
16		314	-3.0	728	1020	1.5	1339	1620	-1.0	1922	2123	0.6	2310					
17		404	-3.2	813	1119	2.0	1455	1733	-1.1	2044	2223	0.4	2353					
18		457	-3.5	859	1213	2.5	1555	1835	-1.3	2155	2325	0.4						
19	48		550	-3.8	945	1303	2.9	1647	1930	-1.6	2253							
20		25	0.5	151	643	-4.0	1032	1351	3.2	1732	2019	-1.9	2343					
21		122	0.6	256	735	-4.1	1120	1437	3.4	1813	2105	-2.2						
22	32		219	0.8	401	826	-4.1	1206	1522	3.5	1852	2150	-2.5					
23	121		315	1.0	506	918	-3.8	1253	1606	3.3	1929	2235	-2.8					
24	211		413	1.1	612	1011	-3.5	1341	1650	3.0	2004	2321	-3.0					
25	304		512	1.2	722	1105	-3.0	1429	1734	2.6	2038							
26		7	-3.1	358	614	1.3	836	1204	-2.4	1521	1819	2.1	2111					
27		55	-3.2	455	721	1.4	959	1309	-1.8	1619	1906	1.6	2144					
28		146	-3.2	553	831	1.5	1129	1423	-1.4	1727	1959	1.1	2217					
29		240	-3.2	650	942	1.7	1300	1545	-1.2	1851	2057	0.7	2251					
30		336	-3.2	746	1049	1.9	1421	1705	-1.1	2024	2200	0.4	2329					
31		432	-3.2	838	1148	2.1	1525	1813	-1.3		2303	0.2						

Admiralty Inlet, Wash.

T.M. 120 W.

Predicted Tidal Current

September, 2005

Flood Direction, 180 True.

Ebb (-) Direction, 5 True.

NOAA, National Ocean Service

Day	Slack Water		Maximum Current		Slack Water		Maximum Current		Slack Water		Maximum Current		Slack Water		Maximum Current	
	Time	Time	Time	Time	Time	Time	Time	Time	Time	Time	Time	Time	Time	Time	Time	Time
	h.m.	h.m.	Veloc	Veloc	h.m.	h.m.	Veloc	Veloc	h.m.	h.m.	Veloc	Veloc	h.m.	h.m.	Veloc	Veloc
			Knots	Knots			Knots	Knots			Knots	Knots			Knots	Knots
1			41	0.5	212	641	-2.9	1022	1329	2.3	1643	1953	-2.1	2336		
2			124	0.7	309	721	-2.9	1058	1401	2.3	1710	2023	-2.3			
3	3		202	0.9	359	758	-2.9	1131	1430	2.3	1734	2051	-2.5			
4	29		237	1.1	445	834	-2.8	1203	1458	2.1	1755	2117	-2.6			
5	56		313	1.2	531	909	-2.6	1236	1525	1.9	1814	2143	-2.7			
6	123		348	1.4	617	946	-2.4	1311	1552	1.7	1831	2210	-2.8			
7	153		426	1.5	705	1025	-2.1	1348	1620	1.4	1848	2239	-2.9			
8	227		507	1.6	759	1109	-1.8	1431	1651	1.1	1906	2313	-2.9			
9	308		555	1.7	900	1200	-1.5	1522	1728	0.7	1926	2354	-2.9			
10	358		652	1.7	1011	1304	-1.2	1631	1813	0.4	1950					
11			45	-2.8	456	800	1.7	1133	1424	-1.1		1916	0.2			
12			149	-2.8	601	914	1.8	1254	1550	-1.2		2039	0.0			
13			304	-2.8	708	1025	2.1	1400	1702	-1.5		2206	0.2			
14			419	-3.0	810	1125	2.4	1452	1757	-1.9	2139	2320	0.6			
15	56		526	-3.2	907	1217	2.6	1534	1844	-2.4	2216					
16			21	1.0	223	625	-3.4	959	1303	2.8	1612	1925	-2.8	2254		
17			116	1.5	336	720	-3.4	1048	1346	2.8	1646	2005	-3.2	2334		
18			207	2.0	441	811	-3.3	1136	1427	2.6	1717	2043	-3.5			
19	14		256	2.3	541	901	-3.1	1223	1506	2.3	1747	2122	-3.7			
20	56		344	2.5	639	951	-2.8	1311	1545	1.9	1815	2200	-3.7			
21	139		432	2.5	737	1041	-2.4	1402	1624	1.4	1842	2240	-3.5			
22	225		522	2.4	836	1135	-2.0	1458	1705	0.9	1907	2323	-3.2			
23	316		616	2.1	939	1235	-1.6	1609	1751	0.5	1930					
24			11	-2.9	412	717	1.9	1047	1346	-1.3		1848	0.1			
25			107	-2.6	515	825	1.7	1158	1507	-1.2		2002	-0.1			
26			215	-2.3	622	935	1.6	1304	1623	-1.4		2127	-0.1			
27			329	-2.2	726	1037	1.7	1357	1720	-1.6		2241	0.1			
28			435	-2.2	821	1128	1.8	1439	1804	-1.9	2209	2339	0.4			
29	108		531	-2.3	908	1210	1.9	1514	1839	-2.2	2231					
30			25	0.7	219	618	-2.4	949	1246	1.9	1542	1910	-2.5	2254		

Admiralty Inlet, Wash.

T.M. 120 W.

Predicted Tidal Current

October, 2005

Flood Direction, 180 True.

Ebb (-) Direction, 5 True.

NOAA, National Ocean Service

Day	Slack Water		Maximum Current		Slack Water		Maximum Current		Slack Water		Maximum Current		Slack Water		Maximum Current	
	Time	Time	Time	Time	Time	Time	Time	Time	Time	Time	Time	Time	Time	Time	Time	Time
	h.m.	h.m.	Veloc	Veloc	h.m.	h.m.	Veloc	Veloc	h.m.	h.m.	Veloc	Veloc	h.m.	h.m.	Veloc	Veloc
			Knots	Knots			Knots	Knots			Knots	Knots			Knots	Knots
1			105	1.1	317	700	-2.5	1027	1318	1.9	1607	1937	-2.7	2317		
2			141	1.4	408	739	-2.5	1104	1348	1.8	1629	2004	-2.9	2342		
3			216	1.7	455	817	-2.5	1141	1416	1.7	1649	2030	-3.0			
4	7		250	1.9	540	855	-2.4	1218	1444	1.4	1707	2056	-3.2			
5	35		325	2.1	626	933	-2.2	1257	1513	1.2	1724	2124	-3.2			
6	106		403	2.2	713	1015	-2.0	1340	1544	0.9	1743	2156	-3.2			
7	143		445	2.3	804	1101	-1.7	1430	1619	0.6	1802	2233	-3.2			
8	226		533	2.2	902	1155	-1.5	1534	1701	0.4	1824	2318	-3.1			
9	318		629	2.1	1007	1302	-1.4		1756	0.1						
10			15	-2.8	419	735	2.0	1116	1420	-1.4		1913	-0.1			
11			126	-2.6	527	847	2.0	1222	1536	-1.6		2047	0.0			
12			248	-2.5	637	955	2.1	1318	1639	-2.0	2046	2212	0.4	2338		
13			408	-2.6	744	1054	2.2	1404	1729	-2.5	2118	2321	0.9			
14	124		517	-2.7	844	1145	2.3	1444	1813	-3.0	2153					
15			19	1.6	247	618	-2.8	940	1231	2.3	1519	1853	-3.4	2229		
16			110	2.1	355	713	-2.8	1032	1314	2.1	1551	1931	-3.7	2307		
17			157	2.6	456	805	-2.8	1122	1354	1.9	1621	2009	-3.9	2345		
18			243	2.8	551	854	-2.6	1212	1434	1.5	1649	2046	-3.9			
19	24		327	2.9	644	942	-2.4	1304	1512	1.2	1716	2123	-3.8			
20	105		411	2.8	736	1031	-2.1	1359	1552	0.8	1740	2201	-3.5			
21	148		457	2.6	827	1123	-1.8	1503	1633	0.4	1800	2242	-3.2			
22	234		546	2.3	921	1219	-1.6		1720	0.1		2327	-2.8			
23	325		640	2.0	1016	1325	-1.4		1819	-0.2						
24			21	-2.4	422	739	1.8	1113	1436	-1.5		1937	-0.3			
25			126	-2.1	524	842	1.6	1206	1541	-1.6		2104	-0.2			
26			241	-1.9	627	940	1.6	1253	1634	-1.9		2218	0.1			
27			354	-1.8	726	1032	1.6	1332	1715	-2.2	2131	2315	0.5			
28	101		456	-1.9	819	1115	1.6	1404	1749	-2.5	2149					
29			1	1.0	217	549	-1.9	908	1154	1.5	1433	1820	-2.8	2211		
30			41	1.4	318	636	-2.0	953	1229	1.4	1457	1849	-3.1	2234		
31			117	1.8	410	719	-2.1	1037	1302	1.3	1519	1917	-3.3	2300		

Admiralty Inlet, Wash.

T.M. 120 W.

Predicted Tidal Current

November, 2005

Flood Direction, 180 True.

Ebb (-) Direction, 5 True.

NOAA, National Ocean Service

Day	Slack Water		Maximum Current		Slack Water		Maximum Current		Slack Water		Maximum Current		Slack Water		Maximum Current	
	Time	Time	Time	Time	Time	Time	Time	Time	Time	Time	Time	Time	Time	Time	Time	Time
	h.m.	h.m.	Veloc	Veloc	h.m.	h.m.	Veloc	Veloc	h.m.	h.m.	Veloc	Veloc	h.m.	h.m.	Veloc	Veloc
			Knots	Knots			Knots	Knots			Knots	Knots			Knots	Knots
1			153	2.2	458	801	-2.1	1121	1334	1.1	1540	1946	-3.4	2328		
2			229	2.5	544	842	-2.1	1204	1406	0.9	1601	2016	-3.6	2359		
3			306	2.7	630	924	-2.0	1250	1439	0.7	1624	2049	-3.6			
4	34		346	2.8	717	1009	-1.9	1340	1516	0.5	1648	2126	-3.6			
5	115		429	2.8	807	1058	-1.7	1439	1559	0.3	1715	2209	-3.4			
6	200		518	2.7	900	1154	-1.7		1650	0.1		2259	-3.2			
7	252		613	2.5	955	1258	-1.7		1757	0.0		2359	-2.8			
8	351		713	2.4	1050	1406	-1.8		1921	0.0						
9			112	-2.5	456	817	2.2	1142	1510	-2.2		2051	0.2			
10			234	-2.2	605	919	2.1	1229	1606	-2.6	2015	2211	0.7			
11	9		355	-2.1	714	1017	2.0	1311	1656	-3.0	2051	2316	1.4			
12	148		508	-2.1	820	1109	1.8	1349	1740	-3.4	2128					
13			12	2.0	306	611	-2.2	922	1157	1.6	1423	1821	-3.7	2206		
14			101	2.5	410	708	-2.2	1020	1242	1.4	1456	1900	-3.9	2243		
15			147	2.9	507	800	-2.2	1116	1325	1.2	1526	1938	-4.0	2321		
16			230	3.1	558	849	-2.1	1211	1405	0.9	1554	2016	-3.9			
17	0		312	3.1	645	936	-2.0	1306	1445	0.6	1621	2053	-3.7			
18	39		354	3.0	731	1023	-1.9	1406	1526	0.4	1644	2131	-3.4			
19	119		436	2.8	815	1110	-1.8		1609	0.1		2210	-3.1			
20	201		519	2.5	858	1201	-1.7		1657	-0.1		2252	-2.7			
21	245		604	2.2	941	1255	-1.7		1754	-0.2		2340	-2.3			
22	332		652	2.0	1024	1352	-1.7		1905	-0.3						
23			38	-2.0	423	743	1.8	1105	1446	-1.9		2024	-0.2			
24			145	-1.7	519	834	1.6	1142	1534	-2.1		2137	0.2			
25			259	-1.5	620	924	1.4	1217	1616	-2.4	2043	2238	0.6			
26	41		410	-1.4	722	1011	1.3	1247	1653	-2.7	2102	2327	1.1			
27	205		513	-1.4	822	1055	1.1	1316	1727	-3.0	2126					
28			11	1.6	311	609	-1.5	920	1136	1.0	1342	1801	-3.3	2153		
29			51	2.1	406	659	-1.7	1014	1216	0.8	1409	1834	-3.5	2224		
30			130	2.5	456	746	-1.7	1105	1254	0.7	1437	1909	-3.7	2257		

Admiralty Inlet, Wash.

T.M. 120 W.

Predicted Tidal Current

December, 2005

Flood Direction, 180 True.

Ebb (-) Direction, 5 True.

NOAA, National Ocean Service

Day	Slack Water		Maximum Current		Slack Water		Maximum Current		Slack Water		Maximum Current		Slack Water		Maximum Current	
	Time	Time	Time	Time	Time	Time	Time	Time	Time	Time	Time	Time	Time	Time	Time	Time
	h.m.	h.m.	Veloc	Veloc	h.m.	h.m.	Veloc	Veloc	h.m.	h.m.	Veloc	Veloc	h.m.	h.m.	Veloc	Veloc
			Knots	Knots			Knots	Knots			Knots	Knots			Knots	Knots
1			209	2.9	543	831	-1.8	1155	1334	0.6	1507	1946	-3.8	2334		
2			250	3.1	629	916	-1.9	1245	1416	0.5	1541	2026	-3.9			
3	13		332	3.2	714	1002	-1.9	1338	1501	0.4	1620	2110	-3.8			
4	57		417	3.2	759	1051	-1.9	1438	1552	0.3	1704	2157	-3.6			
5	143		505	3.1	845	1144	-2.0		1651	0.2		2250	-3.3			
6	234		555	2.9	929	1240	-2.2		1800	0.2		2350	-2.8			
7	328		648	2.6	1013	1337	-2.4	1758	1919	0.4	2041					
8			100	-2.3	428	743	2.3	1055	1434	-2.7	1851	2041	0.7	2237		
9			219	-1.9	534	840	1.9	1136	1528	-3.0	1937	2157	1.2			
10	28		340	-1.7	646	937	1.6	1214	1619	-3.4	2021	2303	1.7			
11	202		457	-1.6	800	1033	1.3	1252	1707	-3.6	2103					
12			0	2.3	318	606	-1.6	912	1125	1.0	1328	1752	-3.8	2144		
13			51	2.7	420	705	-1.7	1019	1215	0.8	1403	1835	-3.9	2225		
14			137	2.9	512	758	-1.8	1120	1302	0.6	1437	1916	-3.8	2304		
15			219	3.0	558	846	-1.8	1218	1346	0.5	1510	1955	-3.7	2343		
16			300	3.0	640	930	-1.8	1313	1428	0.3	1541	2033	-3.6			
17	20		338	2.9	718	1012	-1.8		1510	0.2		2111	-3.3			
18	57		416	2.8	754	1053	-1.8		1553	0.1		2148	-3.0			
19	134		453	2.6	828	1134	-1.9		1639	0.0		2227	-2.7			
20	211		530	2.4	900	1216	-1.9		1730	0.0		2309	-2.4			
21	249		607	2.1	931	1259	-2.0		1828	0.0		2358	-2.0			
22	332		647	1.8	1001	1343	-2.2		1934	0.1						
23			55	-1.6	419	729	1.6	1030	1426	-2.3	1912	2042	0.3	2219		
24			203	-1.3	516	814	1.2	1058	1509	-2.5	1939	2147	0.7			
25	10		319	-1.1	622	902	1.0	1125	1551	-2.8	2009	2245	1.2			
26	144		435	-1.1	737	953	0.7	1154	1633	-3.0	2041	2337	1.7			
27	258		542	-1.2	851	1044	0.5	1226	1715	-3.3	2116					
28			24	2.2	357	640	-1.3	958	1134	0.4	1303	1758	-3.6	2154		
29			108	2.7	448	731	-1.5	1055	1224	0.4	1347	1842	-3.8	2234		
30			152	3.0	534	818	-1.7	1145	1313	0.5	1436	1927	-4.0	2315		
31			235	3.3	617	903	-1.9	1232	1403	0.5	1529	2013	-4.0	2359		