


Tidal Current Tables 2012 – Pacific Coast of North America and Asia

Tidal Current Tables 2012

Pacific Coast of North America and Asia

INDEX OF TIDE TABLE COVERAGE



Tidal Current Tables 2012

Pacific Coast of North America and Asia

Issued 2011

SOURCES OF ADDITIONAL INFORMATION

THE NATIONAL OCEAN SERVICE IS NO LONGER PRINTING AND DISTRIBUTING THE TIDE AND TIDAL CURRENT TABLES

Tide and Tidal current data continue to be updated, generated and published by the NOAA/National Ocean Service; however, the printing and distribution in book-form is now done by the Federal Aviation Administration and several private companies working from information provided by NOS.

NOS now offers two vehicles for obtaining predictions. First, the complete set of Tables as camera-ready page-images will be available on CD-ROM. The CD-ROM vehicle is primarily intended for use by federal or private printers who wish to print in book-form the full set of Tables for distribution to resellers and the general public. Second, for domestic tide reference stations, limited predictions are available on the NOS, Center for Operational Oceanographic Products and Services (CO-OPS), web site, (<http://tidesandcurrents.noaa.gov/>).

In addition to predictions, the web site provides updated information on the status of the Tables as they are finalized each year. Notices concerning the most recent Table updates and publication cut-off dates are included.

For the names of companies printing and distributing the Tables, please call or write to:

National Ocean Service
Oceanographic Division, N/OPS3
1305 East-West Highway
Silver Spring, MD 20910
301-713-2815, fax 301-713-4500

PUBLICATIONS:

United States Coast Pilots and Nautical Charts may be ordered from:

FAA, National Aeronautical Charting Office
Distribution Division, AJW-3550
10201 Good Luck Road
Glenn Dale, MD 20769-9700
(301) 436-8301
(800) 638-8972 toll free, U.S. Only
<http://www.naco.faa.gov/>

A list of authorized sales agents is published in the Nautical Chart Catalogs or may be obtained on request from the National Ocean Service. The publications may also be purchased across-the-counter at the NOAA, Distribution Branch office listed above.

TECHNICAL ASSISTANCE:

*Technical questions relating to **tide and current predictions**, as well as requests for **special predictions**, should be addressed to:*

National Ocean Service
Oceanographic Division, N/OPS3
1305 East-West Highway
Silver Spring, MD 20910
(301) 713-2815

SOURCES OF ADDITIONAL INFORMATION

Technical questions relating to ***actual tide observations, tidal datums, and other information necessary for engineering projects*** should be addressed to:

National Ocean Service
Oceanographic Division, N/OPS3
1305 East-West Highway
Silver Spring, MD 20910
(301) 713-2877

Technical questions relating to *other publications and nautical charts* should be addressed to:

National Ocean Service
Customer Affairs Branch
1315 East-West Highway.
Silver Spring, MD 20910
(301) 713-2729

WEBSITES

Center for Operational Oceanographic Products and Services
(PORTS[®] * Predictions * Observations * Bench Marks * Tides Online * Great Lakes Online)

<http://tidesandcurrents.noaa.gov>

Coastal Services Center - <http://www.csc.noaa.gov>
Marine Chart Division - <http://www.nauticalcharts.noaa.gov>
Ocean Predictions Center - <http://www.opc.ncep.noaa.gov>
National Centers for Environmental Predictions - <http://www.ncep.noaa.gov>
National Climatic Data Center - <http://www.ncdc.noaa.gov>
National Data Buoy Center - <http://www.ndbc.noaa.gov>
National Geodetic Survey - <http://www.ngs.noaa.gov>
National Geophysical Data Center - <http://www.ngdc.noaa.gov>
National Ocean Service - <http://www.nos.noaa.gov>
National Oceanic and Atmospheric Administration - <http://www.noaa.gov>
National Oceanographic Data Center - <http://www.nodc.noaa.gov>
National Weather Service - <http://www.nws.noaa.gov>
U.S. Coast Guard - <http://www.uscg.mil>
U.S. Geological Survey - <http://www.usgs.gov>
U.S. Naval Observatory - <http://www.usno.navy.mil>
U.S. Naval Oceanographic Office - <https://oceanography.navy.mil>

CORRECTIONS:

Corrections to this publication, after the date of printing, may appear in the Notice to Mariners. They may also appear in the Local Notice to Mariners, published weekly, by the various United States Coast Guard Districts.

CONTENTS

	Page
Astronomical data.....	inside back cover
Important notices	VII
Introduction	XI
List of reference stations.....	XII
Table 1. —Daily current predictions	
Explanation of table.....	1
Typical current curves.....	3
Daily predictions for reference stations	4
Explanation of predictions for Unimak Pass.....	129
Table 2. —Current differences and other constants and rotary tidal currents	
Explanation of table.....	195
Current differences and other constants	197
Table 3. —Speed of current at any time	
Explanation of table.....	241
Speed of current at any time	242
Table 4. —Duration of slack	243
Table 5. —Rotary tidal currents.....	244
Coastal tidal current	
Explanation.....	249
Observation stations	250
Wind-driven currents.....	255
The combination of currents	257
Publications relating to tides and tidal currents	259
Official U.S. Datums	260
Glossary of terms	261
Index to stations.....	267

IMPORTANT NOTICES

The daily tidal current predictions for the Philippine locations, ILOILO STRAIT, CEBU, HARBOR, SAN JUANICO STRAIT, and SAN BERNARDINO STRAIT do not appear in the publication. Daily tidal current predictions for those locations are normally supplied to the National Ocean Service by the Bureau of Coast and Geodetic Survey, Republic of the Philippines in accordance with cooperative arrangements for the exchange of tidal predictions. Their predictions were not forwarded in time to appear in this publication. The pages in which these predictions usually appear have been intentionally omitted from this publication.

Daylight-saving time is not used in this publication. All daily tidal current predictions and predictions compiled by the use of Table 2 data are based on the standard time meridian indicated by each location. Predicted times may be converted to daylight-saving time, where necessary, by adding 1 hour to these data. In converting times from the Astronomical Data page on the inside back cover, it should be remembered that daylight saving time is based on a meridian 15° east of the normal standard meridian for a particular place.

NOS, in partnership with other agencies and institutions, has established a series of Physical Oceanographic Real Time Systems (PORTS®) in selected areas. These PORTS® sites provide constantly updated information on tide and tidal current conditions, water temperature, and weather conditions. This information is updated every six minutes. PORTS® sites are currently in operation at several major harbors with future sites to be added. The information is accessible through a computer data connection or by a voice response system at the following numbers:

PORTS® SITES	VOICE ACCESS	INTERNET ACCESS
CHERRY POINT	888-817-7794	www.tidesandcurrents.noaa.gov
CHESAPEAKE BAY	866-CH-PORTS (866-247-6787)	“
DELAWARE RIVER & BAY	866-30-PORTS (866-307-6787)	“
GULFPORT	888-257-1858	“
HOUSTON/GALVESTON	866-HG-PORTS (866-447-6787)	“
LAKE CHARLES	888-817-7692	“
LOS ANGELES/LONG BEACH		“
LOWER COLUMBIA RIVER	888-53-PORTS (888-537-6787)	“
LOWER MISSISSIPPI RIVER	888-817-7767	“
MOBILE BAY	877-84-PORTS (877-847-6787)	“
NARRAGANSETT BAY	866-75-PORTS (866-757-6787)	“
NEW HAVEN	888-80-PORTS (888-807-6787)	“
NEW YORK/NEW JERSEY	866-21-PORTS (866-217-6787)	“
PASCAGOULA	888-257-1857	“
PORT OF ANCHORAGE	866-AK-PORTS (866-257-6787)	“
SABINE NECHES	888-257-1859	“
SAN FRANCISCO BAY	866-SB-PORTS (866-727-6787)	“
SOO LOCKS	301-713-9596	“
TACOMA	888-60-PORTS (888-607-6787)	“
TAMPA BAY	866-TB-PORTS (866-827-6787)	“

IMPORTANT NOTICES



PUBLISHED CAUTIONARY NOTICES

Published in Local Notice to Mariners and United States Coast Pilot Notices

UPDATE TO THE 2012 EDITION OF THE NOS TIDAL CURRENT TABLES

The NOAA National Ocean Service's Center for Operational Oceanographic Products and Services (CO-OPS) is updating the tidal current predictions published for the Dutch Harbor region of Alaska within the 2012 Tidal Current Tables - Pacific Coast of North America and Asia. Reference stations in this area have been updated with new data; historic secondary stations have been updated; and a number of new stations have been added.

Issued: October 1, 2011

THE NARROWS, PUGET SOUND, WASHINGTON

Tidal current speeds at The Narrows, Puget Sound, Washington have been reported by the U.S. Coast Guard and other reliable sources as being significantly higher than predicted. Until such time as new tidal current data can be collected to update predictions at this location, extreme caution should be used while navigating the area.

Issued October 1, 2008

CHANGES TO 2004 AND FUTURE EDITIONS OF THE NOS TIDE TABLES

The National Ocean Service's, Center for Operational Oceanographic Products and Services (CO-OPS) is continuing to work on updating tidal data for the 1983-2001 Tidal Epoch. The updated information will begin to appear in the 2004 edition of the published Tide Tables and is expected to be completed for the 2005 Tide Tables. In conjunction with the 1983-2001 Tidal Epoch update, CO-OPS has started a comprehensive review of the secondary stations listed in the published Tide Tables. As a result of this review, there will be numerous changes to the stations listed in the "Table 2 - Tidal Differences and Other Constants" pages of the published Tide Tables and in the CO-OPS web products. These changes will include the addition of new stations, removal of obsolete stations, and updating information for other existing stations. These changes will begin to appear in the 2004 edition of the published Tide Tables and are expected to continue for several years.

Tables in which U.S. stations will be affected by the 1983-2001 Epoch and Table 2 station review include:

- Tide Tables - East Coast of North and South America, Including Greenland
- Tide Tables - West Coast of North and South America, Including the Hawaii Islands
- Tide Tables - Central and Western Pacific Ocean and Indian Ocean

Issued October 1, 2003

TIDAL CURRENT PREDICTIONS INSIDE U.S. ESTUARIES

At present there are several U.S. estuaries with operational Physical Oceanographic Real Time Systems (PORTS) installed. PORTS systems are presently being installed in several additional estuaries. Over the next ten years there are projected to be twenty or more additional systems installed. In the past, the tidal current reference station has always been located at the entrance to each estuary. All tidal current secondary stations both inside and outside (along the coast) have been referred to the reference station at the entrance to the estuary. This will no longer be the case in estuaries with an operational PORTS system.

Estuaries with an operational PORTS system will have at least two reference stations. One will be the historic station at the entrance to the estuary. All secondary stations along the coast will continue to be referred to this station. The second tidal current reference station will be the primary PORTS station within the estuary. All secondary locations within the estuary itself will be referred to this location. Depending on the circulation dynamics of the estuary, daily tidal current predictions may be provided for one or more additional stations within the estuary.

(Issued October 1, 1999)

KUSKOKWIM BAY AND RIVER, ALASKA

The National Ocean Service's (NOS) official published time and height corrections for this area (Table 2 in the Tide Tables West Coast of North and South America) in recent years have been based on the daily predictions for Nushagak Bay, AK, the nearest NOS reference station. These published values, however, do not provide the most accurate corrections. The shape of the tide curves varies considerably along the Alaskan coast. The previously published corrections based on Matarani, Peru, provide more accurate results for this area because the shape of the tide curves closely match. The corrections based on Matarani are:

Location Name	Position		Differences			
	Lat.	Long.	Time		Height	
	N °	W °	High h. m.	Low h. m.	High ft.	Low ft.
Goodnews Bay entrance	59 03	161 49	+0 59	+0 51	*2.83	*2.00
Carter Spit	59 19	161 57	+1 19	+1 24	*3.63	*2.33
Eek Channel, off Quinhagak	59 45	162 15	+2 39	+3 05	*4.25	*1.67
Warehouse Creek entrance	59 56	162 05	+3 05	+3 50	*4.38	*1.67
Kuskokwak Creek entrance	60 02	162 10	+3 53	+4 40	*4.21	*1.67
Popokamute	60 04	162 25	+4 12	+5 05	*3.67	*1.67
Apokak Creek entrance	60 08	162 10	+4 13	+5 10	*4.13	*1.67
Bethel	60 48	161 45	+8 51	+11 11	+0.3	+0.1

(Issued May 30, 1997)

CHIGNIK, ALASKA

The US Army Corps of Engineers (USACOE) is planning the construction of a Small Boat Harbor in Chignik, AK. The construction will include dredging and the construction of a breakwater. Official published Tide and Tidal Current predictions will be degraded once the project begins. Tidal Currents will be effected the most. From the beginning of the project until a resurvey of the area can be completed, Tide and Tidal Current predictions should be used with caution. Tidal Current predictions should be used only with extreme caution. Therefore, until such time as a resurvey of the area is conducted, the National Oceanic and Atmospheric Administration, National Ocean Service will be unable to provide the accurate Tide and Tidal Current predictions necessary for marine safety and navigation in this area.

(Issued May 30, 1997)

NEPTUNE BEACH, WASHINGTON

Pudget Sound Pilots report that observed tidal currents in the vicinity of Neptune Beach, WA deviate significantly from official published predictions. Reliable sources report that the observed velocities are close to double the predicted values and that the times are up to 1 hour earlier than predicted. Extreme caution should be exercised in this vicinity by all vessels especially tankers passing through the area approaching oil refineries. Funding for a resurvey of the area and/or the installation of a real-time monitoring system is not presently available. Therefore, until such time as real-time system is installed or a resurvey of the area conducted, the National Oceanic and Atmospheric Administration, National Ocean Service will be unable to provide the accurate Tidal Current predictions necessary for marine safety and navigation in this area.

(Issued May 30, 1997)

IMPORTANT NOTICES

GRAYS HARBOR, WASHINGTON

Tidal Currents in Grays Harbor have been significantly altered by dredging and construction activities. Tidal predictions for the Tidal Reference Station at Aberdeen have been updated to reflect these changes. Tidal Current predictions for this area should be considered questionable and potentially dangerous to rely upon. Funding for a real-time system to monitor the Tidal Currents or a resurvey of this area is not available at this time. Therefore, until such time as a real-time system is installed or a resurvey of the area conducted, the National Oceanic and Atmospheric Administration, National Ocean Service will be unable to provide accurate Tidal Current predictions necessary for marine safety and navigation in this area.

(Issued June 5, 1996)

SAN DIEGO, CALIFORNIA

The US Army Corps of Engineers (COE) is planning a dredging project for the US Navy in the area of the North Island Naval Base in San Diego Harbor. This project calls for both deepening and widening the channel to accommodate larger naval vessels. Such actions in the past in other areas have resulted in dramatic changes in the observed Tidal Currents of those areas. Once dredging operations commence, the Tidal Current predictions for this region should be considered questionable and potentially dangerous to rely upon. Tidal predictions will also be affected but to a lesser degree. Funding for a real-time system to monitor the Tidal Currents during the project and a resurvey of the area after COE operations are complete are presently not available. Therefore, once COE operations begin and until such time as a real-time system is installed or a resurvey of the area conducted, the National Oceanic and Atmospheric Administration, National Ocean Service will be unable to provide accurate Tidal Current predictions necessary for marine safety and navigation in this area.

(Issued June 5, 1996)

INTRODUCTION

Current tables for the use of mariners have been published by the National Ocean Service (formerly the Coast and Geodetic Survey) since 1890. Tables for the Pacific coast first appeared in 1898 as a part of the tide tables and consisted of brief directions for obtaining the times of slack water for a few locations from the times of high and low waters. Daily predictions of slack water for two stations were given for the year 1899, and by 1923 the tables had so expanded that they were then issued as a separate publication entitled *Current Tables, Pacific Coast*. A companion volume, *Current Tables, Atlantic Coast*, was also issued that year. In 1926 the predictions for the Pacific coast were extended to include the times and speeds of maximum current.

In the preparation of these tables all available observations were used. In some cases, however, the observations were insufficient for obtaining final results. As further information becomes available it will be included in subsequent editions. All persons using these tables are invited to send information or suggestions for increasing their usefulness to the Assistant Administrator, National Ocean Service, 1305 East-West Highway, Silver Spring, Maryland 20910, U.S.A. The data for lightship stations are based on observations obtained through the cooperation of the U.S. Coast Guard. In accordance with cooperative arrangements full predictions for Race Rocks, Seymour Narrows, Burrard Inlet, and Active Pass were furnished by the Canadian Hydrographic Service. The Bureau of Coast and Geodetic Survey, Philippines, supplies the predictions for Iloilo, San Juanico and San Bernardino Straits, and Cebu Harbor. The Japanese Hydrographic Office furnished the predictions for Tokyo Wan entrance, Akashi Kaikyo, Naruto, Kurushima Kaikyo, Kanmon Kaikyo, and Tomogashima Suido. The Hydrographic Department, England furnished Basilan Strait.

Daily predicted times of slack water and predicted times and speeds of maximum current (flood and ebb) are presented in table 1 for a number of reference stations. Similar predictions for many other locations may be obtained by applying the correction factors, listed in table 2, to the predictions of the appropriate reference station. The speed of a current at times between slack water and maximum current may be approximated by the use of table 3. The duration of weak current near the time of slack water may be computed by the use of table 4.

LIST OF REFERENCE STATIONS

<i>Station Names</i>	<i>Page</i>	<i>Updated</i>	<i>Data Series</i>
Active Pass, British Columbia	68		
Admiralty Inlet, Washington	48	1948	123 days (12/11/1908 - 3/19/1943)
Akashi Kaikyo, Japan	154		
Akutan Pass, Aleutian Islands.....	134	2012	3 months (6/2 - 9/11/2010)
Basilan Strait, Philippines.....	174		
Benecia Bridge, Suisan Bay, California.....	28	2001	8 months (1/2/1996 - 9/3/1996)
Boca de Finas, Alaska.....	84	2009	1 month (8/5/2006 - 9/11/2006)
Burrard Inlet (First Narrows), British Columbia.....	72		
Carquinez Strait, California	24	1989	224 days (4/3/1980 - 11/12/1980)
Cebu Harbor, Philippines**	182		
Changjiang Entrance, China.....	166		
Deception Pass, Washington	56	1933	29 days (9/9/1925 - 10/27/1925)
Golden Gate Bridge, California	12	2001	7 months (11/1/1997 - 5/31/1998)
Grays Harbor Entrance, Washington.....	36	1952	29 days beginning 3/25/1950
Humboldt Bay Entrance Channel, Calif.....	32	2006	2 months (7/21/2004-10/15/2004)
Iloilo Strait, Philippines**	178		
Isanotski Strait (False Pass Cannery), Alaska	124	1985	Form C&GS-444 (8/18/1925)
Kanmon Kaikyo, Japan	162		
Kennedy Entrance, Cook Inlet, Alaska	104	2007	1 month (6/22/2004 - 8/3/2004)
Knik Arm, Port of Anchorage, Alaska.....	116	2007	1 month (7/16/2003 - 8/20/2003)
Kodiak Harbor Narrows, Alaska***	120	2011	3 months (5/29/2009 - 8/20/2009)
Kurushima Kaikyo, Japan	158		
Kvichak Bay (off Naknek River Entrance), Alaska .	138	1985	14 days beginning 9/16/1946
Montague Strait, Prince William Sound, Alaska	100	2010	3 months (5/4/2007 - 8/5/2007)
Naruto, Japan	150		
North Inian Pass, Alaska	96	1985	104 days (1901)
Oakland, Yerba Buena Island,	16	2001	1 year (1999)
Race Rocks, British Columbia	44		
Richmond (Long Wharf), California	20	2001	1 year (1999)
Rosario Strait, Washington.....	60	1967	29 days beginning 3/10/1965
San Bernardino Strait, Philippines**	190		
San Diego Bay Entrance, California	4	1936	29 days beginning 8/24/1934
San Francisco Bay Entrance, California.....	8	1990	7 days beginning 10/19/1923
San Juan Channel (south entrance), Washington .	64	1966	29 days beginning 5/21/1964
San Juanico Strait, Philippines**	186		
Sergius Narrows, Alaska	92	2004	1 month (4/2/2002 - 5/7/2002)
Seymour Narrows, British Columbia	76		
Snow Passage Narrows, Alaska	80	2006	1 month (4/23/2004 - 5/22/2004)
Strait of Juan de Fuca Entrance.....	40	1945	Inferred from Admiralty Inlet station
Tesoro Pier, Cook Inlet, Alaska.....	108	2010	2 months (7/15/2008 - 9/17/2008)
The Forelands, Cook Inlet, Alaska.....	112	2007	2 months (5/18/2005 - 7/18/2005)
The Narrows, Puget Sound, Washington	52	1948	28 days beginning 1/19/1944
Tokyo Wan Entrance, Japan.....	142		
Tomogashima Suido, Japan.....	146		
Unimak Pass, Aleutian Islands.....	129*,130	2012	3 months (6/11 - 9/11/2010)
Wrangell Narrows, Alaska	88	2004	1 month (5/17/2002 - 6/19/2002)
Wusong Kou, China	170		

* Explanation precedes the predictions.

** Daily predictions for this station were omitted.

*** New reference station.

TABLE 1.— DAILY CURRENT PREDICTIONS

EXPLANATION OF TABLE

This table gives the predicted times of slack water and the predicted times and speeds of maximum current-flood and ebb-for each day of the year at a number of stations on the Pacific coast of North America. The times are given in hours and minutes and the speeds in knots.

Time.— The kind of time used for the predictions at each reference station is indicated by the time meridian at the bottom of each page. **Daylight-saving time is not used in this publication.** If daylight-saving time is required, add one (1) hour to the predicted time.

Slack water and maximum current.— The columns headed "Slack" contain the predicted times at which there is no current; or, in other words, the times at which the current has stopped setting in a given direction and is about to begin to set in the opposite direction. Offshore, where the current is rotary, slack water denotes the time of minimum current. Beginning with the slack water before flood the current increases in speed until the strength or maximum speed of the flood current is reached; it then decreases until the following slack water or slack before ebb. The ebb current now begins, increases to a maximum speed, and then decreases to the next slack. The predicted times and speeds of maximum current are given in the columns headed "Maximum." Flood speeds are marked with an "F," the ebb speeds with an "E." An entry in the "Slack" column will be slack, flood begins if the maximum current which follows it is marked "F." Otherwise the entry will be slack, ebb begins.

Direction of set.— The terms flood and ebb do not in all cases clearly indicate the direction of the current, the approximate direction toward which the currents flow are given at the top of each page to distinguish the two streams.


Number of slacks and strengths.—There are usually four slacks and four maximums each day. If one is missing in a given day, it will occur soon after midnight as the first slack or maximum of the following day. At some stations where the diurnal inequality is large, there may be on certain days a continuous flood or ebb current with varying speed throughout half the day giving only two slacks and two maximums on that particular day.

Current and tide.— It is important to note that the predicted slacks and strengths given in this table refer to the horizontal motion of the water and not to the vertical rise and fall of the tide. The relation of current to tide is not constant, but varies from place to place, and the time of slack water does not generally coincide with the time of high or low water, nor does the time of maximum speed of the current usually coincide with the time of most rapid change in the vertical height of the tide. At stations located on a tidal river or bay the time of slack water may differ from 1 to 3 hours from the time of high or low water. The times of high and low waters are given in the Tide Tables published by the National Ocean Service.

Variations from predictions.— In using this table, bear in mind that actual times of slack or maximum occasionally differ from the predicted times by as much as half an hour and in rare instances the difference may be as much as an hour. Comparisons of predicted with observed times of slack water indicate that more than 90 percent of the slack waters occurred within half an hour of the predicted times. To make sure, therefore, of getting the full advantage of a favorable current or slack water, the navigator should reach the entrance or strait at least half an hour before the predicted time of the desired condition of current. Currents are frequently disturbed by wind or variations in river discharge. On days when the current is affected by such disturbing influences the times and speeds will differ from those given in the table, but local knowledge will enable one to make proper allowance for these effects.

Typical current curves.—The variations in the tidal current from day to day and from place to place are illustrated on the opposite page by the current curves for representative ports. Flood current is represented by the solid line curve above the zero speed (slack water) line and the ebb current by the broken line curve below the slack water line. The outstanding feature of the currents in this region is the diurnal inequality, i.e., the differences in speed of two consecutive flood or two consecutive ebb maximums. This inequality varies directly with the Moon's declination; consequently it tends to disappear when the Moon is near the Equator. By reference to the curves it will be noted that at certain places the inequality is chiefly in the flood currents. At Seymour Narrows the two floods of a day sometimes differ by 5 knots. At other places the inequality is chiefly in the ebb currents, while at still other places there is a marked inequality in both flood and ebb currents. The effect of the inequality at some places is such that there are times when the current may be erratic (marked by an asterisk) or one flood or ebb current of the day may be quite weak. Therefore, in using the predictions of the current it is essential to carefully note the speeds as well as the times. A detailed explanation of the predictions for Unimak Pass is given on the page immediately preceding the predictions.

TYPICAL CURRENT CURVES FOR REFERENCE STATIONS
(Flood: Solid Line, Ebb: Broken Line)



* Current weak and variable

▲ Minimum flood. See explanation on page 93

A discussion of these curves is given on the preceding page.

Lunar data:

- A - Moon in apogee
- ⊙ - last quarter
- E - Moon on Equator
- - new moon

San Diego Bay Entrance (off Ballast Point), Calif., 2012

F—Flood, Dir. 355° True E—Ebb, Dir. 175° True

January				February				March														
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum								
h	m	h	m	h	m	h	m	h	m	h	m	h	m	h	m							
1 Su		0347	0656	16 M		0259	0621	1 W		0438	0820	16 Th		0457	0842							
		1125	1348			1549	1834			1248	1537			1246	1547		1202	1506				
		1555	1849			2115			2310		1826		2039		1854	2117		1805	2008			
		2148									2310			2356		2237						
2 M		0144	09F	17 Tu		0100	1.1F	2 Th		0257	0.8F	17 F		0322	1.3F	2 F		0222	0.6F			
		0442	0806			0408	0742			0536	0916			0604	0942			0449	0836		0449	0836
		1229	1502			1151	1446			1323	1620			1334	1635			1243	1549		1243	1549
		1730	2004			1736	2001			1917	2136			1941	2212			1850	2110		1850	2110
3 Tu		0239	1.0F	18 W		0220	1.2F	3 F		0012	0.343	18 Sa		0056	0.415	3 Sa		0316	0.9F			
		0530	0901			0514	0852			0623	0959			0659	1030			0549	0925		0549	0925
		1311	1556			1255	1552			1354	1654			1415	1715			1315	1621		1315	1621
		2106	0.7E			1852	2115			1955	2218			2019	2255			1922	2153		1922	2153
4 W		0325	1.1F	19 Th		0323	1.4F	4 Sa		0056	0.420	19 Su		0144	0.459	4 Su		0356	1.2F			
		0612	0944			0613	0950			0704	1036			0746	1111			0637	1005		0637	1005
		1346	1638			1345	1644			1422	1724			1450	1750			1345	1650		1345	1650
		1931	2155			1949	2213			2026	2254			2052	2332			1951	2228		1951	2228
5 Th		0032	0.403	20 F		0048	0.416	5 Su		0133	0.452	20 M		0225	0.538	5 M		0432	1.5F			
		0650	1022			0705	1039			0741	1110			0827	1147			0719	1042		0719	1042
		1417	1714			1428	1728			1450	1752			1521	1822			1413	1717		1413	1717
		2013	2236			2034	2301			2055	2328			2122			2018	2303		2018	2303	
6 F		0110	0.437	21 Sa		0139	0.502	6 M		0208	0.524	21 Tu		0006	1.7E	6 Tu		0507	1.7F			
		0725	1057			0752	1123			0816	1143			0303	0613			0759	1117		0759	1117
		1446	1746			1508	1808			1517	1819			0905	1220			1441	1745		1441	1745
		2050	2312			2114	2343			2124			1548	1850			2046	2337		2046	2337	
7 Sa		0145	0.507	22 Su		0224	0.544	7 Tu		0001	1.5E	22 W		0038	1.7E	7 W		0542	1.9F			
		0758	1131			0835	1203			0244	0556			0338	0646			0839	1153		0839	1153
		1515	1817			1544	1845			0852	1217			0939	1251			1510	1812		1510	1812
		2123	2347			2150			2152		1545		1846		1613		1916		2115		2115	
8 Su		0218	0.537	23 M		0022	1.4E	8 W		0035	1.6E	23 Th		0109	1.7E	8 Th		0012	2.1E			
		0830	1204			0306	0622			0322	0630			0412	0716			0314	0619		0314	0619
		1544	1845			0915	1240			0929	1251			1012	1320			0919	1229		0919	1229
		2155				1618	1919			1614	1914			1635	1938			1540	1842		1540	1842
9 M		0021	1.1E	24 Tu		0100	1.5E	9 Th		0112	1.8E	24 F		0140	1.7E	9 F		0050	2.3E			
		0251	0606			0346	0659			0403	0706			0448	0745			0357	0658		0357	0658
		0903	1237			0952	1315			1007	1327			1043	1350			1001	1307		1001	1307
		1614	1914			1648	1951			1645	1944			1657	2000			1611	1914		1611	1914
10 Tu		0055	1.2E	25 W		0136	1.4E	10 F		0151	1.8E	25 Sa		0213	1.6E	10 Sa		0130	2.3E			
		0327	0638			0426	0733			0449	0747			0525	0815			0443	0740		0443	0740
		0937	1311			1028	1349			1049	1406			1114	1420			1047	1347		1047	1347
		1645	1944			1717	2021			1718	2018			1719	2021			1645	1948		1645	1948
11 W		0132	1.3E	26 Th		0213	1.4E	11 Sa		0235	1.8E	26 Su		0249	1.4E	11 Su		0214	2.2E			
		0407	0713			0507	0807			0541	0833			0609	0848			0535	0829		0535	0829
		1013	1348			1102	1422			1136	1449			1149	1454			1138	1431		1138	1431
		1717	2015			1744	2050			1753	2056			1744	2045			1721	2027		1721	2027
12 Th		0213	1.3E	27 F		0252	1.3E	12 Su		0327	1.7E	27 M		0333	1.2E	12 M		0305	2.0E			
		0453	0753			0553	0843			0646	0931			0705	0932			0637	0929		0637	0929
		1053	1427			1136	1457			1234	1540			1234	1537			1241	1524		1241	1524
		1752	2051			1812	2120			1834	2144			1814	2116			1804	2114		1804	2114
13 F		0012	0.300	28 Sa		0039	0.335	13 M		0105	0.430	28 Tu		0047	0.431	13 Tu		0407	1.8E			
		0548	0840			0648	0925			0810	1056			0832	1101			0758	1056		0758	1056
		1139	1512			1214	1537			1357	1646			1403	1642			1411	1635		1411	1635
		1830	2133			1842	2154			1926	2250			1857	2206			1900	2224		1900	2224
14 Sa		0058	0.355	29 Su		0122	0.429	14 Tu		0213	0.550	29 W		0152	0.553	14 W		0526	1.6E			
		0658	0940			0804	1028			1002	1303			1046	1353			0942	1255		0942	1255
		1236	1604			1306	1626			1557	1817			1826	*			1607	1813		1607	1813
		1914	2225			1919	2243			2043			2043				2036		2036		2036	
15 Su		0153	0.502	30 M		0218	0.538	15 W		0035	0.9F	30 Th		0035	0.9E	15 Th		0023	0.7F			
		0829	1108			0804	1028			0336	0722			1141	1443			0309	0700		0309	0700
		1357	1711			1306	1626			1141	1443			1746	1959			1116	1427		1116	1427
		2007	2335			1919	2243			2229			2229		2243			1740	1959		1740	1959
16 M		0011	0.6F	31 Tu		0011	0.6E	16 Th		0035	0.9F	31 Sa		0035	0.9E	31 Sa		0126	0.4F			
		0328	0703			0328	0703			0336	0722			1141	1443			0309	0700		0309	0700
		1158	1434			1158	1434			1746	1959			1826	*			1116	1427		1116	1427
		1701	1914			1701	1914			2229			2229		2243			1740	1959		1740	1959

Time meridian 120° W. 0000 is midnight. 1200 is noon. Times are not adjusted for Daylight Saving Time.
 * Current weak and variable.

San Diego Bay Entrance (off Ballast Point), Calif., 2012

F—Flood, Dir. 355° True E—Ebb, Dir. 175° True

April				May				June																			
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum													
	h	m	knots		h	m	knots		h	m	knots		h	m	knots												
1 Su	0506	0840	1.5E	16 M	0629	0943	1.7E	1 Tu	0530	0844	1.5E	16 W	0126	0416	1.2F	1 F	0121	0419	1.5F	16 Sa	0225	0520	1.2F	0816	1041	0.9E	
	1221	1536	1.2F		1308	1617	1.6F		1159	1519	1.5F		0659	0950	1.2E		0716	0956	1.4E		1239	1603	1.8F		1319	1646	1.3F
	1837	2118	1.0E		1914	2216	1.6E		1820	2124	1.7E		1253	1612	1.5F		1902	2229	2.6E		1902	2229	2.6E		1935	2306	2.1E
2 M	0019	0326	1.1F	17 Tu	0137	0434	1.4F	2 W	0044	0344	1.3F	17 Th	0204	0457	1.3F	2 Sa	0210	0509	1.7F	17 Su	0257	0555	1.3F		0856	1118	0.9E
	0605	0927	1.8E		0719	1023	1.7E		0631	0933	1.7E		0746	1028	1.2E		0812	1046	1.4E		0856	1118	0.9E		1351	1715	1.3F
	1255	1607	1.5F		1340	1649	1.7F		1238	1555	1.7F		1323	1643	1.5F		1324	1646	1.9F		1351	1715	1.3F		2006	2339	2.2E
	1907	2157	1.5E		1943	2249	1.9E		1855	2206	2.1E		1934	2254	2.0E		1945	2315	2.9E		2006	2339	2.2E				
3 Tu	0101	0408	1.4F	18 W	0214	0512	1.5F	3 Th	0130	0430	1.6F	18 F	0237	0533	1.4F	3 Su	0256	0557	1.9F	18 M	0327	0628	1.4F		0933	1153	0.9E
	0655	1008	2.0E		0801	1057	1.7E		0725	1019	1.8E		0827	1103	1.2E		0904	1135	1.4E		0933	1153	0.9E		1422	1743	1.3F
	1327	1637	1.8F		1407	1717	1.7F		1316	1631	1.9F		1350	1710	1.5F		1410	1730	2.0F		1422	1743	1.3F				
	1936	2234	1.9E		2010	2319	2.0E		1931	2248	2.5E		2002	2325	2.1E		2029				2037						
4 W	0142	0447	1.7F	19 Th	0247	0547	1.6F	4 F	0215	0515	1.8F	19 Sa	0309	0607	1.4F	4 M	0343	0644	1.9F	19 Tu	0357	0659	1.4F		1118	1339	0.9E
	0741	1048	2.2E		0839	1129	1.6E		0816	1104	1.8E		0906	1136	1.1E		0955	1222	1.3E		1009	1228	0.9E		1602	1909	1.2F
	1359	1707	2.0F		1430	1742	1.6F		1354	1708	2.0F		1417	1735	1.4F		1455	1814	1.9F		1453	1810	1.3F				
	2007	2311	2.3E		2035	2348	2.1E		2008	2330	2.8E		2029	2356	2.2E		2113				2106						
5 Th	0223	0527	1.9F	20 F	0318	0618	1.5F	5 Sa	0300	0600	2.0F	20 Su	0339	0639	1.4F	5 Tu	0430	0732	1.9F	20 W	0428	0729	1.4F		1525	1838	1.3F
	0826	1127	2.2E		0914	1159	1.4E		0906	1148	1.7E		0943	1209	1.0E		1046	1311	1.2E		1525	1838	1.3F				
	1431	1738	2.1F		1452	1804	1.5F		1433	1746	2.1F		1442	1759	1.4F		1542	1900	1.8F		2137						
	2039	2350	2.5E		2059				2046				2055				2158				2137						
6 F	0306	0608	2.0F	21 Sa	0348	0647	1.4F	6 Su	0346	0647	2.0F	21 M	0410	0710	1.3F	6 W	0517	0821	1.8F	21 Th	0459	0800	1.3F		1602	1909	1.2F
	0911	1207	2.1E		0948	1228	1.3E		0957	1233	1.6E		1019	1242	0.9E		1138	1401	1.1E		1118	1339	0.9E				
	1504	1811	2.1F		1514	1824	1.4F		1512	1826	2.0F		1509	1822	1.3F		1632	1947	1.5F		1602	1909	1.2F				
	2113				2122				2127				2122				2244				2209						
7 Sa	0350	0651	2.0F	22 Su	0419	0716	1.3F	7 M	0435	0736	1.9F	22 Tu	0442	0741	1.2F	7 Th	0606	0913	1.6F	22 F	0532	0832	1.3F		1644	1946	1.1F
	0958	1248	1.9E		1022	1259	1.1E		1050	1320	1.3E		1057	1317	0.8E		1232	1454	1.0E		1155	1420	0.9E				
	1539	1847	2.0F		1536	1844	1.3F		1555	1909	1.8F		1538	1848	1.2F		1728	2040	1.2F		1644	1946	1.1F				
	2149				2146				2210				2149				2333				2245						
8 Su	0438	0737	1.9F	23 M	0452	0746	1.2F	8 Tu	0527	0829	1.7F	23 W	0517	0815	1.1F	8 F	0656	1009	1.4F	23 Sa	0607	0907	1.2F		1736	2030	1.0F
	1048	1331	1.6E		1059	1331	0.9E		1147	1411	1.1E		1139	1355	0.7E		1329	1553	0.9E		1235	1506	0.9E				
	1616	1924	1.8F		1601	1905	1.2F		1641	1955	1.5F		1610	1917	1.1F		1836	2141	0.9F		1736	2030	1.0F				
	2229				2210				2256				2219								2327						
9 M	0531	0829	1.6F	24 Tu	0529	0820	1.0F	9 W	0623	0929	1.5F	24 Th	0556	0854	1.1F	9 Sa	0748	1109	1.3F	24 Su	0645	0949	1.2F		1842	2126	0.8F
	1144	1420	1.2E		1141	1407	0.7E		1251	1509	0.9E		1225	1439	0.6E		1428	1700	0.8E		1320	1600	0.9E				
	1657	2007	1.5F		1628	1931	1.0F		1736	2050	1.2F		1650	1952	0.9F		2003	2259	0.7F		1842	2126	0.8F				
	2313				2237				2348				2254														
10 Tu	0632	0932	1.3F	25 W	0613	0902	0.8F	10 Th	0726	1040	1.3F	25 F	0639	0940	1.0F	10 Su	0843	1212	1.2F	25 M	0728	1039	1.2F		2007	2243	0.6F
	1252	1516	0.9E		1234	1452	0.5E		1404	1618	0.7E		1318	1531	0.5E		1527	1812	0.9E		1411	1703	1.0E				
	1745	2058	1.2F		1702	2003	0.8F		1849	2202	0.8F		1743	2039	0.8F		2149				2007	2243	0.6F				
11 W	0005	0350	2.0E	26 Th	0706	1002	0.7F	11 F	0051	0438	1.8E	26 Sa	0727	1036	0.9F	11 M	0249	0610	1.1E	26 Tu	0129	0507	1.3E				
	0745	1055	1.1F		1346	1551	0.4E		0835	1157	1.2F		1417	1635	0.5E		0938	1313	1.1F		0818	1139	1.1F				
	1418	1630	0.6E		1750	2048	0.6F		1519	1740	0.7E		1858	2143	0.6F		1621	1924	1.1E		1507	1813	1.2E				
	1852	2213	0.8F		2354				2034	2341	0.6F						2321				2145						
12 Th	0112	0504	1.7E	27 F	0812	1131	0.7F	12 Sa	0209	0551	1.5E	27 Su	0035	0444	1.4E	12 Tu	0415	0718	1.0E	27 W	0304	0618	1.1E		1604	1924	1.5E
	0913	1233	1.0F		1513	1710	0.3E		0944	1309	1.2F		0820	1140	1.0F		1032	1408	1.2F		0914	1246	1.2F				
	1555	1805	0.5E		1912	2203	0.4F		1624	1904	0.8E		1514	1747	0.7E		1708	2024	1.3E		1604	1924	1.5E				
	2043								2227				2037	2317	0.5F						2314						
13 F	0241	0631	1.5E	28 Sa	0104	0528	1.2E	13 Su	0336	0706	1.4E	28 M	0158	0551	1.3E	13 W	0025	0303	0.8F	28 Th	0444	0732	1.0E		1700	2028	1.9E
	1037	1355	1.2F		0923	1258	0.8F		1046	1409	1.3F		0916	1244	1.1F		0534	0821	0.9E	</							

San Diego Bay Entrance (off Ballast Point), Calif., 2012

F—Flood, Dir. 355° True E—Ebb, Dir. 175° True

July				August				September																		
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum												
	h m	h m	knots		h m	h m	knots		h m	h m	knots		h m	h m	knots											
1 Su	0207	0507	1.7F	16 M	0238	0537	1.3F	1 W	0320	0622	2.0F	16 Th	0301	0603	1.7F	1 Sa	0352	0656	1.8F	16 Su	0315	0617	1.9F			
	0811	1037	1.2E		0839	1101	0.9E		0926	1201	1.5E		0906	1145	1.4E		0955	1251	1.9E		0920	1226	2.2E	0920	1226	2.2E
	1309	1637	1.8F		1336	1700	1.3F		1446	1802	1.9F		1431	1743	1.7F		1559	1903	1.6F		1535	1836	1.9F	1535	1836	1.9F
	1932	2306	2.8E		1948	2320	2.2E		2056				2037				2200				2140			2140		
2 M	0252	0553	1.8F	17 Tu	0307	0608	1.5F	2 Th	0020	2.7E		17 F	0000	2.4E		2 Su	0105	2.0E		17 M	0042	2.1E				
	0901	1126	1.3E		0912	1136	1.0E		0356	0658	1.9F		0327	0629	1.7F		0417	0722	1.6F		0344	0647	1.9F	0344	0647	1.9F
	1359	1723	1.9F		1409	1729	1.4F		1002	1240	1.6E		0933	1218	1.6E		1023	1325	1.8E		0951	1305	2.3E	0951	1305	2.3E
	2019	2351	2.9E		2021	2352	2.3E		1529	1842	1.8F		1506	1814	1.7F		1637	1936	1.4F		1619	1916	1.8F	1619	1916	1.8F
3 Tu	0336	0637	1.9F	18 W	0335	0637	1.5F	3 F	0057	2.5E		18 Sa	0032	2.4E		3 M	0136	1.6E		18 Tu	0121	1.8E				
	0946	1213	1.3E		0943	1209	1.1E		0430	0732	1.8F		0354	0654	1.8F		0441	0745	1.4F		0416	0719	1.8F	0416	0719	1.8F
	1448	1809	1.9F		1442	1758	1.5F		1036	1319	1.6E		1000	1252	1.7E		1050	1359	1.7E		1025	1347	2.3E	1025	1347	2.3E
	2104				2053				1612	1921	1.6F		1545	1848	1.7F		1716	2009	1.1F		1708	2002	1.6F	1708	2002	1.6F
4 W	0418	0720	1.9F	19 Th	0403	0704	1.6F	4 Sa	0134	2.3E		19 Su	0107	2.3E		4 Tu	0208	1.3E		19 W	0204	1.5E				
	1030	1258	1.3E		1013	1243	1.2E		0501	0805	1.7F		0422	0722	1.8F		0505	0808	1.2F		0451	0756	1.6F	0451	0756	1.6F
	1535	1853	1.8F		1517	1828	1.5F		1110	1358	1.5E		1030	1329	1.8E		1119	1436	1.5E		1105	1435	2.1E	1105	1435	2.1E
	2148				2125				1656	1959	1.4F		1628	1925	1.6F		1801	2046	0.8F		1806	2058	1.3F	1806	2058	1.3F
5 Th	0459	0802	1.8F	20 F	0431	0731	1.6F	5 Su	0210	1.9E		20 M	0143	2.0E		5 W	0244	1.0E		20 Th	0255	1.1E				
	1113	1343	1.3E		1042	1317	1.2E		0530	0836	1.5F		0453	0752	1.7F		0531	0833	1.0F		0532	0840	1.3F	0532	0840	1.3F
	1624	1937	1.6F		1554	1900	1.5F		1145	1438	1.4E		1103	1410	1.8E		1151	1520	1.3F		1153	1533	1.9E	1153	1533	1.9E
	2231				2159				1744	2039	1.1F		1716	2009	1.4F		1858	2135	0.6F		1919	2215	1.0F	1919	2215	1.0F
6 F	0538	0844	1.7F	21 Sa	0500	0759	1.5F	6 M	0246	1.5E		21 Tu	0224	1.7E		6 Th	0329	0.6E		21 F	0401	0.7E				
	1156	1429	1.2E		1113	1355	1.3E		0559	0908	1.2F		0526	0827	1.5F		0602	0905	0.7F		0625	0941	1.0F	0625	0941	1.0F
	1715	2022	1.3F		1637	1936	1.4F		1221	1521	1.3E		1141	1457	1.7E		1232	1617	1.1E		1256	1647	1.7E	1256	1647	1.7E
	2314				2236				1838	2124	0.8F		1815	2101	1.1F		2022	2312	0.3F		2053			2053		
7 Sa	0617	0926	1.5F	22 Su	0531	0830	1.5F	7 Tu	0326	1.1E		22 W	0311	1.3E		7 F	0435	0.3E		22 Sa	0007	0.8F				
	1240	1518	1.1E		1147	1437	1.3E		0630	0943	1.0F		0604	0909	1.3F		0648	0959	0.5F		0750	1127	0.7F	0750	1127	0.7F
	1812	2111	1.0F		1727	2019	1.2F		1304	1613	1.1E		1228	1555	1.6E		1336	1736	1.0E		1422	1817	1.6E	1422	1817	1.6E
	2359				2318				1950	2227	0.5F		1929	2213	0.8F		2222				2230			2230		
8 Su	0656	1011	1.3F	23 M	0605	0906	1.4F	8 W	0415	0.8E		23 Th	0412	0.9E		8 Sa	0134	0.4F		23 Su	0146	1.0F				
	1327	1611	1.1E		1227	1526	1.3E		0707	1031	0.8F		0651	1006	1.1F		0616	0.6E			0501	0716	0.5E	0501	0716	0.5E
	1922	2211	0.7F		1827	2111	1.0F		1356	1718	1.0E		1329	1708	1.5E		1232	1617	1.1E		1557	1943	1.7E	1557	1943	1.7E
													2108				2339				2342			2342		
9 M	0736	1102	1.1F	24 Tu	0643	0949	1.3F	9 Th	0018	0.3F		24 F	0006	0.7F		9 Su	0246	0.7F								

San Diego Bay Entrance (off Ballast Point), Calif., 2012

F—Flood, Dir. 355° True E—Ebb, Dir. 175° True

October				November				December															
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum									
	h	m	knots		h	m	knots		h	m	knots		h	m	knots								
1 M	0334	0641	1.6F	16 Tu	0310	0618	2.0F	1 Th	0343	0651	1.1E	16 F	0411	0725	1.6F	1 Sa	0356	0704	1.1F	16 Su	0458	0810	1.5F
	0940	1255	2.0E		0921	1245	2.7E		0956	1336	1.9E		1027	1407	2.6E		1006	1355	2.0E		1106	1442	2.4E
	1620	1917	1.4F		1613	1911	1.9F		1717	2010	1.0F		1752	2055	1.6F		1738	2036	1.1F		1824	2132	1.6F
	2220				2222				2330														
2 Tu	0355	0701	1.4F	17 W	0346	0655	1.9F	2 F	0411	0715	1.0F	17 Sa	0017	0237	1.0E	2 Su	0003	0219	0.6E	17 M	0051	0319	1.0E
	1004	1326	1.9E		0959	1330	2.6E		1022	1414	1.7E		0503	0817	1.3F		0432	0735	1.0F		0600	0906	1.1F
	1655	1948	1.2F		1703	2000	1.7F		1759	2051	0.9F		1117	1501	2.3E		1037	1434	1.8E		1158	1534	2.0E
	2255				2316								1851	2201	1.4F		1816	2115	1.0F		1914	2229	1.4F
3 W	0417	0721	1.2F	18 Th	0425	0735	1.6F	3 Sa	0022	0235	0.5E	18 Su	0126	0342	0.8E	3 M	0051	0306	0.6E	18 Tu	0149	0422	0.9E
	1029	1400	1.7E		1041	1419	2.4E		0444	0745	0.8F		0610	0922	1.0F		0519	0814	0.8F		0719	1017	0.8F
	1734	2021	0.9F		1800	2059	1.4F		1052	1458	1.5E		1216	1603	1.9E		1113	1518	1.6E		1257	1631	1.5E
	2335								1849	2148	0.7F		1956	2316	1.2F		1859	2204	0.9F		2007	2334	1.2F
4 Th	0442	0744	1.0F	19 F	0021	0245	0.9E	4 Su	0132	0332	0.3E	19 M	0241	0500	0.7E	4 Tu	0147	0405	0.5E	19 W	0251	0535	0.9E
	1055	1440	1.3E		0511	0824	1.3F		0530	0826	0.6F		0745	1053	0.7F		0625	0908	0.6F		0904	1151	0.6F
	1822	2105	0.7F		1130	1517	2.1E		1130	1554	1.3E		1329	1715	1.6E		1200	1612	1.4E		1414	1737	1.2E
					1909	2215	1.1F		1951	2313	0.6F		2106				1948	2304	0.9F		2105		
5 F	0028	0256	0.5E	20 Sa	0142	0354	0.6E	5 M	0257	0450	0.3E	20 Tu	0033	0033	1.2F	5 W	0245	0515	0.6E	20 Th	0351	0653	1.1E
	0512	0812	0.8F		0613	0930	0.9F		0650	0933	0.4F		0351	0627	0.8E		0759	1030	0.4F		1053	1329	0.9E
	1127	1530	1.3E		1233	1627	1.8E		1231	1704	1.2E		0945	1238	0.6F		1311	1716	1.2E		1548	1851	0.9E
	1927	2221	0.5F		2030	2351	1.1F		2059				1459	1831	1.4E		2042				2206		
6 Sa	0157	0359	0.3E	21 Su	0317	0525	0.5E	6 Tu	0040	0040	0.7F	21 W	0139	0139	1.3F	6 Th	0011	0011	0.9F	21 F	0146	0146	1.1F
	0556	0854	0.5F		0754	1117	0.7F		0406	0617	0.4E		0448	0744	1.1E		0340	0628	0.8E		0446	0805	1.3E
	1214	1639	1.1E		1358	1751	1.6E		0900	1148	0.3F		1120	1403	0.8F		0949	1226	0.4F		1210	1447	0.7F
	2058				2155				1412	1819	1.2E		1628	1943	1.3E		1452	1827	1.1E		1718	2004	0.8E
7 Su	0036	0536	0.5F	22 M	0436	0703	0.7E	7 W	0139	0139	0.9F	22 Th	0233	0233	1.4F	7 F	0113	0113	1.1F	22 Sa	0241	0241	1.2F
	1030	1303	0.3F		1004	1310	0.7F		0452	0729	0.7E		0535	0843	1.4E		0429	0735	1.2E		0534	0902	1.5E
	1341	1805	1.1E		1534	1914	1.6E		1045	1335	0.5F		1223	1508	1.0F		1114	1400	0.6F		1303	1546	0.9F
	2225				2304				1552	1926	1.3E		1742	2044	1.2E		1631	1936	1.1E		1831	2106	0.8E
8 M	0157	0717	0.3E	23 Tu	0532	0818	1.0E	8 Th	0223	0223	1.2F	23 F	0317	0317	1.5F	8 Sa	0207	0207	1.3F	23 Su	0327	0327	1.2F
	1005	1320	0.4F		1132	1427	1.0F		0528	0822	1.1E		0614	0929	1.7E		0514	0831	1.6E		0616	0947	1.8E
	1531	1923	1.2E		1657	2023	1.6E		1145	1438	0.8F		1311	1600	1.2F		1214	1506	1.0F		1345	1633	1.1F
	2321				2357				1709	2022	1.4E		1843	2133	1.2E		1750	2038	1.1E		1926	2155	0.8E
9 Tu	0244	0820	0.7E	24 W	0614	0911	1.4E	9 F	0259	0259	1.4F	24 Sa	0355	0355	1.5F	9 Su	0255	0255	1.5F	24 M	0406	0406	1.3F
	1125	1427	0.6F		1231	1525	1.2F		0601	0906	1.6E		0648	1008	1.9E		0557	0921	2.1E		0654	1025	2.0E
	1649	2022	1.4E		1803	2116	1.7E		1231	1527	1.1F		1352	1643	1.3F		1304	1600	1.3F		1420	1713	1.3F
									1810	2111	1.5E		1934	2214	1.2E		1854	2133	1.2E		2011	2236	0.9E
10 W	0001	0319	1.2F	25 Th	0039	0351	1.7F	10 Sa	0014	0334	1.6F	25 Su	0108	0429	1.5F	10 M	0014	0340	1.7F	25 Tu	0114	0441	1.4F
	0620	0904	1.0E		0650	0953	1.7E		0634	0946	2.0E		0720	1042	2.1E		0640	1008	2.5E		0728	1059	2.1E
	1211	1513	1.0F		1317	1613	1.4F		1313	1612	1.5F		1427	1722	1.4F		1350	1649	1.6F		1451	1748	1.4F
	1747	2108	1.7E		1857	2200	1.7E		1904	2156	1.6E		2017	2251	1.1E		1950	2223	1.3E		2049	2312	0.9E
11 Th	0034	0348	1.5F	26 F	0114	0426	1.8F	11 Su	0051	0408	1.8F	26 M	0137	0458	1.5F	11 Tu	0100	0424	1.9F	26 W	0147	0512	1.4F
	0648	0940	1.4E		0721	1029	2.0E		0708	1026	2.4E		0749	1114	2.2E		0722	1053	2.8E		0800	1131	2.2E
	1250	1553	1.3F		1357	1654	1.6F		1355	1655	1.7F		1500	1757	1.4F		1434	1735	1.8F		1520	1819	1.4F
	1836	2148	1.9E		1943	2238	1.6E		1954	2240	1.7E		2056	2325	1.1E		2041	2311	1.4E		2123	2345	1.0E
12 F	0104	0416	1.7F	27 Sa	0144	0457	1.8F	12 M	0128	0444	2.0F	27 Tu	0204	0525	1.5F	12 W	0145	0507	2.0F	27 Th	0218	0539	1.4F
	0716	1015	1.8E		0750	1102	2.1E		0744	1107	2.7E		0817	1145	2.3E		0806	1138	3.0E		0830	1202	2.3E
	1327	1630	1.6F		1433	1731	1.6F		1438	1738	1.9F		1530	1829	1.4F		1519	1820	2.0F		1548	1849	1.5F
	1921	2226	2.0E		2024	2311	1.5E		2043	2323	1.6E		2132	2357	1.0E		2130	2358	1.4E		2156		
13 Sa	0134	0444	1.9F	28 Su	0210	0524	1.7F	13 Tu	0206	0520	2.0F	28 W	0230	0550	1.4F	13 Th	0231	0551	2.0F	28 F	0017	0017	1.0E
	0744	1050	2.2E		0816	1132	2.2E		0821	1149	2.9E		0844	1216	2.3E		0849	1223	3.1E		0605	0605	1.4F
	1405	1707	1.8F		1506	1805	1.6F		1522	1822	2.0F		1600	1900	1.4F		1604	1905	2.0F		0859	1233	2.3E
	2005	2304	2.0E		2102	2343	1.4E		2131				2207				2218				1616	1917	1.4F
14 Su	0205	0514	2.0F	29 M	0233	0548	1.6F	14 W	0007	0007	1.6E												

San Francisco Bay Entrance (Outside), Calif., 2012

F—Flood, Dir. 065° True E—Ebb, Dir. 245° True

January				February				March															
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum									
	h	m	knots		h	m	knots		h	m	knots		h	m	knots								
1 Su	0055	0357	2.5F	16 M	0016	0325	2.9F	1 W	0158	0452	1.8F	16 Th	0221	0515	2.4F	1 Th	0118	0408	1.5F	16 F	0221	0511	2.1F
	0705	0956	3.0E		0633	0938	4.0E		0750	1059	3.3E		0807	1127	4.3E		0702	1016	3.2E		0754	1113	3.9E
	1412	1701	2.0F		1344	1631	2.7F		1526	1833	2.3F		1538	1851	3.3F		1445	1751	2.2F		1519	1835	3.3F
	1950	2208	1.9E		1945	2203	2.3E		2131	2329	1.3E		2157				2058	2254	1.3E		2136		
2 M	0147	0447	2.3F	17 Tu	0118	0424	2.8F	2 Th	0257	0549	1.9F	17 F	0017	019E		2 F	0229	0513	1.7F	17 Sa	0027	021E	
	0750	1050	3.2E		0727	1039	4.3E		0842	1156	3.6E		0329	0623	2.6F		0804	1117	3.4E		0329	0624	2.5F
	1508	1808	2.2E		1450	1747	3.0F		1616	1925	2.6F		0911	1233	4.5E		1538	1847	2.5F		0903	1225	4.0E
	2058	2308	1.6E		2100	2309	2.0E		2227				1635	1947	3.7F		2152	2357	1.6E		1614	1927	3.6F
3 Tu	0241	0538	2.2F	18 W	0224	0526	2.7F	3 F	0029	015E		18 Sa	0124	022E		3 Sa	0327	0613	2.0F	18 Su	0124	025E	
	0834	1142	3.5E		0823	1141	4.6E		0351	0642	2.1F		0428	0724	2.9F		0903	1214	3.8E		0425	0724	2.9F
	1600	1905	2.5F		1552	1857	3.4F		0932	1248	4.0E		1010	1330	4.7E		1624	1930	3.0F		1003	1323	4.1E
	2200				2208				1701	2008	3.0F		1724	2034	3.9F		2237				1702	2011	3.7F
4 W	0332	0626	2.2F	19 Th	0329	0627	2.8F	4 Sa	0121	017E		19 Su	0214	026E		4 Su	0052	020E		19 M	0205	030E	
	0919	1232	3.8E		0920	1241	4.9E		0438	0729	2.4F		0521	0817	3.2F		0417	0705	2.4F		0515	0814	3.2F
	1647	1954	2.8F		1648	1956	3.8F		1020	1335	4.4E		1104	1419	4.8E		0956	1305	4.2E		1057	1408	4.1E
	2255				2307				1742	2045	3.3F		1809	2116	4.0F		1706	2007	3.3F		1745	2049	3.8F
5 Th	0101	016E		20 F	0121	021E		5 Su	0206	021E		20 M	0255	029E		5 M	0138	026E		20 Tu	0237	034E	
	0419	0711	2.3F		0429	0725	3.0F		0522	0813	2.7F		0609	0904	3.3F		0502	0752	2.9F		0559	0857	3.4F
	1002	1318	4.1E		1016	1337	5.2E		1104	1418	4.7E		1153	1502	4.7E		1046	1351	4.5E		1146	1446	4.0E
	1730	2037	3.1F		1740	2048	4.0F		1819	2119	3.6F		1850	2152	4.0F		1744	2042	3.7F		1823	2123	3.7F
6 F	0149	017E		21 Sa	0218	023E		6 M	0249	025E		21 Tu	0331	032E		6 Tu	0221	032E		21 W	0308	037E	
	0503	0754	2.4F		0525	0819	3.1F		0604	0856	2.9F		0653	0947	3.4F		0545	0837	3.3F		0639	0936	3.5F
	1044	1401	4.4E		1109	1428	5.3E		1148	1501	4.9E		1240	1541	4.6E		1134	1436	4.7E		1232	1521	3.8E
	1811	2115	3.3F		1827	2135	4.2F		1855	2153	3.8F		1928	2226	3.8F		1821	2116	3.9F		1859	2152	3.5F
7 Sa	0028	0232	1.9E	22 Su	0307	025E		7 Tu	0330	029E		22 W	0407	034E		7 W	0302	037E		22 Th	0338	039E	
	0544	0835	2.5F		0616	0909	3.2F		0645	0939	3.2F		0736	1027	3.4F		0627	0921	3.7F		0718	1013	3.5F
	1125	1443	4.7E		1200	1516	5.3E		1232	1543	5.0E		1325	1619	4.3E		1222	1520	4.8E		1315	1556	3.6E
	1849	2151	3.5F		1912	2217	4.2F		1931	2227	4.0F		2004	2258	3.6F		1858	2152	4.0F		1932	2221	3.3F
8 Su	0109	0314	2.1E	23 M	0352	027E		8 W	0412	033E		23 Th	0442	035E		8 Th	0344	042E		23 F	0411	041E	
	0624	0916	2.6F		0706	0957	3.2F		0728	1022	3.3F		0818	1107	3.2F		0710	1006	3.9F		0755	1048	3.4F
	1205	1524	4.9E		1249	1600	5.1E		1318	1625	4.9E		1409	1657	3.9E		1311	1604	4.7E		1358	1631	3.3E
	1925	2225	3.6F		1955	2257	4.1F		2006	2303	4.0F		2038	2330	3.3F		1935	2229	4.0F		2004	2251	3.0F
9 M	0147	0356	2.3E	24 Tu	0434	029E		9 Th	0454	036E		24 F	0519	036E		9 F	0427	046E		24 Sa	0446	041E	
	0704	0957	2.7F		0754	1043	3.1F		0814	1108	3.4F		0900	1148	3.0F		0756	1053	4.0F		0833	1125	3.3F
	1245	1605	5.0E		1336	1642	4.8E		1406	1710	4.7E		1454	1736	3.4E		1403	1649	4.3E		1440	1709	2.9E
	2001	2300	3.8F		2035	2335	3.9F		2043	2342	3.8F		2112				2013	2309	3.8F		2034	2323	2.7F
10 Tu	0225	0438	2.5E	25 W	0515	030E		10 F	0539	039E		25 Sa	0003	029F		10 Sa	0511	048E		25 Su	0524	040E	
	0747	1040	2.7F		0843	1129	2.9F		0904	1158	3.3F		0309	0558	3.6E		0845	1143	4.0F		0912	1205	3.0F
	1327	1648	4.9E		1423	1724	4.3E		1500	1756	4.2E		0945	1232	2.7F		1458	1737	3.8E		1525	1748	2.6E
	2037	2337	3.8F		2114				2122				1542	1817	2.9E		2054	2352	3.5F		2104	2359	2.3F
11 W	0303	0522	2.8E	26 Th	0611	036F		11 Sa	0623	036F		26 Su	025F	025F		11 Su	0558	049E		26 M	0604	039E	
	0833	1126	2.7F		0326	0556	3.1E		0333	0626	4.1E		0343	0640	3.5E		0939	1237	3.7F		0955	1249	2.7F
	1412	1732	4.7E		0932	1215	2.7F		0959	1252	3.2F		1034	1320	2.4F		1557	1827	3.2E		1614	1832	2.1E
	2114				1512	1806	3.8E		1559	1846	3.6E		1635	1902	2.4E		2139				2137		
12 Th	0015	037F		27 F	0499	032F		12 Su	0109	033F		27 M	0121	021F		12 M	0039	031F		27 Tu	0039	020F	
	0340	0607	3.0E		0404	0638	3.1E		0415	0716	4.2E		0421	0727	3.3E		0334	0649	4.7E		0324	0649	3.6E
	0924	1215	2.7F		1025	1305	2.4F		1102	1352	3.0F		1131	1415	2.1F		1041	1337	3.4F		1045	1339	2.4F
	1503	1818	4.4E		1604	1850	3.2E		1707	1940	2.9E		1736	1951	1.9E		1704	1922	2.5E		1710	1920	1.8E
13 F	0057	036F		28 Sa	0129	028F		13 M	0200	029F		28 Tu	0209	018F		13 Tu	0133	026F		28 W	0125	017F	
	0419	0655	3.3E		0442	0723	3.1E		0502	0811	4.2E		0505	0818	3.2E		0426	0745	4.5E		0406	0739	3.4E
	1022	1309	2.6F		1121	1359	2.1F		1212	1502	2.8F		1236	1521	1.9F		1150	1448	3.1F		1144	1437	2.1F
	1601	1907	3.9E		1702	1937	2.6E		1822	2040	2.3E		1844	2047	1.5E		1816	2023	2.0E		1813	2014	1.5E
14 Sa	0142	034F		29 Su	0212	024F		14 Tu	0258	026F		29 W	0305	016F		14 W	0235	022F		29 Th	0221	014F	
	0500	0746	3.5E		0523	0812	3.0E		0558	0912	4.2E		0600	0915	3.1E		0529	0848	4.2E		0500	0834	3.2E
	1126	1410	2.5F		1223	1500	1.9F		1324	1621	2.8F		1343	1638	1.9F		1303	1609	3.0F		1249	1545	2.1F
	1709	2001	3.3E		1806	2029	2.1E		1940	2147	1.9E		1954	2149	1.3E		1929	2134	1.7E		1918	2114	1.3E
15 Su	0231	032F		30 M	0300	021F		15 W	0404	024F		30 Th	0305	021F		15 Th	0349	021F		30 F	0326	013F	
	0544	0840	3.8E		0608	0904	3.0E																

San Francisco Bay Entrance (Outside), Calif., 2012

F—Flood, Dir. 065° True E—Ebb, Dir. 245° True

April				May				June																							
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum																	
	h	m	knots		h	m	knots		h	m	knots		h	m	knots																
1 Su	0304	0542	1.8F	16 M	0416	0716	2.8F	1 Tu	0332	0612	2.4F	16 W	0445	0749	3.0F	1 F	0451	0749	3.7F	16 Sa	0548	0859	3.3F								
	0830	1136	3.5E		0953	1306	3.3E		1536	1836	3.2F		1035	1327	2.4E		1103	1323	2.8E		1200	1422	1.8E		1731	2021	2.4F		2306		
	1539	1842	2.9F		1632	1941	3.4F		2145				1640	1942	2.9F		2229	1934	3.3F												
2 M		0018	2.4E	17 Tu	0503	0805	3.2F	2 W	0033	0710	3.0F	17 Th	0527	0834	3.3F	2 Sa	0540	0842	4.2F	17 Su	0627	0936	3.4F		0223	044E					
	0356	0640	2.4F		1048	1351	3.3E		1012	1253	3.4E		1127	1408	2.4E		1202	1419	2.8E		1244	1457	1.9E		1810	2057	2.5F				
	0932	1231	3.8E		1714	2018	3.4F		1624	1921	3.4F		1722	2017	2.8F		1728	2023	3.4F		2343										
	1623	1923	3.3F		2306				2224				2302				2315														
3 Tu		0107	3.1E	18 W	0545	0847	3.4F	3 Th	0508	0802	3.7F	18 F	0607	0913	3.5F	3 Su	0629	0933	4.6F	18 M	0704	1010	3.6F		0259	046E					
	0442	0731	3.0F		1138	1428	3.2E		1112	1346	3.5E		1214	1442	2.3E		1256	1511	2.9E		1324	1532	2.0E		1845	2132	2.5F				
	1028	1322	4.1E		1753	2050	3.3F		1709	2004	3.6F		1800	2049	2.7F		1818	2112	3.5F		1845	2132	2.5F								
	1705	2001	3.6F		2339				2303				2336																		
4 W		0151	3.9E	19 Th	0624	0925	3.6F	4 F	0554	0852	4.3F	19 Sa	0644	0949	3.6F	4 M	0718	1023	4.8F	19 Tu	0739	1042	3.6F		0337	048E					
	0526	0819	3.6F		1223	1501	3.1E		1207	1436	3.5E		1257	1515	2.3E		1347	1601	2.9E		1402	1609	2.1E		1920	2208	2.6F				
	1122	1410	4.2E		1829	2119	3.1F		1754	2048	3.7F		1835	2120	2.7F		1907	2201	3.5F		1920	2208	2.6F								
	1745	2039	3.9F		2306				2342				2336																		
5 Th		0234	4.6E	20 F	0011	0311	4.3E	5 Sa	0254	057E	4.7F	20 Su	0009	0320	4.6E	5 Tu	0050	0412	6.1E	20 W	0814	1113	3.6F		0415	4.9E					
	0609	0905	4.1F		0700	1000	3.6F		0640	0941	4.5F		0720	1022	3.6F		0807	1111	4.8F		0814	1113	3.6F		0814	1113	3.6F				
	1214	1457	4.3E		1306	1534	2.9E		1302	1526	3.5E		1338	1550	2.3E		1437	1651	2.8E		1439	1647	2.3E		1955	2246	2.5F				
	1825	2118	3.9F		1902	2148	2.9F		1838	2132	3.7F		1907	2153	2.6F		1958	2250	3.3F		1955	2246	2.5F								
6 F		0018	5.1E	21 Sa	0041	0343	4.4E	6 Su	0023	0340	6.0E	21 M	0041	0356	4.7E	6 W	0139	0500	5.9E	21 Th	0847	1146	3.6F		0453	4.8E					
	0654	0952	4.4F		0736	1034	3.6F		0728	1030	4.8F		0756	1055	3.5F		0856	1200	4.6F		0847	1146	3.6F		1515	1727	2.4E				
	1306	1544	4.1E		1348	1609	2.7E		1355	1615	3.3E		1418	1626	2.2E		1525	1740	2.8E		1515	1727	2.4E		2033	2326	2.5F				
	1905	2158	3.9F		1933	2218	2.7F		1923	2217	3.5F		1938	2227	2.5F		2053	2341	3.1F		2033	2326	2.5F								
7 Sa		0055	5.5E	22 Su	0110	0418	4.5E	7 M	0106	0427	6.1E	22 Tu	0113	0434	4.7E	7 Th	0230	0549	5.4E	22 F	0920	1222	3.6F		0534	4.7E					
	0740	1040	4.6F		0812	1108	3.4F		0818	1120	4.7F		0831	1130	3.4F		0945	1249	4.2F		0920	1222	3.6F		1552	1809	2.5E				
	1359	1631	3.8E		1430	1646	2.5E		1448	1704	3.0E		1459	1705	2.2E		1614	1831	2.7E		1552	1809	2.5E								
	1946	2240	3.7F		2002	2251	2.5F		2011	2305	3.3F		2010	2304	2.3F		2152				2117										
8 Su		0134	4.4E	23 M	0139	0456	4.4E	8 Tu	0153	0516	5.8E	23 W	0145	0513	4.6E	8 F		0036	2.7F	23 Sa	0248	0616	4.5E		0010	2.3F					
	0830	1130	4.5F		0849	1145	3.2F		0910	1213	4.4F		0908	1207	3.3F		0325	0639	4.8E		0955	1301	3.5F		0616	4.5E					
	1455	1719	3.4E		1512	1725	2.3E		1543	1755	2.7E		1540	1747	2.1E		1035	1340	3.8F		1630	1855	2.7E		1301	3.5F					
	2030	2325	3.4F		2032	2327	2.3F		2104	2356	2.9F		2045	2344	2.1F		1703	1924	2.6E		2208				1855	2.7E					
9 M		0216	5.5E	24 Tu	0210	0536	4.3E	9 W	0243	0607	5.4E	24 Th	0220	0555	4.4E	9 Sa	0424	0730	4.0E	24 Su	0336	0702	4.1E		0058	2.2F					
	0923	1224	4.2F		0928	1225	3.0F		1005	1309	4.0F		0945	1247	3.2F		1127	1433	3.4F		1032	1343	3.3F		0702	4.1E					
	1553	1810	2.8E		1558	1807	2.0E		1639	1850	2.4E		1623	1832	2.0E		1752	2020	2.6E		1709	1943	2.9E		1343	3.3F					
	2119				2104				2206				2129								2308				1943	2.9E					
10 Tu		0015	2.9F	25 W	0244	0619	4.0E	10 Th	0340	0053	2.5F	25 F	0300	0028	1.9F	10 Su	0009	0242	2.0F	25 M	0435	0752	3.6E		0153	2.1F					
	0203	1324	3.1E		1012	1311	2.7F		1103	1409	3.6F		1025	1331	3.0F		1221	1528	3.0F		1114	1429	3.1F		0752	3.6E					
	1655	1906	2.3E		1647	1854	1.8E		1737	1949	2.2E		1708	1920	2.1E		1842	2120	2.6E		1751	2035	3.1E		1429	3.1F					
	2218				2145				2319				2225																		
11 W		0111	2.5F	26 Th	0324	0706	3.8E	11 F	0444	0759	4.1E	26 Sa	0348	0728	3.8E	11 M	0121	0400	1.9F	26 Tu	0547	0847	3.1E		0255	2.0F					
	0359	0722	4.7E		1101	1402	2.5F		1204	1515	3.3F		1109	1418	2.9F		0644	0924	2.6E		1203	1519	2.9F		0847	3.1E					
	1128	1432	3.4F		1742	1946	1.6E		1835	2055	2.1E		1754	2013	2.2E		1317	1625	2.7F		1836	2130	3.4E		1519	2.9F					
	1801	2008	2.0E		2244								2335				1930	2224	2.8E						2130	3.4E					
12 Th		0216	2.1F	27 F	0414	0758	3.5E	12 Sa	0038	0313	1.9F	27 Su	0449	0821	3.5E	12 Tu	0229	0521	2.0F	27 W	0710	0947	2.6E		0405	2.1F					
	0505	0824	4.1E		1155	1459	2.5F		0557	0901	3.5E		1158	1510	2.9F		0759	1029	2.1E		1259	1615	2.8F		0947	2.6E					
	1237	1548	3.1F		1838																										

San Francisco Bay Entrance (Outside), Calif., 2012

F—Flood, Dir. 065° True E—Ebb, Dir. 245° True

July				August				September																					
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum															
h	m	h	m	h	m	h	m	h	m	h	m	h	m	h	m														
1	Su	0529	0836	4.1F	16	M	0605	0916	3.3F	1	W	0653	0959	4.4F	16	Th	0647	0946	3.6F	1	Sa	0749	1044	3.8F	16	Su	0719	1012	3.7F
		1153	1405	2.3E			1221	1434	1.7E			1308	1536	2.9E			1257	1520	2.8E			1346	1630	3.9E			1316	1609	4.5E
		1711	2007	3.2F			1746	2034	2.4F			1848	2142	3.5F			1842	2131	3.0F			2006	2259	3.6F			1942	2238	4.0F
		2257					2321																						
2	M	0620	0927	4.4F	17	Tu	0643	0950	3.5F	2	Th	0736	1038	4.4F	17	F	0720	1016	3.8F	2	Su	0826	1117	3.5F	17	M	0756	1050	3.7F
		1245	1459	2.6E			1259	1511	2.0E			1347	1618	3.3E			1329	1558	3.3E			1420	1707	4.0E			1350	1651	4.9E
		1805	2059	3.4F			1825	2113	2.6F			1937	2229	3.5F			1921	2212	3.3F			2048	2340	3.4F			2027	2325	4.0F
		2349																											
3	Tu	0708	1014	4.6F	18	W	0717	1020	3.7F	3	F	0816	1116	4.2F	18	Sa	0753	1048	3.9F	3	M	0901	1151	3.2F	18	Tu	0834	1131	3.5F
		1332	1549	2.8E			1335	1547	2.3E			1425	1658	3.5E			1401	1638	3.7E			1453	1745	4.0E			1427	1736	5.0E
		1857	2150	3.5F			1902	2151	2.8F			2024	2314	3.5F			2001	2254	3.4F			2131					2116		
4	W	0754	1058	4.7F	19	Th	0750	1049	3.8F	4	Sa	0855	1152	4.0F	19	Su	0826	1123	3.9F	4	Tu	0936	1226	2.8F	19	W	0916	1215	3.2F
		1416	1636	3.0E			1409	1625	2.7E			1502	1738	3.6E			1433	1718	4.1E			1527	1825	3.9E			1508	1824	5.0E
		1948	2239	3.4F			1940	2230	2.9F			2112	2359	3.2F			2045	2339	3.5F			2217					2210		
5	Th	0838	1141	4.5F	20	F	0822	1120	3.9F	5	Su	0933	1228	3.6F	20	M	0900	1200	3.7F	5	W	1012	1305	2.4F	20	Th	0935	1228	3.6F
		1459	1722	3.1E			1442	1704	3.0E			1539	1819	3.6E			1507	1802	4.3E			1603	1908	3.7E			1554	1916	4.8E
		2040	2328	3.3F			2019	2310	2.9F			2201					2132					2308					2311		
6	F	0922	1223	4.2F	21	Sa	0854	1154	3.8F	6	M	1011	1306	3.1F	21	Tu	0937	1241	3.4F	6	Th	1052	1349	2.0F	21	F	1008	1305	2.5F
		1541	1807	3.1E			1515	1745	3.3E			1616	1901	3.5E			1543	1848	4.4E			1643	1956	3.4E			1650	2013	4.5E
		2134					2102	2354	2.9F			2253					2226					2217					2210		
7	Sa	1005	1305	3.8F	22	Su	0927	1230	3.7F	7	Tu	1050	1346	2.7F	22	W	1018	1326	3.1F	7	F	1142	1440	1.7F	22	Sa	1121	1414	2.2F
		1623	1853	3.1E			1549	1828	3.5E			1655	1947	3.4E			1625	1938	4.4E			1733	2049	3.2E			1756	2116	4.2E
		2231					2150					2350					2327					2217					2210		
8	Su	1048	1348	3.3F	23	M	1002	1310	3.5F	8	W	1133	1431	2.2F	23	Th	1107	1418	2.7F	8	Sa	1249	1539	1.5F	23	Su	1212	1504	2.2F
		1705	1940	3.1E			1625	1914	3.7E			1738	2036	3.2E			1714	2034	4.3E			1832	2148	3.1E			1756	2116	4.2E
		2332					2245																						
9	M	1134	1434	2.9F	24	Tu	1042	1354	3.2F	9	Th	1226	1523	1.9F	24	F	1210	1518	2.4F	9	Su	1403	1646	1.5F	24	M	1448	1737	2.3F
		1749	2031	3.0E			1704	2004	3.8E			1827	2131	3.1E			1814	2135	4.2E			1937	2249	3.2E			2023	2335	3.9E
							2348																						
10	Tu	1223	1524	2.4F	25	W	1128	1444	2.9F	10	F	1331	1624	1.6F	25	Sa	1329	1627	2.2F	10	M	1510	1752	1.7F	25	Tu	1554	1848	2.6F
		1835	2124	3.0E			1750	2059	4.0E			1922	2231	3.1E			1922	2242	4.2E			2041	2350	3.3E			2131		
11	W	1320	1619	2.1F	26	Th	1225	1541	2.6F	11	Sa	1440	1729	1.6F	26	Su	1449	1741	2.3F	11	Tu	1605	1850	2.0F	26	W	1650	1948	3.0F
		1923	2222	3.0E			1843	2159	4.1E			2021	2334	3.3E			2033	2352	4.3E			2139					2232		
12	Th	1421	1718	1.9F	27	F	1335	1645	2.4F	12	Su	1542	1831	1.8F	27	M	1558	1852	2.6F	12	W	1653	1940	2.5F	27	Th	1739	2039	3.3F
		2014	2323	3.2E			1943	2303	4.3E			2118					2140					2232					2328		
13	F	1522	1816	1.9F	28	Sa	1452	1752	2.5F	13	M	1635	1924	2.1F	28	Tu	1658	1954	3.0F	13	Th	1737	2026	2.9F	28	F	1824	2124	3.5F
		2104					2047					2210					2240					2322					2328		
14	Sa	1616	1908	2.0F	29	Su	1602	1858	2.7F	14	Tu	1720	2009	2.4F	29	W	1750	2047	3.3F	14	F	1818	2110	3.4F	29	Sa	1906	2205	3.6F
		2153					2149					2258					2335					2322							

San Francisco Bay Entrance (Outside), Calif., 2012

F—Flood, Dir. 065° True E—Ebb, Dir. 245° True

October				November				December															
Slack	Maximum		knots	Slack	Maximum		knots	Slack	Maximum		knots	Slack	Maximum		knots								
h m	h m	h m		h m	h m	h m		h m	h m	h m		h m	h m	h m									
1 M	0151 0755 1337 2025	0423 1041 1635 2322	3.2E 3.0F 4.3E 3.5F	16 Tu	0143 0726 1311 2011	0411 1019 1626 2312	3.5E 3.5F 5.5E 4.4F	1 Th	0308 0834 1404 2124	0517 1120 1725	2.1E 2.2F 4.3E	16 F	0323 0843 1421 2143	0535 1134 1746	2.7E 3.0F 5.6E	1 Sa	0332 0846 1414 2139	0502 1135 1742 2439	3.2F 1.9E 2.0F 4.3E	16 Su	0352 0929 1505 2214	0610 1215 1819	4.3F 2.8E 2.9F 5.0E
2 Tu	0236 0830 1409 2105	0501 1115 1713	2.9E 2.7F 4.2E	17 W	0237 0810 1353 2102	0459 1104 1714	3.2E 3.3F 5.6E	2 F	0353 0911 1440 2206	0559 1200 1808	3.1F 2.0E 2.0F 4.1E	17 Sa	0418 0944 1518 2238	0629 1231 1839	2.5E 2.7F 5.1E	2 Su	0414 0931 1455 2218	0620 1219 1826	2.0E 1.9F 4.1E	17 M	0441 1034 1606 2305	0704 1315 1912	4.0F 2.8E 2.6F 4.3E
3 W	0321 0904 1441 2147	0540 1150 1753	3.3F 2.6E 4.1E	18 Th	0333 0858 1440 2157	0550 1153 1804	2.9E 3.0F 5.4E	3 Sa	0440 0954 1521 2251	0644 1245 1853	1.9E 1.8F 3.9E	18 Su	0512 1052 1620 2335	0727 1333 1936	2.5E 2.5F 4.5E	3 M	0456 1025 1541 2257	0707 1308 1913	3.1F 2.1E 3.8E	18 Tu	0529 1143 1711 2357	0800 1421 2006	2.9E 2.4F 3.6E
4 Th	0408 0939 1517 2234	0622 1230 1836	3.0F 2.2E 3.9E	19 F	0431 0953 1533 2256	0644 1246 1857	2.6E 2.7F 5.1E	4 Su	0528 1049 1609 2339	0733 1335 1942	1.8E 1.6F 3.6E	19 M	0605 1204 1729	0828 1442 2035	2.5E 2.3F 3.9E	4 Tu	0538 1126 1637 2340	0756 1403 2002	2.3E 1.7F 3.5E	19 W	0617 1126 1821	0858 1533 2104	3.0E 2.2F 2.9E
5 F	0459 1020 1557 2326	0708 1314 1923	1.9E 1.8F 3.7E	20 Sa	0531 1059 1634 2359	0741 1346 1955	2.3E 2.4F 4.6E	5 M	0617 1154 1707	0826 1432 2035	1.8E 1.5F 3.4E	20 Tu	0657 1317 1842	0933 1557 2137	2.6E 2.2F 3.3E	5 W	0620 1231 1744	0848 1502 2055	3.0F 2.5E 3.2E	20 Th	0704 1358 1934	0957 1649 2205	3.2E 2.3F 2.4E
6 Sa	0554 1112 1646	0758 1405 2014	1.7E 1.6F 3.4E	21 Su	0632 1214 1743	0844 1455 2057	2.1E 2.2F 4.1E	6 Tu	0705 1304 1814	0921 1534 2130	2.0E 1.5F 3.2E	21 W	0747 1424 1955	1039 1714 2242	2.9E 2.3F 2.9E	6 Th	0701 1335 1859	0941 1606 2152	2.9E 1.9F 2.9E	21 F	0751 1459 2044	1056 1759 2310	3.4E 2.5F 2.0E
7 Su	0652 1219 1745	0853 1503 2110	1.5E 1.4F 3.2E	22 M	0730 1330 1857	0954 1611 2203	2.2E 2.1F 3.7E	7 W	0751 1408 1927	1017 1638 2227	2.4E 1.7F 3.1E	22 Th	0833 1524 2104	1140 1822 2347	3.3E 2.6F 2.5E	7 F	0744 1434 2014	1035 1711 2250	3.4E 2.3F 2.7E	22 Sa	0836 1553 2149	1151 1900	3.6E 2.7F
8 M	0748 1333 1853	0952 1608 2208	1.6E 1.5F 3.2E	23 Tu	0824 1441 2011	1107 1730 2312	2.5E 2.3F 3.4E	8 Th	0834 1504 2037	1111 1741 2324	2.9E 2.1F 3.1E	23 F	0917 1617 2207	1231 1920	3.6E 2.9F	8 Sa	0826 1529 2126	1128 1815 2350	4.0E 2.8F 2.6E	23 Su	0921 1643 2248	1240 1952	3.8E 3.0F
9 Tu	0840 1439 2002	1053 1714 2307	1.8E 1.7F 3.2E	24 W	0913 1542 2119	1214 1839	2.9E 2.6F	9 F	0914 1555 2143	1203 1840	3.5E 2.7F	24 Sa	0958 1705 2305	1313 2011	3.9E 3.2F	9 Su	0910 1621 2232	1221 1915	4.6E 3.3F	24 M	1004 1728 2339	1323 2038	4.1E 3.2F
10 W	0926 1535 2107	1149 1815	2.3E 2.1F	25 Th	0957 1636 2222	1305 1937	3.3E 3.0F	10 Sa	1037 1748 2356	1252 1935	4.2E 3.3F	25 Su	1037 1748 2356	1351 2056	4.1E 3.3F	10 M	1037 1712 2332	1351 2011	4.1E 3.9F	25 Tu	1045 1809	1403 2120	4.3E 3.3F
11 Th	1006 1624 2206	1241 1910	2.9E 2.6F	26 F	1038 1724 2318	1345 2027	3.7E 3.3F	11 Su	1033 1731 2344	1340 2027	4.8E 3.8F	26 M	1114 1829	1427 2137	4.3E 3.4F	11 Tu	1043 1803	1404 2105	5.7E 4.3F	26 W	1125 1849	1441 2157	4.4E 3.4F
12 F	1044 1710 2302	1327 2000	3.5E 3.2F 3.1F	27 Sa	1115 1807	1421 2111	4.0E 3.5F	12 M	1113 1818	1428 2118	5.4E 4.2F	27 Tu	1150 1908	1504 2215	4.4E 3.5F	12 W	1131 1853	1455 2157	6.0E 4.5F	27 Th	1203 1926	1520 2230	4.6E 3.4F
13 Sa	1120 1753 2356	1412 2048	4.2E 3.6F	28 Su	1150 1848	1455 2151	4.2E 3.5F	13 Tu	1156 1907	1515 2209	5.7E 4.5F	28 W	1226 1947	1541 2250	4.5E 3.4F	13 Th	1222 1943	1546 2247	6.0E 4.6F	28 F	1240 2002	1558 2302	4.6E 3.4F
14 Su	1155 1837	1456 2135	4.8E 4.0F	29 M	1224 1927	1530 2229	4.4E 3.5F	14 W	1241 1957	1604 2300	5.9E 4.6F	29 Th	1301 2024	1620 2325	4.5E 3.3F	14 F	1314 2034	1637 2338	5.9E 4.6F	29 Sa	1317 2036	1637 2335	4.6E 3.4F
15 M	1232 1923	1540 2223	5.2E 4.3F	30 Tu	1257 2005	1606 2305	4.4E 3.4F	15 Th	1329 2049	1654 2353	5.9E 4.5F	30 F	1336 2102	1700 2444	4.4E	15 Sa	1408 2124	1728 2444	5.5E	30 Su	1356 2109	1718 2444	4.4E
				31 W	0225 0759 1330 2044	0437 1042 1644 2343	2.3E 2.4F 4.4E 3.3F													31 M	0338 0908 1437 2143	0009 1156 1800	3.4F 2.4E 2.2F 4.2E

Time meridian 120° W. 0000 is midnight. 1200 is noon. Times are not adjusted for Daylight Saving Time.

Golden Gate Bridge, Calif., 2012

F—Flood, Dir. 055° True E—Ebb, Dir. 237° True

January				February				March															
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum									
	h	m	knots		h	m	knots		h	m	knots		h	m	knots								
1 Su	0651	0950	1.3E	16 M	0600	0914	1.9E	1 W	0730	1100	1.5E	16 Th	0731	1108	2.2E	1 Th	0636	1022	1.4E	16 F	0103	0419	2.2F
	1356	1640	1.3F		1304	1557	2.1F		1515	1822	1.9F		1514	1808	2.8F		1425	1742	1.8F		0711	1049	1.9E
	1941	2208	0.9E		1854	2143	1.2E		2155	2337	0.7E		2135	2347	1.0E		2130	2312	0.7E		1446	1746	2.9F
2 M	0015	0413	2.3F	17 Tu	0001	0357	3.0F	2 Th	0129	0516	2.0F	17 F	0225	0545	2.7F	2 F	0105	0439	1.8F	17 Sa	0236	0533	2.3F
	0737	1043	1.5E		0657	1021	2.1E		0818	1154	1.8E		0836	1214	2.4E		0737	1121	1.6E		0824	1156	2.0E
	1459	1753	1.6F		1426	1715	2.4F		1603	1907	2.2F		1612	1905	3.3F		1517	1829	2.2F		1543	1841	3.2F
3 Tu	0111	0506	2.3F	18 W	0108	0500	2.9F	3 F	0237	0609	2.2F	18 Sa	0342	0647	2.8F	3 Sa	0223	0540	2.0F	18 Su	0345	0638	2.6F
	0818	1135	1.7E		0755	1126	2.4E		0903	1242	2.0E		0935	1311	2.6E		0831	1212	1.8E		0929	1253	2.2E
	1551	1848	2.0F		2140	1643	1944		2.6F	2323	0121		0.9E	1702	1954		3.6F	1600	1906		2.6F	1632	1928
4 W	0210	0555	2.3F	19 Th	0223	0601	3.0F	4 Sa	0336	0657	2.4F	19 Su	0445	0741	3.0F	4 Su	0326	0633	2.3F	19 M	0442	0732	2.8F
	0857	1223	2.0E		0851	1226	2.6E		0945	1324	2.3E		1029	1400	2.6E		0920	1256	2.1E		1025	1340	2.2E
	1634	1933	2.3F		1631	1922	3.3F		1719	2018	2.9F		1747	2038	3.7F		1637	1939	2.9F		1715	2010	3.5F
5 Th	0306	0641	0.9E	20 F	0337	0659	3.1F	5 Su	0427	0743	2.6F	20 M	0539	0832	3.1F	5 M	0417	0722	2.6F	20 Tu	0532	0821	3.0F
	0935	1307	2.2E		0945	1321	2.8E		1026	1402	2.5E		1120	1445	2.6E		1007	1336	2.3E		1115	1423	2.2E
	1714	2012	2.7F		1722	2013	3.6F		1751	2050	3.2F		1827	2120	3.8F		1710	2012	3.3F		1754	2048	3.5F
6 F	0356	0724	2.6F	21 Sa	0443	0752	3.2F	6 M	0514	0827	2.8F	21 Tu	0628	0919	3.1F	6 Tu	0503	0808	2.9F	21 W	0616	0906	3.0F
	1011	1347	2.4E		1036	1412	3.0E		1108	1436	2.6E		1207	1529	2.5E		1053	1412	2.5E		1202	1505	2.2E
	1750	2048	2.9F		1809	2101	3.9F		1822	2124	3.5F		1904	2159	3.7F		1742	2048	3.6F		1828	2124	3.5F
7 Sa	0026	0231	1.0E	22 Su	0026	0248	1.4E	7 Tu	0044	0328	1.4E	22 W	0109	0355	1.8E	7 W	0546	0854	3.2F	22 Th	0025	0322	2.1E
	0444	0806	2.7F		0541	0843	3.2F		0558	0912	3.0F		0713	1005	3.0F		1138	1448	2.5E		0656	0950	3.0F
	1049	1424	2.9E		1126	1500	2.9E		1150	1507	2.7E		1253	1612	2.4E		1814	2126	3.8F		1247	1548	2.0E
8 Su	0101	0317	1.1E	23 M	0109	0338	1.5E	8 W	0112	0404	1.6E	23 Th	0143	0436	1.8E	8 Th	0025	0321	2.1E	23 F	0056	0359	2.1E
	0529	0849	2.8F		0635	0932	3.1F		0642	0958	3.1F		0755	1049	2.8F		0629	0941	3.4F		0734	1032	2.9F
	1127	1456	2.7E		1214	1547	2.8E		1235	1537	2.7E		1339	1654	2.2E		1226	1525	2.5E		1332	1632	1.9E
9 M	0131	0401	1.2E	24 Tu	0150	0425	1.6E	9 Th	0142	0435	1.8E	24 F	0216	0514	1.8E	9 F	0058	0347	2.4E	24 Sa	0128	0434	2.1E
	0613	0932	2.8F		0725	1020	2.9F		0726	1044	3.1F		0834	1132	2.5F		0713	1028	3.5F		0810	1113	2.7F
	1206	1522	2.7E		1301	1632	2.6E		1321	1612	2.7E		1425	1737	1.9E		1314	1606	2.4E		1418	1716	1.7E
10 Tu	0200	0442	1.2E	25 W	0228	0510	1.6E	10 F	0216	0459	2.0E	25 Sa	0249	0551	1.7E	10 Sa	0135	0415	2.5E	25 Su	0200	0505	2.0E
	0657	1017	2.8F		0813	1106	2.7F		0813	1132	3.1F		0913	1216	2.3F		0800	1117	3.4F		0844	1155	2.5F
	1247	1547	2.8E		1348	1715	2.4E		1410	1653	2.5E		1514	1823	1.6E		1406	1650	2.2E		1507	1802	1.4E
11 W	0230	0520	1.3E	26 Th	0305	0552	1.6E	11 Sa	0254	0527	2.1E	26 Su	0324	0628	1.6E	11 Su	0216	0451	2.6E	26 M	0234	0526	1.9E
	0742	1102	2.8F		0900	1152	2.4F		0904	1222	2.9F		0954	1303	1.9F		0850	1208	3.3F		0920	1239	2.3F
	1331	1621	2.7E		1435	1759	2.1E		1504	1741	2.2E		1610	1915	1.2E		1502	1741	1.9E		1603	1854	1.1E
12 Th	0302	0554	1.5E	27 F	0024	0330	3.3F	12 Su	0042	0360	2.2E	27 M	0102	0250	2.5F	12 M	0015	0350	3.5F	27 Tu	0026	0240	2.4F
	0830	1149	2.7F		0342	0635	1.5E		0337	0608	2.2E		0402	0710	1.4E		0300	0535	2.5E		0310	0547	1.7E
	1419	1702	2.6E		0947	1239	2.0F		1001	1319	2.6F		1044	1359	1.6F		0947	1304	3.0F		1001	1329	2.0F
13 F	0339	0625	1.6E	28 Sa	0102	0290	2.9F	13 M	0132	0330	2.1E	28 Tu	0146	0220	0.9E	13 Tu	0105	0310	3.1F	28 W	0110	0200	2.0F
	0922	1240	2.5F		1526	1846	1.7E		1606	1840	1.7E		1721	2013	0.7E		1605	1847	1.5E		1710	1950	0.8E
	1512	1750	2.3E		2138	0420	0721		1.4E	1112	1424		2.4F	1857	2113		0.7E	1719	2006		1.2E	1835	2049
14 Sa	0420	0706	1.7E	29 Su	0144	0260	2.6F	14 Tu	0227	0300	2.0E	29 W	0238	0310	1.9F	14 W	0202	0270	2.7F	29 Th	0201	0274	1.8F
	1022	1337	2.3F		0501	0811	1.3E		0521	0828	2.0E		0537	0918	1.3E		0447	0752	2.0E		0441	0724	1.4E
	1613	1848	1.9E		1145	1435	1.4F		1240	1539	2.3F		1318	1635	1.6F		1216	1521	2.5F		1200	1535	1.8F
15 Su	0202	0300	3.3F	30 M	0230	0330	2.3F	15 W	0330	0430	2.7F	30 F	0307	0400	2.4F	15 Th	0307	0400	2.4F	30 F	0300	0400	1.6F
	0507	0806	1.8E		0548	0906	1.3E		0624	0955	2.0E		0628	0955	2.0E		0555	0933	1.9E		0542	0937	1.3E
	1135	1443	2.1F		1305	1557	1.3F		1405	1658	2.5F		2020	2241	1.0E		1337	1638	2.6F		1313	1642	2.0F
16 M	1727	2013	1.5E	31 Tu	1916	2138	0.8E	31 Tu	0200	0240	0.7E	31 Sa	0212	0250	0.8E	31 Sa	0212	0250	0.8E	31 Sa	0212	0250	0.8E

Time meridian 120° W. 0000 is midnight. 1200 is noon. Times are not adjusted for Daylight Saving Time.

Golden Gate Bridge, Calif., 2012

F—Flood, Dir. 055° True E—Ebb, Dir. 237° True

April				May				June																
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum										
	h	m	knots		h	m	knots		h	m	knots		h	m	knots									
1 Su	0212	0510	1.8F	16 M	0341	0628	2.3F	1 Tu	0257	0545	2.1F	16 W	0420	0708	2.4F	1 F	0428	0720	3.1F	16 Sa	0525	0821	2.7F	
	0759	1135	1.6E		0922	1224	1.7E		1440	1811	3.1F		1013	1241	1.3E		1022	1302	1.5E		1147	1349	1.1E	
	1543	1855	2.6F		1553	1856	3.2F		2118				1546	1858	2.9F		1533	1910	3.5F		1617	1939	2.7F	2229
	2147				2207								2159				2157							
2 M	0315	0610	2.2F	17 Tu	0434	0722	2.6F	2 W	0351	0642	2.6F	17 Th	0504	0755	2.6F	2 Sa	0518	0812	3.5F	17 Su	0603	0901	2.9F	
	0857	1223	1.8E		1020	1312	1.8E		1093	1236	1.7E		1105	1328	1.4E		1120	1354	1.5E		1232	1437	1.1E	
	1543	1855	3.0F		1635	1936	3.3F		2152				1625	1936	2.9F		1627	1959	3.6F		1659	2018	2.7F	2303
	2210				2240								2231				2241							
3 Tu	0405	0702	2.6F	18 W	0520	0809	2.8F	3 Th	0439	0734	3.1F	18 F	0544	0838	2.8F	3 Su	0607	0903	3.8F	18 M	0638	0938	3.1F	
	0950	1306	2.0E		1110	1356	1.8E		1030	1323	1.8E		1153	1413	1.4E		1215	1447	1.5E		1215	1525	1.1E	
	1620	1933	3.3F		1713	2013	3.3F		1612	1939	3.6F		1701	2012	2.9F		1721	2047	3.6F		1741	2059	2.7F	2339
	2238				2311								2302				2327							
4 W	0451	0750	3.0F	19 Th	0601	0853	2.9F	4 F	0526	0824	3.4F	19 Sa	0622	0919	3.0F	4 M	0655	0953	4.0F	19 Tu	0711	1014	3.2F	
	1040	1347	2.2E		1157	1439	1.7E		1123	1410	1.9E		1238	1500	1.3E		1309	1542	1.5E		1314	1525	1.1E	
	1658	2012	3.6F		1746	2048	3.2F		1658	2023	3.7F		1735	2049	2.8F		1815	2137	3.5F		1823	2140	2.6F	2399
	2309				2342								2335				2350							
5 Th	0535	0838	3.4F	20 F	0639	0935	3.0F	5 Sa	0613	0914	3.7F	20 Su	0657	0958	3.0F	5 Tu	0743	1042	4.0F	20 W	0742	1049	3.3F	
	1129	1428	2.2E		1242	1524	1.7E		1216	1459	1.8E		1324	1547	1.3E		1403	1637	1.5E		1430	1658	1.1E	
	1735	2053	3.8F		1818	2123	3.1F		1744	2109	3.7F		1811	2127	2.8F		1910	2226	3.3F		1905	2223	2.6F	2399
	2343				2342								2350				2350							
6 F	0619	0926	3.6F	21 Sa	0715	1015	3.0F	6 Su	0700	1004	3.9F	21 M	0731	1037	3.1F	6 W	0830	1130	4.0F	21 Th	0811	1124	3.3F	
	1220	1512	2.2E		1327	1609	1.5E		1310	1552	1.7E		1409	1635	1.2E		1456	1731	1.4E		1504	1742	1.1E	
	1814	2135	3.8F		1848	2159	2.9F		1831	2156	3.6F		1848	2206	2.7F		2006	2316	2.9F		1948	2306	2.5F	2399
7 Sa	0020	0311	2.9E	22 Su	0044	0357	2.3E	7 M	0033	0330	3.2E	22 Tu	0042	0358	2.5E	7 Th	0150	0513	2.8E	22 F	0133	0428	2.5E	
	0705	1015	3.7F		0750	1055	2.9F		0749	1054	3.9F		0804	1114	3.0F		0915	1219	3.8F		0839	1200	3.3F	
	1311	1559	2.1E		1414	1656	1.4E		1406	1646	1.6E		1455	1723	1.1E		1549	1825	1.3E		1535	1824	1.1E	
	1855	2219	3.8F		1919	2236	2.8F		1919	2244	3.4F		1927	2247	2.5F		2106				2034	2350	2.3F	2399
8 Su	0101	0346	3.0E	23 M	0117	0424	2.2E	8 Tu	0119	0416	3.1E	23 W	0118	0417	2.4E	8 F	0007	0267	2.6F	23 Sa	0215	0503	2.4E	
	0753	1105	3.7F		0823	1135	2.8F		0839	1145	3.8F		0836	1152	3.0F		0959	1308	3.5F		0909	1239	3.3F	
	1405	1650	1.9E		1503	1743	1.2E		1503	1743	1.4E		1540	1810	1.0E		1642	1920	1.3E		1608	1906	1.2E	
	1938	2305	3.6F		1954	2314	2.6F		2011	2333	3.1F		2009	2329	2.3F		2211				2123			2399
9 M	0144	0427	2.9E	24 Tu	0151	0442	2.2E	9 W	0207	0505	2.8E	24 Th	0156	0444	2.3E	9 Sa	0102	0217	2.1F	24 Su	0303	0545	2.2E	
	0844	1156	3.6F		0857	1216	2.6F		0930	1237	3.6F		0907	1231	2.9F		1042	1359	3.2F		0943	1322	3.2F	
	1503	1746	1.6E		1556	1833	1.0E		1604	1841	1.3E		1623	1859	0.9E		1735	2016	1.3E		1645	1951	1.2E	
	2023	2352	3.3F		2032	2355	2.3F		2108				2055				2326				2220			2399
10 Tu	0230	0513	2.8E	25 W	0227	0509	2.0E	10 Th	0258	0604	2.4E	25 F	0237	0521	2.2E	10 Su	0204	0516	1.7F	25 M	0400	0637	1.9E	
	0939	1251	3.3F		0933	1301	2.5F		1022	1333	3.3F		1022	1314	2.8F		1125	1452	2.9F		1022	1409	3.1F	
	1606	1849	1.3E		1655	1927	0.8E		1707	1943	1.2E		1705	1950	0.9E		1828	2112	1.3E		1727	2039	1.4E	
	2114				2116								2147				2147				2327			2399
11 W	0321	0607	2.4E	26 Th	0308	0546	1.9E	11 F	0357	0728	2.0E	26 Sa	0324	0606	2.0E	11 M	0048	0318	1.5F	26 Tu	0508	0747	1.5E	
	1040	1352	3.0F		1013	1350	2.3F		1118	1432	3.1F		1018	1400	2.8F		1212	1547	2.7F		1106	1501	3.0F	
	1718	1958	1.1E		1759	2023	0.7E		1814	2045	1.1E		1748	2041	1.0E		1918	2206	1.4E		1813	2129	1.6E	
	2213				2207								2248				2248				2327			2399
12 Th	0420	0737	2.0E	27 F	0356	0634	1.7E	12 Sa	0506	0846	1.7E	27 Su	0422	0703	1.7E	12 Tu	0204	0442	1.5F	27 W	0050	0344	1.8F	
	1149	1500	2.8F		1100	1444	2.3F		1217	1534	2.9F		1101	1451	2.7F		0737	1017	1.1E		0631	0926	1.3E	
	1837	2105	1.0E		1859	2118	0.8E		1915	2144	1.2E		1830	2130	1.1E		2003	2259	1.6E		1158	1557	3.0F	
	2333				2311												2003				1903			2399
13 F	0530	0912	1.8E	28 Sa	0456	0744	1.4E	13 Su	0109	0343	1.6F	28 M	0002	0303	1.6F	13 W	0308	0555	1.8F	28 Th	0210	0458	2.1F	
	1302	1610	2.8F		1154	1540	2.3F		1317	1635	2.8F		1150	1543	2.8F		1357	1733	2.5F		1258	1655	3.0F	
	1951	2209	1.1E		1944	2211	0.9E		2007	2242	1.4E		1911	2219	1.4E		2043	2349	1.8E		1953	2317	2.3E	
14 Sa	0114	0402	1.9F	29 Su	0032	0333	1.5F	14 M	0226	0505	1.7F	29 Tu	0125	0411	1.7F	14 Th	0401	0652	2.1F	29 F	0317	0607	2.5F	
	0652	1024	1.7E		0609	0950	1.4E		0758	1054	1.3E		0655	1005	1.3E		1005	1210	1.0E		0912	1146	1.2E	
	1408	1715	2.9F		1252	1634	2.5F		1413	1730	2.8F		1245	1637	2.9F		1447	1818	2.6F		1402	1752	3.2F	
	2047	2310	1.3E		2017	2301	1.2E		2049	2335	1.6E		1952	2306	1.8E		2119				2043			2399
15 Su	0236	0521	2.0F	30 M	0153	0441	1.7F	15 Tu	0328	0614	2.0F	30 W	0235	0521	2.1F	15 F	0034	0206	2.0E	30 Sa	0010	0261	2.6E	
	0813	1129	1.7E		0725	1052	1.5E		0913	1150	1.3E		0812	1110	1.4E		0445	0739	2.4F		0416	0707	3.1F	
	1504	1810	3.1F																					

Golden Gate Bridge, Calif., 2012

F—Flood, Dir. 055° True E—Ebb, Dir. 237° True

July				August				September															
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum									
	h	m	knots		h	m	knots		h	m	knots		h	m	knots								
1 Su	0508	0800	3.5F	16 M	0538	0837	2.9F	1 W	0627	0920	4.0F	16 Th	0608	0908	3.3F	1 Sa	0718	1014	3.7F	16 Su	0010	0313	2.3E
	1117	1341	1.3E		1214	1414	1.0E		1239	1512	1.6E		1230	1512	1.5E		1317	1613	2.0E		0626	0943	3.7F
	1610	1939	3.4F		1636	1952	2.6F		1811	2110	3.3F		1749	2057	2.9F		1939	2233	3.0F		1236	1528	2.3E
	2222				2238				2353				2339								1854	2208	3.4F
2 M	0151	3.1E		17 Tu	0214	2.5E		2 Th	0324	2.9E		17 F	0304	2.6E		2 Su	0125	0436	2.2E	17 M	0056	0349	2.3E
	0558	0851	3.8F		0612	0912	3.1F		0710	1003	4.0F		0636	0942	3.5F		0751	1051	3.5F		0700	1023	3.8F
	1211	1435	1.4E		1249	1500	1.1E		1320	1600	1.7E		1255	1549	1.6E		1352	1652	2.0E		1310	1550	2.5E
	1712	2031	3.4F		1721	2035	2.7F		1903	2159	3.2F		1829	2141	3.0F		2021	2317	2.8F		1937	2255	3.4F
3 Tu	0241	3.2E		18 W	0252	2.6E		3 F	0411	2.8E		18 Sa	0335	2.6E		3 M	0212	0520	1.9E	18 Tu	0146	0429	2.1E
	0645	0939	4.0F		0643	0944	3.3F		0749	1045	3.9F		0705	1017	3.7F		0820	1127	3.2F		0737	1105	3.7F
	1301	1529	1.5E		1320	1545	1.2E		1359	1646	1.8E		1322	1619	1.8E		1426	1729	1.9E		1348	1623	2.7E
	1811	2122	3.3F		1804	2117	2.7F		1953	2247	3.0F		1910	2225	3.1F		2102				2024	2344	3.3F
4 W	0000	0332	3.2E	19 Th	0326	2.6E		4 Sa	0456	2.5E		19 Su	0403	2.5E		4 Tu	0002	2.5F		19 W	0238	0514	1.9E
	0730	1026	4.1F		0712	1017	3.4F		0824	1124	3.7F		0734	1054	3.7F		0302	0605	1.6E		0816	1149	3.5F
	1349	1622	1.5E		1347	1627	1.3E		1437	1729	1.7E		1353	1640	2.0E		0846	1204	2.9F		1430	1704	2.7E
	1907	2212	3.2F		1846	2201	2.8F		2042	2334	2.7F		1952	2311	3.1F		1502	1804	1.7E		2115		
5 Th	0050	0422	3.0E	20 F	0353	2.6E		5 Su	0540	2.2E		20 M	0436	2.4E		5 W	0049	2.2F		20 Th	0036	3.1F	
	0813	1111	4.0F		0740	1051	3.5F		0856	1203	3.4F		0807	1134	3.7F		0357	0655	1.3E		0337	0611	1.6E
	1434	1712	1.5E		1414	1705	1.4E		1515	1811	1.7E		1428	1659	2.1E		0915	1243	2.5F		0900	1237	3.2F
	2003	2302	2.9F		1929	2245	2.8F		2130				2038	2359	3.0F		1540	1842	1.5E		1517	1751	2.5E
6 F	0139	0510	2.7E	21 Sa	0416	2.6E		6 M	0022	2.3F		21 Tu	0517	2.1E		6 Th	0143	1.8F		21 F	0135	2.9F	
	0853	1154	3.8F		0808	1127	3.6F		0924	1242	3.1F		0842	1216	3.6F		0505	0752	1.0E		0444	0728	1.2E
	1519	1801	1.5E		1443	1738	1.5E		1553	1855	1.5E		1507	1735	2.2E		0950	1327	2.2F		0950	1331	2.8F
	2058	2351	2.6F		2012	2330	2.7F		2221				2129				1622	1940	1.4E		1611	1851	2.3E
7 Sa	0230	0558	2.3E	22 Su	0448	2.5E		7 Tu	0114	1.9F		22 W	0051	2.7F		7 F	0250	1.6F		22 Sa	0242	2.7F	
	0930	1237	3.5F		0838	1206	3.6F		0408	0718	1.4E		0339	0607	1.8E		0634	0851	0.7E		0604	0845	1.0E
	1602	1849	1.5E		1515	1803	1.6E		0951	1323	2.7F		0922	1303	3.3F		1034	1417	1.8F		1052	1432	2.4F
	2155				2059				1635	1943	1.4E		1552	1821	2.2E		1713	2052	1.3E		1715	2039	2.0E
8 Su	0043	2.2F		23 M	0017	2.5F		8 W	0214	1.6F		23 Th	0151	2.5F		8 Sa	0412	1.6F		23 Su	0050	0356	2.7F
	0323	0650	1.9E		0250	0529	2.2E		0517	0816	1.0E		0446	0720	1.4E		0806	0952	0.6E		0729	0954	1.0E
	1003	1321	3.2F		0912	1247	3.5F		1023	1408	2.3F		1008	1355	3.0F		1133	1515	1.6F		1217	1542	2.2F
	1646	1939	1.4E		1552	1826	1.7E		1720	2038	1.3E		1644	1922	2.1E		1814	2158	1.3E		1830	2209	1.9E
9 M	0140	1.8F		24 Tu	0110	2.3F		9 Th	0332	1.4F		24 F	0301	2.3F		9 Su	0201	0523	1.8F	24 M	0205	0508	2.9F
	0424	0746	1.5E		0346	0618	1.9E		0650	0915	0.8E		0608	0853	1.1E		0910	1051	0.7E		0839	1100	1.2E
	1035	1407	2.8F		0949	1334	3.3F		1105	1500	2.0F		1102	1455	2.7F		1252	1619	1.6F		1358	1657	2.3F
	1732	2031	1.3E		1635	1910	1.8E		1812	2137	1.3E		1745	2100	2.0E		1919	2300	1.4E		1948	2321	2.0E
10 Tu	0011	0248	1.4F	25 W	0211	2.1F		10 F	0458	1.5F		25 Sa	0418	2.4F		10 M	0257	0614	2.2F	25 Tu	0308	0609	3.2F
	0538	0845	1.1E		0453	0724	1.5E		0827	1016	0.6E		0738	1008	0.9E		0955	1147	0.9E		0932	1201	1.4E
	1109	1456	2.5F		1033	1425	3.1F		1200	1557	1.9F		1213	1601	2.5F		1417	1723	1.8F		1516	1808	2.5F
	1821	2125	1.3E		1725	2020	1.9E		1908	2237	1.4E		1853	2228	2.1E		2018	2355	1.7E		2059		
11 W	0129	0411	1.4F	26 Th	0320	2.1F		11 Sa	0604	1.8F		26 Su	0532	2.7F		11 Tu	0341	0653	2.5F	26 W	0023	2.1E	
	0712	0944	0.9E		0615	0903	1.2E		0937	1116	0.7E		0858	1116	1.0E		1028	1237	1.1E		0401	0659	3.4F
	1151	1549	2.3F		1125	1523	2.9F		1312	1657	1.9F		1343	1711	2.6F		1520	1819	2.1F		1016	1254	1.7E
	1910	2219	1.4E		1821	2138	2.0E		2002	2335	1.6E		2002	2340	2.3E		2110				1618	1908	2.8F
12 Th	0238	0531	1.6F	27 F	0437	2.2F		12 Su	0653	2.2F		27 M	0634	3.1F		12 W	0042	1.9E		27 Th	0115	2.2E	
	0844	1043	0.8E		0745	1021	1.0E		1028	1212	0.8E		0958	1218	1.2E		1052	1321	1.4E		0448	0744	3.6F
	1246	1644	2.2F		1227	1625	2.8F		1428	1754	2.0F		1509	1817	2.8F		1610	1908	2.4F		1053	1340	2.0E
	1957	2313	1.6E		1920	2249	2.2E		2050				2106				2156				1711	2000	3.0F
13 F	0334	0631	1.9F	28 Sa	0551	2.6F		13 M	0026	1.9E		28 Tu	0041	2.5E		13 Th	0124	2.1E		28 F	0201	2.2E	
	0954	1141	0.7E		0906	1130	1.0E		0428	0732	2.6F		0432	0726	3.5F		0453	0756	3.1F		0530	0824	3.6F
	1349	1737	2.2F		1341	1729	2.9F		1109	1303	1.0E		1047	1313	1.5E		1114	1400	1.6E		1128	1421	2.1E
	2041				2019	2354	2.5E		1530	1844	2.2F		1618	1916	3.0F		1654	1953	2.7F		1758	2048	3.1F
14 Sa	0005	1.8E		29 Su	0653	3.1F		14 Tu	0111	2.1E		29 W	0134	2.6E		14 F	0202	2.3E		29 Sa	0246	2.1E	
	0421	0719	2.3F		1013	1232	1.2E		0504	0806	2.9F		0519	0812	3.8F		0524	0829	3.4F		0608	0903	3.5F
	1049	1236	0.8E		1459	1829	3.0F		1141	1349	1.1E		1128	1403	1.7E		1137	1435	1.9E		1201	1501	2.2E
	1451	1826	2.3F		2116				1622	1930	2.5F		1715	2009	3.2F		1734	2037	3.0F		1842	2134	3.1F
15 Su	0052	2.1E		30 M	0052	2.8E		15 W	0152	2.3E		30 Th	0222	2.7E		15 Sa	0238	2.3E		30 Su	0033	0330	2.0E
	0501	0800	2.6F		0454	0746	3.5F		0537	0837													

Golden Gate Bridge, Calif., 2012

F—Flood, Dir. 055° True E—Ebb, Dir. 237° True

October				November				December															
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum									
	h	m	knots		h	m	knots		h	m	knots		h	m	knots								
1 M	0120	0414	1.8E	16 Tu	0051	0337	1.9E	1 Th	0254	0526	1.2E	16 F	0236	0514	1.5E	1 Sa	0328	0553	1.0E	16 Su	0316	0556	1.5E
	0713	1016	3.2F		0627	0954	3.7F		0741	1059	2.5F		0742	1107	3.2F		0758	1113	2.3F		0836	1143	2.8F
	1307	1615	2.2E		1234	1519	3.0E		1336	1640	2.2E		1339	1635	3.1E		1343	1646	2.3E		1417	1739	2.7E
	2001	2301	2.9F		1929	2242	3.7F		2050				2101				2058				2132		
2 Tu	0207	0459	1.6E	17 W	0143	0425	1.8E	2 F	0005	028F		17 Sa	0010	038F		2 Su	0017	030F		17 M	0039	038F	
	0742	1053	2.9F		0710	1039	3.6F		0346	0616	1.0E		0332	0612	1.4E		0410	0641	1.0E		0407	0650	1.4E
	1341	1648	2.1E		1316	1558	3.1E		0820	1139	2.3F		0838	1158	2.9F		0843	1157	2.1F		0940	1236	2.4F
3 W	0257	0545	1.4E	18 Th	0238	0518	1.6E	3 Sa	0047	026F		18 Su	0102	036F		3 M	0057	029F		18 Tu	0129	035F	
	0812	1130	2.7F		0755	1126	3.4F		0904	1222	2.0F		0942	1253	2.5F		0933	1244	1.9F		0457	0746	1.4E
	1415	1714	2.0E		1401	1643	3.0E		1452	1736	1.9E		1526	1839	2.3E		1507	1754	1.9E		1615	1945	1.8E
4 Th		0027	2.5F	19 F	0023	035F		4 Su	0133	025F		19 M	0158	033F		4 Tu	0139	028F		19 W	0220	031F	
	0352	0635	1.1E		0337	0618	1.4E		0542	0803	0.8E		0532	0813	1.2E		0529	0820	1.0E		0549	0842	1.4E
	0845	1209	2.4F		0845	1215	3.0F		0954	1311	1.7F		1058	1355	2.0F		1030	1337	1.6F		1030	1445	1.7F
5 F	1451	1736	1.8E	20 Sa	1450	1733	2.7E	5 M	1537	1820	1.7E	20 Tu	1631	2007	1.9E	5 W	1600	1844	1.6E	20 Th	1729	2049	1.4E
	2151				2204				2241				2338				2239				2342		
	0457	0730	0.9E		0442	0725	1.2E		0640	0858	0.8E		0634	0914	1.3E		0608	0910	1.1E		0642	0938	1.5E
6 Sa	0925	1252	2.0F	21 Su	0942	1310	2.6F	6 Tu	1056	1406	1.5F	21 W	1228	1507	1.8F	6 Th	1138	1437	1.5F	21 F	1331	1606	1.6E
	1532	1810	1.6E		1546	1835	2.3E		1633	1929	1.4E		1750	2119	1.6E		1706	2002	1.4E		1900	2150	1.1E
	2237				2307				2328				0037	0358	3.0F		0037	0358	3.0F		0648	0958	1.3E
7 Su	0615	0828	0.7E	22 M	0555	0833	1.1E	7 W	0727	0950	0.9E	22 Th	0730	1012	1.4E	7 F	0648	0958	1.3E	22 Sa	0732	1033	1.6E
	1013	1341	1.7F		1054	1413	2.2F		1214	1510	1.4F		1352	1628	1.7F		1258	1544	1.5F		1442	1727	1.7F
	1619	1908	1.4E		1651	2025	1.9E		1744	2131	1.3E		1919	2223	1.4E		1826	2142	1.2E		2032	2250	0.9E
8 M	2335			23 Tu	0016	0330	2.9F	8 Th	0021	0409	2.4F	23 F	0137	0456	2.9F	8 Sa	0012	0408	2.8F	23 Su	0129	0506	2.5F
	0733	0927	0.7E		0708	0937	1.1E		0801	1041	1.2E		0818	1108	1.7E		0727	1044	1.6E		0818	1126	1.7E
	1115	1439	1.5F		1230	1525	2.0F		1337	1617	1.5F		1502	1745	2.0F		1412	1654	1.8F		1541	1831	2.1F
9 Tu	1719	2115	1.3E	24 W	1809	2147	1.8E	9 F	1902	2232	1.3E	24 Sa	2044	2323	1.3E	9 Su	1946	2246	1.2E	9 M	2146	2348	0.9E
	0044	0420	2.0F		0126	0436	3.0F		0116	0500	2.6F		0232	0549	2.9F		0106	0501	2.9F		0225	0557	2.5F
	0829	1023	0.8E		0809	1040	1.3E		0830	1128	1.5E		0859	1200	1.9E		0808	1129	2.0E		0859	1215	1.9E
10 W	1238	1544	1.4F	25 Th	1402	1644	2.0F	10 Su	1442	1724	1.8F	25 M	1559	1846	2.3F	10 Tu	1513	1800	2.2F	10 W	1630	1922	2.4F
	1831	2220	1.3E		1935	2255	1.7E		2014	2327	1.4E		2153				2058	2344	1.2E		2245		
	0146	0515	2.2F		0228	0536	3.1F		0208	0546	2.9F		0321	0018	1.2E		0202	0553	3.1F		0225	0557	2.5F
11 Th	0907	1117	1.0E	26 F	0858	1138	1.6E	11 Su	0859	1210	1.8E	26 M	0936	1245	2.1E	11 Tu	0849	1212	2.4E	11 W	0849	1219	2.0E
	1403	1651	1.6F		1513	1758	2.2F		1535	1823	2.3F		1648	1937	2.6F		1606	1857	2.7F		1606	1857	2.7F
	1942	2317	1.5E		2052	2356	1.7E		2116				2250				2200				2313	2007	2.7F
12 F	0237	0559	2.5F	27 Sa	0322	0627	3.2F	12 M	0017	1.5E		27 Tu	0108	1.3E		12 W	0038	1.3E		12 Th	0131	1.0E	
	0933	1205	1.3E		0939	1229	1.9E		0255	0631	3.1F		0405	0717	2.9F		0258	0643	3.3F		0404	0724	2.6F
	1505	1753	1.9F		1611	1859	2.6F		1622	1914	2.7F		1731	2023	2.9F		1655	1949	3.2F		1715	2048	2.9F
13 Sa	2043			28 Su	2157			13 Tu	2212			28 W	2341			13 Th	2258			13 F	2352		
	0007	1.6E			0049	1.7E	0103		1.6E	0114	0329		1.2E	0155	1.3E		0130	1.4E	0141		1.1E		
	0319	0636	2.8F		0409	0711	3.3F		0341	0714	3.4F		0558	0912	2.7F		0444	0755	2.9F		0353	0732	3.4F
14 Su	0955	1247	1.6E	29 M	1015	1313	2.1E	14 W	1006	1320	2.6E	29 Th	1045	1404	2.4E	14 F	1015	1333	3.1E	14 Sa	1051	1421	2.5E
	1555	1846	2.3F		1701	1950	2.8F		1707	2003	3.2F		1811	2106	3.0F		1743	2039	3.6F		1743	2039	3.6F
	2136				2253				2304				2356				2352				1827	2127	3.1F
15 M		0051	1.8E	30 Tu	0136	1.7E		15 Th	0149	1.7E		30 F	0228	1.2E		15 Sa	0222	1.4E		15 Su	0307	1.1E	
	0357	0713	3.1F		0450	0751	3.3F		0427	0758	3.5F		0521	0833	2.8F		0448	0821	3.5F		0531	0845	2.6F
	1020	1324	2.0E		1049	1353	2.3E		1043	1351	2.9E		1119	1441	2.5E		1101	1415	3.3E		1127	1500	2.6E
16 Tu	1639	1933	2.7F	31 W	1746	2036	3.0F	16 Th	1752	2052	3.5F	16 F	1848	2147	3.1F	16 Sa	1830	2128	3.9F	16 Su	1901	2203	3.2F
	2225				2343				2356				0028	0242	1.2E		0044	0315	1.4E		0102	0307	1.1E
	0433	0750	3.4F		0528	0829	3.2F		0513	0843	3.6F		0558	0912	2.7F		0544	0911	3.5F		0614	0926	2.6F
17 W	1048	1356	2.3E	1 Th	1121	1430	2.4E	1 Su	1124	1424	3.1E	1 M	1154	1519	2.5E	1 Tu	1148	1501	3.3E	1 W	1204	1539	2.6E
	1720	2019	3.1F		1827	2121	3.1F		1837	2141	3.8F		1923	2226	3.1F		1917	2217	4.1F		1932	2237	3.3F
	2313												0159	0418	1.2E		0135	0409	1.5E		0141	0355	1.1E
18 Th		0212	2.0E	2 F	0031	0305	1.6E	2 Sa	0048	0326	1.6E	2 Su	0159	0418	1.2E	2 M	0135	0409	1.5E	2 Tu	0218	0441	1.2E
	0509	0830	3.6F		0602	0906	3.1F		0600	0930	3.6F		0636	0951	2.6F		0640	1001	3.4F		0656	1008	2.6F
	1120	1423	2.6E		1154	1507	2.4E		1207	1502	3.3E		1229	1554	2.5E		1236	1552	3.2E		1242	1613	2.5E
19 F	1801	2106	3.4F	3 Sa	1906	2203	3.1F	3 Su	1924	2230													

Oakland, Yerba Buena Island, Calif., 2012

F—Flood, Dir. 167° True E—Ebb, Dir. 338° True

January				February				March														
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum								
	h	m	knots		h	m	knots		h	m	knots		h	m	knots							
1 Su	0557	0821	1.1E	16 M	0526	0758	1.4E	1 W	0023	0313	1.1F	16 Th	0050	0353	1.2F	1 F	0046	0338	1.1F			
	1156	1504	1.0F		1134	1516	1.1F		0629	0901	1.0E		0705	0934	1.3E		0648	0913	1.1E			
	1840	2052	0.8E		1839	2044	0.9E		1302	1751	1.2F		1401	1819	1.6F		1336	1754	1.7F			
	2352				2334				2037	2258	0.8E		2059	2321	1.0E		2005	2226	0.7E	2035	2308	1.2E
2 M	0305	0305	1.3F	17 Tu	0302	0302	1.4F	2 Th	0132	0415	1.1F	17 F	0203	0507	1.3F	2 Sa	0153	0456	1.2F			
	0643	0910	1.1E		0625	0857	1.4E		0726	0957	1.1E		0812	1042	1.3E		0641	0915	1.0E			
	1257	1647	1.1F		1256	1713	1.2F		1406	1846	1.4F		1507	1912	1.9F		1307	1810	1.3F	0758	1027	1.2E
	1953	2207	0.8E		2001	2203	0.9E		2133	2358	0.9E		2153				2058	2325	0.9E	1438	1844	1.9F
3 Tu	0056	0359	1.2F	18 W	0052	0410	1.3F	3 F	0233	0516	1.1F	18 Sa	0020	0020	1.2E	3 Su	0000	0000	1.3E			
	0728	0959	1.1E		0726	0959	1.4E		0821	1052	1.2E		0306	0613	1.4F		0748	1017	1.1E	0251	0602	1.4F
	1355	1810	1.2F		1413	1830	1.5F		1501	1932	1.5F		1600	1959	2.0F		1413	1852	1.4F	0900	1133	1.2E
	2059	2319	0.8E		2112	2321	0.9E		2220				2240				2143			1528	1928	1.9F
4 W	0157	0454	1.2F	19 Th	0205	0518	1.3F	4 Sa	0045	0045	1.0E	19 Su	0108	0108	1.3E	4 M	0044	0044	1.5E			
	0813	1045	1.2E		0826	1100	1.5E		0326	0612	1.2F		0359	0709	1.5F		0847	1115	1.3E	0342	0657	1.5F
	1449	1909	1.4F		1520	1929	1.8F		0913	1143	1.3E		1007	1238	1.4E		1507	1928	1.5F	0954	1224	1.3E
	2157				2212				1548	2012	1.6F		1643	2042	2.0F		2222			1608	2007	1.8F
5 Th	0018	0018	0.9E	20 F	0026	0026	1.1E	5 Su	0122	0122	1.1E	20 M	0150	0150	1.4E	5 M	0121	0121	1.5E			
	0256	0547	1.2F		0312	0621	1.4F		0412	0702	1.3F		0446	0757	1.6F		0343	0638	1.4F	0426	0745	1.6F
	0857	1129	1.3E		0923	1156	1.5E		1001	1231	1.5E		1056	1324	1.5E		0940	1207	1.4E	0466	0745	1.6F
	1536	1958	1.5F		1616	2021	1.9F		1628	2045	1.7F		1720	2119	1.9F		1551	1958	1.6F	1643	2038	1.7F
6 F	0107	0107	1.0E	21 Sa	0122	0122	1.2E	6 M	0154	0154	1.2E	21 Tu	0226	0226	1.5E	6 Tu	0115	0115	1.3E			
	0348	0636	1.2F		0410	0718	1.5F		0453	0750	1.5F		0528	0841	1.6F		0424	0728	1.5F	0506	0828	1.6F
	0939	1211	1.4E		1017	1248	1.6E		1046	1317	1.6E		1141	1407	1.5E		1030	1257	1.6E	1128	1349	1.4E
	1618	2041	1.6F		1704	2108	2.0F		1704	2112	1.7F		1751	2147	1.8F		1631	2026	1.7F	1715	2059	1.6F
7 Sa	0150	0150	1.0E	22 Su	0210	0210	1.3E	7 Tu	0226	0226	1.3E	22 W	0258	0258	1.5E	7 W	0149	0149	1.5E			
	0436	0724	1.3F		0502	0809	1.5F		0530	0835	1.6F		0606	0919	1.6F		0503	0816	1.6F	0542	0906	1.6F
	1020	1254	1.5E		1106	1337	1.6E		1130	1403	1.7E		1224	1448	1.5E		1118	1345	1.7E	1212	1430	1.3E
	1654	2118	1.7F		1746	2149	2.0F		1737	2137	1.7F		1820	2204	1.7F		1709	2056	1.7F	1745	2114	1.5F
8 Su	0013	0226	1.0E	23 M	0253	0253	1.4E	8 W	0258	0258	1.4E	23 Th	0327	0327	1.5E	8 Th	0224	0224	1.6E			
	0518	0810	1.4F		0548	0855	1.6F		0605	0918	1.6F		0642	0955	1.6F		0541	0904	1.7F	0614	0942	1.5F
	1101	1336	1.6E		1153	1422	1.6E		1214	1449	1.8E		1305	1529	1.5E		1207	1433	1.7E	1256	1511	1.3E
	1726	2148	1.6F		1821	2225	1.9F		1811	2203	1.7F		1849	2219	1.6F		1747	2128	1.8F	1817	2135	1.5F
9 M	0050	0258	1.1E	24 Tu	0331	0331	1.4E	9 Th	0334	0334	1.5E	24 F	0357	0357	1.5E	9 F	0302	0302	1.7E			
	0555	0853	1.4F		0631	0936	1.6F		0641	1001	1.7F		0715	1030	1.5F		0620	0950	1.7F	0642	1015	1.5F
	1142	1420	1.7E		1237	1506	1.6E		1300	1536	1.8E		1348	1611	1.4E		1257	1522	1.7E	1340	1553	1.2E
	1756	2212	1.6F		1853	2252	1.8F		1848	2233	1.8F		1921	2242	1.5F		1827	2203	1.8F	1852	2204	1.5F
10 Tu	0124	0331	1.1E	25 W	0406	0406	1.4E	10 F	0412	0412	1.6E	25 Sa	0428	0428	1.4E	10 Sa	0342	0342	1.8E			
	0630	0936	1.5F		0711	1015	1.5F		0720	1045	1.6F		0746	1106	1.4F		0701	1038	1.7F	0708	1049	1.4F
	1223	1505	1.8E		1320	1549	1.6E		1350	1624	1.7E		1434	1656	1.2E		1352	1612	1.5E	1427	1637	1.1E
	1829	2236	1.6F		1923	2310	1.7F		1928	2308	1.8F		1957	2313	1.5F		1912	2242	1.7F	1932	2239	1.4F
11 W	0157	0405	1.2E	26 Th	0440	0440	1.3E	11 Sa	0453	0453	1.6E	26 Su	0503	0503	1.4E	11 Su	0425	0425	1.8E			
	0705	1017	1.5F		0750	1054	1.5F		0803	1133	1.5F		0818	1146	1.3F		0746	1131	1.5F	0734	1126	1.3F
	1307	1551	1.8E		1404	1633	1.5E		1446	1716	1.5E		1528	1746	1.0E		1452	1706	1.3E	1519	1726	0.9E
	1905	2303	1.7F		1955	2329	1.6F		2013	2349	1.7F		2040	2352	1.4F		2002	2326	1.6F	2018	2321	1.3F
12 Th	0229	0443	1.3E	27 F	0514	0514	1.3E	12 Su	0539	0539	1.6E	27 M	0542	0542	1.3E	12 M	0511	0511	1.8E			
	0743	1100	1.5F		0829	1134	1.4F		0854	1230	1.3F		0853	1234	1.1F		0836	1235	1.4F	0805	1210	1.2F
	1354	1639	1.8E		1451	1719	1.3E		1553	1815	1.2E		1633	1844	0.8E		1600	1808	1.1E	1617	1822	0.8E
	1945	2337	1.7F		2032	2357	1.5F		2105				2134				2100			2112		
13 F	0305	0525	1.3E	28 Sa	0552	0552	1.2E	13 M	0630	0630	1.6F	28 Tu	0640	0640	1.2F	13 Tu	0017	0017	1.5F			
	0827	1147	1.4F		0909	1218	1.2F		0954	1344	1.2F		0336	0626	1.2E		0319	0601	1.6E	0248	0545	1.4E
	1447	1730	1.6E		1546	1811	1.1E		1714	1922	1.0E		0936	1336	1.0F		0936	1359	1.3F	0844	1305	1.1F
	2030				2114				2210				1748	1951	0.7E		1716	1918	0.9E	1722	1924	0.7E
14 Sa	0017	0017	1.6F	29 Su	0035	0035	1.4F	14 Tu	0135	0135	1.4F	29 W	0135	0135	1.1F	14 W	0116	0116	1.3F			
	0345	0612	1.4E		0403	0633	1.2E		0448	0726	1.4E		0426	0717	1.1E		0419	0659	1.4E	0339	0637	1.3E
	0918	1241	1.3F		0955	1311	1.1F		1110	1536	1.2F		1033	1512	1.0F		1052	1538	1.4F	0935	1418	1.1F
	1550	1828	1.4E		1654	1911	0.9E		1839	2039	0.8E		1902	2108	0.7E		1831	2039	0.9E	1826	2031	0.7E
15 Su	0105	0105	1.6F	30 M	0120	0120	1.3F	15 W	0240	0240	1.3F	30 Th	0212	0212	1.2F	15 Th	0223	0223	1.2F			
	0432	0703	1.4E		0444	0718	1.1E		0555	0828	1.3E		0426	0717	1.1E		0531	0803	1.2E	0444	0736	1.1E
	1020	1347	1.1F		1049	1418	1.0F		1239	1714	1.4F		1302	1714	1.4F		1219	1655	1.5F	1042	1550	1.1F
	1710	1932	1.1E		1813	2019	0.7E		1956	2205	0.9E		2329				1938	2202	1.0E	1923	2137	0.8E

Oakland, Yerba Buena Island, Calif., 2012

F—Flood, Dir. 167° True E—Ebb, Dir. 338° True

April				May				June																	
Slack	Maximum		knots	Slack	Maximum		knots	Slack	Maximum		knots	Slack	Maximum		knots										
h m	h m	h m		h m	h m	h m		h m	h m	h m		h m	h m	h m											
1 Su	0130 0713 1316 2056	0412 0943 1749 2318	1.1F 1.1E 1.4F 1.1E	16 M	0229 0841 1442 2130	0544 1111 1847 2130	1.3F 1.1E 1.7F	1 Tu	0145 0752 1324 2045	0444 1016 1721 2310	1.2F 1.2E 1.5F 1.4E	16 W	0252 0917 1436 2123	0625 1137 1816	1.4F 1.0E 1.5F	1 F	0305 0955 1443 2127	0653 1158 1814	1.4F 1.1E 1.6F	16 Sa	0353 1052 1540 2149	0804 1303 1838	1.5F 0.9E 1.3F		
2 M	0222 0819 1415 2135	0515 1045 1826 2356	1.2F 1.3E 1.5F 1.3E	17 Tu	0319 0937 1523 2207	0641 1203 1920	1.5F 1.2E 1.7F	2 W	0237 0859 1420 2124	0549 1117 1806 2354	1.3F 1.3E 1.6F 1.6E	17 Th	0338 1013 1521 2156	0722 1228 1843	1.4F 1.0E 1.4F	2 Sa	0401 1059 1544 2213	0804 1258 1908	1.6F 1.1E 1.6F	17 Su	0432 1142 1631 2224	0852 1352 1923	1.4E 1.6F 0.9E 1.2F		
3 Tu	0310 0919 1505 2211	0613 1142 1901	1.4F 1.4E 1.6F	18 W	0404 1028 1601 2241	0732 1248 1944	1.5F 1.2E 1.6F	3 Th	0328 1002 1513 2204	0653 1214 1851	1.5F 1.3E 1.7F	18 F	0420 1106 1605 2227	0814 1316 1915	1.5F 1.0E 1.4F	3 Su	0454 1158 1646 2301	0907 1358 2003	1.8F 1.1E 1.5F	18 M	0507 1228 1719 2300	0934 1436 2009	1.6F 0.9E 1.2F		
4 W	0355 1014 1551 2247	0708 1235 1937 2247	1.5F 1.5E 1.7F	19 Th	0444 1117 1637 2310	0819 1331 2004	1.5F 1.2E 1.5F	4 F	0416 1103 1606 2244	0757 1310 1937	1.6F 1.3E 1.7F	19 Sa	0456 1156 1650 2257	0902 1402 1951	1.5F 0.9E 1.3F	4 M	0545 1254 1746 2350	1002 1456 2057	1.9F 1.1E 1.5F	19 Tu	0538 1311 1803 2338	1010 1515 2053	1.6F 0.9E 1.2F		
5 Th	0438 1108 1636 2322	0802 1326 2014	1.6F 1.5E 1.7F	20 F	0519 1204 1714 2337	0902 1414 2028	1.5F 1.1E 1.4F	5 Sa	0504 1201 1700 2326	0900 1406 2025	1.7F 1.3E 1.6F	20 Su	0527 1243 1735 2325	0943 1447 2031	1.5F 0.9E 1.3F	5 Tu	0635 1347 1845	1052 1552 2149	2.0F 1.1E 1.5F	20 W	0606 1350 1844	1037 1550	1.6F 0.9E 1.3F		
6 F	0520 1203 1721 2358	0856 1418 2054	1.7F 1.5E 1.8F	21 Sa	0549 1250 1752	0940 1457 2059	1.5F 1.0E 1.4F	6 Su	0552 1259 1755	0958 1502 2114	1.8F 1.2E 1.6F	21 M	0553 1329 1819 2357	1019 1530 2112	1.5F 0.9E 1.2F	6 W	0723 1438 1943	1140 1646 2240	2.0F 1.2E 1.4F	21 Th	0635 1425 1922	1100 1625 2220	1.5F 0.9E 1.3F		
7 Sa	0603 1258 1809	0949 1510 2136	1.7F 1.4E 1.7F	22 Su	0615 1336 1833	1014 1540 2135	1.5F 1.0E 1.3F	7 M	0640 1357 1853	1053 1559 2203	1.8F 1.2E 1.5F	22 Tu	0618 1412 1903	1049 1611 2155	1.5F 0.9E 1.2F	7 Th	0810 1526 2038	1226 1740 2330	1.9F 1.2E 1.4F	22 F	0708 1459 2001	1124 1701 2303	1.5F 1.0E 1.3F		
8 Su	0648 1356 1900	1043 1604 2220	1.7F 1.3E 1.6F	23 M	0637 1422 1916	1046 1624 2214	1.4F 0.9E 1.3F	8 Tu	0729 1453 1953	1149 1657 2254	1.8F 1.1E 1.4F	23 W	0644 1453 1946	1116 1652 2238	1.5F 0.8E 1.2F	8 F	0855 1614 2133	1310 1833	1.8F 1.2E	23 Sa	0746 1533 2042	1153 1741 2349	1.6F 1.1E 1.3F		
9 M	0735 1457 1957	1141 1701 2308	1.7F 1.2E 1.5F	24 Tu	0702 1510 2003	1119 1710 2258	1.4F 0.8E 1.2F	9 W	0820 1549 2055	1246 1758 2347	1.8F 1.1E 1.3F	24 Th	0718 1533 2030	1146 1734 2324	1.4F 0.9E 1.2F	9 Sa	0941 1701 2230	1351 1925	1.7F 1.2E	24 Su	0829 1610 2130	1230 1825	1.6F 1.1E		
10 Tu	0827 1601 2100	1248 1804	1.6F 1.0E	25 W	0734 1559 2053	1157 1800 2345	1.3F 0.8E 1.1F	10 Th	0914 1645 2157	1343 1902	1.7F 1.1E	25 F	0759 1614 2117	1221 1818	1.4F 0.9E	10 Su	0941 1748 2328	1351 2017	1.7F 1.2E	25 M	0917 1650 2226	1312 1913	1.6F 1.2E		
11 W	0925 1706 2209	1402 1915	1.5F 1.0E	26 Th	0815 1651 2148	1243 1853	1.3F 0.8E	11 F	0341 1011 1740 2301	0617 1440 2005	1.4E 1.7F 1.1E	26 Sa	0248 0846 1657 2209	0545 1303 1906	1.5E 1.4F 0.9E	11 M	0532 1118 1833	0755 1509 2106	1.1E 1.5F 1.2E	26 Tu	0437 1009 1736 2330	0720 1400 2004	1.3E 1.6F 1.4E		
12 Th	1034 1811 2321	1516 2030	1.6F 1.0E	27 F	0905 1743 2248	1337 1949	1.2F 0.8E	12 Sa	0449 1111 1832	0719 1536 2105	1.2E 1.6F 1.2E	27 Su	0346 0939 1741 2306	0642 1350 1956	1.4E 1.5F 1.0E	12 Tu	0643 1210 1916	0900 1549 2154	1.4E 1.5F 1.3E	27 W	0558 1109 1824	0823 1453 2057	1.1E 1.6F 1.5E		
13 F	1149 1909	1623 2141	1.6F 1.1E	28 Sa	0411 1005 1834 2350	0706 1437 2043	1.3E 1.2F 0.9E	13 Su	0602 1208 1921	0825 1628 2201	1.1E 1.6F 1.3E	28 M	0455 1038 1826	0742 1440 2046	1.3E 1.5F 1.2E	13 W	0752 1302 1957	1008 1630 2236	0.9E 1.4F 1.3E	28 Th	0723 1213 1915	0931 1550 2152	1.0E 1.6F 1.6E		
14 Sa	1257 2002	1719 2241	1.7F 1.3E	29 Su	0524 1114 1920	0808 1536 2136	1.2E 1.3F 1.0E	14 M	0712 1301 2005	0934 1712 2250	1.0E 1.6F 1.4E	29 Tu	0613 1140 1911	0845 1534 2138	1.2E 1.5F 1.3E	14 Th	0857 1355 2036	1112 1712 2314	0.9E 1.4F 1.4E	29 F	0841 1321 2007	1041 1650 2246	1.1E 1.5F 1.7E		
15 Su	1354 2048	1806 2330	1.7F 1.4E	30 M	0640 1223 2004	0913 1632 2225	1.2E 1.4F 1.2E	15 Tu	0817 1350 2046	1040 1747 2330	1.0E 1.5F 1.4E	30 W	0732 1242 1956	0950 1628 2228	1.1E 1.6F 1.5E	15 F	0957 1448 2113	1210 1755 2349	0.9E 1.3F 1.4E	30 Sa	0950 1428 2100	1148 1750 2340	1.0E 1.5F 1.8E		
												31 Th	0208 0846 1343 2041	0535 1055 1722 2317	1.2F 1.1E 1.6F 1.7E										

Time meridian 120° W. 0000 is midnight. 1200 is noon. Times are not adjusted for Daylight Saving Time.

Oakland, Yerba Buena Island, Calif., 2012

F—Flood, Dir. 167° True E—Ebb, Dir. 338° True

July				August				September															
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum									
h	m	h	m	knots	h	m	h	m	knots	h	m	h	m	h	m	knots							
1 Su	0350	0806	1.7F	16 M	0405	0830	1.6F	1 W	0524	0929	2.0F	16 Th	0451	0900	1.6F	1 Sa	0005	0230	1.5E	16 Su	0527	0907	1.7F
	1052	1252	1.0E		1118	1333	0.9E		1213	1428	1.2E		1159	1408	1.1E		0608	0958	1.7F		0527	0907	1.7F
	1637	1948	1.5F		1611	1859	1.2F		1720	2031	1.5F		1708	2013	1.4F		1254	1511	1.4E		1216	1438	1.5E
	2153				2200				2328				2310				1827	2147	1.5F		1755	2129	1.5F
2 M	0447	0902	1.9F	17 Tu	0445	0910	1.6F	2 Th	0606	1009	1.9F	17 F	0524	0924	1.6F	2 Su	0051	0315	1.4E	17 M	0036	0259	1.5E
	1148	1351	1.1E		1201	1413	0.9E		1256	1511	1.3E		1232	1440	1.2E		0641	1016	1.6F		0606	0942	1.7F
	1637	1948	1.5F		1657	1948	1.3F		1809	2120	1.5F		1745	2058	1.5F		1326	1543	1.4E		1250	1518	1.7E
	2246				2242								2354				1905	2226	1.4F		1836	2218	1.5F
3 Tu	0539	0951	2.0F	18 W	0519	0943	1.6F	3 F	0643	1043	1.8F	18 Sa	0557	0949	1.6F	3 M	0138	0359	1.4E	18 Tu	0129	0349	1.5E
	1239	1447	1.1E		1240	1447	0.9E		1336	1551	1.3E		1303	1514	1.3E		0715	1037	1.5F		0649	1021	1.7F
	1736	2043	1.5F		1739	2034	1.3F		1855	2204	1.5F		1821	2142	1.5F		1356	1616	1.4E		1326	1600	1.7E
	2338				2324								1821	2142	1.5F		1941	2305	1.3F		1921	2310	1.5F
4 W	0626	1036	2.0F	19 Th	0551	1008	1.6F	4 Sa	0717	1108	1.7F	19 Su	0631	1017	1.7F	4 Tu	0226	0445	1.2E	19 W	0227	0443	1.3E
	1327	1537	1.2E		1315	1518	1.0E		1413	1627	1.3E		1333	1551	1.4E		0752	1107	1.5F		0738	1105	1.7F
	1831	2135	1.5F		1816	2118	1.4F		1939	2247	1.4F		1859	2227	1.5F		1425	1651	1.3E		1408	1646	1.8E
																	2016	2347	1.2F		2011		
5 Th	0028	0304	1.8E	20 F	0005	0247	1.7E	5 Su	0151	0420	1.5E	20 M	0129	0403	1.6E	5 W	0319	0536	1.1E	20 Th	0331	0541	1.1E
	0709	1117	2.0F		0621	1028	1.6F		0751	1129	1.7F		0709	1050	1.7F		0836	1144	1.4F		0834	1154	1.6E
	1411	1624	1.2E		1347	1551	1.1E		1448	1703	1.3E		1406	1631	1.5E		1456	1730	1.3E		1455	1736	1.7E
	1922	2223	1.5F		1852	2201	1.4F		2022	2329	1.3F		1942	2314	1.4F		2054				2108		
6 F	0118	0353	1.7E	21 Sa	0048	0332	1.7E	6 M	0241	0508	1.4E	21 Tu	0223	0454	1.5E	6 Th	0035	1.1F	21 F	0123	1.3F		
	0748	1153	1.9F		0654	1052	1.6F		0827	1154	1.6F		0752	1129	1.7F		0420	0633		0.9E	0441	0646	1.0E
	1454	1708	1.2E		1418	1626	1.2E		1522	1740	1.3E		1443	1715	1.6E		0927	1229		1.3F	0938	1250	1.4F
	2012	2309	1.4F		1929	2243	1.4F		2106				2030				1534	1814		1.2E	1551	1832	1.5E
7 Sa	0208	0442	1.6E	22 Su	0134	0419	1.7E	7 Tu	0335	0559	1.2E	22 W	0325	0549	1.3E	7 F	0135	1.1F	22 Sa	0250	1.3F		
	0826	1224	1.8F		0730	1122	1.7F		0907	1227	1.5F		0840	1215	1.7F		0527	0737		0.8E	0553	0759	0.9E
	1534	1751	1.2E		1449	1705	1.3E		1557	1821	1.2E		1526	1804	1.6E		1027	1320		1.2F	1049	1352	1.3F
	2100	2356	1.3F		2010	2328	1.4F		2152				2126				1622	1903		1.2E	1657	1933	1.4E
8 Su	0300	0532	1.4E	23 M	0224	0508	1.6E	8 W	0439	0657	1.0E	23 Th	0439	0652	1.1E	8 Sa	0257	1.0F	23 Su	0413	1.5F		
	0904	1251	1.7F		0810	1158	1.7F		0955	1308	1.4F		0938	1307	1.6F		0635	0847		0.8E	0701	0914	1.0E
	1615	1834	1.2E		1524	1748	1.4E		1635	1905	1.2E		1617	1857	1.5E		1132	1417		1.2F	1202	1459	1.3F
	2151				2057				2244				2234				1719	1958		1.1E	1809	2039	1.3E
9 M	0357	0626	1.3E	24 Tu	0322	0603	1.4E	9 Th	0550	0802	0.9E	24 F	0559	0802	0.9E	9 Su	0440	1.1F	24 M	0519	1.6F		
	0946	1322	1.6F		0856	1241	1.7F		1052	1356	1.3F		1047	1406	1.4F		0737	0957		0.8E	0801	1024	1.1E
	1655	1918	1.2E		1605	1836	1.4E		1720	1952	1.1E		1717	1956	1.5E		1236	1517		1.1F	1310	1611	1.3F
	2244				2152				2343				2353				1823	2056		1.1E	1920	2149	1.3E
10 Tu	0503	0725	1.1E	25 W	0433	0703	1.2E	10 F	0703	0914	0.8E	25 Sa	0715	0917	0.9E	10 M	0051	0541	1.2F	25 Tu	0202	0613	1.7F
	1033	1359	1.5F		0948	1330	1.6F		1156	1450	1.2F		1203	1510	1.4F		0831	1056	0.9E		0853	1122	1.2E
	1737	2004	1.2E		1652	1928	1.5E		1810	2043	1.1E		1824	2058	1.4E		1335	1618	1.2F		1412	1720	1.4F
	2342				2258												1925	2156	1.1E		2025	2256	1.3E
11 W	0615	0829	0.9E	26 Th	0557	0809	1.0E	11 Sa	0045	0524	1.1F	26 Su	0114	0541	1.5F	11 Tu	0154	0627	1.4F	26 W	0257	0700	1.8F
	1126	1442	1.4F		1051	1425	1.6F		1301	1548	1.2F		1315	1620	1.4F		0918	1142	1.0E		0941	1211	1.4E
	1820	2050	1.2E		1746	2024	1.5E		1904	2137	1.1E		1931	2204	1.4E		1427	1716	1.3F		1507	1822	1.5F
																	2023	2253	1.3E		2123	2354	1.4E
12 Th	0040	0425	1.0F	27 F	0012	0411	1.1F	12 Su	0146	0623	1.3F	27 M	0226	0640	1.7F	12 W	0247	0704	1.4F	27 Th	0343	0742	1.8F
	0727	0939	0.8E		0720	0920	0.9E		0908	1130	0.9E		0921	1138	1.1E		1000	1219	1.1E		1023	1252	1.4E
	1224	1532	1.3F		1201	1526	1.5F		1401	1647	1.2F		1421	1728	1.4F		1514	1810	1.4F		1556	1918	1.5F
	1904	2137	1.2E		1844	2122	1.5E		1958	2231	1.2E		2035	2307	1.5E		2117	2346	1.4E		2217		
13 F	0138	0550	1.2F	28 Sa	0127	0550	1.3F	13 M	0241	0712	1.4F	28 Tu	0325	0731	1.8F	13 Th	0332	0736	1.5F	28 F	0044	1.4E	
	0835	1050	0.8E		0835	1035	0.9E		0958	1220	1.0E		1012	1232	1.2E		1038	1252	1.2E		0423	0818	1.7F
	1324	1624	1.3F		1315	1631	1.4F		1456	1744	1.2F		1520	1830	1.5F		1557	1902	1.4F		1102	1328	1.4E
	1949	2223	1.2E		1944	2222	1.6E		2050	2322	1.3E		2133				2207				1642	2009	1.5F
14 Sa	0231	0651	1.4F	29 Su	0238	0657	1.6F	14 Tu	0331	0755	1.5F	29 W	0416	0005	1.5E	14 F	0035	1.5E	29 Sa	0129	1.4E		
	0936	1152	0.9E		0940	1144	1.0E		1043	1302	1.0E		1058	1319	1.3E		0412	0805		1.5F	0458	0845	1.6F
	1423	1718	1.2F		1424	1736	1.4F		1545	1836	1.3F		1613	1926	1.5F		1112	1325		1.3E	1137	1400	1.4E
	2033	2309	1.3E		2044	2321	1.6E		2139				2227				1637	1951		1.5F	1722	2055	1.5F
15 Su	0321	0743	1.5F	30 M	0342	0754	1.8F	15 W	0011	1.4E	30 Th	0057	1.6E	15 Sa	0122	1.6E	30 Su	0213	1.3E				
	1030	1246	0.9E		1036	1245	1.1E		0413	0831		1.6F	0458		0858	1.9F		0449	0835	1.6F	0532	0905	1.5F

Oakland, Yerba Buena Island, Calif., 2012

F—Flood, Dir. 167° True E—Ebb, Dir. 338° True

October				November				December															
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum									
	h	m	knots		h	m	knots		h	m	knots		h	m	knots								
1 M	0041	0257	1.3E	16 Tu	0035	0246	1.4E	1 Th	0206	0413	1.0E	16 F	0222	0428	1.2E	1 Sa	0228	0435	1.0E	16 Su	0252	0504	1.3E
	0607	0926	1.5F		0545	0912	1.7F		0708	1002	1.3F		0725	1031	1.6F		0732	1023	1.3F		0806	1106	1.6F
	1237	1501	1.4E		1213	1449	1.9E		1252	1536	1.5E		1323	1603	1.9E		1305	1552	1.6E		1403	1638	1.7E
	1832	2214	1.4F		1819	2220	1.6F		1855	2315	1.3F		1952				1906	2326	1.4F		2028		
2 Tu	0128	0341	1.2E	17 W	0131	0340	1.3E	2 F	0252	0457	0.9E	17 Sa	0317	0524	1.2E	2 Su	0306	0513	1.0E	17 M	0339	0554	1.3E
	0645	0955	1.4F		0636	0958	1.6F		0753	1045	1.3F		0823	1123	1.5F		0812	1106	1.3F		0858	1157	1.5F
	1304	1534	1.4E		1255	1534	1.9E		1328	1616	1.5E		1417	1655	1.7E		1347	1637	1.6E		1458	1731	1.6E
	1901	2250	1.3F		1907	2317	1.6F		1926	2349	1.3F		2047				1943	2356	1.4F		2115		
3 W	0217	0427	1.1E	18 Th	0230	0435	1.2E	3 Sa	0338	0544	0.9E	18 Su	0411	0623	1.1E	3 M	0345	0553	1.0E	18 Tu	0427	0645	1.2E
	0726	1030	1.4F		0731	1046	1.6F		0841	1131	1.2F		0922	1218	1.4F		0853	1151	1.3F		0953	1251	1.3F
	1332	1609	1.4E		1341	1622	1.8E		1410	1701	1.4E		1516	1751	1.5E		1433	1725	1.5E		1559	1828	1.4E
	1930	2327	1.3F		1959				2005				2144				2026				2204		
4 Th	0307	0516	1.0E	19 F	0330	0535	1.1E	4 Su	0426	0634	0.8E	19 M	0506	0725	1.1E	4 Tu	0424	0637	1.0E	19 W	0516	0738	1.2E
	0812	1111	1.3F		0831	1138	1.5F		0931	1220	1.2F		1024	1317	1.3F		0937	1241	1.2F		1052	1352	1.2F
	1405	1648	1.4E		1433	1713	1.7E		1500	1751	1.4E		1621	1852	1.4E		1527	1818	1.4E		1707	1930	1.1E
	2002				2058				2053				2244				2115				2256		
5 F	0401	0610	0.9E	20 Sa	0432	0640	1.0E	5 M	0516	0726	0.8E	20 Tu	0600	0825	1.2E	5 W	0507	0724	1.0E	20 Th	0605	0831	1.2E
	0904	1157	1.2F		0935	1235	1.4F		1025	1314	1.1F		1127	1422	1.2F		1029	1334	1.1F		1155	1506	1.1F
	1445	1732	1.3E		1532	1810	1.5E		1557	1847	1.3E		1733	1958	1.2E		1630	1917	1.3E		1821	2038	1.0E
	2042				2204				2151				2344				2211				2353		
6 Sa	0500	0710	0.8E	21 Su	0535	0749	1.0E	6 Tu	0606	0817	0.9E	21 W	0652	0924	1.2E	6 Th	0553	0814	1.1E	21 F	0653	0924	1.2E
	1002	1249	1.2F		1043	1337	1.3F		1121	1410	1.1F		1231	1535	1.2F		1128	1434	1.1F		1259	1642	1.1F
	1535	1823	1.2E		1640	1913	1.4E		1704	1947	1.2E		1845	2108	1.1E		1745	2019	1.1E		1935	2153	0.9E
	2133				2317				2256								2313						
7 Su	0600	0811	0.8E	22 M	0635	0858	1.1E	7 W	0653	0907	1.0E	22 Th	0740	1019	1.3E	7 F	0639	0905	1.2E	22 Sa	0739	1015	1.2E
	1103	1346	1.1F		1151	1444	1.3F		1218	1510	1.1F		1331	1657	1.3F		1230	1544	1.1F		1359	1800	1.3F
	1634	1919	1.2E		1754	2021	1.2E		1816	2049	1.2E		1954	2218	1.1E		1906	2124	1.0E		2042	2305	0.9E
	2238																						
8 M	0656	0912	0.8E	23 Tu	0730	1001	1.2E	8 Th	0737	0956	1.1E	23 F	0825	1106	1.3E	8 Sa	0726	0957	1.4E	23 Su	0823	1100	1.2E
	1204	1445	1.1F		1255	1557	1.3F		1313	1614	1.2F		1427	1808	1.4F		1332	1704	1.2F		1453	1859	1.5F
	1743	2020	1.1E		1905	2132	1.2E		1928	2152	1.2E		2057	2322	1.1E		2023	2231	1.0E		2142		
	2351																						
9 Tu	0746	1006	0.9E	24 W	0820	1056	1.3E	9 F	0819	1042	1.3E	24 Sa	0905	1145	1.4E	9 Su	0813	1048	1.5E	24 M	0904	1139	1.3E
	1301	1546	1.2F		1355	1710	1.4F		1406	1720	1.3F		1518	1908	1.5F		1432	1825	1.3F		1540	1951	1.6F
	1852	2122	1.1E		2011	2241	1.2E		2035	2253	1.2E		2155				2132	2336	1.0E		2235		
10 W	0059	0518	1.3F	25 Th	0218	0621	1.7F	10 Sa	0159	0538	1.5F	25 Su	0310	0635	1.4F	10 M	0225	0550	1.5F	25 Tu	0337	0633	1.3F
	0831	1051	1.0E		0905	1143	1.4E		0859	1126	1.5E		0942	1217	1.4E		0901	1139	1.7E		0944	1215	1.3E
	1353	1646	1.3F		1449	1815	1.5F		1457	1825	1.4F		1603	2002	1.5F		1529	1937	1.5F		1622	2037	1.7F
	1955	2223	1.2E		2111	2339	1.2E		2138	2351	1.2E		2248				2234				2323		
11 Th	0155	0557	1.4F	26 F	0303	0658	1.6F	11 Su	0252	0624	1.6F	26 M	0356	0706	1.4F	11 Tu	0326	0645	1.5F	26 W	0427	0717	1.3F
	0911	1131	1.2E		0945	1221	1.4E		1546	1930	1.5F		1017	1248	1.4E		0950	1228	1.8E		1022	1252	1.4E
	1441	1744	1.4F		1538	1912	1.5F		2238				1642	2051	1.6F		1623	2039	1.7F		1657	2118	1.7F
	2054	2319	1.3E		2206								2338				2331						
12 F	0244	0633	1.5F	27 Sa	0344	0728	1.6F	12 M	0344	0711	1.6F	27 Tu	0442	0742	1.3F	12 W	0426	0740	1.6F	27 Th	0512	0800	1.3F
	0948	1208	1.3E		1022	1253	1.5E		1019	1254	1.8E		1049	1320	1.4E		1039	1317	1.9E		1059	1330	1.4E
	1526	1840	1.4F		1622	2005	1.5F		1634	2033	1.6F		1715	2134	1.6F		1715	2133	1.9F		1728	2152	1.7F
	2150				2257				2336														
13 Sa	0330	0709	1.6F	28 Su	0423	0752	1.5F	13 Tu	0437	0800	1.6F	28 W	0526	0820	1.3F	13 Th	0025	0230	1.2E	28 F	0046	0303	1.1E
	1023	1245	1.5E		1055	1323	1.5E		1101	1339	1.9E		1121	1354	1.5E		0524	0834	1.6F		0554	0842	1.3F
	1609	1935	1.5F		1702	2054	1.5F		1722	2132	1.7F		1744	2210	1.6F		1129	1407	1.9E		1135	1410	1.5E
	2245				2347												1805	2221	1.9F		1755	2218	1.6F
14 Su	0413	0748	1.6F	29 M	0502	0817	1.4F	14 W	0033	0237	1.2E	29 Th	0108	0319	1.0E	14 F	0116	0324	1.3E	29 Sa	0123	0335	1.1E
	1058	1325	1.6E		1125	1353	1.5E		0532	0850	1.6F		0610	0901	1.3F		0619	0926	1.6F		0631	0923	1.4F
	1652	2031	1.6F		1735	2137	1.5F		1146	1425	2.0E		1153										

Richmond (Long Wharf), Calif., 2012

F—Flood, Dir. 328° True E—Ebb, Dir. 147° True

January				February				March																			
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum													
	h	m	knots		h	m	knots		h	m	knots		h	m	knots												
1 Su	0019	0317	1.6F	16 M	0639	0951	1.9E	1 W	0108	0405	1.3F	16 Th	0144	0439	1.5F	1 Th	0027	0324	1.1F								
	0713	1036	1.5E		1350	1616	1.0F		1531	1914	1.1F		0814	1205	2.2E		0628	1007	1.6E	0757	1147	2.0E					
	1404	1638	0.9F		1943	2212	1.0E		2203				1557	1935	1.6F		2132	2335	0.5E	1439	1836	1.0F	1526	1910	1.7F		
	1943	2212	1.0E		●								2228								2132	2335	0.5E	2204			
2 M	0107	0404	1.5F	17 Tu	0044	0356	1.8F	2 Th	0007	0507	0.5E	17 F	0049	0909	0.9E	2 F	0147	0428	1.1F	17 Sa	0042	1.1E	17 Sa	0304	0557	1.3F	
	0757	1139	1.7E		0735	1104	2.1E		0215	0503	1.2F		0300	0553	1.5F		0739	1120	1.6E		0909	1253		2.1E	1011	1343	2.1E
	1510	1825	1.0F		1506	1822	1.1F		0833	1226	1.8E		0921	1311	2.3E		1536	1931	1.3F		1618	1959		1.9F	2251		
	2106	2326	0.8E		2116	2325	0.8E		1625	2009	1.3F		2303				2321				2226						
3 Tu	0159	0453	1.4F	18 W	0150	0456	1.7F	3 F	0112	0606	0.6E	18 Sa	0149	1.1E	3 Sa	0043	0.6E	18 Su	0408	0714	1.5F						
	0840	1232	1.8E		0834	1215	2.3E		0318	0602	1.3F		0407	0704		1.6F	0257		0532	1.2F	0408	0714	1.5F				
	1608	1936	1.2F		1613	1945	1.4F		0926	1313	2.0E		1021	1402		2.4E	0848		1223	1.8E	1101	1343	2.1E	1702	2041	2.0F	
	2222				2235				1710	2053	1.5F		1737	2112		2.0F	1624		2011	1.4F	2307			1702	2041	2.0F	
4 W		0035	0.7E	19 Th	0044	0.8E	4 Sa	0201	0.7E	19 Su	0239	1.4E	4 Su	0131	0.9E	19 M	0223	1.7E	19 M	0503	0810	1.7F					
	0252	0543	1.4F		0258	0559		1.7F	0413		0657	1.4F		0505	0803		1.7F	0356		0633	1.3F	0948	1314	2.0E	1104	1424	2.1E
	0922	1316	2.0E		0932	1317		2.5E	1015		1352	2.2E		1113	1445		2.5E	0948		1314	2.0E	1705	2037	1.6F	1739	2115	2.0F
	1659	2032	1.4F		1710	2043		1.7F	1749		2127	1.6F		1817	2150		2.0F	2341				0210	1.1E	0005	0304	1.9E	
5 Th		0134	0.7E	20 F	0151	0.9E	5 Su	0242	0.9E	20 M	0324	1.5E	5 M	0210	1.1E	20 Tu	0005	0304	1.9E								
	0343	0633	1.4F		0403	0701		1.8F	0503		0748	1.5F		0557	0851		1.8F	0447	0728	1.6F	0552	0854	1.7F				
	1003	1352	2.1E		1027	1410		2.6E	1101		1429	2.3E		1201	1523		2.4E	1042	1358	2.2E	1152	1501	2.1E	1812	2137	1.9F	
	1743	2118	1.6F		1759	2132		1.9F	1825		2151	1.7F		1852	2221		2.0F	1742	2051	1.7F	1812	2137	1.9F				
6 F	0017	0223	0.7E	21 Sa	0029	0247	1.1E	6 M	0318	1.1E	21 Tu	0403	1.7E	6 Tu	0246	1.4E	21 W	0036	0340	2.0E							
	0432	0721	1.5F		0503	0758	1.8F		0548	0835		1.7F	0644		0933	1.8F		0534	0818	1.8F	0637	0932	1.8F				
	1041	1423	2.3E		1119	1457	2.7E		1145	1507		2.5E	1245		1558	2.3E		1133	1441	2.3E	1237	1534	1.9E	1843	2144	1.8F	
	1822	2158	1.6F		1843	2216	2.0F		1858	2203		1.8F	●		1923	2238		1.9F	1816	2110	1.9F	1843	2144	1.8F			
7 Sa	0101	0306	0.7E	22 Su	0114	0337	1.2E	7 Tu	0353	1.3E	22 W	0439	1.8E	7 W	0322	1.7E	22 Th	0104	0411	2.1E							
	0518	0806	1.5F		0558	0850	1.9F		0633	0921		1.9F	0729		1012	1.8F		0621	0907	2.0F	0718	1007	1.8F				
	1119	1455	2.4E		1207	1539	2.7E		1230	1547		2.6E	1327		1631	2.2E		1222	1524	2.3E	1320	1607	1.8E	1911	2159	1.8F	
	1858	2229	1.7F		●	1922	2253		2.0F	1930		2222	1.9F		1953	2247		1.9F	1849	2139	2.0F	●	1911	2159	1.8F		
8 Su	0139	0344	0.8E	23 M	0154	0422	1.3E	8 W	0429	1.5E	23 Th	0511	1.8E	8 Th	0359	2.0E	23 F	0129	0438	2.1E							
	0601	0851	1.6F		0650	0937	1.9F		0718	1006		2.0F	0812		1051	1.8F		0708	0954	2.0F	0758	1041	1.7F				
	1158	1530	2.5E		1252	1617	2.6E		1315	1628		2.6E	1409		1704	2.0E		1312	1607	2.3E	1404	1641	1.6E	1939	2224	1.8F	
	1931	2247	1.7F		1958	2323	2.0F		2001	2250		2.0F	2021		2307	1.9F		1923	2213	2.2F	1939	2224	1.8F				
9 M	0214	0420	0.9E	24 Tu	0231	0504	1.4E	9 Th	0507	1.7E	24 F	0540	1.8E	9 F	0439	2.3E	24 Sa	0152	0504	2.1E							
	0644	0935	1.7F		0739	1022	1.8F		0806	1053		2.0F	0855		1131	1.6F		0757	1042	2.1F	0836	1116	1.6F				
	1237	1607	2.6E		1336	1654	2.5E		1403	1710		2.5E	1452		1740	1.8E		1405	1652	2.1E	1448	1717	1.4E	2007	2255	1.8F	
	2003	2301	1.8F		2031	2340	1.9F		2033	2325		2.1F	2049		2335	1.8F		1957	2250	2.2F	2007	2255	1.8F				
10 Tu	0247	0457	1.1E	25 W	0306	0543	1.5E	10 F	0547	1.9E	25 Sa	0611	1.9E	10 Sa	0521	2.4E	25 Su	0214	0531	2.1E							
	0728	1020	1.8F		0827	1106	1.7F		0857	1142		1.9F	0938		1213	1.5F		0849	1133	2.0F	0915	1154	1.5F				
	1319	1647	2.6E		1420	1730	2.3E		1454	1755		2.2E	1538		1818	1.5E		1500	1739	1.8E	1535	1755	1.2E	2037	2331	1.7F	
	2034	2326	1.9F		2102	2357	1.9F		2107				2118					2034	2331	2.2F	2037	2331	1.7F				
11 W	0318	0535	1.2E	26 Th	0339	0619	1.5E	11 Sa	0603	2.2F	26 Su	0644	1.8F	11 Su	0606	2.5E	26 M	0237	0603	2.1E							
	0814	1106	1.8F		0916	1151	1.6F		0336	0631		2.1E	0337		0644	1.8E		0945	1227	1.8F	0955	1236	1.4F				
	1404	1729	2.6E		1504	1808	2.1E		0954	1234		1.7F	1026		1259	1.3F		1602	1829	1.5E	1627	1838	1.0E	2110			
	2107	2359	2.0F		2133				1551	1843		1.9E	2144					2114			2110						
12 Th	0350	0615	1.4E	27 F	0023	1.8F	12 Su	0046	2.1F	27 M	0049	1.6F	12 M	0016	2.1F	27 Tu	0012	1.6F									
	0906	1154	1.7F		0411	0656		1.6E	0416		0720	2.1E		0406	0722		1.8E	0335	0654	2.5E	0306	0640	2.0E				
	1452	1813	2.4E		1007	1238		1.4F	1059		1334	1.4F		1120	1351		1.1F	1047	1329	1.5F	1040	1323	1.3F				
	2141				1552	1848		1.8E	1659		1936	1.5E		1735	1950		0.9E	1710	1925	1.2E	1726	1925	0.7E	2149			
13 F		0037	2.0F	28 Sa	0056	1.8F	13 M	0134	2.0F	28 Tu	0134	1.5F	13 Tu	0107	1.9F	28 W	0058	1.4F									
	0425	0700	1.6E		0444	0735		1.6E	0503		0815	2.1E		0442	0806		1.7E	0426	0749	2.3E	0343	0723	1.9E				
	1004	1247	1.6F		1103	1329		1.2F	1214		1445	1.2F		1223	1454		1.0F	1157	1450	1.3F	1132	1418	1.1F				
	1547	1900	2.2E		1646	1932		1.5E	1820		2038	1.0E		1852	2049		0.6E	1828	2032	0.8E	1833	2022	0.6E				
14 Sa		0120	2.0F	29 Su	0135	1.7F	14 Tu	0229	1.8F	29 W	0226	1.3F	14 W	0205	1.6F	29 Th	0150	1.2F									
	0504	0749	1.7E		0518	0819		1.5E	0559		0921	2.0E		0528	0901		1.6E	0527	0855	2.1E	0430	0814	1.8E				
	1112	1346	1.4F		1207	1428		1.0F	1334		1637	1.1F		1332	1631		0.9F	1311	1651	1.3F	1233	1523	1.1F				
	1651	1953	1.8E		1752	2023		1.1E	1952		2157																

Richmond (Long Wharf), Calif., 2012

F—Flood, Dir. 328° True E—Ebb, Dir. 147° True

July				August				September																					
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum															
h	m	h	m	knots	h	m	h	m	knots	h	m	h	m	knots	h	m	knots												
1 Su	0545	0913	1.7F	16 M	0610	0947	1.6F	1 W	0700	1030	2.0F	16 Th	0641	0949	1.7F	1 Sa	0110	0413	2.2E	16 Su	0051	0343	2.0E						
	1214	1416	0.9E		1246	1455	0.8E		1329	1556	1.3E		1311	1536	1.2E		0734	1030	1.8F		1358	1653	1.8E	0658	0946	2.0F			
	1629	1934	2.0F		1705	1952	1.5F		1823	2114	1.9F		1816	2102	1.7F		1955	2236	1.7F		1955	2236	1.7F	1314	1614	2.1E	1935	2219	1.9F
	2258				2309																								
2 M	0636	1005	1.9F	17 Tu	0646	1022	1.7F	2 Th	0031	0356	2.7E	17 F	0013	0328	2.3E	2 Su	0155	0450	2.0E	17 M	0143	0428	1.9E						
	1309	1514	1.0E		0646	1022	1.7F		0738	1103	2.0F		0711	1003	1.8F		0805	1050	1.8F		0732	1024	2.1F	0732	1024	2.1F			
	1728	2029	2.0F		1325	1534	0.8E		1409	1641	1.4E		1340	1610	1.4E		1428	1727	1.9E		1428	1727	1.9E	1347	1655	2.3E	2026	2309	1.9F
	2348				1750	2036	1.6F		1916	2202	1.9F		1900	2146	1.8F		2041	2319	1.6F		2041	2319	1.6F	2026	2309	1.9F			
3 Tu	0722	1051	2.0F	18 W	0719	1046	1.7F	3 F	0118	0436	2.6E	18 Sa	0057	0407	2.4E	3 M	0242	0528	1.7E	18 Tu	0239	0516	1.7E						
	1359	1609	1.1E		0719	1046	1.7F		0813	1125	1.9F		0741	1028	1.9F		0835	1120	1.8F		0808	1106	2.1F	0808	1106	2.1F			
	1826	2121	2.0F		1400	1610	0.9E		1446	1723	1.5E		1408	1646	1.6E		1456	1759	1.9E		1424	1740	2.5E	1424	1740	2.5E			
					1832	2119	1.6F		2008	2249	1.8F		1946	2232	1.8F		2127				2120			2120					
4 W	0038	0411	2.9E	19 Th	0025	0353	2.4E	4 Sa	0205	0515	2.4E	19 Su	0143	0449	2.3E	4 Tu	0003	0003	1.5F	19 W	0003	0003	1.7F						
	0805	1133	2.0F		0750	1054	1.7F		0846	1144	1.9F		0812	1101	2.0F		0908	1155	1.7F		0332	0609	1.5E	0340	0606	1.4E			
	1444	1700	1.2E		1432	1643	1.0E		1521	1803	1.6E		1438	1724	1.8E		1525	1834	1.9E		1525	1834	1.9E	0849	1151	2.0F			
	1923	2213	1.9F		1914	2202	1.7F		2059	2336	1.7F		2035	2319	1.8F		2216				2216			1507	1828	2.5E			
5 Th	0127	0456	2.8E	20 F	0104	0430	2.5E	5 Su	0252	0555	2.1E	20 M	0233	0533	2.1E	5 W	0051	0051	1.3F	20 Th	0103	0103	1.6F						
	0845	1210	2.0F		0819	1111	1.8F		0919	1209	1.8F		0844	1139	2.1F		0426	0653	1.2E		0446	0701	1.2E	0446	0701	1.2E			
	1527	1749	1.3E		1502	1718	1.2E		1554	1842	1.6E		1510	1806	2.0E		0943	1236	1.6F		0936	1242	1.9F	0936	1242	1.9F			
	2019	2303	1.8F		1958	2247	1.7F		2152				2129				1558	1912	1.8E		1557	1921	2.4E	1557	1921	2.4E			
6 F	0217	0539	2.7E	21 Sa	0146	0509	2.5E	6 M	0025	0025	1.5F	21 Tu	0010	0010	1.7F	6 Th	0146	0146	1.2F	21 F	0215	0215	1.4F						
	0923	1239	1.9F		0848	1139	1.9F		0341	0636	1.8E		0328	0619	1.8E		0528	0743	0.9E		0559	0804	0.9E	0559	0804	0.9E			
	1607	1836	1.3E		1531	1755	1.3E		0952	1242	1.8F		0919	1221	2.1F		1025	1321	1.5F		1035	1339	1.7F	1035	1339	1.7F			
	2117	2355	1.6F		2046	2333	1.7F		1628	1922	1.6E		1548	1852	2.1E		1636	1957	1.7E		1656	2023	2.2E	1656	2023	2.2E			
7 Sa	0306	0622	2.4E	22 Su	0231	0551	2.4E	7 Tu	0117	0117	1.3F	22 W	0107	0107	1.5F	7 F	0251	0251	1.0F	22 Sa	0359	0359	1.4F						
	1000	1306	1.9F		0919	1214	2.0F		0436	0720	1.5E		0432	0710	1.5E		0639	0842	0.7E		0714	0921	0.8E	0714	0921	0.8E			
	1647	1924	1.4E		1602	1836	1.5E		1027	1320	1.7F		1000	1308	2.0F		1118	1413	1.3F		1149	1444	1.5F	1149	1444	1.5F			
	2217				2140				1704	2006	1.6E		1632	1944	2.2E		1723	2051	1.6E		1805	2135	2.1E	1805	2135	2.1E			
8 Su	0358	0706	2.1E	23 M	0321	0636	2.2E	8 W	0217	0217	1.1F	23 Th	0212	0212	1.3F	8 Sa	0437	0437	1.0F	23 Su	0528	0528	1.5F						
	1037	1337	1.8F		0953	1254	2.0F		0541	0811	1.2E		0547	0809	1.1E		0754	0956	0.6E		0826	1048	0.9E	0826	1048	0.9E			
	1727	2014	1.5E		1636	1921	1.7E		1108	1404	1.6F		1048	1401	1.9F		1225	1511	1.2F		1311	1556	1.4F	1311	1556	1.4F			
	2321				2242				1745	2057	1.6E		1725	2044	2.1E		1822	2154	1.6E		1920	2257	2.1E	1920	2257	2.1E			
9 M	0455	0753	1.7E	24 Tu	0420	0725	1.8E	9 Th	0332	0332	0.9F	24 F	0335	0335	1.2F	9 Su	0607	0607	1.1F	24 M	0632	0632	1.6F						
	1116	1414	1.7F		1031	1339	2.0F		0656	0912	0.8E		0711	0919	0.9E		0903	1117	0.6E		0926	1202	1.1E	0926	1202	1.1E			
	1808	2109	1.5E		1716	2012	1.8E		1157	1454	1.4F		1150	1500	1.7F		1337	1612	1.1F		1427	1713	1.4F	1427	1713	1.4F			
					2353				1831	2159	1.6E		1827	2155	2.1E		1928	2304	1.6E		2033			2033					
10 Tu	0030	0252	1.0F	25 W	0220	0220	1.2F	10 F	0531	0531	1.0F	25 Sa	0538	0538	1.2F	10 M	0703	0703	1.3F	25 Tu	0009	0009	2.1E						
	0602	0847	1.4E		0532	0821	1.5E		0819	1027	0.6E		0836	1043	0.7E		0958	1222	0.7E		0343	0724	1.8F	0343	0724	1.8F			
	1158	1457	1.7F		1114	1428	2.0F		1256	1548	1.3F		1305	1605	1.6F		1442	1714	1.2F		1016	1301	1.4E	1016	1301	1.4E			
	1851	2212	1.6E		1803	2111	1.9E		1923	2309	1.7E		1936	2314	2.2E		2033				1534	1829	1.5F	1534	1829	1.5F			
11 W	0142	0417	0.9F	26 Th	0111	0333	1.1F	11 Sa	0649	0649	1.1F	26 Su	0657	0657	1.5F	11 Tu	0005	0005	1.8E	26 W	0106	0106	2.1E						
	0719	0950	1.0E		0700	0925	1.1E		0937	1149	0.6E		0948	1206	0.8E		0400	0745	1.4F		0429	0808	1.9F	0429	0808	1.9F			
	1245	1543	1.6F		1206	1523	1.9F		1401	1646	1.3F		1421	1714	1.6F		1041	1310	0.9E		1058	1351	1.7E	1058	1351	1.7E			
	1936	2317	1.7E		1856	2218	2.1E		2019				2044				1538	1813	1.3F		1633	1934	1.7F	1633	1934	1.7F			
12 Th	0250	0604	1.0F	27 F	0228	0509	1.1F	12 Su	0013	0013	1.8E	27 M	0027	0027	2.3E	12 W	0054	0054	1.9E	27 Th	0153	0153	2.1E						
	0842	1104	0.8E		0833	1041	0.8E		0405	0746	1.3F		0416	0754	1.7F		0442	0812	1.5F		0510	0844	1.9F	0510	0844	1.9F			
	1337	1633	1.5F		1308	1622	1.8F		1038	1254	0.7E		1045	1312	1.1E		1116	1349	1.2E		1136	1435	1.9E	1136	1435	1.9E			
	2022				1955	2330	2.2E		1502	1744	1.3F		1531	1824	1.7F		1628	1907	1.5F		1726	2027	1.7F	1726	2027	1.7F			
13 F	0351	0718	1.2F	28 Sa	0337	0705	1.3F	13 M	0101	0101	1.9E	28 Tu	0125	0125	2.4E	13 Th	0136	0136	2.0E	28 F	0234	0234	2.0E						
	1000	1217	0.7E		0957	1201	0.8E		0452	0833	1.5F		0506	0841	1.8F		0518	0825	1.6F		0546	0909	1.8F	0546	0909	1.8F			
	1431	1724	1.4F		1416	1723	1.8F		1127	1345	0.8E		1133	1406	1.3E		1147	1424	1.4E		1210	1515	2.0E	1210					

Richmond (Long Wharf), Calif., 2012

F—Flood, Dir. 328° True E—Ebb, Dir. 147° True

October				November				December															
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum									
	h	m	knots		h	m	knots		h	m	knots		h	m	knots								
1 M	0151	0427	1.5E	16 Tu	0147	0411	1.5E	1 Th	0328	0532	0.9E	16 F	0346	0550	1.0E	1 Sa	0357	0557	0.8E	16 Su	0415	0633	1.2E
	0722	1006	1.7F		0653	0952	2.1F		0758	1046	1.5F		0812	1109	1.9F		0820	1107	1.4F		0905	1151	1.8F
	1335	1650	2.1E		1306	1630	2.8E		1344	1721	2.2E		1419	1752	2.9E		1355	1734	2.3E		1502	1825	2.6E
	2024	2308	1.6F		2018	2306	1.9F		2122				2152				2132				2213		
2 Tu	0239	0506	1.3E	17 W	0247	0503	1.3E	2 F	0416	0615	0.8E	17 Sa	0442	0649	1.0E	2 Su	0436	0636	0.8E	17 M	0501	0728	1.3E
	0754	1039	1.7F		0736	1038	2.1F		0838	1130	1.4F		0914	1206	1.8F		0904	1153	1.4F		1010	1248	1.6F
	1400	1720	2.1E		1349	1718	2.8E		1418	1758	2.2E		1516	1845	2.6E		1435	1815	2.3E		1559	1914	2.3E
	2105	2348	1.5F		2112				2201				2244				2206				2256		
3 W	0330	0547	1.1E	18 Th	0349	0557	1.1E	3 Sa	0504	0700	0.7E	18 Su	0536	0751	1.1E	3 M	0513	0717	0.9E	18 Tu	0547	0826	1.4E
	0828	1117	1.6F		0825	1127	2.0F		0925	1217	1.3F		1024	1307	1.5F		0955	1242	1.3F		1120	1350	1.3F
	1427	1753	2.1E		1437	1808	2.7E		1458	1840	2.1E		1617	1941	2.4E		1520	1859	2.2E		1700	2007	2.0E
	2147				2208				2242				2337				2243				2341		
4 Th	0422	0632	0.9E	19 F	0452	0656	1.0E	4 Su	0553	0749	0.7E	19 M	0630	0900	1.2E	4 Tu	0551	0803	0.9E	19 W	0634	0930	1.5E
	0906	1159	1.5F		0922	1222	1.8F		1020	1309	1.2F		1140	1413	1.3F		1055	1336	1.2F		1234	1501	1.1F
	1459	1830	2.0E		1532	1903	2.6E		1546	1928	2.0E		1724	2042	2.1E		1612	1947	2.0E		1808	2105	1.6E
	2233				2308				2328				2328				2323				2323		
5 F	0519	0720	0.8E	20 Sa	0556	0802	0.9E	5 M	0642	0844	0.7E	20 Tu	0722	1011	1.3E	5 W	0630	0855	1.1E	20 Th	0721	1037	1.6E
	0951	1246	1.3F		1030	1323	1.6F		1127	1405	1.1F		1258	1529	1.2F		1205	1434	1.1F		1348	1630	1.0F
	1538	1913	1.9E		1635	2003	2.3E		1642	2021	1.8E		1837	2149	1.8E		1715	2042	1.8E		1924	2212	1.3E
	2323												1837				1715				1924		
6 Sa	0620	0817	0.6E	21 Su	0700	0918	0.9E	6 Tu	0729	0945	0.8E	21 W	0811	1118	1.6E	6 Th	0710	0951	1.3E	21 F	0807	1141	1.8E
	1047	1339	1.2F		1150	1431	1.4F		1240	1506	1.0F		1412	1657	1.2F		1319	1538	1.0F		1458	1807	1.1F
	1626	2003	1.8E		1746	2112	2.1E		1750	2119	1.7E		1952	2259	1.6E		1833	2142	1.5E		2044	2324	1.0E
7 Su	0019	0318	1.2F	22 M	0111	0458	1.7F	7 W	0107	0406	1.5F	22 Th	0209	0547	1.7F	7 F	0055	0402	1.8F	22 Sa	0205	0508	1.6F
	0723	0923	0.6E		0800	1038	1.1E		0812	1045	1.0E		0857	1216	1.9E		0751	1050	1.6E		0852	1237	2.0E
	1157	1437	1.1F		1311	1546	1.3F		1349	1610	1.1F		1519	1823	1.3F		1429	1647	1.1F		1600	1920	1.3F
	1726	2101	1.7E		1901	2229	1.9E		1907	2222	1.6E		2105				2002	2246	1.3E		2201		
8 M	0117	0429	1.2F	23 Tu	0208	0555	1.7F	8 Th	0156	0453	1.6F	23 F	0255	0625	1.7F	8 Sa	0145	0452	1.8F	23 Su	0255	0554	1.5F
	0820	1036	0.7E		0853	1146	1.4E		0850	1139	1.3E		0938	1306	2.1E		0833	1146	1.9E		0934	1325	2.2E
	1311	1540	1.0F		1425	1711	1.3F		1453	1714	1.2F		1617	1931	1.4F		1533	1800	1.2F		1653	2018	1.5F
	1836	2205	1.6E		2015	2340	1.9E		2025	2323	1.6E		2212				2127	2352	1.2E		2307		
9 Tu	0212	0529	1.3F	24 W	0259	0644	1.8F	9 F	0242	0539	1.7F	24 Sa	0338	0653	1.7F	9 Su	0235	0543	1.9F	24 M	0345	0639	1.5F
	0908	1139	0.9E		0939	1242	1.7E		0926	1226	1.7E		1016	1350	2.3E		0916	1239	2.3E		1014	1406	2.3E
	1418	1643	1.1F		1530	1831	1.4F		1550	1819	1.3F		1709	2027	1.6F		1632	1918	1.4F		1740	2109	1.7F
	1950	2309	1.7E		2123				2138				2313				2243				2201		
10 W	0300	0608	1.4F	25 Th	0344	0725	1.8F	10 Sa	0325	0623	1.9F	25 Su	0419	0720	1.7F	10 M	0325	0634	2.0F	25 Tu	0004	0221	0.9E
	0948	1228	1.1E		1020	1331	2.0E		1001	1310	2.1E		1050	1429	2.3E		1000	1329	2.6E		0433	0722	1.5F
	1516	1744	1.2F		1628	1936	1.5F		1644	1921	1.5F		1756	2118	1.7F		1727	2031	1.6F		1051	1441	2.3E
	2057				2224				2245								2350				1821	2154	1.7F
11 Th	0343	0641	1.6F	26 F	0424	0755	1.8F	11 Su	0408	0708	2.0F	26 M	0500	0752	1.6F	11 Tu	0418	0726	2.1F	26 W	0519	0804	1.5F
	1022	1308	1.4E		1056	1414	2.2E		1036	1353	2.4E		1121	1502	2.4E		1046	1419	2.9E		1126	1510	2.3E
	1609	1842	1.4F		1719	2030	1.6F		1736	2021	1.7F		1838	2203	1.7F		1819	2133	1.8F		1859	2234	1.8F
	2159				2320				2349														
12 F	0422	0715	1.7F	27 Sa	0501	0813	1.8F	12 M	0451	0753	2.1F	27 Tu	0539	0826	1.6F	12 W	0051	0254	1.0E	27 Th	0137	0349	0.8E
	1052	1346	1.8E		1129	1451	2.2E		1113	1437	2.7E		1150	1530	2.3E		0512	0818	2.1F		0603	0845	1.5F
	1658	1937	1.6F		1806	2117	1.7F		1827	2119	1.8F		1917	2245	1.7F		1134	1509	3.0E		1159	1537	2.3E
	2256																1909	2227	1.9F		1933	2307	1.7F
13 Sa	0459	0751	1.9F	28 Su	0537	0831	1.7F	13 Tu	0551	0831	1.2E	28 W	0619	0904	1.6F	13 Th	0147	0350	1.0E	28 F	0216	0426	0.9E
	1123	1423	2.1E		1158	1524	2.3E		1154	1523	2.9E		1219	1556	2.3E		1223	1558	3.1E		0645	0926	1.5F
	1747	2029	1.8F		1849	2200	1.7F		1918	2215	1.9F		1953	2320	1.7F		1958	2317	2.0F		1233	1605	2.4E
	2352																				2004	2325	1.7F
14 Su	0536	0829	2.0F	29 M	0611	0857	1.7F	14 W	0623	0927	2.1F	29 Th	0658	0943	1.5F	14 F	0239	0446	1.1E	29 Sa	0251	0500	0.9E
	1154	1503	2.4E		1225	1553	2.3E		1238	1611	3.0E		1248	1625	2.3E		0705	1002	2.1F		0725	1007	1.5F
	1836	2120	1.9F		1930	2238	1.6F		2009	2312	1.9F		2027	2344	1.6F		1315	1648	3.0E		1307	1638	2.4E
																	2044				2033	2333	1.7F
15 M	0049	0321	1.6E	30 Tu	0152	0410	1.1E	15 Th	0250	0454	1.1E	30 F	0318	0519	0.8E	15 Sa	0004	0204	2.0F	30 Su	0323	0533	1.0E
	0613	0909	2.1F		0645	0930	1.6F		0715	1017	2.1F		0738	1024	1.5F		0328	0540	1.1E		0804	1049	1.5F
	1228	1545	2.6E		1250	1619	2.3E		1326	1701	3.0E		1319	1658	2.3E		0804	1056	2.0F		1343	171	

Carquinez Strait (West End Bridge), San Pablo Bay, Calif., 2012

F—Flood, Dir. 103° True E—Ebb, Dir. 283° True

January				February				March														
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum								
	h	m	knots		h	m	knots		h	m	knots		h	m	knots							
1 Su	0241	0550	2.3F	16 M	0210	0509	2.7F	1 W	0109	1.1E	16 Th	0136	1.3E	1 Th	0039	0.9E						
	0920	1305	2.3E	●	0843	1219	2.5E		0329	0624	2.1F	0351	0645	1.8F	16 F	0352	0639	1.9F				
	1627	1910	1.2F		1609	1844	1.3F		0945	1354	2.5E	1010	1433	2.8E	1703	2032	1.5F	0953	1414	2.7E		
	2138				2129				1758	2107	1.5F	1814	2124	1.9F	2323			1744	2101	2.1F		
2 M		0042	1.7E	17 Tu	0304	0604	2.6F	2 Th	0218	1.0E	17 F	0250	1.4E	2 F	0149	1.0E	17 Sa	0243	1.7E			
	0327	0633	2.3F		0937	1330	2.7E		0425	0717	2.0F	0500	0755	2.1F	0400	0642	1.8F	0505	0759	1.9F		
	1002	1402	2.5E		1724	2019	1.4F		1032	1448	2.6E	1111	1535	3.0E	0948	1336	2.5E	1101	1514	2.8E		
	1736	2027	1.3F		2253				1849	2202	1.7F	1910	2217	2.1F	1757	2125	1.7F	1836	2150	2.3F		
3 Tu		0146	1.4E	18 W	0401	0701	2.5F	3 F	0054	0319	1.0E	18 Sa	0352	1.5E	3 Sa	0251	1.1E	18 Su	0045	0340	2.0E	
	0413	0717	2.2F		1031	1441	2.9E		0520	0812	2.0F	0605	0902	2.1F	0501	0744	1.8F	0609	0909	2.0F		
	1042	1455	2.7E		1831	2133	1.7F		1119	1531	2.8E	1209	1626	3.1E	1048	1436	2.6E	1202	1603	2.9E		
	1836	2132	1.5F						1933	2248	1.9F	1957	2304	2.2F	1841	2206	1.9F	1919	2232	2.4F		
4 W	0009	0248	1.2E	19 Th	0013	0248	1.3E	4 Sa	0147	0411	1.0E	19 Su	0446	1.7E	4 Su	0100	0342	1.3E	19 M	0129	0431	2.2E
	0459	0801	2.2F		0500	0801	2.4F		0612	0904	2.0F	0704	1000	2.2F	0559	0844	1.9F	0708	1005	2.1F		
	1120	1540	2.8E		1123	1542	3.1E		1206	1606	2.9E	1301	1710	3.1E	1142	1525	2.7E	1256	1646	2.8E		
	1928	2227	1.7F		1929	2232	1.9F		2011	2327	1.9F	2037	2345	2.3F	1920	2237	1.9F	1957	2307	2.4F		
5 Th	0117	0345	1.0E	20 F	0123	0354	1.3E	5 Su	0229	0457	1.1E	20 M	0536	1.8E	5 M	0425	1.5E	20 Tu	0206	0517	2.3E	
	0546	0845	2.1F		0600	0900	2.4F		0703	0952	2.1F	0759	1049	2.2F	0651	0938	2.1F	0759	1052	2.1F		
	1157	1616	2.9E		1214	1635	3.2E		1251	1639	2.9E	1350	1750	3.0E	1236	1607	2.8E	1343	1724	2.6E		
	2011	2317	1.8F		2020	2324	2.1F		2045	2358	1.9F	2111			1955	2258	2.0F	2029	2336	2.3F		
6 F	0218	0435	0.9E	21 Sa	0223	0453	1.3E	6 M	0302	0538	1.2E	21 Tu	0020	2.2F	6 Tu	0203	0503	1.8E	21 W	0237	0559	2.4E
	0630	0927	2.1F		0659	0954	2.3F		0752	1038	2.2F	0848	1134	2.2F	0742	1027	2.2F	0847	1135	2.1F		
	1231	1643	2.9E		1304	1723	3.2E		1338	1714	3.0E	●	1435	1826	2.9E	1327	1648	2.8E	1429	1758	2.4E	
	2049				2105				2114			2142			2027	2315	2.1F	2057	2355	2.2F		
7 Sa	0001	0001	1.9F	22 Su	0012	0012	2.2F	7 Tu	0017	1.9F	22 W	0047	2.2F	7 W	0230	0539	2.0E	22 Th	0302	0636	2.4E	
	0309	0522	0.9E		0316	0548	1.4E		0330	0616	1.4E	0351	0702	2.0E	0831	1114	2.3F	0930	1217	2.0F		
	0717	1009	2.1F	●	0756	1045	2.3F		0841	1124	2.3F	0936	1218	2.1F	1418	1730	2.7E	●	1511	1830	2.2E	
	1309	1705	3.0E		1352	1807	3.2E		1424	1754	3.0E	1519	1857	2.7E	2058	2339	2.3F		2124			
	2122				2144				2142			2210										
8 Su	0040	0040	1.9F	23 M	0055	0055	2.2F	8 W	0031	2.0F	23 Th	0106	2.2F	8 Th	0259	0614	2.3E	23 F	0011	2.2F		
	0350	0606	0.9E		0359	0639	1.5E		0356	0651	1.7E	0419	0737	2.1E	0921	1202	2.3F	0327	0705	2.4E		
	0802	1051	2.1F		0849	1134	2.3F		0930	1212	2.3F	1021	1302	2.0F	1508	1815	2.7E	1012	1258	1.8F		
	1348	1734	3.1E		1440	1847	3.2E		1511	1836	3.0E	1600	1927	2.5E	2129			1555	1902	2.0E		
	2151				2220				2212			2238						2151				
9 M	0109	0109	1.9F	24 Tu	0131	0131	2.2F	9 Th	0055	2.3F	24 F	0125	2.2F	9 F	0012	2.5F	24 Sa	0035	2.3F			
	0422	0645	1.0E		0438	0725	1.6E		0424	0726	2.0E	0446	0805	2.1E	0331	0652	2.6E	0349	0724	2.5E		
	0850	1136	2.2F		0941	1223	2.2F		1020	1301	2.3F	1108	1346	1.9F	1012	1251	2.3F	1053	1337	1.8F		
	1430	1811	3.2E		1527	1921	3.1E		1600	1919	3.0E	1646	1959	2.4E	1559	1901	2.5E	1640	1935	1.8E		
	2220				2251				2244			2308			2205			2222				
10 Tu	0126	0126	1.9F	25 W	0159	0159	2.2F	10 F	0128	2.5F	25 Sa	0152	2.3F	10 Sa	0050	2.7F	25 Su	0106	2.3F			
	0451	0722	1.2E		0510	0807	1.7E		0458	0803	2.3E	0514	0831	2.2E	0408	0732	2.8E	0415	0742	2.6E		
	0939	1223	2.2F		1032	1312	2.1F		1116	1351	2.1F	1158	1431	1.7F	1106	1343	2.1F	1136	1418	1.7F		
	1517	1852	3.2E		1612	1954	2.9E		1651	2004	2.8E	1735	2037	2.1E	1652	1949	2.3E	1731	2013	1.6E		
	2250				2322				2320			2340			2244			2257				
11 W	0141	0141	2.1F	26 Th	0222	0222	2.2F	11 Sa	0207	2.7F	26 Su	0225	2.4F	11 Su	0133	2.8F	26 M	0142	2.3F			
	0519	0758	1.4E		0543	0845	1.8E		0536	0845	2.4E	0546	0900	2.3E	0449	0815	2.9E	0446	0810	2.7E		
	1030	1312	2.2F		1127	1402	1.9F		1215	1445	1.9F	1250	1524	1.5F	1203	1440	1.9F	1220	1504	1.6F		
	1604	1936	3.2E		1700	2029	2.7E		1749	2053	2.5E	1831	2121	1.8E	1752	2040	2.0E	1828	2057	1.3E		
	2321				2354										2329			2337				
12 Th	0208	0208	2.3F	27 F	0247	0247	2.3F	12 Su	0251	2.8F	27 M	0305	2.3F	12 M	0220	2.7F	27 Tu	0223	2.2F			
	0550	0835	1.7E		0617	0924	1.9E		0619	0934	2.5E	0621	0938	2.4E	0536	0903	2.9E	0521	0846	2.7E		
	1127	1403	2.1F		1222	1453	1.7F		1320	1548	1.6F	1349	1633	1.3F	1308	1549	1.7F	1309	1604	1.5F		
	1655	2021	3.1E		1750	2108	2.5E		1852	2149	2.1E	1937	2217	1.4E	1900	2140	1.6E	1930	2151	1.1E		
13 F	0244	0244	2.5F	28 Sa	0318	0318	2.3F	13 M	0341	2.7F	28 Tu	0351	2.2F	13 Tu	0021	0312	2.5F	28 W	0023	2.0F		
	0626	0919	1.9E		0650	1007	2.0E		0709	1035	2.5E	0702	1027	2.4E	0629	1004	2.7E	0605	0932	2.7E		
	1228	1457	1.9F		1323	1553	1.4F		1435	1713	1.4F	1455	1803	1.3F	1418	1722	1.5F	1405	1724	1.4F		
	1751	2110	2.8E		1848	2156	2.1E		2008	2257	1.7E	2053	2325	1.1E	2018	2256	1.4E	2039	2258	0.9E		
14 Sa	0037	0327	2.6F	29 Su	0107	0358	2.3F	14 Tu	0437	2.5F	29 W	0444	2.0F	14 W	0122	0412	2.3F	29 Th	0120			

Carquinez Strait (West End Bridge), San Pablo Bay, Calif., 2012

F—Flood, Dir. 103° True E—Ebb, Dir. 283° True

July				August				September																												
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum																						
h	m	h	m	knots	h	m	h	m	knots	h	m	h	m	knots																						
1 Su	0804	1106	1.9F	3.3E	16 M	0022	0445	2.9E	1 W	0131	0540	3.2E	16 Th	0127	0505	2.8E	1 Sa	0303	0640	2.7E	16 Su	0250	0552	2.4E												
	1401	1624	1.2E	1.0E		0838	1147	2.0F		0919	1227	2.2F		0858	1204	1.9F		0949	1243	2.2F		0904	1147	2.5F	0904	1147	2.5F									
	1831	2134	2.6F	2.0F		1455	1715	1.0E		1530	1813	1.6E		1511	1804	1.5E		1553	1917	2.2E		1553	1917	2.2E	1504	1827	2.6E	1504	1827	2.6E						
	1831	2134	2.6F	2.0F		1911	2200	2.0F		2028	2315	2.4F		2031	2312	2.1F		2205	2205	2.2E		2205	2205	2.2E	2153	2153	2.6E	2153	2153	2.6E						
2 M	0047	0453	3.4E	17 Tu	0100	0509	2.9E	2 Th	0221	0624	3.2E	17 F	0210	0538	2.9E	2 Su	0349	0713	2.5E	17 M	0339	0637	2.3E	17 M	0339	0637	2.3E									
	0854	1200	2.0F		0910	1227	2.0F		0957	1304	2.2F		0923	1214	2.0F		1018	1304	2.3F		1018	1304	2.3F		0937	1223	2.7F	0937	1223	2.7F						
	1502	1725	1.2E		1536	1759	1.0E		1609	1901	1.7E		1536	1835	1.7E		1621	1949	2.3E		1621	1949	2.3E		1018	1304	2.3F	1018	1304	2.3F	1538	1904	2.9E			
	1929	2226	2.6F		1959	2241	2.0F		2120	2120	1.7E		2118	2356	2.2F		2252	2252	2.3E		2252	2252	2.3E		1018	1304	2.3F	1018	1304	2.3F	2243	2243	2.9E			
3 Tu	0136	0544	3.4E	18 W	0139	0531	2.9E	3 F	0310	0703	3.1E	18 Sa	0256	0616	2.9E	3 M	0436	0748	2.3E	18 Tu	0431	0723	2.1E	18 Tu	0431	0723	2.1E									
	0940	1250	2.1F		0939	1259	1.9F		1030	1334	2.2F		0950	1233	2.2F		1048	1332	2.3F		1048	1332	2.3F		0436	0748	2.3E	0431	0723	2.1E	0431	0723	2.1E			
	1558	1824	1.2E		1608	1838	1.1E		1643	1944	1.8E		1600	1905	2.0E		1650	2016	2.4E		1650	2016	2.4E		1048	1332	2.3F	1048	1332	2.3F	1617	1944	3.0E	1617	1944	3.0E
	2027	2318	2.5F		2042	2324	2.0F		2212	2212	1.8E		2203	2203	2.0E		2341	2341	2.4E		2341	2341	2.4E		1650	2016	2.4E	1650	2016	2.4E	2338	2338	3.0E	2338	2338	3.0E
4 W	0226	0633	3.4E	19 Th	0219	0600	3.0E	4 Sa	0358	0739	3.0E	19 Su	0341	0657	2.8E	4 Tu	0525	0825	2.0E	19 W	0529	0813	1.9E	19 W	0529	0813	1.9E									
	1023	1335	2.2F		1006	1316	1.9F		1102	1359	2.2F		1020	1303	2.5F		1121	1406	2.4F		1121	1406	2.4F		0525	0825	2.0E	0529	0813	1.9E	0529	0813	1.9E			
	1644	1918	1.3E		1634	1911	1.2E		1717	2024	2.0E		1628	1937	2.3E		1722	2044	2.4E		1722	2044	2.4E		1121	1406	2.4F	1121	1406	2.4F	1058	1351	2.8F	1058	1351	2.8F
	2124	2124	1.3E		2128	2128	1.2E		2307	2307	2.0E		2253	2253	2.3E		2341	2341	2.4E		2341	2341	2.4E		1722	2044	2.4E	1722	2044	2.4E	1701	2029	3.0E	1701	2029	3.0E
5 Th	0317	0719	3.3E	20 F	0301	0636	3.1E	5 Su	0447	0815	2.8E	20 M	0430	0741	2.7E	5 W	0621	0909	1.7E	20 Th	0633	0909	1.6E	20 Th	0633	0909	1.6E									
	1103	1415	2.2F		1031	1325	2.0F		1134	1424	2.3F		1052	1340	2.7F		1200	1445	2.3F		1200	1445	2.3F		0621	0909	1.7E	0633	0909	1.6E	0633	0909	1.6E			
	1728	2007	1.5E		1659	1942	1.4E		1750	2102	2.1E		1702	2014	2.5E		1800	2120	2.4E		1800	2120	2.4E		1200	1445	2.3F	1200	1445	2.3F	1149	1441	2.6F	1149	1441	2.6F
	2222	2222	1.5E		2215	2215	1.4E		2307	2307	2.1E		2348	2348	2.5E		2348	2348	2.4E		2348	2348	2.4E		1800	2120	2.4E	1800	2120	2.4E	1752	2122	2.9E	1752	2122	2.9E
6 F	0409	0801	3.2E	21 Sa	0347	0716	3.1E	6 M	0537	0854	2.5E	21 Tu	0524	0826	2.4E	6 Th	0725	1004	1.4E	21 F	0746	1018	1.4E	21 F	0746	1018	1.4E									
	1141	1450	2.2F		1100	1346	2.3F		1209	1456	2.4F		1131	1422	2.8F		1246	1531	2.1F		1246	1531	2.1F		0725	1004	1.4E	0746	1018	1.4E	0746	1018	1.4E			
	1808	2055	1.7E		1725	2013	1.7E		1826	2144	2.1E		1742	2058	2.7E		1841	2207	2.4E		1841	2207	2.4E		1246	1531	2.1F	1246	1531	2.1F	1249	1538	2.3F	1249	1538	2.3F
	2321	2321	1.7E		2306	2306	1.7E		2306	2306	1.7E		2348	2348	2.7E		2348	2348	2.4E		2348	2348	2.4E		1841	2207	2.4E	1841	2207	2.4E	1850	2231	2.7E	1850	2231	2.7E
7 Sa	0501	0843	3.0E	22 Su	0434	0759	3.0E	7 Tu	0633	0940	2.1E	22 W	0625	0918	2.1E	7 F	083																			

Carquinez Strait (West End Bridge), San Pablo Bay, Calif., 2012

F–Flood, Dir. 103° True E–Ebb, Dir. 283° True

October				November				December																					
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum															
h	m	h	m	knots	h	m	h	m	knots	h	m	h	m	knots	h	m	h	m	knots										
1 M	0345	0650	1.9F	16 Tu	0339	0617	1.8E	1 Th	0530	0753	1.0E	16 F	0541	0804	1.2E	1 Sa	0609	0822	0.9E	16 Su	0617	0851	1.5E						
	0932	1216	2.3F		0857	1149	2.8F		1006	1251	2.1F		1015	1307	2.5F		1029	1311	1.9F		1109	1351	2.2F	1109	1351	2.2F			
	1529	1913	2.6E		1458	1835	3.3E		1542	1922	2.9E		1609	1959	3.4E		1552	1936	3.1E		1552	1936	3.1E	1653	2042	3.2E	1653	2042	3.2E
	2241				2236				2343																				
2 Tu	0131	0131	1.8F	17 W	0121	0121	2.0F	2 F	0256	0256	1.7F	17 Sa	0009	0321	2.1F	2 Su	0302	0302	1.9F	17 M	0030	0345	2.3F						
	0432	0726	1.7E		0438	0711	1.6E		0621	0835	1.0E		0639	0904	1.3E		0646	0901	1.0E		0702	0949	1.6E	0702	0949	1.6E			
	1004	1247	2.3F		0940	1236	2.8F		1050	1335	2.0F		1119	1404	2.3F		1120	1359	1.8F		1218	1452	2.0F	1218	1452	2.0F			
	1556	1931	2.6E		1541	1921	3.4E		1620	1958	3.0E		1706	2054	3.2E		1639	2019	3.1E		1753	2136	2.9E	1753	2136	2.9E			
3 W	0214	0214	1.7F	18 Th	0218	0218	2.0F	3 Sa	0022	0336	1.8F	18 Su	0100	0422	2.1F	3 M	0028	0327	2.0F	18 Tu	0115	0432	2.3F						
	0523	0805	1.5E		0539	0806	1.4E		0711	0922	0.9E		0735	1011	1.4E		0721	0945	1.1E		0750	1052	1.8E	0750	1052	1.8E			
	1039	1324	2.3F		1031	1326	2.7F		1141	1422	1.8F		1230	1506	2.0F		1219	1450	1.7F		1329	1601	1.7F	1329	1601	1.7F			
	1627	1957	2.7E		1629	2010	3.3E		1704	2042	3.0E		1809	2159	2.9E		1730	2107	3.0E		1857	2236	2.6E	1857	2236	2.6E			
4 Th	0008	0301	1.6F	19 F	0023	0323	1.9F	4 Su	0105	0423	1.8F	19 M	0152	0521	2.2F	4 Tu	0107	0403	2.1F	19 W	0200	0519	2.3F						
	0619	0848	1.3E		0642	0907	1.3E		0801	1019	1.0E		0830	1122	1.6E		0758	1036	1.3E		0838	1156	2.1E	0838	1156	2.1E			
	1120	1406	2.2F		1130	1420	2.4F		1241	1515	1.7F		1347	1619	1.7F		1321	1548	1.6F		1446	1724	1.5F	1446	1724	1.5F			
	1702	2031	2.8E		1724	2105	3.1E		1757	2133	2.9E		1918	2314	2.7E		1829	2200	2.8E		2006	2340	2.3E	2006	2340	2.3E			
5 F	0054	0359	1.6F	20 Sa	0122	0440	1.9F	5 M	0150	0512	1.8F	20 Tu	0246	0615	2.3F	5 W	0148	0445	2.2F	20 Th	0245	0605	2.4F						
	0720	0941	1.1E		0749	1019	1.3E		0849	1123	1.1E		0925	1228	1.9E		0836	1131	1.6E		0926	1258	2.3E	0926	1258	2.3E			
	1209	1452	2.0F		1239	1520	2.1F		1349	1616	1.5F		1507	1745	1.6F		1430	1652	1.5F		1605	1848	1.4F	1605	1848	1.4F			
	1746	2115	2.7E		1827	2215	2.8E		1858	2232	2.7E		2032				1935	2259	2.5E		2120			2120					
6 Sa	0147	0512	1.5F	21 Su	0225	0553	1.9F	6 Tu	0239	0557	1.9F	21 W	0023	0023	2.5E	6 Th	0231	0530	2.3F	21 F	0042	0042	2.0E						
	0825	1047	1.0E		0856	1139	1.4E		0934	1223	1.3E		1016	1331	2.3E		0914	1223	1.9E		0331	0650	2.4F	0331	0650	2.4F			
	1308	1546	1.7F		1357	1632	1.8F		1459	1723	1.4F		1624	1909	1.5F		1540	1801	1.4F		1012	1358	2.6E	1012	1358	2.6E			
	1837	2209	2.6E		1938	2343	2.6E		2006	2336	2.5E		2148				2048				1719	2006	1.5F	1719	2006	1.5F			
7 Su	0242	0620	1.6F	22 M	0328	0656	2.1F	7 W	0328	0637	2.0F	22 Th	0125	0125	2.3E	7 F	0000	0000	2.3E	22 Sa	0143	0143	1.7E						
	0930	1159	1.0E		0959	1250	1.7E		1015	1317	1.6E		0424	0752	2.4F		0317	0615	2.5F		0418	0734	2.4F	0418	0734	2.4F			
	1415	1648	1.6F		1518	1756	1.7F		1608	1831	1.5F		1100	1430	2.6E		0953	1315	2.3E		1056	1455	2.9E	1056	1455	2.9E			
	1937	2314	2.5E		2056				2119				1734	2025	1.6F		1649	1914	1.4F		1825	2115	1.6F	1825	2115	1.6F			
8 M	0339	0718	1.7F	23 Tu	0100	0100	2.6E	8 Th	0037	0037	2.4E	23 F	0223	0223	2.1E	8 Sa	0059	0059	2.0E	23 Su	0244	0244	1.5E						
	1027	1305	1.1E		0425	0753	2.2F		0413	0716	2.1F		0508	0834	2.5F		0401	0701	2.6F		0503	0817	2.3F	0503	0817	2.3F			
	1527	1754	1.5F		1054	1356	2.0E		1050	1407	2.0E		1141	1523	2.9E		1033	1406	2.7E		1135	1546	3.0E	1135	1546	3.0E			
	2044				1634	1921	1.7F		1711	1941	1.6F		1838	2129	1.8F		1753	2032	1.5F		1921	2213	1.8F	1921	2213	1.8F			
9 Tu	0021	0021	2.4E	24 W	0205	0205	2.5E	9 F	0136	0136	2.2E	24 Sa	0316	0316	1.9E	9 Su	0159	0159	1.7E	24 M	0340	0340	1.3E						
	0431	0807	1.8F		0515	0842	2.4F		0455	0754	2.3F		0549	0910	2.5F		0447	0748	2.7F		0549	0858	2.3F	0549	0858	2.3F			
	1112	1403	1.4E		1141	1454	2.4E		1122	1451	2.4E		1218	1611	3.0E		1112	1455	3.0E		1210	1631	3.1E	1210	1631	3.1E			
	1632	1902	1.5F		1742	2038	1.8F		1809	2049	1.7F		1933	2225	1.9F		1853	2143	1.7F		2010	2306	1.9F	2010	2306	1.9F			
10 W	0124	0124	2.4E	25 Th	0301	0301	2.5E	10 Sa	0232	0232	2.1E	25 Su	0404	0404	1.7E	10 M	0300	0300	1.5E	25 Tu	0432	0432	1.2E						
	0517	0844	1.9F		0559	0924	2.5F		0534	0833	2.5F		0628	0939	2.4F		0530	0836	2.8F		0634	0935	2.2F	0634	0935	2.2F			
	1149	1453	1.7E		1222	1546	2.7E		1156	1531	2.8E		1249	1654	3.1E		1154	1542	3.3E		1243	1709	3.0E	1243	1709	3.0E			
	1732	2008	1.7F		1843	2139	2.0F		1904	2149	1.8F		2023	2316	1.9F		1949	2243	1.8F		2052	2355	2.0F	2052	2355	2.0F			
11 Th	0221	0221	2.4E	26 F	0348	0348	2.4E	11 Su	0324	0324	1.9E	26 M	0450	0450	1.4E	11 Tu	0358	0358	1.3E	26 W	0522	0522	1.0E						
	0557	0911	2.0F		0639	0958	2.5F		0613	0912	2.6F		0706	1006	2.3F		0619	0925	2.8F		0719	1011	2.1F	0719	1011	2.1F			
	1219	1535	2.0E		1259	1633	2.8E		1229	1608	3.1E		1318	1732	3.0E		1237	1628	3.4E		1315	1739	2.9E	1315	1739	2.9E			
	1827	2109	1.9F		1938	2231	2.0F		1958	2243	1.9F		2108				2040	2339	1.9F		2129			2129					
12 F	0000	0311	2.4E	27 Sa	0116	0431	2.1E	12 M	0415	0415	1.7E	27 Tu	0006	0006	1.9F	12 W	0457	0457	1.2E	27 Th	0040	0040	2.0F						
	0633	0932	2.2F		0714	1024	2.4F		0653	0953	2.8F		0302	0536	1.2E		0710	1014	2.8F		0350	0610	1.0E	0350	0610	1.0E			
	1248	1611	2.4E		1329	1716	2.9E		1306	1647	3.3E		0743	1034	2.2F		1322	1716	3.5E		0804	1048	2.0F	0804	1048	2.0F			
	1919	2201	2.0F		2028	2320	2.0F		2049	2337	2.0F		1343	1801	2.9E		2130				1347	1756	2.9E	1347	1756	2.9E			
13 Sa	0056	0357	2.3E	28 Su	0208	0512	1.9E	13 Tu	0507	0507	1.5E	28 W	0053	0053	1.9F	13 Th	0034	0034	2.0F	28 F	0120	0120	2.0F						
	0708	0959	2.4F		0747	1045	2.3F		0737	1036	2.8F		0357	0623	1.0E		0342	0559	1.1E		0432	0654	0.9E	0432	0654	0.9E			
	1315	1643	2.6E		1357	1754	2.8E		1345	1729	3.5E		0821	1107	2.1F		0807	1104	2.7F		0848								

Benicia Bridge, Suisun Bay, Calif., 2012

F—Flood, Dir. 047° True E—Ebb, Dir. 230° True

January				February				March															
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum									
	h	m	knots		h	m	knots		h	m	knots		h	m	knots								
1 Su	0236	0600	1.4F	16 M	0207	0510	1.8F	1 W	0334	0640	1.1F	16 Th	0400	0659	1.4F	1 Th	0259	0545	0.9F	16 F	0402	0651	1.1F
	0922	1305	1.4E		0838	1210	1.7E		0959	1433	1.4E		1015	1455	1.9E		0856	1250	1.3E		0955	1433	1.8E
	1645	1922	0.6F		1605	1839	1.0F		1818	2115	1.0F		1815	2110	1.5F		1721	2039	1.0F		1743	2047	1.7F
	2137				2128												2331				2350		
2 M		0023	0.8E	17 Tu		0005	1.0E	2 Th	0002	0231	0.5E	17 F	0009	0254	0.9E	2 F		0158	0.6E	17 Sa		0247	1.1E
	0325	0651	1.4F		0302	0609	1.7F		0441	0743	1.1F		0513	0813	1.4F		0412	0656	0.9F		0517	0811	1.2F
	1008	1415	1.5E		0935	1339	1.8E		1050	1528	1.6E		1119	1555	2.1E		1000	1418	1.5E		1104	1530	1.9E
	1758	2038	0.8F		1724	2010	1.1F		1903	2203	1.2F		1908	2203	1.7F		1811	2126	1.3F		1834	2136	1.8F
3 Tu		0147	0.6E	18 W		0123	0.8E	3 F	0101	0333	0.7E	18 Sa	0107	0357	1.1E	3 Sa	0024	0300	0.7E	18 Su	0040	0345	1.3E
	0419	0743	1.3F		0406	0714	1.6F		0541	0837	1.2F		0618	0916	1.5F		0517	0802	1.1F		0622	0914	1.3F
	1053	1515	1.7E		1033	1503	2.0E		1138	1607	1.8E		1215	1644	2.2E		1059	1508	1.7E		1203	1617	2.0E
	1853	2139	1.0F		1833	2121	1.3F		1940	2244	1.4F		1953	2248	1.9F		1851	2203	1.4F		1917	2219	2.0F
4 W	0022	0301	0.6E	19 Th	0015	0248	0.8E	4 Sa	0146	0420	0.8E	19 Su	0154	0449	1.2E	4 Su	0103	0348	1.0E	19 M	0122	0434	1.5E
	0515	0830	1.3F		0512	0818	1.6F		0632	0924	1.4F		0715	1008	1.6F		0612	0858	1.3F		0716	1005	1.5F
	1135	1603	1.8E		1130	1607	2.1E		1221	1636	2.0E		1304	1725	2.2E		1152	1545	1.9E		1254	1657	1.9E
	1936	2229	1.2F		1929	2219	1.6F		2013	2318	1.6F		2032	2329	2.0F		1926	2233	1.6F		1954	2256	2.0F
5 Th	0124	0359	0.7E	20 F	0121	0359	0.8E	5 Su	0223	0501	0.9E	20 M	0234	0534	1.4E	5 M	0136	0427	1.2E	20 Tu	0157	0516	1.7E
	0607	0912	1.3F		0615	0917	1.6F		0718	1007	1.5F		0805	1054	1.6F		0701	0946	1.5F		0804	1051	1.5F
	1214	1642	1.9E		1223	1659	2.3E		1303	1700	2.1E		1349	1800	2.1E		1241	1619	2.0E		1341	1731	1.8E
	2014	2312	1.4F		2018	2309	1.7F		2043	2346	1.7F		2107				1958	2258	1.7F		2027	2328	1.9F
6 F	0215	0447	0.7E	21 Sa	0216	0458	1.0E	6 M	0255	0537	1.1E	21 Tu		0004	2.0F	6 Tu	0205	0503	1.4E	21 W	0228	0553	1.8E
	0654	0950	1.4F		0713	1009	1.7F		0803	1049	1.7F		0853	1137	1.6F		0748	1032	1.8F		0849	1133	1.5F
	1249	1711	2.0E		1312	1744	2.3E		1344	1727	2.3E		1432	1828	2.0E		1329	1654	2.1E		1426	1800	1.6E
	2047	2350	1.6F		2101	2354	1.9F		2114				2139				2029	2322	1.9F		2057	2355	1.9F
7 Sa	0258	0528	0.8E	22 Su	0304	0548	1.0E	7 Tu		0010	1.8F	22 W		0036	1.9F	7 W	0232	0538	1.7E	22 Th	0256	0624	1.8E
	0738	1028	1.5F		0806	1058	1.7F		0325	0611	1.3E		0342	0650	1.5E		0835	1118	1.9F		0931	1214	1.5F
	1325	1732	2.2E		1357	1822	2.3E		0847	1132	1.9F		0939	1219	1.6F		1417	1733	2.1E		1510	1825	1.5E
	2119				2140				1427	1800	2.4E		1514	1851	1.8E		2102	2349	2.0F		2126		
8 Su		0023	1.6F	23 M		0035	1.9F	8 W		0035	1.9F	23 Th		0104	1.8F	8 Th	0302	0613	1.9E	23 F		0019	1.8F
	0337	0606	0.9E		0346	0634	1.1E		0354	0646	1.5E		0412	0722	1.6E		0923	1204	2.0F		0323	0649	1.8E
	0820	1107	1.6F		0857	1143	1.7F		0934	1216	1.9F		1024	1301	1.5F		1506	1814	2.0E		1013	1255	1.5F
	1401	1755	2.3E		1441	1854	2.2E		1513	1838	2.4E		1557	1916	1.7E		2136				1555	1853	1.3E
9 M		0052	1.7F	24 Tu		0113	1.9F	9 Th		0103	2.0F	24 F		0130	1.8F	9 F		0022	2.1F	24 Sa		0044	1.7F
	0411	0642	1.0E		0425	0716	1.2E		0425	0723	1.6E		0442	0751	1.6E		0334	0651	2.0E		0349	0712	1.8E
	0902	1148	1.7F		0947	1228	1.6F		1023	1303	1.9F		1110	1344	1.3F		1013	1253	2.0F		1054	1336	1.4F
	1440	1825	2.4E		1523	1920	2.1E		1601	1919	2.3E		1643	1948	1.5E		1557	1858	1.9E		1643	1928	1.2E
10 Tu		0118	1.8F	25 W		0148	1.9F	10 F		0136	2.1F	25 Sa		0157	1.7F	10 Sa		0059	2.1F	25 Su		0112	1.6F
	0444	0718	1.1E		0501	0755	1.3E		0457	0803	1.8E		0512	0821	1.6E		0409	0732	2.1E		0417	0739	1.8E
	0947	1231	1.8F		1037	1313	1.5F		1115	1353	1.8F		1158	1430	1.1F		1105	1344	1.9F		1136	1419	1.2F
	1523	1901	2.5E		1607	1946	1.9E		1652	2003	2.1E		1733	2026	1.3E		1652	1946	1.7E		1734	2008	1.0E
11 W		0145	1.9F	26 Th		0220	1.8F	11 Sa		0214	2.1F	26 Su		0228	1.5F	11 Su		0140	2.1F	26 M		0145	1.5F
	0516	0755	1.3E		0537	0832	1.3E		0534	0846	1.9E		0545	0855	1.5E		0450	0817	2.1E		0447	0812	1.8E
	1035	1317	1.8F		1129	1359	1.3F		1212	1447	1.6F		1251	1523	1.0F		1202	1441	1.7F		1221	1507	1.1F
	1608	1940	2.5E		1652	2017	1.7E		1748	2051	1.8E		1829	2112	1.0E		1751	2037	1.5E		1830	2055	0.8E
12 Th		0216	2.0F	27 F		0251	1.7F	12 Su		0256	2.0F	27 M		0305	1.4F	12 M		0226	1.9F	27 Tu		0224	1.3F
	0549	0835	1.4E		0612	0911	1.4E		0616	0934	1.9E		0621	0936	1.5E		0535	0907	2.0E		0521	0850	1.7E
	1127	1406	1.7F		1225	1449	1.1F		1316	1549	1.4F		1351	1632	0.8F		1304	1546	1.5F		1311	1607	1.0F
	1657	2023	2.3E		1741	2054	1.5E		1852	2144	1.5E		1938	2206	0.8E		1858	2135	1.2E		1934	2148	0.7E
13 F	0001	0252	2.0F	28 Sa	0024	0323	1.6F	13 M	0049	0344	1.8F	28 Tu	0055	0348	1.2F	13 Tu	0026	0316	1.7F	28 W	0022	0308	1.2F
	0624	0918	1.5E		0649	0952	1.4E		0705	1032	1.8E		0703	1025	1.4E		0627	1008	1.9E		0601	0937	1.6E
	1225	1459	1.6F		1326	1547	0.8F		1429	1705	1.2F		1502	1814	0.7F		1413	1705	1.3F		1408	1727	1.0F
	1751	2109	2.1E		1838	2139	1.2E		2006	2245	1.1E		2059	2312	0.6E		2013	2243	1.0E		2043	2251	0.6E
14 Sa	0039	0332	2.0F	29 Su	0058	0400	1.5F	14 Tu	0142	0439	1.6F	29 W	0150	0441	1.0F	14 W	0127	0415	1.4F	29 Th	0120	0401	1.0F
	0703	1006	1.6E		0730	1040	1.3E		0801	1149	1.7E		0754	1126	1.3E		0729	1133	1.7E		0652	1032	1.5E
	1330	1559	1.4F		1438	1706	0.6F		1550	1839	1.1F		1617	1938	0.8F		1529	1832	1.3F		1511	1847	1.0F
	1852	2200	1.7E		1948	2233	0.9E		2131				2222				2132				2151		
15 Su	0120	0418	1.9F	30 M	0139	0444	1.3F	15 W		0001	0.9E	30 Th		0007	0.8E	15 Th		0004	0.6E				

Benicia Bridge, Suisun Bay, Calif., 2012

F—Flood, Dir. 047° True E—Ebb, Dir. 230° True

July				August				September																			
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum													
h	m	h	m	knots	h	m	h	m	knots	h	m	h	m	knots	h	m	h	m	knots								
1 Su	0004	0426	2.3E	16 M	0035	0503	2.1E	1 W	0130	0555	2.3E	16 Th	0125	0511	2.1E	1 Sa	0256	0637	1.8E	16 Su	0245	0552	1.9E	17 M	0337	0638	1.8E
	0806	1054	1.6F		0836	1137	1.6F		0916	1210	1.9F		0857	1158	1.7F		0950	1245	1.8F		0914	1201	1.9F		0950	1237	2.0F
	1358	1620	0.8E		1447	1716	0.8E		1521	1808	1.1E		1512	1759	1.2E		1553	1910	1.5E		1513	1833	1.9E		1548	1913	2.1E
	1840	2146	1.9F		1922	2214	1.4F		2031	2319	1.7F		2032	2314	1.6F		2210	0048	1.4F		2154	0034	1.8F				
2 M	0052	0518	2.4E	17 Tu	0110	0526	2.1E	2 Th	0217	0631	2.3E	17 F	0207	0541	2.2E	2 Su	0343	0707	1.6E	17 M	0337	0638	1.8E				
	0854	1144	1.7F		0907	1212	1.7F		0954	1249	1.9F		0926	1220	1.8F		1021	1314	1.7F		0950	1237	2.0F				
	1455	1721	0.8E		1527	1755	0.8E		1602	1855	1.2E		1540	1832	1.3E		1625	1944	1.6E		1548	1913	2.1E				
	1937	2237	1.9F		2005	2251	1.5F		2125				2117	2358	1.7F		2300	0135	1.3F		2246	0125	1.8F				
3 Tu	0140	0604	2.5E	18 W	0144	0544	2.2E	3 F		0007	1.6F	18 Sa	0252	0618	2.2E	3 M	0432	0740	1.4E	18 Tu	0432	0726	1.6E				
	0939	1232	1.8F		0937	1242	1.7F		0302	0702	2.1E		0957	1245	1.9F		1053	1344	1.7F		0432	0726	1.6E				
	1547	1818	0.9E		1602	1831	0.9E		1029	1326	1.9F		1608	1907	1.5E		1657	2017	1.6E		1029	1318	2.0F				
	2034	2327	1.8F		2047	2330	1.6F		1640	1938	1.3E		2205				2350	0225	1.2F		1627	1957	2.1E				

Time meridian 120° W. 0000 is midnight. 1200 is noon. Times are not adjusted for Daylight Saving Time.

Benicia Bridge, Suisun Bay, Calif., 2012

F—Flood, Dir. 047° True E—Ebb, Dir. 230° True

October				November				December							
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum	
h	m	h	m	h	m	h	m	h	m	h	m	h	m	h	m
1				16		1		16		1		16		16	
M	0345	0647	1.2E	Tu	0338	0620	1.4E	Th	0531	0756	0.8E	F	0533	0802	1.1E
	0941	1231	1.6F		0913	1204	2.0F		1021	1304	1.4F		1031	1319	1.8F
	1535	1911	1.8E		1508	1849	2.3E		1558	1939	1.9E		1619	2018	2.3E
	2247				2238				2352				2359		
2		0132	1.3F	17		0121	1.8F	2		0259	1.4F	17		0308	1.8F
Tu	0436	0724	1.1E	W	0436	0713	1.3E	F	0621	0840	0.8E	Sa	0629	0901	1.1E
	1014	1301	1.5F		0959	1250	2.0F		1104	1344	1.3F		1131	1413	1.7F
	1606	1937	1.8E		1552	1937	2.3E		1634	2015	1.9E		1712	2110	2.2E
	2331				2332								1646	2029	2.2E
3		0220	1.3F	18		0218	1.7F	3		0343	1.3F	18		0405	1.8F
W	0529	0805	1.0E	Th	0535	0809	1.2E	Sa	0710	0926	0.7E	Su	0724	1002	1.1E
	1050	1335	1.4F		1049	1338	1.9F		1150	1428	1.2F		1236	1511	1.4F
	1639	2009	1.8E		1641	2029	2.3E		1714	2056	1.9E		1808	2204	2.0E
													1731	2112	2.1E
4		0312	1.2F	19		0318	1.7F	4		0429	1.3F	19		0502	1.8F
Th	0625	0851	0.8E	F	0636	0908	1.1E	Su	0759	1015	0.7E	M	0820	1107	1.2E
	1129	1414	1.3F		1144	1431	1.7F		1243	1516	1.1F		1348	1616	1.2F
	1715	2047	1.7E		1734	2126	2.1E		1800	2142	1.9E		1909	2302	1.8E
5		0411	1.1F	20		0424	1.6F	5		0515	1.3F	20		0559	1.8F
F	0724	0942	0.7E	Sa	0740	1012	1.1E	M	0847	1108	0.8E	Tu	0914	1215	1.3E
	1215	1458	1.2F		1247	1529	1.5F		1343	1611	1.0F		1506	1734	1.0F
	1756	2131	1.7E		1833	2230	2.0E		1853	2233	1.8E	☉	2018		
6		0517	1.1F	21		0532	1.6F	6		0601	1.3F	21		0609	1.5E
Sa	0825	1040	0.7E	Su	0843	1122	1.0E	Tu	0933	1204	0.9E	W	0331	0654	1.8F
	1309	1548	1.1F	☉	1358	1634	1.3F	☉	1451	1713	0.9F		1006	1325	1.4E
	1844	2221	1.6E		1937	2344	1.8E		1957	2328	1.6E		1627	1902	0.9F
													2134		
7		0624	1.1F	22		0637	1.7F	7		0644	1.4F	22		0745	1.8F
Su	0927	1144	0.6E	M	0945	1236	1.1E	W	1014	1301	1.0E	Th	0421	0745	1.8F
☉	1412	1646	1.0F		1515	1751	1.1F		1601	1824	0.9F		1053	1429	1.6E
	1940	2318	1.5E		2047				2109				1742	2021	1.0F
													2251		
8		0721	1.2F	23		0736	1.8F	8		0725	1.5F	23		0832	1.8F
M	1024	1251	0.7E	Tu	1042	1348	1.3E	Th	0413	0725	1.5F	F	0510	0832	1.8F
	1522	1751	0.9F		1634	1915	1.1F		1050	1356	1.3E		1136	1526	1.8E
	2044				2200				1708	1936	1.0F		1845	2126	1.1F
									2223						
9		0808	1.5E	24		0827	1.8F	9		0804	1.6F	24		0914	1.7F
Tu	1111	1353	0.9E	W	1132	1451	1.5E	F	0458	0804	1.6F	Sa	0556	0914	1.7F
	1630	1901	1.0F		1745	2029	1.1F		1125	1445	1.6E		1215	1616	2.0E
	2151				2309				1809	2044	1.2F		1938	2222	1.3F
									2333						
10		0845	1.5E	25		0913	1.9F	10		0843	1.7F	25		0952	1.6F
W	1150	1445	1.1E	Th	1215	1545	1.7E	Sa	0541	0843	1.7F	Su	0639	0952	1.6F
	1731	2006	1.1F		1847	2131	1.3F		1159	1531	1.8E		1250	1701	2.1E
	2254								1905	2144	1.4F		2023	2312	1.4F
11		0914	1.5F	26		0952	1.9F	11		0924	1.8F	26		1025	1.6F
Th	1222	1529	1.3E	F	1252	1634	1.9E	Su	0624	0924	1.8F	M	0721	1025	1.6F
	1826	2104	1.3F		1941	2225	1.4F		1234	1615	2.1E		1322	1740	2.1E
	2354								1958	2240	1.6F		2105	2358	1.5F
12		0941	1.6F	27		1027	1.8F	12		0915	1.2E	27		1056	1.5F
F	1251	1608	1.6E	Sa	1325	1716	1.9E	M	0141	0415	1.2E	Tu	0303	0547	0.8E
	1917	2157	1.5F		2028	2314	1.4F		0707	1007	1.9F		0800	1056	1.5F
									1313	1700	2.3E		1353	1811	2.1E
									2049	2333	1.7F		2143		
13		1010	1.8F	28		1057	1.7F	13		1051	2.0F	28		1128	1.5F
Sa	1320	1645	1.8E	Su	1356	1754	2.0E	Tu	0240	0511	1.1E	W	0353	0628	0.8E
	2007	2247	1.6F		2113				0753	1051	2.0F		0839	1128	1.5F
									1355	1747	2.4E	☉	1424	1833	2.1E
									2140				2219		
14		1044	1.9F	29		1126	1.6F	14		1138	2.0F	29		1202	1.4F
Su	1352	1723	2.1E	M	1425	1824	2.0E	W	0338	0607	1.1E	Th	0439	0707	0.8E
	2056	2337	1.8F	☉	2154				0842	1138	2.0F		0919	1202	1.4F
									1440	1836	2.4E		1456	1851	2.1E
									2230				2253		
15		0529	1.5E	30		0637	0.9E	15		1119	1.8F	30		1240	1.4F
M	0831	1122	2.0F	Tu	0906	1155	1.5F	Th	0436	0705	1.1E	F	0522	0745	0.8E
☉	1427	1804	2.2E		1454	1847	1.9E		0935	1227	2.0F		0959	1240	1.4F
	2146				2234				1528	1927	2.4E		1529	1917	2.1E
									2321				2326		
				31		0131	1.4F	31		0716	0.8E	31		1302	1.8F
				W	0441	0716	0.8E	M	0516	0751	1.1E		0516	0751	1.1E
					0942	1227	1.5F		1017	1302	1.8F		1601	2003	2.4E
					1524	1909	1.9E		2346						
					2313										

Time meridian 120° W. 0000 is midnight. 1200 is noon. Times are not adjusted for Daylight Saving Time.

Humboldt Bay Entrance Channel, Calif., 2012

F—Flood, Dir. 140° True E—Ebb, Dir. 323° True

January				February				March																
Slack	Maximum			Slack	Maximum			Slack	Maximum			Slack	Maximum											
h m	h m	h m	knots	h m	h m	h m	knots	h m	h m	h m	knots	h m	h m	h m	knots									
1 Su	0539	0856	0.9E	16 M	0512	0743	1.2E	1 W	0614	0906	1.0E	16 Th	0013	0358	1.5F	1 Th	0529	0801	1.0E	16 F	0006	0342	1.4F	
	1159	1512	1.1F		1132	1502	1.2F		1309	1721	1.1F		0641	0934	1.2E		1228	1654	1.1F		0618	0907	1.2E	
	1741	2013	0.8E	●	1745	2007	1.0E		1958	2300	0.6E		1345	1750	1.3F		1938	2242	0.6E		1324	1731	1.3F	
	2325				2321								2025	2309	0.9E						2012	2257	0.9E	
2 M	0622	0949	1.0E	17 Tu	0608	0849	1.2E	2 Th	0054	0407	1.2F	17 F	0123	0508	1.5F	2 F	0030	0336	1.2F	17 Sa	0118	0454	1.4F	
	1256	1630	1.0F		1245	1642	1.2F		0709	1024	1.0E		0747	1052	1.2E		0629	0907	1.0E		0725	1030	1.1E	
	1853	2159	0.7E		1906	2144	0.9E		1412	1826	1.1F		1458	1853	1.4F		1333	1756	1.1F		1427	1828	1.4F	
									2110	2354	0.7E		2130				2042	2333	0.7E		2109	2351	1.0E	
3 Tu	0020	0351	1.3F	18 W	0025	0414	1.5F	3 F	0151	0510	1.3F	18 Sa		0007	1.0E	3 Sa	0129	0443	1.2F	18 Su	0223	0558	1.4F	
	0707	1039	1.0E		0707	1002	1.3E		0806	1123	1.1E		0229	0614	1.5F		0731	1029	1.0E		0831	1134	1.2E	
	1352	1743	1.1F		1359	1801	1.3F		1508	1921	1.2F		1554	1947	1.5F		1430	1847	1.2F		1513	1918	1.5F	
	2012	2313	0.7E		2028	2313	0.9E		2200				2221				2125				2154			
4 W	0117	0445	1.3F	19 Th	0131	0522	1.5F	4 Sa		0039	0.8E	19 Su		0057	1.1E	4 Su		0014	0.8E	19 M		0038	1.1E	
	0754	1123	1.1E		0808	1111	1.3E		0244	0610	1.3F		0328	0715	1.6F		0222	0544	1.3F		0321	0658	1.5F	
	1446	1847	1.2F		1510	1909	1.4F		0902	1208	1.2E		0949	1245	1.3E		0832	1132	1.1E		0930	1225	1.2E	
	2125				2141				1555	2007	1.3F		1635	2034	1.5F		1514	1930	1.3F		1547	2002	1.5F	
5 Th		0009	0.8E	20 F		0016	1.0E	5 Su		0116	0.9E	20 M		0142	1.2E	5 M		0047	0.9E	20 Tu		0120	1.2E	
	0213	0539	1.3F		0234	0627	1.6F		0331	0706	1.4F		0421	0810	1.6F		0311	0641	1.4F		0412	0753	1.5F	
	0843	1202	1.2E		0908	1210	1.4E		0953	1248	1.3E		1040	1330	1.3E		0927	1218	1.2E		1021	1308	1.2E	
	1536	1944	1.3F		1611	2007	1.5F		1634	2046	1.4F		1706	2115	1.6F		1551	2006	1.4F		1617	2040	1.5F	
	2221				2238				2310				2340				2231				2306			
6 F		0057	0.8E	21 Sa		0110	1.1E	6 M		0147	1.0E	21 Tu		0223	1.2E	6 Tu		0116	1.1E	21 W		0157	1.3E	
	0305	0635	1.4F		0334	0729	1.6F		0415	0759	1.5F		0510	0858	1.6F		0356	0736	1.5F		0457	0841	1.5F	
	0931	1239	1.2E		1004	1301	1.4E		1040	1326	1.3E		1126	1410	1.3E		1018	1300	1.3E		1107	1348	1.2E	
	1621	2033	1.4F		1701	2057	1.6F		1708	2120	1.4F	●	1735	2151	1.6F		1625	2039	1.5F		1648	2113	1.6F	
	2305				2326				2343								2305				2338			
7 Sa		0138	0.9E	22 Su		0158	1.1E	7 Tu		0214	1.1E	22 W		0300	1.3E	7 W		0144	1.2E	22 Th		0231	1.3E	
	0351	0730	1.4F		0429	0824	1.7F		0457	0845	1.6F		0556	0942	1.6F		0440	0827	1.5F		0538	0924	1.5F	
	1017	1314	1.3E		1056	1347	1.5E		1124	1404	1.4E		1209	1447	1.3E		1105	1341	1.3E		1151	1426	1.2E	
	1703	2114	1.4F	●	1743	2141	1.6F	○	1740	2150	1.5F		1805	2223	1.6F		1700	2109	1.5F	●	1723	2141	1.5F	
	2342																2340							
8 Su		0212	0.9E	23 M		0242	1.2E	8 W		0243	1.2E	23 Th		0334	1.3E	8 Th		0216	1.3E	23 F		0301	1.4E	
	0434	0820	1.5F		0520	0914	1.7F		0540	0928	1.6F		0640	1023	1.6F		0524	0913	1.6F		0617	1005	1.5F	
	1144	1426	1.4E		1143	1429	1.5E		1208	1442	1.4E		1251	1523	1.3E		1151	1423	1.4E		1233	1503	1.2E	
○	1741	2151	1.4F		1818	2222	1.6F		1814	2219	1.5F		1838	2251	1.5F	○	1737	2140	1.6F		1800	2206	1.5F	
9 M		0017	1.0E	24 Tu		0048	1.2E	9 Th		0316	1.3E	24 F		0405	1.3E	9 F		0018	0252	1.4E	24 Sa		0328	1.4E
	0516	0904	1.5F		0611	0959	1.7F		0625	1009	1.6F		0722	1102	1.5F		0610	0958	1.6F		0655	1044	1.5F	
	1144	1426	1.4E		1227	1508	1.4E		1252	1523	1.4E		1333	1600	1.2E		1238	1505	1.4E		1317	1541	1.1E	
	1817	2226	1.5F		1850	2300	1.6F		1851	2249	1.6F		1915	2316	1.5F		1817	2214	1.6F		1841	2230	1.5F	
10 Tu		0052	1.0E	25 W		0127	1.2E	10 F		0354	1.3E	25 Sa		0434	1.2E	10 Sa		0058	0331	1.5E	25 Su		0355	1.3E
	0557	0946	1.6F		0700	1042	1.6F		0712	1052	1.5F		0804	1141	1.4E		0658	1045	1.6F		0734	1124	1.4F	
	1226	1503	1.4E		1310	1545	1.4E		1338	1606	1.4E		1417	1639	1.1E		1327	1550	1.3E		1403	1620	1.0E	
	1851	2258	1.5F		1921	2335	1.5F		1930	2324	1.6F		1956	2340	1.4F		1901	2253	1.6F		1925	2300	1.4F	
11 W		0127	1.1E	26 Th		0204	1.2E	11 Sa		0436	1.3E	26 Su		0505	1.2E	11 Su		0140	0413	1.5E	26 M		0426	1.3E
	0641	1026	1.5F		0748	1124	1.5F		0803	1140	1.5F		0847	1222	1.3F		0748	1138	1.5F		0815	1207	1.4F	
	1309	1542	1.4E		1352	1623	1.3E		1427	1652	1.3E		1505	1722	1.0E		1420	1638	1.2E		1452	1702	0.9E	
	1927	2329	1.5F		1954				2014				2040				1948	2338	1.6F		2011	2338	1.4F	
12 Th		0205	1.1E	27 F		0007	1.5F	12 Su		0004	1.6F	27 M		0011	1.4F	12 M		0226	0500	1.5E	27 Tu		0502	1.2E
	0728	1108	1.5F		0241	0522	1.1E		0256	0524	1.3E		0307	0540	1.1E		0843	1238	1.4F		0859	1256	1.3F	
	1353	1625	1.4E		0836	1205	1.4F		0859	1234	1.4F		0932	1308	1.2F		1519	1734	1.1E		1547	1752	0.7E	
	2004				1435	1703	1.2E		1523	1745	1.2E		1600	1813	0.8E		2041				2101			
					2031				2103				2129											
13 F		0001	1.5F	28 Sa		0034	1.4F	13 M		0051	1.5F	28 Tu		0050	1.3F	13 Tu		0030	1.6F	28 W		0022	1.3F	
	0246	0501	1.1E		0319	0601	1.1E		0345	0616	1.3E		0348	0621	1.1E		0315	0551	1.4E		0308	0543	1.2E	
	0820	1153	1.4F		0924	1247	1.3F		1000	1341	1.3F		102											

Humboldt Bay Entrance Channel, Calif., 2012

F—Flood, Dir. 140° True E—Ebb, Dir. 323° True

July				August				September																						
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum																
h	m	h	m	h	m	h	m	h	m	h	m	h	m	h	m															
1	0344	0751	1.4F	16	0403	0816	1.3F	1	0516	0917	1.6F	16	0452	0904	1.4F	1	0547	1004	1.6F	16	0514	0918	1.6F							
Su	1017	1249	1.0E	M	1051	1326	0.9E	W	1144	1420	1.2E	Th	1128	1407	1.1E	Sa	1229	1516	1.3E	Su	1155	1431	1.4E							
	1514	1908	1.6F		1539	1915	1.4F	○	1658	2052	1.7F		1647	2032	1.5F		1825	2210	1.6F		1751	2140	1.6F							
	2152				2201				2322				2309																	
2		0047	1.5E	17		0104	1.3E	2		0209	1.5E	17		0151	1.3E	2		0037	0310	1.3E	17		0019	0244	1.3E					
M	0440	0846	1.5F	Tu	0446	0859	1.4F	Th	0556	0959	1.6F	F	0525	0934	1.5F	Su	0620	1035	1.6F	M	0551	0949	1.6F							
	1113	1343	1.1E		1129	1404	1.0E		1225	1502	1.2E	●	1159	1432	1.2E		1303	1548	1.3E		1233	1508	1.5E							
	1610	2009	1.7F		1624	2006	1.5F		1750	2140	1.7F		1727	2114	1.6F		1908	2252	1.5F		1835	2224	1.5F							
	2245				2247								2352																	
3		0137	1.6E	18		0140	1.3E	3		0009	0251	1.4E	18		0227	1.4E	3		0120	0347	1.2E	18		0106	0326	1.3E				
Tu	0532	0936	1.6F	W	0526	0936	1.5F	F	0631	1038	1.6F	Sa	0556	1001	1.5F	M	0655	1102	1.5F	Tu	0632	1025	1.6F							
○	1203	1432	1.2E	●	1204	1436	1.0E		1304	1543	1.3E		1809	2154	1.6F		1337	1618	1.3E		1313	1548	1.5E							
	1705	2103	1.7F		1706	2052	1.5F		1841	2226	1.6F		1809	2154	1.6F		1949	2333	1.4F		1922	2311	1.5F							
	2335				2330																									
4		0223	1.6E	19		0214	1.4E	4		0054	0330	1.4E	19		0035	0304	1.4E	4		0204	0426	1.1E	19		0156	0412	1.2E			
W	0620	1022	1.6F	Th	0603	1010	1.5F	Sa	0704	1115	1.6F	Su	0629	1028	1.5F	Tu	0735	1127	1.5F	W	0718	1108	1.6F							
	1250	1518	1.2E		1237	1502	1.0E		1342	1622	1.2E		1307	1533	1.3E		1412	1649	1.2E		1412	1632	1.5E							
	1759	2153	1.7F		1747	2133	1.6F		1930	2310	1.6F		1852	2234	1.5F		2030				2012									
5		0024	1.5E	20		0012	1.4E	5		0138	0409	1.3E	20		0119	0344	1.3E	5			0015	1.4F	20			0006	1.4F			
Th	0704	1106	1.6F	F	0637	1042	1.5F	Su	0737	1149	1.5F	M	0705	1058	1.6F	W	0819	1155	1.4F	Th	0809	1157	1.5E							
	1335	1604	1.2E		1311	1529	1.1E		1420	1700	1.2E		1345	1612	1.4E		1448	1723	1.2E		1445	1721	1.5E							
	1853	2241	1.7F		1829	2212	1.5F		2019	2354	1.4F		1939	2316	1.5F		2113				2109									
6		0111	1.5E	21		0053	1.4E	6		0222	0448	1.2E	21		0205	0427	1.3E	6			0100	1.3F	21			0111	1.4F			
F	0743	1149	1.6F	Sa	0710	1111	1.5F	M	0812	1219	1.5F	Tu	0745	1134	1.6F	Th	0908	1232	1.3F	F	0352	0604	0.9E							
	1419	1652	1.1E		1345	1600	1.1E		1457	1739	1.1E		1427	1655	1.4E		1528	1802	1.1E		0907	1253	1.5F							
	1948	2328	1.6F		1912	2252	1.5F		2106				2029				2201				1538	1815	1.4E							
																					2212									
7		0157	1.4E	22		0135	1.4E	7			0038	1.3F	22			0004	1.4F	7			0155	1.2F	22			0227	1.3F			
Sa	0820	1231	1.5F	Su	0743	1139	1.5F	Tu	0308	0532	1.0E	W	0256	0516	1.2E	F	0446	0714	0.7E	Sa	0504	0725	0.8E							
	1502	1744	1.1E		1422	1638	1.1E		0851	1244	1.4F		0830	1218	1.5F		1006	1318	1.2F	○	1016	1354	1.5F							
	2044				1959	2333	1.4F		1536	1817	1.1E		1513	1744	1.4E		1613	1847	1.1E		1638	1915	1.3E							
									2155				2125				2256				2324									
8		0016	1.5F	23		0219	1.3E	8			0125	1.2F	23			0101	1.3F	8			0312	1.1F	23			0346	1.3F			
Su	0243	0514	1.2E	M	0819	1210	1.5F	W	0400	0622	0.9E	Th	0355	0612	1.0E	Sa	0559	0908	0.6E	Su	0620	0907	0.8E							
	0855	1310	1.5F		1503	1722	1.2E		0936	1312	1.3F		0923	1309	1.5F	○	1110	1412	1.2F		1131	1504	1.4F							
	1546	1837	1.0E		2050				1617	1856	1.0E		1605	1838	1.3E		1706	1939	1.0E		1743	2023	1.2E							
	2141								2246				2228																	
9		0105	1.3F	24		0017	1.4F	9			0221	1.1F	24			0219	1.2F	9			0000	0430	1.1F	24			0039	0456	1.3F	
M	0331	0601	1.1E	Tu	0308	0535	1.2E	Th	0501	0726	0.7E	F	0505	0719	0.9E	Su	0717	1022	0.6E	M	0734	1025	0.9E							
	0931	1346	1.4F		0900	1248	1.5F	○	1030	1351	1.3F		1026	1408	1.5F		1215	1515	1.2F		1245	1618	1.4F							
	1630	1930	1.0E		1548	1812	1.2E		1701	1940	1.0E		1702	1938	1.3E		1806	2042	1.0E		1851	2146	1.2E							
	2239				2148				2342				2340																	
10		0157	1.2F	25		0107	1.3F	10			0341	1.0F	25			0356	1.2F	10			0106	0533	1.1F	25			0147	0556	1.4F	
Tu	0423	0651	0.9E	W	0403	0627	1.1E	F	0614	0920	0.6E	Sa	0624	0859	0.8E	M	0824	1117	0.7E		0836	1124	1.0E							
○	1013	1417	1.3F		0947	1333	1.5F		1131	1442	1.2F		1137	1517	1.4F		1316	1623	1.2F		1355	1728	1.4F							
	1714	2023	1.0E		1638	1906	1.2E		1751	2036	1.0E		1805	2046	1.2E		1909	2209	1.0E		1959	2302	1.2E							
	2337				2252																									
11		0258	1.1F	26		0210	1.2F	11			0042	1.1F	26			0058	0515	1.3F	11			0206	0625	1.2F	26			0241	0649	1.5F
W	0523	0752	0.8E	Th	0509	0728	1.0E	Sa	0736	1040	0.7E	Su	0745	1035	0.8E	Tu	0910	1201	0.8E	W	0926	1214	1.1E							
	1101	1447	1.3F	○	1043	1427	1.5F		1235	1545	1.2F		1250	1631	1.5F		1411	1726	1.3F		1458	1832	1.5F							
	1758	2117	1.0E		1732	2006	1.2E		1846	2156	1.0E		1912	2207	1.2E		2011	2320	1.0E		2104									
12		0035	1.0F	27		0002	1.2F	12			0145	1.1F	27			0214	0620	1.4F	12			0254	0710	1.3F	27			0000	1.2E	
Th	0633	0933	0.7E	F	0626	0848	0.8E	Su	0852	1138	0.7E	M	0856	1139	1.0E	W	0945	1237	0.9E	Th	1008	1258	1.2E							
	1156	1529	1.3F		1148	1532	1.5F		1336	1652	1.2F		1359																	

Humboldt Bay Entrance Channel, Calif., 2012

F—Flood, Dir. 140° True E—Ebb, Dir. 323° True

October				November				December																
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum										
	h	m	knots		h	m	knots		h	m	knots		h	m	knots									
1 M	0021	0250	1.2E	16 Tu	0006	0228	1.2E	1 Th	0135	0354	1.0E	16 F	0142	0357	1.1E	1 Sa	0202	0418	0.9E	16 Su	0219	0443	1.1E	
	0540	0952	1.5F		0521	0918	1.7F		0640	1018	1.5F		0645	1038	1.7F		0705	1038	1.5F		0734	1120	1.6F	
	1224	1514	1.4E		1204	1445	1.6E		1301	1542	1.4E		1317	1556	1.6E		1318	1556	1.4E		1352	1629	1.5E	
	1842	2235	1.5F		1820	2222	1.6F		1934	2343	1.4F		1954				1958				2030			
2 Tu	0104	0328	1.1E	17 W	0056	0313	1.2E	2 F	0222	0437	0.9E	17 Sa	0237	0452	1.0E	2 Su	0245	0454	0.8E	17 M	0310	0543	1.0E	
	0621	1018	1.5F		0607	1002	1.7F		0729	1058	1.4F		0744	1132	1.6F		0752	1121	1.4F		0836	1213	1.6F	
	1257	1541	1.4E		1248	1527	1.6E		1340	1618	1.3E		1407	1645	1.5E		1400	1635	1.3E		1443	1718	1.4E	
	1919	2315	1.5F		1909	2313	1.5F		2018				2048				2041				2115			
3 W	0149	0408	1.0E	18 Th	0149	0402	1.1E	3 Sa	0029	0209	1.4F	18 Su	0334	0600	0.9E	3 M	0328	0533	0.8E	18 Tu	0401	0648	1.0E	
	0705	1046	1.5F		0658	1050	1.7F		0312	0524	0.8E		0847	1228	1.5F		0840	1206	1.3F		0940	1308	1.4F	
	1332	1611	1.3E		1334	1612	1.6E		0819	1142	1.4F		1500	1737	1.4E		1444	1717	1.2E		1535	1810	1.2E	
	1958	2358	1.4F		2001				1422	1658	1.3E		2143				2122				2157			
4 Th	0237	0451	0.9E	19 F	0010	0150	1.5F	4 Su	0117	0317	1.3F	19 M	0156	0356	1.5F	4 Tu	0411	0615	0.7E	19 W	0453	0751	1.0E	
	0752	1121	1.4F		0246	0456	1.0E		0405	0624	0.7E		0435	0718	0.9E		0933	1252	1.3F		1047	1407	1.3F	
	1409	1646	1.3E		0754	1143	1.6F		0912	1230	1.3F		0956	1327	1.4F		1531	1803	1.2E		1631	1905	1.0E	
	2041				1424	1701	1.5E		1508	1743	1.2E		1556	1834	1.3E		2202				2238			
5 F	0330	0543	0.8E	20 Sa	0112	0246	1.4F	5 M	0208	0408	1.2F	20 Tu	0254	0454	1.4F	5 W	0454	0702	0.8E	20 Th	0543	0852	1.0E	
	0844	1205	1.3F		0348	0604	0.9E		0459	0746	0.6E		0535	0830	0.9E		1031	1339	1.2F		1156	1514	1.2F	
	1450	1726	1.2E		0857	1240	1.5F		1010	1320	1.2F		1109	1430	1.3F		1622	1852	1.1E		1733	2008	0.9E	
	2128				1518	1755	1.4E		1558	1832	1.1E		1657	1935	1.1E		2242				2320			
6 Sa	0430	0706	0.6E	21 Su	0218	0456	1.4F	6 Tu	0259	0559	1.2F	21 W	0350	0630	1.4F	6 Th	0538	0754	0.8E	21 F	0630	0949	1.0E	
	0941	1254	1.2F		0456	0731	0.8E		0550	0856	0.6E		0631	0935	1.0E		1134	1432	1.1F		1301	1626	1.1F	
	1536	1811	1.1E		1007	1342	1.5F		1112	1413	1.2F		1222	1540	1.3F		1720	1945	1.0E		1840	2131	0.8E	
	2223				1617	1855	1.3E		1654	1924	1.0E		1801	2046	1.0E		2325							
7 Su	0537	0843	0.6E	22 M	0325	0605	1.4F	7 W	0348	0636	1.2F	22 Th	0441	0721	1.4F	7 F	0623	0853	0.9E	22 Sa	0715	1040	1.1E	
	1044	1347	1.2F		0605	0856	0.9E		0636	0951	0.7E		0721	1031	1.0E		1236	1538	1.1F		1401	1734	1.1F	
	1629	1902	1.1E		1123	1449	1.4F		1214	1512	1.1F		1331	1651	1.2F		1825	2048	0.9E		1953	2248	0.8E	
	2324				1721	2001	1.2E		1755	2021	1.0E		1909	2205	0.9E									
8 M	0642	0953	0.6E	23 Tu	0428	0709	1.4F	8 Th	0430	0717	1.2F	23 F	0527	0806	1.4F	8 Sa	0711	0957	1.1E	23 Su	0800	1124	1.1E	
	1148	1445	1.2F		0709	1005	0.9E		0717	1032	0.8E		1119	1432	1.2F		1337	1701	1.1F		1451	1836	1.2F	
	1729	1959	1.0E		1237	1602	1.3F		1314	1619	1.1F		1526	1856	1.2F		1937	2206	0.9E		2104	2347	0.8E	
					1828	2120	1.1E		1859	2129	0.9E		2018	2310	0.9E									
9 Tu	0023	0450	1.2F	24 W	0523	0804	1.4F	9 F	0506	0759	1.3F	24 Sa	0609	0848	1.2E	9 Su	0451	0801	1.5F	24 M	0552	0844	1.2E	
	0736	1046	0.7E		1102	1347	1.3F		1106	1409	1.2F		1201	1523	1.857		1055	1434	1.822		1204	1533	1.3F	
	1249	1550	1.2F		1711	1936	1.0E		1727	2005	1.0E		2123				1822	2050	2325		1932	2204		
	1832	2106	1.0E		1936	2237	1.0E		2005	2243	1.0E		2123				2050	2325	0.9E		2204			
10 W	0116	0537	1.2F	25 Th	0612	0850	1.4F	10 Sa	0542	0842	1.4F	25 Su	0904	0225	0647	1.4F	10 M	0547	0852	1.147	25 Tu	0637	0928	1.2E
	0817	1127	0.8E		1150	1449	1.4F		1141	1500	1.3F		1238	1604	1951		1147	1528	1932		1241	1612	2022	
	1345	1655	1.2F		1815	2042	1.0E		2345	2110	1.0E		2218				2156				2022	2253		
	1936	2225	1.0E		2336	2042	1.0E		2110	2345	1.0E		2218				2156				2022	2253		
11 Th	0200	0616	1.3F	26 F	0656	0931	1.5F	11 Su	0625	0926	1.5F	26 M	0053	0313	0724	1.4F	11 Tu	0027	0258	0647	26 W	0126	0341	0726
	0853	1200	1.0E		1232	1542	1.4F		1220	1547	1.4F		0924	1004	1312	1.3E		0944	1236	1.5E		1011	1316	1.3E
	1436	1756	1.3F		2142				1940	2209	1.4F		1640	2040	1.4F		1619	2031	1.4F		1651	2105	1.4F	
	2038	2327	1.0E		2142				2209				2307				2255				2336			
12 F	0240	0650	1.4F	27 Sa	0026	0307	1.0E	12 M	0039	0323	1.1E	27 Tu	0139	0400	0801	1.5F	12 W	0122	0353	0748	27 Th	0209	0429	0814
	0928	1227	1.1E		0736	1007	1.5F		0714	1010	1.5E		1501	1041	1343	1.4E		0122	0353	0748		0514	0858	1.5F
	1524	1856	1.3F		1310	1626	2008		1501	1634	2038		2352		1715	2123	1.5F		0122	0353		1135	1425	1.4E
	2135				2234				2304				2352				2348				1732	2145	1.5F	
13 Sa	0319	0723	1.5F	28 Su	0111	0346	1.1E	13 Tu	0129	0411	0806	28 W	0222	0447	0839	1.5F	13 Th	0213	0446	0845	28 F	0247	0514	0858
	1005	1256	1.3E		0811	1041	1.5F		0806	1055	1.343		1501	1118	1414	1.4E		0213	0446		0247	0514		
	1608	1953	1.4F		1343	1705	2056		1501	1720	2129		1752	2204	1.5F		1124	1411	1.6E		0514	0858		
	2227				2321				2357				1752	2204	1.5F		1801	2212	1.6F		1135	1425	1.4E	
14 Su	0358	0759	1.5F	29 M	0153	0427	1.1E	14 W	0218	0500	0858	29 Th	0302	0533	0918	1.5F	14 F	0302	0540	0938	29 Sa	0322	0555	0939</

Grays Harbor Entrance, Washington, 2012

F—Flood, Dir. 060° True E—Ebb, Dir. 240° True

January				February				March															
Slack	Maximum		knots	Slack	Maximum		knots	Slack	Maximum		knots												
h m	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m												
1 Su	0011 0643 1351 1904	0311 1019 1708 2221	1.6F 2.4E 0.7F 1.6E	16 M	0622 1323 1908	0954 1556 2206	2.2F 3.1E 1.4F 1.9E	1 W	0103 0724 1504 2045	0341 1122 1846 2349	1.2F 2.4E 0.9F 1.1E	16 Th	0143 0758 1534 2134	0445 1152 1906	1.5F 3.1E 1.7F	1 Th	0025 0622 1400 2004	0250 1018 1639 2304	1.2F 2.3E 0.9F 1.1E	16 F	0141 0738 1507 2112	0503 1130 1843	1.2F 2.9E 1.8F
2 M	0100 0731 1502 2017	0359 1116 1824 2328	1.4F 2.5E 0.9F 1.3E	17 Tu	0054 0719 1439 2029	0348 1104 1757 2329	2.0F 3.2E 1.4F 1.7E	2 Th	0206 0822 1607 2157	0447 1223 1945	1.1F 2.6E 1.2F	17 F	0304 0907 1641 2241	0645 1257 2005	1.6E 1.5F 3.3E 2.1F	2 F	0131 0730 1508 2115	0355 1135 1902	1.0F 2.4E 1.1F	17 Sa	0310 0852 1614 2214	0648 1236 1941	1.3F 2.9E 2.0F
3 Tu	0154 0821 1603 2129	0459 1211 1924	1.3F 2.6E 1.1F	18 W	0158 0821 1552 2147	0500 1212 1920	1.8F 3.4E 1.8F	3 F	0314 0920 1658 2256	0606 1319 2033	1.1F 2.8E 1.5F	18 Sa	0421 1011 1735 2335	0758 1355 2056	1.7F 3.4E 2.4F	3 Sa	0245 0841 1608 2214	0518 1240 1953	0.9F 2.6E 1.4F	18 Su	0427 0959 1707 2303	0752 1334 2030	1.6F 3.0E 2.2F
4 W	0253 0911 1652 2233	0609 1304 2016	1.2F 2.8E 1.4F	19 Th	0309 0923 1656 2257	0627 1314 2021	1.7F 3.6E 2.1F	4 Sa	0417 1014 1739 2344	0721 1408 2113	1.2F 3.1E 1.9F	19 Su	0525 1109 1819	0854 1446 2141	1.9F 3.6E 2.6F	4 Su	0354 0945 1656 2303	0649 1335 2032	1.2F 2.9E 1.8F	19 M	0525 1058 1750 2344	0844 1425 2114	1.9F 3.1E 2.4F
5 Th	0351 0959 1734 2328	0710 1352 2101	1.3F 3.1E 1.7F	20 F	0419 1022 1750 2355	0749 1410 2113	1.8F 3.9E 2.5F	5 Su	0512 1105 1817	0814 1452 2146	1.5F 3.4E 2.2F	20 M	0617 1200 1857	0941 1532 2221	2.1F 3.6E 2.7F	5 M	0452 1043 1738 2344	0756 1423 2103	1.5F 3.2E 2.1F	20 Tu	0612 1149 1826	0930 1510 2151	2.1F 3.1E 2.4F
6 F	0445 1044 1811	0755 1436 2141	1.4F 3.3E 2.0F	21 Sa	0523 1118 1836	0850 1502	2.0F 4.1E 2.7F	6 M	0601 1152 1852	0857 1533 2211	1.8F 3.7E 2.4F	21 Tu	0702 1246 1930	1022 1614 2255	2.2F 3.6E 2.6F	6 Tu	0543 1136 1817	0844 1507 2129	1.9F 3.5E 2.5F	21 W	0651 1233 1858	1010 1551 2222	2.2F 3.1E 2.4F
7 Sa	0534 1127 1845	0832 1517 2215	1.5F 3.6E 2.2F	22 Su	0619 1209 1918	0941 1549 2242	2.1F 4.1E 2.8F	7 Tu	0646 1238 1927	0938 1612 2233	2.1F 3.8E 2.7F	22 W	0742 1328 2001	1057 1653 2321	2.2F 3.5E 2.5F	7 W	0630 1225 1855	0928 1549 2157	2.3F 3.6E 2.7F	22 Th	0726 1314 1927	1044 1629 2243	2.2F 3.0E 2.3F
8 Su	0618 1209 1919	0909 1555 2240	1.7F 3.8E 2.4F	23 M	0709 1256 1955	1024 1633 2320	2.2F 4.1E 2.8F	8 W	0731 1322 2002	1019 1649 2300	2.3F 3.9E 2.8F	23 Th	0820 1407 2030	1125 1729 2338	2.1F 3.2E 2.4F	8 Th	0715 1314 1933	1010 1630 2229	2.6F 3.7E 2.9F	23 F	0759 1353 1956	1111 1704 2256	2.2F 2.8E 2.2F
9 M	0702 1249 1953	0946 1631 2300	1.9F 3.9E 2.5F	24 Tu	0755 1340 2030	1103 1714 2353	2.1F 3.9E 2.7F	9 Th	0817 1408 2039	1101 1727 2332	2.5F 3.8E 2.9F	24 F	0857 1446 2100	1149 1802 2355	2.0F 2.9E 2.3F	9 F	0801 1402 2012	1053 1711 2305	2.8F 3.6E 3.0F	24 Sa	0832 1430 2027	1130 1737 2314	2.1F 2.6E 2.1F
10 Tu	0745 1330 2028	1026 1706 2326	2.0F 3.9E 2.7F	25 W	0839 1422 2103	1137 1753	2.0F 3.6E	10 F	0904 1455 2117	1145 1807	2.5F 3.5E	25 Sa	0936 1525 2132	1216 1833	3.1E 2.6E	10 Sa	0848 1450 2052	1138 1754 2343	2.8F 3.3E 2.9F	25 Su	0907 1508 2100	1153 1807 2339	2.0F 2.4E 2.0F
11 W	0831 1412 2104	1108 1742 2357	2.1F 3.8E 2.7F	26 Th	0923 1504 2135	1209 1829	1.8F 3.2E	11 Sa	0954 1545 2158	1233 1851	2.4F 3.2E	26 Su	1016 1605 2207	1248 1904	1.7F 2.3E	11 Su	1541 2136	1840 3.0E	26 M	1548 2135	1837	2.1E	
12 Th	0919 1457 2142	1152 1821	2.1F 3.6E	27 F	1007 1545 2209	1243 1904	1.6F 2.8E	12 Su	1049 1641 2243	1324 1939	2.1F 2.7E	27 M	1101 1650 2246	1325 1940	1.4F 1.9E	12 M	1031 1636 2223	1316 1931	2.4F 2.5E	27 Tu	1025 1631 2215	1257 1913	1.7F 1.8E
13 F	1011 1547 2223	0033 0704 1241 1904	2.8F 2.9E 2.0F 3.2E	28 Sa	1055 1629 2244	1321 1940	1.4F 2.3E	13 M	1150 1744 2333	1425 2038	1.8F 2.2E	28 Tu	1152 1744 2331	1411 2025	1.2F 1.5E	13 Tu	1129 1737 2317	1417 2032	2.0F 2.1E	28 W	1112 1722 2302	1339 1957	1.5F 1.6E
14 Sa	1108 1644 2307	0113 0753 1335 1953	2.7F 3.0E 1.8F 2.8E	29 Su	1147 1718 2324	1405 2020	1.1F 1.9E	14 Tu	1259 1856	1545 2153	1.5F 1.8E	29 W	1252 1849	1508 2128	1.0F 1.2E	14 W	1236 1846	1545 2146	1.7F 1.7E	29 Th	1205 1821 2358	1431 2056	1.3F 1.3E
15 Su	1212 1751 2357	0157 0849 1437 2052	2.5F 3.0E 1.6F 2.3E	30 M	1246 1818	1500 2112	0.9F 1.5E	15 W	1417 2015	1748 2316	1.5F 1.6E	30 Th	1351 2000	1731 2303	1.6F 1.6E	15 Th	0022 0626 1351 2000	0307 1018 1731 2303	1.5F 3.0E 1.6F 1.6E	30 F	0523 1305 1926	0917 1536 2222	1.4F 1.2F 1.3E
				31 Tu	0009 0631 1353 1929	0249 1017 1638 2228	1.4F 2.4E 0.7F 1.2E													31 Sa	0106 0638 1409 2031	0320 1036 1703 2342	0.9F 2.3E 1.2F 1.5E

Time meridian 120° W. 0000 is midnight. 1200 is noon. Times are not adjusted for Daylight Saving Time.

Grays Harbor Entrance, Washington, 2012

F—Flood, Dir. 060° True E—Ebb, Dir. 240° True

July				August				September							
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum	
h	m	h	m	knots	h	m	h	m	knots	h	m	h	m	knots	
1 Su	0527	0851	2.4F	4.0E	16 M	0558	0927	1.9F	3.2E	1 Sa	0741	1101	2.6F	3.5E	
	1134	1426	2.1E	1.6E		1158	1450	1.6E	1.6E		1342	1658	3.3E	3.3E	
	1655	2003	2.2F	1.4F		1719	2028	1.4F	1.4F		2003	2313	2.3F	2.3F	
	2300					2312									
2 M	0247	0438	4.3E	4.0E	17 Tu	0633	1004	2.1F	2.1F	2 Su	0812	1123	2.4F	3.2E	
	0619	0943	2.7F	1.8E		0633	1004	2.1F	2.1F		0812	1123	2.4F	2.4F	
	1230	1521	2.3E	1.6F		1240	1534	1.8E	1.8E		1416	1736	3.3E	3.3E	
	1754	2102	2.3F	1.6F		1805	2101	1.6F	1.6F		2042	2342	2.1F	2.1F	
2353				2355											
3 Tu	0338	0448	4.4E	4.0E	18 W	0706	1034	2.2F	2.2F	3 M	0844	1141	2.3F	3.2E	
	0707	1031	2.9F	1.7F		0706	1034	2.2F	2.2F		0844	1141	2.3F	2.3F	
	1321	1613	2.5E	1.7F		1318	1614	2.0E	2.0E		1449	1811	3.2E	3.2E	
	1850	2156	2.3F	1.7F		1848	2136	1.7F	1.7F		2121				
4 W	0426	0426	4.4E	3.6E	19 Th	0035	0418	3.6E	3.6E	4 Tu	0010	019F	1.9F	2.9E	
	0752	1116	3.0F	2.3F		0739	1054	2.3F	2.3F		0314	0623	2.6E	2.6E	
	1407	1702	2.6E	2.2E		1354	1652	2.2E	2.2E		0917	1204	2.1F	2.1F	
	1944	2246	2.2F	1.8F		1931	2212	1.8F	1.8F		1522	1846	3.1E	3.1E	
5 Th	0513	0513	4.3E	3.7E	20 F	0115	0452	3.7E	3.7E	5 W	0040	017F	1.7F	2.5F	
	0835	1158	3.0F	2.5F		0812	1113	2.5F	2.5F		0356	0656	2.2E	2.2E	
	1451	1750	2.7E	2.5E		1429	1728	2.5E	2.5E		0952	1232	1.9F	1.9F	
	2036	2333	2.1F	2.0F		2014	2251	2.0F	2.0F		1556	1922	2.9E	2.9E	
6 F	0558	0558	4.0E	3.6E	21 Sa	0156	0526	3.6E	3.6E	6 Th	0117	015F	1.5F	2.2F	
	0915	1238	2.8F	2.7E		0845	1139	2.6F	2.6F		0441	0733	1.9E	1.9E	
	1533	1837	2.7E	2.7E		1504	1803	2.7E	2.7E		1032	1306	1.6F	1.6F	
	2129			2.0F		2059	2333	2.0F	2.0F		1632	2003	2.6E	2.6E	
7 Sa	0020	0020	1.9F	3.4E	22 Su	0239	0602	3.4E	3.4E	7 F	0202	0212F	1.2F	1.8E	
	0309	0643	3.6E	2.6F		0921	1211	2.6F	2.6F		0534	0820	1.5E	1.5E	
	0955	1314	2.6F	2.8E		1540	1842	2.8E	2.8E		1118	1346	1.3F	1.3F	
	1615	1924	2.7E	2.7E		2148					1715	2056	2.4E	2.4E	
2223				23 M	0326	0642	3.2E	3.2E	8 Sa	0300	0300	1.0F	1.7F		
8 Su	0107	0107	1.6F		2.0F	0326	0642	3.2E		3.2E	0637	0929	1.2E	1.2E	
	0358	0727	3.1E		2.6F	1000	1248	2.6F		2.6F	1214	1436	1.1F	1.1F	
	1033	1348	2.3F		3.0E	1619	1925	3.0E		3.0E	1809	2206	2.3E	2.3E	
	1656	2012	2.7E	2.7E	2241										
2319				24 Tu	0108	0108	1.9F	1.9F	9 Su	0530	0530	0.9F	1.8E		
9 M	0159	0159	1.3F		2.8E	0418	0727	2.8E		2.8E	0747	1054	1.2E	1.2E	
	0448	0813	2.6E		2.5F	1041	1329	2.5F		2.5F	1321	1543	0.9F	0.9F	
	1113	1422	2.0F		3.1E	1701	2015	3.1E		3.1E	1915	2319	2.3E	2.3E	
	1739	2103	2.6E	2.6E	2340										
10 Tu	0305	0305	1.1F	0.8F	25 W	0204	0519	0.8F	0.8F	10 M	0644	0644	1.1F	2.9E	
	0544	0904	2.1E	1.3E		0519	0819	1.3E	1.3E		0856	1204	1.3E	1.3E	
	1155	1459	1.7F	2.4E		1128	1416	2.3F	2.3F		1435	1710	0.8F	0.8F	
	1823	2156	2.5E	3.1E		1748	2114	3.1E	3.1E		2025				
11 W	0441	0441	0.9F	2.5E	26 Th	0045	0311	1.5F	1.5F	11 Tu	0022	0022	2.5E	3.0E	
	0646	1002	1.7E	2.0E		0630	0923	2.0E	2.0E		0348	0735	1.4F	1.4F	
	1241	1544	1.5F	2.1F		1221	1511	2.1F	2.1F		0954	1302	1.6E	1.6E	
	1910	2252	2.6E	3.2E		1843	2222	3.2E	3.2E		1544	1856	1.1F	1.1F	
12 Th	0558	0558	0.9F	1.4F	27 F	0156	0440	1.4F	1.4F	12 W	0117	0117	2.7E	3.1E	
	0754	1105	1.4E	1.7E		0748	1043	1.7E	1.7E		0436	0815	1.7F	1.7F	
	1333	1639	1.3F	1.9F		1322	1615	1.9F	1.9F		1042	1352	2.0E	2.0E	
	1959	2349	2.6E	3.3E		1943	2332	3.3E	3.3E		1640	1953	1.4F	1.4F	
13 F	0702	0702	1.1F	1.6F	28 Sa	0309	0634	1.6F	1.6F	13 Th	0205	0205	3.0E	3.1E	
	0905	1209	1.3E	1.7E		0906	1204	1.7E	1.7E		0517	0846	2.0F	2.0F	
	1430	1750	1.2F	1.8F		1430	1732	1.8F	1.8F		1122	1435	2.5E	2.5E	
	2050			1.2F		2047			1.2F		1728	2033	1.8F	1.8F	
14 Sa	0043	0043	2.8E	3.5E	29 Su	0039	0039	3.5E	3.5E	14 F	0248	0248	3.2E	3.2E	
	0435	0756	1.4F	2.0F		0416	0745	2.0F	2.0F		0555	0909	2.3F	2.3F	
	1012	1308	1.3E	1.8E		1019	1313	1.8E	1.8E		1200	1515	3.0E	3.0E	
	1530	1903	1.2F	1.8F		1542	1858	1.8F	1.8F		1812	2111	2.2F	2.2F	
2140				30 M	0139	0139	3.8E	3.8E	15 Sa	0328	0328	3.4E	3.4E		
15 Su	0133	0133	3.0E		2.3F	0515	0842	2.3F		2.3F	0631	0933	2.5F	2.5F	
	0520	0845	1.6F		2.1E	1121	1414	2.1E		2.1E	1236	1553	3.4E	3.4E	
	1109	1402	1.4E		2.0F	1649	2013	2.0F		2.0F	1854	2149	2.5F	2.5F	
	1627	1952	1.3F	1.7F	2249			1.7F							
2227				31 Tu	0234	0234	4.0E	4.0E	16 Su	0058	0058	0.410	2.9E		
16 Su	0234	0234	4.0E		2.6F	0607	0932	2.6F		2.6F	0707	1024	2.3F	2.3F	
	0607	0932	2.6F		2.4E	1213	1507	2.4E		2.4E	1303	1629	3.5E	3.5E	
	1213	1507	2.4E		2.1F	1750	2111	2.1F		2.1F	1943	2259	2.3F	2.3F	
	1750	2111	2.1F	2.1F	2344			2.1F							
17 M	0220	0220	3.2E	4.1E	1 W	0652	1016	2.8F	4.1E	17 Th	0634	0958	2.2F	3.4E	
	0324	0324	4.1E	2.8F		1259	1557	2.6E	2.6E		1242	1546	2.4E	2.4E	
	0831	0831	3.0E	2.3F		1844	2201	2.3F	2.3F		1831	2124	1.9F	1.9F	
	1317	1317	2.8E	2.2F											
18 Tu	0355	0355	3.6E	4.1E	2 Th	0035	0411	4.1E	4.1E	18 F	0021	0355	3.6E	3.6E	
	0708	0708	2.4F	2.9F		0733	1057	2.9F	2.9F		0708	1016	2.4F	2.4F	
	1317	1317	2.8E	2.9E		1341	1642	2.9E	2.9E		1317	1623	2.8E	2.8E	
	1913	1913	2.2F	3.0E		1934	2245	3.0E	3.0E		1913	2201	2.2F	2.2F	
19 W	0431	0431	3.6E	3.9E	3 F	0122	0455	3.9E	3.9E	19 Sa	0104	0431	3.6E	3.6E	
	0741	0741	2.6F	2.8F		0810	1133	2.8F	2.8F		0741	1039	2.6F	2.6F	
	1351	1351	3.1E	2.2F		1420	1726	3.0E	3.0E		1351	1659	3.1E	3.1E	
	1956	1956	2.3F	2.2F		2021	2325	2.2F	2.2F		1956	2240	2.3F	2.3F	
20 Th	0507	0507	3.5E	3.7E	4 Sa	0208	0536	3.7E	3.7E	20 M	0233	0544	3.4E	3.4E	
	0816	0816	2.7F	3.0E		0846	1204	2.7F	3.0E		0853	1142	2.8F	2.8F	
	1426	1426	3.3E	3.0E		1457	1808	3.0E	3.0E		1503	1814	3.5E	3.5E	
	2041	2041	2.4F	2.0F		2107			2.0F		2128			2.0F	
21 Tu	0002	0002	2.0F	2.0F	5 Su	0251	0616	3.3E	2.0F	21 Tu	0321	0625	3.1E	2.4F	
	0251	0251	3.3E	3.0E		0920	1229	2.4F	3.0E		0932	1220	2.7F	3.1E	
	0920	0920	2.4F	2.9E		1533	1849	3.0E	2.9E		1542	185			

Grays Harbor Entrance, Washington, 2012

F—Flood, Dir. 060° True E—Ebb, Dir. 240° True

October				November				December															
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum									
	h	m	knots		h	m	knots		h	m	knots		h	m	knots								
1 M	0138	0448	2.8E	16 Tu	0130	0429	3.1E	1 Th	0241	0535	2.1E	16 F	0301	0553	2.6E	16 Su	0305	0555	1.9E				
	0738	1040	2.2F		0717	1008	2.8F		0814	1051	1.8F		0833	1120	2.4F		0833	1102	1.6F	0335	0633	3.0F	
	1335	1704	3.5E		1316	1646	4.5E		1400	1737	3.4E		1425	1804	4.4E		1405	1747	3.4E	0918	1205	2.1F	
	2018	2324	2.2F		2006	2303	3.0F		2104	2354	2.0F		2130				2118			1503	1840	4.0E	
2 Tu	0217	0523	2.6E	17 W	0219	0514	2.9E	2 F	0321	0609	1.9E	17 Sa	0353	0647	2.5E	2 Su	0344	0630	1.9E	17 M	0422	0725	2.7E
	0809	1058	2.1F		0801	1049	2.7F		0853	1122	1.6F		0928	1211	2.1F		0916	1139	1.5F		1016	1300	1.8F
	1406	1736	3.4E		1358	1730	4.4E		1429	1807	3.2E		1515	1856	4.0E		1438	1820	3.2E		1555	1930	3.5E
	2052	2345	2.1F		2054	2350	2.9F		2141				2220				2155				2244		
3 W	0256	0556	2.3E	18 Th	0310	0601	2.7E	3 Sa	0403	0645	1.7E	18 Su	0446	0744	2.3E	3 M	0424	0709	1.9E	18 Tu	0509	0819	2.6E
	0843	1123	1.9F		0848	1133	2.5F		0935	1158	1.5F		1029	1308	1.7F		1004	1221	1.4F		1120	1403	1.4F
	1437	1806	3.2E		1443	1817	4.2E		1459	1843	3.0E		1611	1952	3.5E		1515	1859	3.0E		1651	2023	2.9E
	2129				2145				2223				2313				2235				2330		
4 Th	0336	0628	2.0E	19 F	0403	0654	2.4E	4 Su	0449	0728	1.6E	19 M	0541	0846	2.3E	4 Tu	0506	0754	1.9E	19 W	0558	0916	2.6E
	0919	1152	1.7F		0939	1221	2.2F		1024	1240	1.3F		1139	1418	1.3F		1058	1310	1.2F		1231	1530	1.1F
	1507	1838	3.0E		1532	1910	3.9E		1534	1926	2.8E		1712	2054	3.0E		1601	1944	2.7E		1753	2121	2.4E
	2210				2239				2308								2318				2330		
5 F	0420	0704	1.8E	20 Sa	0500	0755	2.1E	5 M	0539	0822	1.5E	20 Tu	0637	0950	2.3E	5 W	0550	0848	2.0E	20 Th	0647	1015	2.6E
	1000	1227	1.5F		1037	1316	1.8F		1121	1330	1.1F		1300	1610	1.1F		1200	1407	1.1F		1349	1703	1.0F
	1539	1915	2.8E		1627	2010	3.5E		1621	2017	2.5E		1822	2200	2.5E		1703	2037	2.4E		1901	2224	1.9E
	2255				2338				2358												2330		
6 Sa	0510	0749	1.5E	21 Su	0602	0904	2.0E	6 Tu	0632	0931	1.6E	21 W	0732	1053	2.4E	6 Th	0637	0950	2.2E	21 F	0737	1113	2.6E
	1048	1307	1.3F		1147	1424	1.4F		1228	1432	0.9F		1425	1739	1.2F		1307	1516	1.0F		1505	1815	1.1F
	1615	2002	2.5E		1732	2120	3.0E		1730	2118	2.3E		1936	2305	2.2E		1824	2140	2.1E		2014	2327	1.6E
	2347																				2330		
7 Su	0608	0851	1.3E	22 M	0042	0424	1.9F	7 W	0052	0337	1.6F	22 Th	0204	0558	1.9F	7 F	0057	0345	1.9F	22 Sa	0203	0603	1.5F
	1145	1358	1.0F		0707	1015	2.0E		0726	1042	1.8E		0825	1152	2.6E		0727	1055	2.5E		0827	1209	2.8E
	1705	2101	2.3E		1310	1621	1.1F		1341	1549	0.8F		1540	1846	1.4F		1417	1637	1.1F		1610	1916	1.3F
					1845	2231	2.7E		1859	2234	2.1E		2050				1949	2255	2.0E		2127		
8 M	0045	0321	1.2F	23 Tu	0150	0538	1.9F	8 Th	0148	0441	1.6F	23 F	0301	0652	2.0E	8 Sa	0153	0445	1.9F	23 Su	0300	0628	1.5E
	0711	1015	1.3E		0810	1123	2.1E		0817	1143	2.2E		0914	1246	2.9E		0818	1156	3.0E		0916	1302	3.0E
	1255	1503	0.8F		1440	1802	1.2F		1451	1719	1.0F		1638	1942	1.6F		1522	1811	1.4F		1701	2009	1.6F
	1820	2219	2.2E		2002	2339	2.6E		2022	2347	2.2E		2159				2108				2232		
9 Tu	0147	0454	1.2F	24 W	0255	0638	2.0F	9 F	0244	0543	1.8F	24 Sa	0353	0739	1.9F	9 Su	0251	0548	2.0F	24 M	0356	0748	1.5F
	0812	1127	1.5E		0907	1223	2.5E		0906	1237	2.7E		0958	1334	3.2E		0910	1253	3.5E		1002	1350	3.2E
	1411	1627	0.8F		1556	1908	1.5F		1551	1848	1.4F		1724	2032	1.9F		1621	1933	1.8F		1742	2057	1.8F
	1943	2335	2.3E		2115				2134				2257				2218				2327		
10 W	0247	0628	1.4F	25 Th	0040	0400	2.5E	10 Sa	0337	0639	2.0F	25 Su	0440	0821	1.8F	10 M	0349	0649	2.2F	25 Tu	0448	0829	1.5F
	0907	1226	1.9E		0353	0729	2.1F		0952	1326	3.3E		1039	1419	3.4E		1002	1347	3.9E		1046	1435	3.3E
	1520	1809	1.0F		1654	2003	1.8F		1644	1951	1.9F		1802	2117	2.1F		1715	2032	2.3F		1818	2140	2.0F
	2056				2220				2237				2347				2320				2330		
11 Th	0340	0710	1.7F	26 F	0134	0515	2.5E	11 Su	0428	0728	2.3F	26 M	0522	0855	1.8F	11 Tu	0446	0747	2.3F	26 W	0535	0901	1.5F
	0954	1316	2.4E		0441	0815	2.2F		1036	1412	3.8E		1118	1500	3.5E		1053	1438	4.3E		1127	1516	3.5E
	1617	1924	1.4F		1039	1404	3.2E		1732	2041	2.4F		1836	2158	2.2F		1806	2124	2.7F		1850	2218	2.1F
	2201				1739	2052	2.1F		2315												2327		
12 F	0129	0429	2.6E	27 Sa	0222	0522	2.5E	12 M	0236	0526	2.6E	27 Tu	0031	0324	2.0E	12 W	0017	0309	2.4E	27 Th	0054	0345	1.8E
	0743	1043	2.0F		0522	0854	2.2F		0517	0814	2.5F		0601	0919	1.7F		0541	0841	2.5F		0617	0923	1.6F
	1037	1401	2.9E		1117	1447	3.4E		1121	1458	4.3E		1154	1538	3.6E		1143	1527	4.6E		1206	1554	3.6E
	1706	2012	1.9F		1818	2135	2.2F		1819	2128	2.8F		1908	2234	2.2F		1854	2212	3.0F		1921	2251	2.2F
13 Sa	0216	0516	2.9E	28 Su	0003	0306	2.5E	13 Tu	0028	0325	2.7E	28 W	0111	0405	2.0E	13 Th	0109	0401	2.6E	28 F	0132	0425	1.9E
	0816	1116	2.3F		0558	0926	2.1F		0605	0900	2.6F		0638	0936	1.7F		0635	0933	2.5F		0657	0947	1.6F
	1117	1443	3.5E		1153	1526	3.6E		1205	1543	4.6E		1229	1614	3.6E		1233	1615	4.7E		1243	1629	3.6E
	1752	2055	2.3F		1852	2213	2.3F		1906	2213	3.0F		1939	2305	2.2F		1941	2258	3.1F		1952	2316	2.3F
14 Su	0301	0601	3.0E	29 M	0045	0347	2.4E	14 W	0120	0413	2.7E	29 Th	0149	0443	2.0E	14 F	0159	0451	2.7E	29 Sa	0208	0503	2.0E
	0851	1151	2.5F		0632	0949	2.0F		0652	0946	2.7F		0715	1000	1.7F		0728	1023	2.5F		0737	1016	1.7F
	1156	1523	3.9E		1226	1602	3.6E		1250	1628	4.7E		1302	1647	3.6E		1323	1703	4.7E		1318	1701	3.6E
	1836	2137	2.7F		1925	2247	2.3F		1953	2300	3.1F		2010	2326	2.2F		2027	2344	3.1F		2023	2330	2.3F
15 M	0040	0345	3.1E	30 Tu	0125	0425	2.3E	15 Th	0210	0502	2.7E	30 F	0227	0520	1.9E	15 Sa	0247	0542	2.7E	30 Su	0243	0538	2.1E
	0635	0928	2.7F		0705	1003	1.9F		0741	1032	2.6F		0753	1029	1.7F		0822	1114	2.4F		0817	1050	1.7F

Strait of Juan de Fuca Entrance, 2012

F—Flood, Dir. 115° True E—Ebb, Dir. 290° True

January				February				March																		
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum												
h	m	h	m	h	m	h	m	h	m	h	m	h	m	h	m											
1 Su		0108	0.9E	16 M		0046	1.1E	1 W		0249	0.7E	16 Th		0322	0.9E	1 Th		0209	0.8E	16 F		0310	1.1E			
	0501	0709	0.4F		0429	0640	0.5F		0801	*	0836		*	0718	*		0718	*	0718		*	0718	*	0836	*	
	0910	1359	1.6E		0845	1323	1.9E		1445	1.6E	1506		1.9E	1349	1.4E		1349	1.4E	1349		1.4E	1349	1.4E	1449	1.6E	
		2042	*		1803	2012	0.5F		1942	2157	0.4F		1933	2215	0.8F		1844	2329	2101		0.4F	1844	2329	2101	0.4F	1909
2 M		0219	0.8E	17 Tu		0205	0.9E	2 Th		0408	0.8E	17 F		0440	1.0E	2 F		0327	0.8E	17 Sa		0421	1.2E			
		0759	*		0550	0739	0.3F		0907	*	0955		*	0832	*		0832	*	0832		*	0832	*	0956	*	
		1449	1.6E		0922	1423	1.9E		1541	1.6E	1615		1.9E	1454	1.4E		1454	1.4E	1454		1.4E	1454	1.4E	1603	1.6E	
	1951	2146	0.3F		1900	2126	0.7F		2023	2253	0.6F		2032	2317	1.0F		1936	2203	0.5F		1936	2203	0.5F	2013	2250	0.8F
3 Tu		0335	0.8E	18 W		0330	0.9E	3 F		0514	0.9E	18 Sa		0543	1.2E	3 Sa		0433	0.9E	18 Su		0518	1.4E			
		0855	*		0847	*	1013		*	1106	*		0946	*	0946		*	0946	*		0946	*	1105	*		
		1538	1.7E		1526	2.0E	1634		1.7E	1718	1.9E		1557	1.5E	1557		1.5E	1557	1.5E		1557	1.5E	1708	1.6E		
	2027	2243	0.5F		1955	2235	0.9F		2101	2340	0.8F		2124					2023	2256		0.7F	2023	2256	0.7F	2110	2342
4 W		0445	0.8E	19 Th		0449	1.0E	4 Sa		0605	1.0E	19 Su		0633	1.4E	4 Su		0523	1.1E	19 M		0605	1.5E			
		0951	*		0958	*	1111		*	1206	*		1049	*	1049		*	1049	*		1049	*	1018	1201	0.4F	
		1625	1.7E		1628	2.1E	1723		1.8E	1813	1.9E		1654	1.6E	1654		1.6E	1654	1.6E		1654	1.6E	1344	1804	1.6E	
	2101	2332	0.7F		2046	2335	1.1F		2138					2106	2341		0.8F	2106	2341		0.8F	2106	2341	0.8F	2200	
5 Th		0545	0.9E	20 F		0555	1.1E	5 Su		0022	0.9F	20 M		0055	1.1F	5 M		0604	1.3E	20 Tu		0027	0.8F			
		1046	*		1106	*	1202		*	1258	0.4F		1142	*	1142		*	1142	*		1142	*	0254	0646	1.6E	
		1709	1.8E		1726	2.1E	1808		1.8E	1902	1.9E		1745	1.7E	1745		1.7E	1745	1.7E		1745	1.7E	1050	1249	0.5F	
	2133				2135								2146					2146					1448	1852	1.6E	
6 F		0015	0.8F	21 Sa		0027	1.2F	6 M		0100	1.0F	21 Tu		0135	1.1F	6 Tu		0021	0.9F	21 W		0106	0.8F			
		0635	1.0E		0651	1.3E	0723		1.3E	0830	0.5F		0641	1.5E	0641		1.5E	0641	1.5E		0641	1.5E	0326	0721	1.7E	
		1136	*		1207	*	1247		*	1344	0.5F		1047	1.229	1047		1.229	1047	1.229		1047	1.229	1122	1331	0.6F	
	2206				1819	2.2E	1851		1.9E	1946	1.8E		1409	1832	1.8E		1409	1832	1.8E		1409	1832	1.8E	1541	1935	1.6E
7 Sa		0053	1.0F	22 Su		0114	1.3F	7 Tu		0135	1.1F	22 W		0212	1.0F	7 W		0059	0.9F	22 Th		0140	0.7F			
		0354	1.1E		0418	1.4E	0427		1.4E	0449	1.7E		0334	0.716	0334		0.716	0334	0.716		0334	0.716	0353	0754	1.8E	
		1222	*		1302	*	1331		0.3F	1426	0.5F		1113	1313	0.6F		1113	1313	0.6F		1113	1313	0.6F	1154	1409	0.7F
	2239				1909	2.1E	1933		1.9E	2027	1.8E		1514	1918	1.8E		1514	1918	1.8E		1514	1918	1.8E	1627	2014	1.5E
8 Su		0130	1.1F	23 M		0157	1.3F	8 W		0210	1.1F	23 Th		0246	0.9F	8 Th		0136	1.0F	23 F		0213	0.6F			
		0433	1.2E		0458	1.5E	0458		1.6E	0515	1.7E		0406	0.752	0406		0.752	0406	0.752		0406	0.752	0417	0825	1.8E	
		1305	*		1353	0.3F	1414		0.4F	1506	0.5F		1144	1358	0.8F		1144	1358	0.8F		1144	1358	0.8F	1227	1445	0.7F
	2312				1519	1.9E	2015		1.9E	2106	1.6E		1612	2003	1.8E		1612	2003	1.8E		1612	2003	1.8E	1709	2051	1.5E
9 M		0204	1.2F	24 Tu		0237	1.3F	9 Th		0245	1.1F	24 F		0317	0.8F	9 F		0214	0.9F	24 Sa		0243	0.5F			
		0508	1.3E		0532	1.6E	0527		1.7E	0539	1.7E		0438	0.829	0438		0.829	0438	0.829		0438	0.829	0438	0.829	0438	0.829
		1346	*		1440	0.3F	1458		0.5F	1545	0.5F		1221	1443	0.9F		1221	1443	0.9F		1221	1443	0.9F	1300	1521	0.7F
	2347				1612	2.0E	2059		1.9E	2144	1.5E		1708	2049	1.8E		1708	2049	1.8E		1708	2049	1.8E	1749	2128	1.4E
10 Tu		0239	1.2F	25 W		0314	1.2F	10 F		0321	1.0F	25 Sa		0348	0.6F	10 Sa		0252	0.9F	25 Su		0313	0.4F			
		0539	1.4E		0603	1.6E	0557		1.8E	0600	1.008		0510	0.907	0510		0.907	0510	0.907		0510	0.907	0457	0925	1.8E	
		1428	*		1526	0.3F	1545		0.6F	1625	0.5F		1302	1530	1.0F		1302	1530	1.0F		1302	1530	1.0F	1335	1557	0.7F
	2027	1.9E	1701		2121	1.8E	2145		1.7E	2223	1.3E		1803	2137	1.7E		1803	2137	1.7E		1803	2137	1.7E	1828	2206	1.2E
11 W		0023	1.2F	26 Th		0350	1.0F	11 Sa		0358	0.9F	26 Su		0420	0.5F	11 Su		0332	0.7F	26 M		0344	*			
		0610	1.5E		0631	1.7E	0626		1.9E	0620	1.7E		0542	0.949	0542		0.949	0542	0.949		0542	0.949	0957	1.7E		
		1512	*		1435	1.611	1636		0.7F	1708	0.5F		1349	1620	1.0F		1349	1620	1.0F		1349	1620	1.0F	1412	1636	0.7F
	2108	1.8E	1748		2203	1.6E	2235		1.5E	2305	1.1E		1900	2229	1.5E		1900	2229	1.5E		1900	2229	1.5E	1908	2247	1.1E
12 Th		0102	0.348	27 F		0424	0.8F	12 Su		0439	0.8F	27 M		0453	0.3F	12 M		0416	0.6F	27 Tu		0418	*			
		0639	1.6E		0657	1.7E	0657		2.0E	0637	1.119		0614	1.035	0614		1.035	0614	1.035		0614	1.035	1031	1.6E		
		1600	*		1523	1.657	1733		0.7F	1556	1.756		1441	1.715	1441		1.715	1441	1.715		1441	1.715	1455	1.719	0.6F	
	2153	1.7E	1834		2245	1.4E	2331		1.3E	2354	1.0E		2004	2354	1.0E		2000	2326	1.3E		2000	2326	1.3E	1953	2335	1.0E
13 F		0143	0.425	28 Sa		0459	0.7F	13 M		0524	0.6F	28 Tu		0532	*	13 Tu		0505	0.4F	28 W		0458	*			
		0708	1.056		0720	1.131	0728		1.155	0728	1.155		0647	1.126	0647		1.126	0647	1.126		0647	1.126	1111	1.5E		
		1521	1.653		1614	1.747	1836		0.7F	1619	1.836		1541	1.816	1541		1.816	1541	1.816		1541	1.816	1543	1.807	0.6F	
	1826	2.243	1.5E		1924	2.331	2106			2102			2102		2105			2105			2105		2042			
14 Sa		0230	0.505	29 Su		0535	0.5F	14 Tu		0616	0.3F	29 W		0618	*	14 W		0602	1.2E	29 Th		0546	*			
		0739	1.140		0742	1.213	0801		1.252	0801	1.252		0618	1.250	0618		1.250	0618	1.250		0618	1.250	1159	1.4E		
		1611	1.752		1842	*	1723		1.948	1948	0.7F		1747	1.954	1747		1.954	1747	1.954		1747	1.954	1638	1.903	0.5F	
	1938	2.339	1.3E				2228																			

Strait of Juan de Fuca Entrance, 2012

F—Flood, Dir. 115° True E—Ebb, Dir. 290° True

April				May				June																										
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum																				
h	m	h	m	h	m	h	m	h	m	h	m	h	m	h	m																			
1		0345	1.1E	16		0035	0444	1.5E	1		0344	1.5E	16		0009	0448	1.8E	1		0439	2.1E	16		0950	1228	0.8E	16		0950	1228	0.8E			
Su		0921	*	M		0915	1055	0.3F	Tu		1000	*	W		0915	1126	0.6F	F		0854	1130	1.0F	Sa		1521	1844	1.0E	Sa		1521	1844	1.0E		
		1518	1.3E			1237	1651	1.4E			1551	1.2E			1346	1725	1.1E			1420	1737	1.2E			2349	*	*			2349	*	*		
		1936	2.2E			2048	2303	0.6F			2159	0.5F			2122	2303	0.3F			2120	2302	0.4F												
2		0029	0434	1.3E	17		0117	0529	1.7E	2		0008	0430	1.7E	17		0041	0528	1.8E	2		0039	0528	2.3E	17		0606	1.9E	17		0606	1.9E		
M		1025	*	Tu		0947	1148	0.5F	W		0852	1057	0.5F	Th		0948	1212	0.7F	Sa		0936	1223	1.2F	Su		1022	1307	0.9F	Su		1022	1307	0.9F	
		1623	1.4E			1352	1748	1.4E			1306	1655	1.3E			1446	1818	1.1E			1524	1836	1.3E			1606	1928	1.1E			1606	1928	1.1E	
		2027	2.2E			2143	2349	0.5F			2043	2250	0.5F			2346	*			2222	2357	0.3F												
3		0115	0517	1.5E	18		0152	0608	1.8E	3		0051	0514	1.9E	18		0605	1.9E	3		0127	0616	2.4E	18		0032	*	18		0032	*			
Tu		0937	1120	0.3F	W		1019	1233	0.7F	Th		0923	1149	0.8F	F		1019	1252	0.8F	Su		1019	1313	1.4F	M		0642	1.9E	M		0642	1.9E		
		1418	1720	1.5E			1452	1837	1.4E			1421	1754	1.4E			1537	1904	1.1E			1621	1932	1.4E			1054	1343	1.0F			1054	1343	1.0F
		2115	2336	0.7F			2232	*			2138	2338	0.5F				*			2322	*			1646	2009	1.1E			1646	2009	1.1E			
4		0156	0557	1.7E	19		0222	0643	1.8E	4		0133	0558	2.1E	19		0025	*	4		0050	0.3F	19		0113	*	19		0113	*				
W		1001	1209	0.6F	Th		1050	1313	0.8F	F		1000	1238	1.1F	Sa		0639	1.9E	M		0215	0705	2.4E	Tu		0718	1.9E	Tu		0718	1.9E			
		1418	1813	1.6E			1543	1920	1.4E			1525	1848	1.4E			1050	1329	0.9F			1104	1401	1.5F			1126	1418	1.1F			1126	1418	1.1F
		2202	*			2318	*			2231	*			1621	1946	1.2E			1712	2024	1.4E			1722	2047	1.2E			1722	2047	1.2E			
5		0234	0635	1.9E	20		0248	0716	1.9E	5		0025	0.5F	20		0102	*	5		0021	0144	0.3F	20		0153	*	20		0153	*				
Th		1032	1255	0.9F	F		1121	1350	0.9F	Sa		0215	0642	2.3E	Su		0712	1.9E	Tu		0304	0754	2.4E	W		0753	1.9E	W		0753	1.9E			
		1522	1902	1.7E	●		1627	2000	1.3E	○		1040	1326	1.3F	●		1121	1405	1.0F			1151	1449	1.5F			1159	1452	1.1F			1159	1452	1.1F
		2248	*			2318	*			1623	1940	1.5E			1701	2026	1.2E			1800	2116	1.5E			1756	2123	1.2E			1756	2123	1.2E		
6		0310	0714	2.1E	21		0002	0137	0.3F	6		0112	0.5F	21		0138	*	6		0238	*	21		0233	*	21		0233	*					
○		1108	1341	1.1F	Sa		0310	0746	1.9E	Su		0256	0726	2.4E	M		0744	1.9E	W		0843	2.3E	Th		0829	1.8E	Th		0829	1.8E				
		1620	1951	1.7E			1151	1425	0.9F			1122	1414	1.5F			1152	1439	1.0F			1238	1536	1.5F			1233	1525	1.1F			1233	1525	1.1F
		2334	*			1707	2038	1.3E			1717	2032	1.5E			1739	2105	1.2E			1846	2207	1.5E			1828	2159	1.3E			1828	2159	1.3E	
7		0142	0.7F	22		0209	*	7		0021	0201	0.4F	22		0214	*	7		0333	*	22		0314	*	22		0314	*						
Sa		0346	0755	2.2E	Su		0816	1.8E	M		0337	0812	2.4E	Tu		0816	1.8E	Th		0933	2.1E	F		0907	1.8E	F		0907	1.8E					
		1147	1428	1.2F			1222	1459	0.9F			1208	1502	1.5F			1224	1514	1.0F			1327	1624	1.4F			1309	1600	1.0F			1309	1600	1.0F
		1715	2040	1.7E			1746	2116	1.2E			1809	2125	1.5E			1815	2143	1.2E			1928	2258	1.6E			1858	2235	1.3E			1858	2235	1.3E
8		0024	0224	0.6F	23		0241	*	8		0121	0251	0.3F	23		0251	*	8		0432	*	23		0400	*	23		0400	*					
Su		0422	0837	2.3E	M		0847	1.8E	Tu		0418	0859	2.3E	W		0850	1.8E	F		1026	1.8E	Sa		0949	1.6E	Sa		0949	1.6E					
		1231	1516	1.3F			1255	1534	0.9F			1256	1552	1.5F			1258	1549	1.0F			1419	1711	1.2F			1348	1635	1.0F			1348	1635	1.0F
		1810	2131	1.6E			1824	2155	1.2E			1900	2219	1.5E			1851	2223	1.2E			2009	2350	1.6E			1927	2312	1.4E			1927	2312	1.4E
9		0118	0309	0.5F	24		0314	*	9		0344	*	24		0331	*	9		0534	*	24		0450	*	24		0450	*						
M		0457	0922	2.3E	Tu		0919	1.7E	W		0949	2.1E	Th		0926	1.7E	Sa		1121	1.6E	Su		1035	1.5E	Su		1035	1.5E						
		1319	1606	1.3F			1330	1611	0.9F			1347	1643	1.3F			1335	1625	1.0F			1513	1800	1.0F			1431	1714	0.9F			1431	1714	0.9F
		1904	2224	1.5E			1902	2236	1.1E			1949	2315	1.5E			1926	2303	1.2E			2047	*			1957	2353	1.5E			1957	2353	1.5E	
10		0220	0358	0.4F	25		0351	*	10		0443	*	25		0416	*	10		0042	1.6E	25		0547	*	25		0547	*						
Tu		0533	1010	2.2E	W		0954	1.7E	Th		1043	1.9E	F		1007	1.6E	Su		0641	*	M		1128	1.3E	M		1128	1.3E						
		1411	1659	1.2F			1409	1650	0.8F			1443	1736	1.2F			1415	1704	0.9F			1222	1.3E			1520	1755	0.7F			1520	1755	0.7F	
		2000	2323	1.4E			1942	2321	1.1E			2038	*			2000	2346	1.2E			1613	1849	0.8F			2027	*			2027	*			
11		0452	*	26		0433	*	11		0014	1.5E	26		0508	*	11		0135	1.6E	26		0038	1.6E	26		0038	1.6E							
W		1102	2.0E	Th		1033	1.6E	F		0549	*	Sa		1053	1.5E	M		0750	*	Tu		0651	*	Tu		0651	*							
		1509	1757	1.1F			1452	1733	0.8F			1142	1.7E	○		1718	1.940	0.6F	○		1328	1.1E	○		1230	1.2E	○		1230	1.2E				
		2057	*			2024	*			1543	1832	1.0F			2035	0.8F			2156	0.6F			1841	2032	0.3F			1841	2032	0.3F				
12		0027	1.3E	27		0011	1.1E	12		0115	1.5E	27		0031	1.3E	12		0226	1.7E	27		0127	1.7E	27		0127	1.7E							
Th		0556	*	F		0525	*	Sa		0702	*	Su		0609	*	Tu		0859	0.3F	W		0615	0.3F	W		0615	0.3F							
		1203	1.8E			1120	1.4E	○		1249	1.4E			1148	1.3E			1040	1.40	1.0E			0950	1.342	1.0E			0950	1.342	1.0E				
		1614	1900	0.9F			1542	1821	0.7F			1649	1930	0.8F			1553	1832	0.7F			1830	2032	0.4F			1724	1934	0.5F			1724	1934	0.5F
		2155	*			2108	*			2211	*			2110	*			2228	*			2228	*			2136	*			2136	*			
13		0137	1.3E	28		0106	1.1E	13		0215	1.5E	28		0119	1.4E	13		0316	1.7E	28		0220	1.9E	28		0220	1.9E							
F		0711	*																															

Strait of Juan de Fuca Entrance, 2012

F—Flood, Dir. 115° True E—Ebb, Dir. 290° True

July				August				September																		
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum												
h	m	h	m	h	m	h	m	h	m	h	m	h	m	h	m											
1 Su	0918	1209	2.2E	16 M	0955	1239	0.9F	1 W	0156	0643	2.1E	16 Th	0034	*	1 Sa	0001	0205	0.6F	16 Su	0353	0743	1.7E				
	1517	1828	1.2E		1537	1904	1.1E		1041	1331	1.3F		1037	1318		1.0F	0636	1.8E		1159	1424	0.9F	1131	1350	0.8F	
	2339	*					1629		1953	1.5E	1604		1938	1.4E		2349	0116	0.3F		1650	2040	1.8E	1607	2003	1.9E	
2 M	1005	1300	1.4F	17 Tu	1028	1316	1.0F	2 Th	0301	0733	2.1E	17 F	0242	0717	1.8E	2 Su	0459	0851	1.6E	17 M	0447	0827	1.7E			
	1610	1922	1.3E		1616	1942	1.2E		1126	1413	1.3F		1114	1352	1.0F		1241	1458	0.7F		1213	1426	0.7F	1213	1426	0.7F
							1707		2035	1.6E	1707		2035	1.6E	1634		2011	1.5E	1716		2114	1.8E	1637	2040	2.0E	
3 Tu	1051	1348	1.5F	18 W	1102	1351	1.1F	3 F	0400	0820	2.0E	18 Sa	0339	0758	1.8E	3 M	0544	0931	1.5E	18 Tu	0541	0914	1.6E			
	1657	2013	1.4E		1650	2018	1.3E		1211	1453	1.2F		1151	1425	1.0F		1323	1532	0.6F		1300	1505	0.6F	1300	1505	0.6F
							1740		2116	1.7E	1740		2116	1.7E	1702		2043	1.7E	1739		2149	1.8E	1708	2120	2.1E	
4 W	1137	1433	1.5F	19 Th	1136	1425	1.1F	4 Sa	0453	0905	1.8E	19 Su	0434	0840	1.8E	4 Tu	0627	1012	1.3E	19 W	0636	1003	1.5E			
	1740	2100	1.5E		1722	2051	1.4E		1254	1531	1.0F		1229	1459	0.9F		1409	1605	0.4F		1409	1605	0.4F	1352	1547	0.5F
							1811		2155	1.7E	1811		2155	1.7E	1729		2118	1.8E	1759		2224	1.7E	1739	2204	2.1E	
5 Th	0106	0228	0.3F	20 F	0215	*	5 Su	0205	0353	0.5F	20 M	0119	0323	0.6F	5 W	0244	0454	0.6F	20 Th	0208	0445	1.0F				
	0349	0830	2.2E		0813	1.8E		0544	0949	1.6E		0529	0924	1.7E		0712	1056	1.2E		0733	1059	1.3E	0733	1059	1.3E	
	1224	1517	1.4F		1211	1458		1.1F	1338	1608		0.9F	1311	1534		0.8F	1503	1641		0.3F	1455	1634	0.3F	1455	1634	0.3F
6 F	0158	0321	0.3F	21 Sa	0257	*	6 M	0253	0441	0.4F	21 Tu	0200	0411	0.7F	6 Th	0333	0542	0.5F	21 F	0304	0543	1.0F				
	0445	0919	2.0E		0853	1.8E		0633	1034	1.4E		0626	1011	1.5E		0759	1146	1.0E		0835	1202	1.2E	0835	1202	1.2E	
	1310	1600	1.2F		1248	1531		1.0F	1424	1645		0.7F	1357	1613		0.7F	1720	*			1730	*	1730	*		
7 Sa	0251	0415	0.3F	22 Su	0342	*	7 Tu	0344	0531	0.4F	22 W	0248	0504	0.7F	7 F	0427	0636	0.4F	22 Sa	0408	0648	0.9F				
	0540	1008	1.7E		0935	1.7E		0724	1122	1.2E		0727	1104	1.3E		0854	1246	0.9E		0942	1315	1.1E	0942	1315	1.1E	
	1357	1642	1.1F		1327	1605		0.9F	1515	1722		0.5F	1451	1656		0.5F	1809	*			1839	*	1839	*		
8 Su	1446	1723	0.9F	23 M	0257	0430	0.3F	8 W	0438	0626	0.3F	23 Th	0343	0603	0.7F	8 Sa	0526	0035	1.5E	23 Su	0517	0759	0.8F			
	2000				0605	1022	1.5E		0820	1215	1.0E		0834	1206	1.1E		0959	1358	0.8E		1052	1433	1.1E	1052	1433	1.1E
					1411	1642	0.8F		1616	1803	0.3F		1558	1745	0.3F		1911	*			2001	*	2001	*		
9 M	1540	1806	0.6F	24 Tu	0341	0524	0.4F	9 Th	0535	0726	0.3F	24 F	0444	0710	0.7F	9 Su	0624	0842	0.4F	24 M	0629	0910	0.8F			
	2028				0712	1114	1.3E		0926	1318	0.8E		0951	1319	1.0E		1109	1513	0.9E		1157	1545	1.3E	1157	1545	1.3E
					1500	1723	0.7F		1851	*			1845	*	2025		*	2123	*							
10 Tu	1641	1851	0.4F	25 W	0431	0626	0.4F	10 F	0631	0831	0.3F	25 Sa	0550	0823	0.7F	10 M	0718	0943	0.5F	25 Tu	0736	1014	0.8F			
	2055				1559	1809	0.5F		1043	1433	0.8E		1112	1441	1.0E		1215	1616	1.0E		1254	1644	1.4E	1254	1644	1.4E
					2014	*			1948	*			1958	*	2137		*	2235	*							
11 W	0636	0816	0.3F	26 Th	0526	0734	0.5F	11 Sa	0721	0936	0.4F	26 Su	0655	0935	0.8F	11 Tu	0806	1036	0.6F	26 W	0837	1109	0.8F			
	1005	1358	0.9E		0952	1326	1.0E		1202	1549	0.8E		1229	1600	1.0E		1309	1705	1.1E		1342	1734	1.6E	1342	1734	1.6E
	1754	1940	0.3F		1712	1904	0.3F		2054	*			2118	*	2238		*	2146	2334		0.4F					
12 Th	0724	0921	0.4F	27 F	0146	1.9E	12 Su	0806	0324	1.6E	27 M	0756	0339	1.8E	12 W	0850	0439	1.5E	27 Th	0123	0537	1.6E				
	1131	1512	0.8E		1124	1447		0.9E	1311	1655		0.9E	1334	1706		1.2E	1354	1745		1.3E	1423	1817	1.7E	1423	1817	1.7E
	2034	*			2008	*			2200	*			2232	*		2329	*	2220		*						
13 F	0806	1021	0.5F	28 Sa	0719	0956	0.8F	13 M	0847	1122	0.7F	28 Tu	0852	1136	1.0F	13 Th	0931	1201	0.8F	28 F	0231	0629	1.6E			
	1250	1624	0.8E		1249	1607	0.9E		1407	1746	1.0E		1427	1759	1.4E		1432	1821	1.5E		1020	1239	0.7F	1020	1239	0.7F
	2131	*			2118	*			2258	*			2209	2336	0.3F		2232		2255							
14 Sa	0844	1113	0.6F	29 Su	0813	1059	1.0F	14 Tu	0925	1204	0.8F	29 W	0943	1224	1.0F	14 F	0155	0014	0.4F	29 Sa	0328	0715	1.6E			
	1357	1727	0.9E		1400	1718	1.1E		1453	1829	1.2E		1511	1845	1.5E		1506	1855	1.6E		1106	1317	0.7F	1106	1317	0.7F
	2228	*			2229	*			2349	*			2247	*	2255		*	2329	*							
15 Su	0920	1159	0.8F	30 M	0905	1155	1.1F	15 W	1001	0554	1.7E	30 Th	0215	0637	1.9E	15 Sa	0257	0700	1.7E	30 Su	0417	0757	1.5E			
	1451	1819	1.0E		1458	1817	1.2E		1531	1905	1.3E		1548	1926	1.7E		1050	1314	0.8F		1149	1351	0.6F	1149	1351	0.6F
	2320	*			2335	*							2324		2324			2324								
			31 Tu	0954	0550	2.1E	31 F	0317	0725	1.9E	31 O	1116	1347	1.0F												
				1547	1908	1.4E		1621	2004	1.7E																
				2309																						

Time meridian 120° W. 0000 is midnight. 1200 is noon. Times are not adjusted for Daylight Saving Time.

If three consecutive entries are marked (E) the middle one is not a true maximum but an intermediate value to show the current pattern.

* Current weak and variable.

Strait of Juan de Fuca Entrance, 2012

F—Flood, Dir. 115° True E—Ebb, Dir. 290° True

October				November				December																	
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum											
	h	m	knots		h	m	knots		h	m	knots		h	m	knots										
1 M	0003	0229	0.8F	16 Tu	0453	0816	1.6E	1 Th	0038	0320	1.0F	16 F	0027	0324	1.5F	1 Sa	0043	0334	1.0F	16 Su	0100	0356	1.5F		
	0500	0837	1.5E		1201	1356	0.6F		0614	0943	1.2E		0634	0950	1.5E		0636	1007	1.2E		0702	1027	1.6E		
	1232	1424	0.5F		1547	2008	2.3E		1459	*	1514		*	1517	*		1517	*	2111		1.7E	1602	*		
	1614	2035	1.9E						2102	1.8E	2120		2.2E	2111	1.7E		2159	2.0E							
2 Tu	0038	0306	0.8F	17 W	0004	0250	1.3F	2 F	0113	0356	0.9F	17 Sa	0117	0414	1.4F	2 Su	0119	0409	1.0F	17 M	0150	0443	1.3F		
	0541	0916	1.4E		0546	0905	1.5E		0651	1024	1.1E		0723	1045	1.5E		0709	1046	1.2E		0742	1118	1.7E		
	1318	1456	0.3F		1254	1440	0.5F		1536	*	1611		*	1600	*		1600	*	2149		1.6E	1702	*		
	1633	2106	1.8E		1622	2051	2.3E		2137	1.7E	2212		2.0E	2149	1.6E		2253	1.7E							
3 W	0114	0343	0.8F	18 Th	0049	0338	1.3F	3 Sa	0151	0434	0.8F	18 Su	0210	0506	1.3F	3 M	0157	0445	0.9F	18 Tu	0243	0531	1.1F		
	0621	0955	1.2E		0639	0957	1.5E		0729	1108	1.1E		0810	1142	1.5E		0741	1127	1.3E		0820	1210	1.7E		
	1529	*	1354		1527	0.3F	1619		*	1715	*		1715	*	1649		*	2232	1.5E		1808	*			
	2139	1.7E	1658		2138	2.2E	2215		1.5E	2310	1.8E		2310	1.8E	2232		1.5E	2352	1.4E						
4 Th	0153	0422	0.7F	19 F	0139	0429	1.3F	4 Su	0233	0516	0.8F	19 M	0308	0600	1.1F	4 Tu	0239	0524	0.8F	19 W	0341	0620	0.8F		
	0701	1038	1.1E		0733	1054	1.4E		0808	1157	1.1E		0857	1242	1.5E		0812	1210	1.3E		0857	1303	1.7E		
	1604	*	1620		*	2229	2.0E		1710	*	1828		*	1746	*		1746	*	2323		1.3E	1918	*		
	2214	1.6E	2229		2.0E	2300	1.4E		2300	1.4E	2300		1.4E	2300	1.4E		2323	1.3E							
5 F	0236	0504	0.7F	20 Sa	0234	0525	1.2F	5 M	0321	0602	0.7F	20 Tu	0412	0657	0.9F	5 W	0328	0607	0.7F	20 Th	0447	0712	0.6F		
	0744	1125	1.0E		0828	1156	1.3E		0849	1250	1.1E		0943	1343	1.6E		0845	1255	1.4E		0931	1358	1.7E		
	1645	*	1722		*	2328	1.8E		1813	0.3E	1946		*	1946	*		1851	*	2214		0.3F	1853	2031	0.3F	
	2254	1.5E	2328		1.8E	2356	1.3E		2356	1.3E	2356		1.3E	2356	1.3E		2356	1.3E	2214		0.3F				
6 Sa	0324	0552	0.6F	21 Su	0336	0626	1.0F	6 Tu	0416	0652	0.6F	21 W	0523	0757	0.7F	6 Th	0424	0653	0.6F	21 F	0602	0806	0.4F		
	0830	1221	1.0E		0925	1304	1.3E		0931	1345	1.2E		1026	1442	1.6E		0918	1343	1.5E		1004	1452	1.7E		
	1736	*	1837		*	1837	*		1926	*	2102		*	2102	*		2001	*	1942		2140	0.4F	1942	2140	0.4F
	2342	1.4E	2342		1.4E	2342	1.4E		2342	1.4E	2342		1.4E	2342	1.4E		2342	1.4E	2349		0.4F				
7 Su	0418	0646	0.5F	22 M	0036	1.6E	7 W	0103	1.2E	22 Th	0247	1.1E	7 F	0135	1.0E	22 Sa	0329	0.9E							
	0922	1326	1.0E		0445	0731		0.9F	0517		0747	0.5F		0638	0855		0.5F	0529	0745	0.5F	0902	*			
	1841	0.3E	1021		1414	1.4E		1014	1437		1.3E	1107		1536	1.7E		0954	1433	1.7E	1543	1.8E				
	2000	*	2000		*	2039		*	2016		2210	0.4F		2016	2210		0.4F	1929	2109	0.3F	2024	2241	0.5F		
8 M	0518	0746	0.5F	23 Tu	0558	0837	0.8F	8 Th	0621	0841	0.5F	23 F	0751	0951	0.4F	8 Sa	0639	0840	0.4F	23 Su	0441	0.9E			
	1018	1431	1.0E		1115	1518	1.5E		1056	1525	1.5E		1145	1625	1.8E		1034	1523	1.8E		0958	*			
	1958	*	2120		*	2143	*		2053	2307	0.6F		2053	2307	0.6F		1959	2212	0.6F		1631	1.8E			
	2120	1.5E	2120		1.5E	2143	1.5E		2143	1.5E	2143		1.5E	2143	1.5E		2143	1.5E	2103		2333	0.7F			
9 Tu	0150	1.2E	24 W	0312	1.4E	9 F	0329	1.1E	24 Sa	0506	1.1E	9 Su	0406	1.0E	9 M	0218	0.9E								
	0619	0846		0.5F	0710		0939	0.7F		0724	0934		0.5F	0900		1042	0.3F	0750	0937	0.3F	1051	*			
	1113	1529		1.1E	1205		1614	1.6E		1138	1609		1.7E	1220		1709	1.9E	1117	1613	2.0E	1715	1.9E			
	2112	*		2046	2228		0.3F	2040		2239	0.5F		2129	2356		0.8F	2035	2308	0.9F	2138	*				
10 W	0717	0941	0.5F	25 Th	0014	0423	1.3E	10 Sa	0044	0433	1.2E	25 Su	0235	0602	1.1E	10 M	0154	0512	1.1E	25 Tu	0017	0.8F			
	1203	1617	1.3E		0816	1034	0.6F		0822	1024	0.5F		1128	*	1128		*	0857	1033		0.3F	0311	0635	1.0E	
	2214	*	2120		2325	0.5F	1220		1652	1.9E	2107		2329	0.8F	1748		1.9E	2114	2.2E		1139	*			
	2214	1.3E	2120		2325	0.5F	2107		2329	0.8F	2107		2329	0.8F	2203			2114			1755	1.9E			
11 Th	0809	1030	0.6F	26 F	0134	0525	1.3E	11 Su	0200	0532	1.3E	26 M	0327	0651	1.1E	11 Tu	0300	0612	1.2E	26 W	0057	1.0F			
	1248	1658	1.5E		0916	1122	0.5F		0916	1112	0.5F		1209	*	1209		*	0959	1129		0.3F	0356	0719	1.1E	
	2125	2305	0.3F		1325	1744	1.8E		1301	1734	2.1E		1824	2.0E	1824		2.0E	1255	1751		2.3E	1223	*		
	2125	2305	0.3F		2154	*	2154		*	2140	*		2235		2156			2156			1833	1.9E			
12 F	0047	0502	1.4E	27 Sa	0013	0.7F	12 M	0017	1.0F	27 Tu	0117	1.0F	12 W	0049	1.4F	12 Th	0133	1.0F							
	0857	1114	0.6F		0238	0617		1.4E	0304		0625	1.3E		0412	0734		1.2E	0357	0707	1.3E	0435	0758	1.1E		
	1327	1735	1.7E		1009	1205		0.5F	1009		1158	0.4F		1248	*		1248	*	1056	1223	0.3F	1305	*		
	2145	2352	0.6F		1357	1822		1.9E	1342		1816	2.3E		1858	1.9E		1858	1.9E	1346	1839	2.4E	1909	1.9E		
13 Sa	0201	0553	1.5E	28 Su	0056	0.9F	13 Tu	0103	1.3F	28 W	0153	1.0F	13 Th	0137	1.5F	13 F	0207	1.1F							
	0943	1155	0.6F		0332	0704		1.3E	0401		0717	1.4E		0452	0814		1.2E	0448	0758	1.4E	0509	0835	1.2E		
	1403	1812	1.9E		1059	1243		0.4F	1101		1245	0.4F		1325	*		1325	*	1151	1316	0.3F	1344	*		
	2213	*	1425		1856	1.9E		1424	1900		2.4E	1931		1.9E	1931		1.9E	1439	1928	2.4E	1944	1.9E			
14 Su	0303	0642	1.5E	29 M	0134	0.9F	14 W	0149	1.4F	29 Th	0227	1.1F	14 F	0223	1.6F	14 Sa	0239	1.1F							
	1028	1235	0.6F		0418	0746		1.3E	0454		0807	1.5E		0528	0852		1.2E	0535	0848	1.5E	0541	0909	1.3E		
	1438	1849	2.1E		1146	1318		0.3F	1155		1332	0.4F		1401	*		1401	*	1247	1410	0.3F	1422	*		
	2245	2.1E	1448		1928	1.9E		1505	1944		2.4E	2003		1.9E	2003		1.9E	1531	2017	2.4E	2019	1.8E			
15 M	0359	0729	1.6E	30 Tu	0211	1.0F	15 Th	0236	1.5F	30 F	0300	1.1F	15 Sa	0310	1.6F	15 Su	0020	1.1F							
	1113	1315	0.6F		0459	0825		1.3E	0545		0858	1.5E		0603	0930		1.2E	0619	0938	1.6E	0611	0942	1.3E		
	1513	1928	2.2E		1352	*		1252	1421		0.3F	1438		*	1438		*	1344	1505	0.3F	1501	*			
	2322	2.2E	1959		1.9E	1548		2031	2.4E		1548	2031		2.4E	2036		1.8E	1624	2107	2.2E	2054	1.8E			
31 W	0005	0246	1.0F	3																					

Race Rocks, Strait of Juan de Fuca, B.C., 2012

F—Flood, Dir. 091° True E—Ebb, Dir. 271° True

January				February				March																
Slack	Maximum		knots	Slack	Maximum		knots	Slack	Maximum		knots													
h m	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m													
1 Su	0022	0246	0.6E	16 M	0426	0722	1.3F	1 W	0220	0420	0.4E	16 Th	0157	0403	0.9E	1 Th	0044	0306	0.7E	16 F	0106	0340	1.3E	
	0504	0747	1.0F	●	0953	1413	2.4E		2010	2347	2.0E		0715	0855	0.4F		0725	*			0859	*		
	1024	1506	1.7E		1859	2130	0.9F						1015	1544	2.7E		1424	2.1E		1929	1523	2.5E		
	2008	2300	0.7F										1959	2310	1.9F		2159	1.1F			2231	1.7F		
2 M	0210	0406	0.4E	17 Tu	0109	0311	0.7E	2 Th	0324	0539	0.4E	17 F	0259	0520	0.9E	2 F	0145	0419	0.7E	17 Sa	0200	0453	1.4E	
	0612	0829	0.5F		0531	0809	0.9F			0850	*		0849	1010	0.3F		0810	*			0925	1002	0.3F	
	1032	1558	1.8E		1021	1509	2.6E		2050	1617	2.1E		1105	1649	2.7E		1524	2.1E			1035	1633	2.4E	
	2043	2358	1.1F		1943	2243	1.4F						2051				2303	1.4F			2028	2329	1.7F	
3 Tu	0332	0523	0.4E	18 W	0239	0430	0.6E	3 F	0412	0639	0.6E	18 Sa	0352	0621	1.1E	3 Sa	0238	0530	0.9E	18 Su	0248	0550	1.6E	
	0853	*			0704	0906	0.5F			1006	*		0954	1148	0.3F		0928	*			0959	1153	0.4F	
	1644	1.9E			1054	1607	2.7E		2128	1717	2.2E		1225	1751	2.7E		2038	2355	1.7F		1240	1739	2.3E	
	2113				2028	2344	1.9F						2141								2123			
4 W	0433	0639	0.5E	19 Th	0348	0552	0.6E	4 Sa	0448	0723	0.8E	19 Su	0436	0706	1.2E	4 Su	0322	0618	1.1E	19 M	0328	0632	1.8E	
	1005	*			0846	1017	0.3F			1130	*		1042	1234	0.5F		1043	*			1039	1236	0.5F	
	1728	2.0E			2113		2.8E		2206	1812	2.4E		1358	1847	2.7E		1728	2.4E			1419	1836	2.3E	
	2142												2228				2126				2213			
5 Th	0517	0745	0.6E	20 F	0443	0658	0.8E	5 Su	0518	0757	1.0E	20 M	0511	0744	1.5E	5 M	0401	0654	1.4E	20 Tu	0359	0709	2.0E	
	1131	0.3E			1115	*			1230	*			1121	1325	0.6F		1028	1212	0.4F		1111	1324	0.8F	
	1812	2.1E			1805	2.8E			1859	2.6E			1513	1938	2.7E		1337	1824	2.6E		1528	1926	2.3E	
	2211				2158				2244				2311				2211				2259			
6 F	0552	0825	0.8E	21 Sa	0529	0747	1.0E	6 M	0545	0827	1.2E	21 Tu	0538	0819	1.7E	6 Tu	0434	0727	1.7E	21 W	0424	0743	2.2E	
	1229	0.3E			1110	1237	0.3F			1325	*		1158	1412	0.9F		1100	1308	0.7F		1141	1406	1.1F	
	1854	2.2E			1347	1901	2.9E		2322	1944	2.7E	●	1615	2025	2.6E		1459	1915	2.7E		1626	2013	2.2E	
	2241				2242								2351				2255				2341			
7 Sa	0620	0855	1.0E	22 Su	0607	0825	1.2E	7 Tu	0610	0854	1.5E	22 W	0601	0854	1.9E	7 W	0503	0759	2.1E	22 Th	0446	0817	2.4E	
	1318	*			1152	1333	0.5F			1226	1413	0.5F		1234	1457	1.0F		1137	1400	1.0F		1210	1445	1.3F
	1935	2.3E		●	1500	1954	2.8E	○	1543	2026	2.8E		1709	2111	2.4E		1607	2005	2.7E	●	1716	2100	2.1E	
	2313				2326												2339							
8 Su	0645	0923	1.1E	23 M	0639	0900	1.3E	8 W	0000	0314	2.7F	23 Th	0029	0326	2.4F	8 Th	0239	2.4F	23 F	0021	0252	1.6F		
	1401	*			1232	1423	0.6F		0634	0922	1.7E		0622	0930	2.1E		0530	0836	2.4E		0507	0851	2.6E	
	2013	2.4E			1605	2042	2.8E		1300	1459	0.6F		1313	1539	1.2F	○	1217	1450	1.3F		1241	1523	1.5F	
	2346								1641	2110	2.7E		1759	2157	2.2E		1708	2057	2.6E		1803	2147	1.9E	
9 M	0708	0949	1.2E	24 Tu	0706	0935	1.5E	9 Th	0038	0348	2.7F	24 F	0106	0359	2.2F	9 F	0022	0316	2.3F	24 Sa	0100	0325	1.4F	
	1433	*			1313	1511	0.7F		0658	0954	2.0E		0642	1006	2.3E		0555	0915	2.8E		0529	0924	2.7E	
	2051	2.5E			1703	2129	2.6E		1342	1547	0.8F		1354	1621	1.2F		1259	1538	1.6F		1313	1600	1.6F	
									1737	2157	2.5E		1848	2244	1.9E		1806	2152	2.4E		1849	2234	1.7E	
10 Tu	0021	0343	2.7F	25 W	0047	0358	2.8F	10 F	0117	0423	2.6F	25 Sa	0142	0433	1.9F	10 Sa	0106	0353	2.2F	25 Su	0141	0358	1.2F	
	0731	1013	1.3E		0730	1011	1.7E		0720	1032	2.3E		0703	1042	2.4E		0620	0958	3.0E		0550	0959	2.7E	
	1508	*			1359	1558	0.7F		1429	1636	0.9F		1437	1705	1.2F		1346	1626	1.8F		1347	1638	1.6F	
	2129	2.5E			1756	2215	2.2E		1836	2248	2.2E		1940	2333	1.5E		1907	2248	2.2E		1937	2319	1.6E	
11 W	0056	0416	2.7F	26 Th	0126	0433	2.6F	11 Sa	0157	0458	2.3F	26 Su	0221	0506	1.6F	11 Su	0153	0430	1.9F	26 M	0226	0432	0.9F	
	0754	1037	1.5E		0752	1049	1.8E		0744	1115	2.5E		0723	1120	2.4E		0647	1044	3.1E		0610	1035	2.6E	
	1554	*			1450	1646	0.7F		1521	1730	1.0F		1523	1750	1.1F		1435	1716	1.8F		1425	1718	1.6F	
	2210	2.3E			1849	2303	1.9E		1943	2346	1.8E		2040				2016	2344	1.9E		2032			
12 Th	0132	0451	2.6F	27 F	0204	0509	2.3F	12 Su	0240	0535	2.0F	27 M	0303	0540	1.2F	12 M	0244	0510	1.5F	27 Tu	0322	0507	0.6F	
	0816	1108	1.7E		0813	1128	1.9E		0809	1201	2.7E		0743	1159	2.3E		0714	1133	3.2E		0627	1115	2.5E	
	1643	*			1546	1736	0.6F		1616	1830	1.0F		1613	1840	1.0F		1528	1810	1.8F		1507	1800	1.5F	
	2256	2.0E			1949	2354	1.4E		2108				2210				2140				2125			
13 F	0210	0526	2.4F	28 Sa	0241	0544	1.9F	13 M	0329	0614	1.5F	28 Tu	0354	0615	0.8F	13 Tu	0345	0553	1.1F	28 W	0435	0548	0.3F	
	0839	1146	1.9E		0834	1209	2.0E		0836	1252	2.8E		0801	1243	2.2E		0743	1225	3.1E		0639	1159	2.4E	
	1737	*			1646	1834	0.5F		1713	1937	1.2F		1707	1938	1.0F		1626	1908	1.8F		1556	1848	1.4F	
	2348	1.7E			2108				2309				2333				2258				2225			
14 Sa	0251	0602	2.1F	29 Su	0321	0618	1.5F	14 Tu	0427	0657	1.1F	29 W	0511	0655	0.4F	14 W	0504	0642	0.7F	29 Th	0132	1.2E		
	0902	1230	2.1E		0853	1252	2.0E		0905	1345	2.8E		0816	1330	2.1E		0815	1319	2.9E		0558	*		
	1725	1844	0.3F		1747	1946	0.5F	●	1810	2051	1.3F	●	1802	2045	1.0F	●	1727	2014	1.7F		1248	2.3E		
	2011																							

Race Rocks, Strait of Juan de Fuca, B.C., 2012

F—Flood, Dir. 091° True E—Ebb, Dir. 271° True

April				May				June																									
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum																			
	h	m	knots		h	m	knots		h	m	knots		h	m	knots																		
1 Su	0114	0414	1.3E	16 M	0137	0527	2.0E	1 Tu	0035	0417	2.0E	16 W	0037	0541	2.4E	1 F	0031	0518	3.0E	16 Sa	1102	1345	1.2F										
		0856	*			1152	*			1030	*			1045	1243	0.6F			1231	1.4F			1701	2003	1.1E								
	1947	2247	1.5F		2107	2339	1.1F		1959	2238	1.2F			1457	1820	1.3E			1535	1822	1.3E												
2 M	0201	0510	1.6E	17 Tu	0210	0606	2.2E	2 W	0115	0506	2.4E	17 Th		0614	2.5E	2 Sa	0115	0608	3.3E	17 Su					0031	0.5E							
		1038	2.2E			1048	1243	0.5F		0945	1146	0.6F		1102	1320	0.9F			1028	1322	2.0F				0701	2.6E							
	2042	2342	1.6F		1436	1828	1.8E		1346	1726	1.8E		1604	1915	1.3E			1646	1933	1.4E			1125	1413	1.5F								
					2205				2102	2336	1.1F								2310				1741	2045	1.2E								
3 Tu	0242	0554	1.9E	18 W		0025	1.0F	3 Th	0154	0552	2.8E	18 F		0030	*	3 Su		0044	0.4F	18 M					0117	0.5E							
	1001	1156	0.5F		0237	0640	2.4E		1012	1245	1.2F			0646	2.7E			0202	0659	3.5E					0739	2.7E							
	1343	1752	2.3E		1110	1324	0.9F		1521	1834	1.8E		1121	1353	1.2F			1108	1409	2.5F					1151	1441	1.7F						
	2136				1544	1919	1.7E		2208				1657	2008	1.3E			1746	2034	1.5E					1813	2120	1.3E						
4 W		0032	1.7F	19 Th		0106	0.9F	4 F		0032	1.0F	19 Sa		0105	*	4 M	0012	0136	0.4F	19 Tu					0156	0.5E							
	0318	0634	2.3E		0301	0713	2.6E		0232	0637	3.2E			0718	2.8E			0250	0752	3.6E					0816	2.8E							
	1033	1257	1.0F		1131	1400	1.2F		1047	1337	1.8F		1142	1422	1.5F			1150	1453	2.8F					1218	1511	1.8F						
	1511	1851	2.3E		1640	2009	1.7E		1635	1942	1.8E		1741	2055	1.4E			1838	2125	1.6E			●	1843	2151	1.4E							
	2229				2350				2311																								
5 Th		0118	1.7F	20 F		0143	0.8F	5 Sa		0122	0.9F	20 Su		0145	*	5 Tu	0107	0224	0.4F	20 W					0231	0.4E							
	0350	0714	2.7E		0324	0744	2.7E		0309	0723	3.5E			0749	2.8E			0336	0846	3.6E					0852	2.8E							
	1109	1350	1.5F	●	1154	1434	1.5F	○	1126	1424	2.3F	●	1205	1452	1.7F			1235	1537	2.9F					1248	1543	1.9F						
	1622	1951	2.3E		1728	2057	1.7E		1739	2046	1.8E		1819	2137	1.4E			1924	2209	1.8E					1911	2219	1.4E						
	2321																																
6 F		0201	1.7F	21 Sa	0037	0218	0.7F	6 Su	0011	0208	0.9F	21 M		0221	*	6 W	0203	0312	0.4F	21 Th					0306	0.3E							
	0420	0756	3.1E		0347	0815	2.8E		0345	0812	3.6E			0822	2.8E			0419	0939	3.5E					0928	2.8E							
	1148	1438	2.0F		1219	1507	1.7F		1208	1509	2.7F		1231	1524	1.8F			1322	1621	2.8F					1320	1617	1.9F						
	1725	2051	2.2E		1812	2143	1.6E		1839	2142	1.9E		1854	2214	1.5E			2006	2251	1.8E					1930	2244	1.5E						
7 Sa	0012	0242	1.6F	22 Su	0124	0252	0.5F	7 M	0109	0252	0.7F	22 Tu		0256	*	7 Th		0359	*	22 F					0340	0.3E							
	0449	0840	3.4E		0409	0847	2.9E		0420	0902	3.7E			0857	2.8E			1030	3.2E						1004	2.7E							
	1230	1525	2.3F		1246	1540	1.8F		1251	1553	2.8F		1259	1557	1.9F			1411	1705	2.5F					1355	1651	1.9F						
	1826	2150	2.2E		1854	2226	1.6E		1935	2232	1.9E		1920	2248	1.5E			2044	2334	1.9E					2004	2310	1.6E						
8 Su	0104	0322	1.4F	23 M	0215	0325	0.3F	8 Tu	0209	0336	0.6F	23 W		0330	0.3E	8 F		0453	*	23 Sa					0417	0.4E							
	0519	0927	3.5E		0428	0920	2.8E		0454	0955	3.6E			0935	2.7E			1120	2.8E						1043	2.6E							
	1314	1611	2.5F		1316	1615	1.9F		1338	1638	2.8F		1331	1632	1.9F			1504	1751	2.2F					1432	1726	1.8F						
	1929	2245	2.1E		1930	2307	1.6E		2027	2319	2.0E		2001	2318	1.5E			2119							2029	2343	1.7E						
9 M	0159	0403	1.2F	24 Tu		0358	*	9 W	0316	0422	0.3F	24 Th		0402	0.4E	9 Sa		0021	1.9E	24 Su					0502	0.4E							
	0548	1017	3.5E		0956	2.7E			0524	1047	3.3E			1015	2.7E			0556	*						1126	2.3E							
	1402	1658	2.5F		1349	1651	1.8F		1429	1725	2.5F		1407	1709	1.8F			1213	2.3E						1802	1.7F							
	2034	2336	2.0E		2010	2344	1.5E		2115				2025	2347	1.5E			1558	1837	1.8F					2054								
10 Tu	0301	0446	0.8F	25 W		0432	*	10 Th		0005	1.9E	25 F		0437	0.5E	10 Su		0115	1.9E	25 M					0023	1.9E							
	0617	1108	3.4E		1037	2.6E			0518	1.9E			1057	2.5E				0711	0.3E						0559	0.4E							
	1453	1747	2.4F		1427	1730	1.7F		1139	3.0E			1448	1747	1.7F			1311	1.9E						1217	2.0E							
	2136				2055				1525	1815	2.2F		2055					1656	1925	1.3F					1557	1839	1.5F						
11 W		0026	1.9E	26 Th		0021	1.5E	11 F		0053	1.9E	26 Sa		0018	1.6E	11 M		0223	1.9E	26 Tu					0110	2.1E							
	0415	0534	0.5F		0508	*			0603	*			0519	0.6E				0915	*						0710	0.3E							
	0643	1200	3.1E		1122	2.5E			1233	2.5E			1142	2.4E				1424	1.4E						1319	1.7E							
	1550	1841	2.1F		1512	1813	1.6F		1625	1909	1.8F		1534	1828	1.6F			1759	2012	0.9F			○	1647	1919	1.3F							
	2232				2135				2240				2130					2239							2149								

Race Rocks, Strait of Juan de Fuca, B.C., 2012

F—Flood, Dir. 091° True E—Ebb, Dir. 271° True

October				November				December															
Slack	Maximum		knots	Slack	Maximum		knots	Slack	Maximum		knots	Slack	Maximum		knots								
	h	m		h	m			h	m			h	m										
1 M	0031	0327	1.9F	16 Tu	0012	0321	2.5F	1 Th	0101	0418	2.2F	16 F	0110	0429	3.2F	1 Sa	0103	0431	2.2F	16 Su	0134	0452	3.1F
	0641	0952	1.8E		0647	0955	1.9E		0830	1115	1.5E		0840	1115	1.8E		0840	1127	1.3E		0853	1125	1.7E
	1303	1526	1.5F		1259	1519	1.4F		1503	1612	0.3F		1447	1621	0.6F		1623	*			1523	1651	0.5F
	1739	2130	2.4E		1722	2122	2.9E		1715	2219	2.0E		1750	2239	2.7E		2228	1.8E			1826	2309	2.3E
2 Tu	0105	0404	2.0F	17 W	0054	0404	2.7F	2 F	0134	0455	2.1F	17 Sa	0159	0516	3.0F	2 Su	0136	0507	2.1F	17 M	0224	0537	2.8F
	0736	1039	1.7E		0749	1045	1.9E		0910	1154	1.4E		0926	1158	1.7E		0908	1157	1.2E		0929	1211	1.7E
	1347	1600	1.2F		1351	1559	1.2F		1648	*			1551	1713	0.4F		1700	*			1631	1753	0.4F
	1759	2208	2.3E		1752	2210	2.9E		2259	1.8E			1834	2332	2.4E		2304	1.6E			1933		
3 W	0140	0441	2.0F	18 Th	0140	0449	2.7F	3 Sa	0210	0534	1.9F	18 Su	0253	0606	2.7F	3 M	0212	0544	2.0F	18 Tu	0317	0623	2.4F
	0833	1126	1.5E		0850	1132	1.8E		0950	1232	1.3E		1011	1246	1.7E		0936	1225	1.2E		1003	1304	1.7E
	1437	1636	0.9F		1448	1642	0.9F		1728	*			1817	*			1739	0.3E			1748	1917	0.3F
	1820	2248	2.2E		1824	2301	2.8E		2341	1.6E							2344	1.4E			2120		
4 Th	0218	0522	1.8F	19 F	0230	0538	2.6F	4 Su	0252	0617	1.8F	19 M		0028	2.0E	4 Tu	0252	0623	1.8F	19 W	0412	0711	1.9F
	0930	1212	1.4E		0947	1220	1.7E		1029	1312	1.2E		0352	0700	2.3F		0955	1256	1.2E		0412	0711	1.9F
	1534	1714	0.6F		1552	1730	0.6F		1811	0.3E			1055	1346	1.6E		1826	0.4E		●	1902	2116	0.5F
	1838	2330	2.0E		1858	2353	2.6E						1952	*							2333		
5 F	0301	0606	1.7F	20 Sa	0325	0632	2.4F	5 M		0025	1.4E	20 Tu		0130	1.6E	5 W		0031	1.2E	20 Th	0512	0759	1.4F
	1023	1257	1.2E		1041	1310	1.7E		0342	0705	1.6F		0454	0758	1.9F		0337	0703	1.6F		1101	1523	1.9E
	1644	1759	0.3F		1705	1832	0.4F		1108	1356	1.1E	●	1138	1517	1.7E		1020	1336	1.3E		1956	2236	0.8F
	1848				1940				1901	0.4E		●	1940	2142	0.4F		1933	*					
6 Sa	0351	0657	1.5F	21 Su	0426	0733	2.2F	6 Tu		0113	1.3E	21 W		0253	1.3E	6 Th		0128	1.0E	21 F	0123	0350	0.8E
	1115	1345	1.1E	●	1134	1407	1.6E	●	0439	0757	1.5F		0559	0855	1.5F	●	0430	0745	1.4F		0620	0848	0.9F
	1825	*			1826	1935	0.3F		1147	1457	1.1E		1218	1623	1.8E		1056	1425	1.5E		1123	1616	2.0E
					2040				2010	0.3E			2031	2301	0.7F		2145	*			2039	2339	1.1F
7 Su	0449	0757	1.4F	22 M	0530	0840	2.0F	7 W		0209	1.1E	22 Th		0423	1.2E	7 F		0237	0.8E	22 Sa	0251	0506	0.7E
●	1204	1441	1.0E		1225	1529	1.6E		0539	0850	1.3F		0707	0952	1.1F		0529	0830	1.2F		0742	0940	0.5F
	1915	*			1950	2133	0.4F		1225	1614	1.2E		1253	1707	2.0E		1115	1518	1.7E		1138	1700	2.1E
					2250				2218	*			2111	2359	1.1F		2018	2245	0.5F		2116		
8 M	0549	0906	1.3F	23 Tu	0635	0945	1.8F	8 Th		0316	1.1E	23 F		0532	1.1E	8 Sa		0356	0.7E	23 Su	0400	0618	0.7E
	1253	1607	1.1E		1314	1646	1.7E		0640	0942	1.2F		0822	1049	0.8F		0637	0920	0.9F		1038	*	
	2018	0.3E			2043	2249	0.5F		1301	1650	1.4E		1321	1744	2.1E		1151	1611	2.0E		1741	2.1E	
									2109	2320	0.4F		2146				2039	2340	1.1F		2149		
9 Tu	0647	1008	1.4F	24 W	0652	1044	1.6F	9 F		0435	1.1E	24 Sa		0046	1.4F	9 Su		0519	0.7E	24 M	0457	0729	0.8E
	1339	1710	1.2E		0740	1044	1.6F		0743	1038	1.1F		0359	0634	1.1E		0757	1020	0.6F		1142	*	
	2129	*			1359	1734	1.9E		1336	1720	1.7E		0952	1148	0.5F		1227	1701	2.3E		1821	2.1E	
					2129	2358	0.8F		2121				1343	1818	2.1E		2112						
10 W	0744	1101	1.5E	25 Th	0719	1139	1.4F	10 Sa		0010	0.9F	25 Su		0126	1.7F	10 M		0030	1.8F	25 Tu	0542	0827	0.9E
	1421	1749	1.4E		0845	1139	1.4F		0254	0552	1.1E		0457	0734	1.1E		0417	0639	0.8E		1236	*	
	2150	2331	0.3F		1439	1812	2.0E		0851	1136	1.0F		1117	1240	0.3F		0927	1130	0.5F		1902	2.1E	
					2206				1409	1754	2.0E		1404	1852	2.2E		1311	1752	2.6E				
11 Th	0108	0514	1.6E	26 F	0332	0635	1.6E	11 Su		0054	1.5F	26 M		0159	2.0F	11 Tu		0115	2.4F	26 W	0620	0900	1.0E
	0838	1151	1.5F		0949	1229	1.3F		0405	0659	1.2E		0546	0829	1.2E		0516	0746	1.0E		1322	*	
	1458	1821	1.6E		1510	1845	2.1E		1001	1232	0.9F		1324	*			1048	1236	0.4F		1941	2.2E	
	2204				2238				1443	1833	2.3E		1927	2.2E			1402	1844	2.8E				
12 F	0236	0615	1.7E	27 Sa	0434	0728	1.6E	12 M		0138	2.1F	27 Tu		0229	2.2F	12 W		0159	2.9F	27 Th	0651	0926	1.1E
	0932	1237	1.6F		1050	1312	1.1F		0508	0802	1.4E		0630	0913	1.3E		0607	0840	1.2E		1401	*	
	1531	1851	1.9E		1534	1919	2.2E		1107	1322	0.9F		1403	*			1150	1331	0.5F		2019	2.2E	
	2228				2307				1518	1917	2.6E		2003	2.2E			1455	1938	2.9E				
13 Sa	0345	0711	1.8E	28 Su	0529	0819	1.6E	13 Tu		0220	2.6F	28 W		0257	2.3F	13 Th		0242	3.2F	28 F	0716	0954	1.2E
	1025	1320	1.6F		1145	1351	1.0F		0606	0858	1.5E		0708	0949	1.3E		0653	0924	1.4E		1438	*	
	1559	1921	2.2E		1555	1952	2.3E	●	1205	1407	0.9F		1442	*		●	1241	1421	0.6F		2054	2.2E	
	2258				2334			●	1553	2004	2.8E		2040	2.1E		●	1548	2032	3.0E				
14 Su	0446	0806	1.9E	29 M	0619	0908	1.6E	14 W		0302	3.0F	29 Th		0326	2.3F	14 F		0324	3.4F	29 Sa	0015	0337	2.4F
	1117	1400	1.6F		1234	1426	0.8F		0701	0947	1.6E		0742	1022	1.4E		0735	1005	1.5E		0738	1021	1.3E
	1627	1956	2.5E	○	1615	2027	2.3E		1258	1451	0.8F		1508	*			1330	1509	0.6F				

Admiralty Inlet (off Bush Pt.), Washington, 2012

F—Flood, Dir. 180° True E—Ebb, Dir. 005° True

January				February				March																			
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum													
h	m	h	m	h	m	h	m	h	m	h	m	h	m	h	m												
1 Su		0138	1.4E	16 M		0117	1.7E	1 W		0026	0.9E	16 Th		0058	1.4E												
	0447	0738	1.2F		0422	0710	1.5F		0637	0831	0.4F		0711	0907	0.6F	1833	0238	1.1E									
	1016	1428	2.7E		0946	1353	3.3E		1014	1514	2.6E		1054	1537	3.2E		1418	2.4E	1912	0747	*						
	1853	2112	0.9F		1802	2042	1.6F		1933	2227	1.4F		1937	2245	2.2F		2131	1.3F		0725	0906	0.5F					
2349			2343											1044	1521		2.8E	1912		2218	2.1F						
2 M		0251	1.1E	17 Tu		0235	1.4E	2 Th		0146	0.439	1.0E	17 F		0211	0.508	1.6E	2 F			0049	0.357	1.1E	17 Sa		0135	0.450
	0554	0829	0.9F		0535	0810	1.1F		0811	0938	0.3F	0837		1025	0.6F	0901	*		0837	1026	0.6F	0901	*		0837	1026	0.6F
	1049	1518	2.8E		1029	1453	3.4E		1058	1611	2.7E	1207		1646	3.2E	1524	2.4E		1213	1634	2.8E	1524	2.4E		1213	1634	2.8E
	1940	2217	1.2F		1901	2155	1.9F		2021	2324	1.7F	2038		2346	2.4F	2234	1.5F		2016	2320	2.1F	2234	1.5F		2016	2320	2.1F
3 Tu		0407	1.0E	18 W		0359	1.3E	3 F		0249	0.545	1.2E	18 Sa		0310	0.611	1.9E	3 Sa		0153	0.503	1.3E	18 Su		0229	0.548	2.2E
	0711	0925	0.6F		0702	0918	0.9F		1043	*	0942	1136		0.7F	1014	*	0930		1135	0.9F	1014	*		0930	1135	0.9F	
	1124	1608	2.8E		1120	1556	3.5E		1705	2.8E	1324	1748		3.3E	1627	2.5E	1337		1738	2.8E	1627	2.5E		1337	1738	2.8E	
	2022	2313	1.5F		1959	2303	2.3F		2104		2132			2022	2327	1.8F	2113			2113		2022		2327	1.8F	2113	
4 W		0518	1.1E	19 Th		0518	1.5E	4 Sa			0012	2.0F	19 Su		0039	2.6F	4 Su		0242	0.554	1.7E	19 M		0012	2.1F		
	0831	1022	0.5F		0828	1029	0.7F		0338	0635	1.5E	0357		0703	2.2E	0942		1118	0.4F	0313	0635		2.5E	0942	1118	0.4F	
	1204	1656	3.0E		1219	1658	3.6E		1015	1141	0.3F	1033		1236	1.0F	1250		1724	2.7E	1013	1231		1.2F	1250	1724	2.7E	
	2101				2053				1303	1754	3.0E	1434		1842	3.4E	2109				1448	1833		2.8E	2109			
5 Th		0002	1.8F	20 F		0003	2.6F	5 Su			0053	2.3F	20 M		0125	2.7F	5 M		0322	0.635	2.0E	20 Tu		0056	2.1F		
	0327	0616	1.3E		0335	0624	1.7E		0417	0717	1.8E	0437		0746	2.5E	1012		1211	0.8F	0349	0715		2.8E	1012	1211	0.8F	
	0940	1117	0.4F		0942	1136	0.7F		1052	1232	0.5F	1116		1327	1.2F	1406		1815	2.9E	1051	1319		1.5F	1406	1815	2.9E	
	1247	1740	3.1E		1322	1755	3.8E		1407	1839	3.2E	1535		1931	3.3E	2153				1547	1921		2.8E	2153			
6 F		0045	2.2F	21 Sa		0056	2.9F	6 M			0131	2.5F	21 Tu		0205	2.6F	6 Tu		0052	2.2F	21 W		0135	2.0F			
	0414	0706	1.5E		0426	0719	2.0E		0451	0753	2.1E	0511		0825	2.7E	0357		0712	2.4E	0421		0751	3.0E	0357	0712	2.4E	
	1036	1207	0.4F		1042	1237	0.8F		1124	1317	0.8F	1156		1413	1.4F	1043		1259	1.2F	1511		1903	3.1E	1043	1259	1.2F	
	1332	1822	3.2E		1425	1849	3.8E		1506	1922	3.3E	1630		2015	3.2E	2234				1638		2004	2.7E	2234			
7 Sa		0124	2.4F	22 Su		0144	3.1F	7 Tu			0206	2.7F	22 W		0241	2.5F	7 W		0130	2.4F	22 Th		0209	1.9F			
	0454	0748	1.7E		0510	0807	2.3E		0522	0827	2.4E	0542		0900	2.9E	0428		0747	2.8E	0449		0824	3.1E	0428	0747	2.8E	
	1122	1252	0.4F		1133	1332	1.0F		1157	1401	1.1F	1233		1456	1.5F	1116		1344	1.7F	1159		1439	1.9F	1116	1344	1.7F	
	1419	1902	3.4E		1525	1938	3.8E		1602	2003	3.4E	1719		2056	3.0E	1611		1948	3.2E	1724		2043	2.6E	1611	1948	3.2E	
8 Su		0201	2.7F	23 M		0227	3.1F	8 W			0241	2.8F	23 Th		0315	2.3F	8 Th		0207	2.4F	23 F		0242	1.7F			
	0530	0826	1.9E		0549	0851	2.5E		0551	0901	2.7E	0609		0933	3.0E	0458		0822	3.2E	0514		0854	3.1E	0458	0822	3.2E	
	1201	1335	0.5F		1220	1422	1.1F		1231	1445	1.3F	1309		1536	1.6F	1151		1428	2.0F	1231		1515	2.0F	1151	1428	2.0F	
	1505	1940	3.4E		1620	2024	3.6E		1656	2046	3.3E	1805		2135	2.7E	1707		2034	3.2E	1806		2120	2.4E	1707	2034	3.2E	
9 M		0236	2.8F	24 Tu		0307	3.0F	9 Th			0315	2.7F	24 F		0346	2.0F	9 F		0244	2.4F	24 Sa		0312	1.5F			
	0603	0901	2.1E		0624	0931	2.7E		0619	0936	3.0E	0634		1005	3.0E	0529		0859	3.5E	0537		0924	3.1E	0529	0859	3.5E	
	1237	1417	0.6F		1304	1509	1.1F		1308	1529	1.6F	1345		1615	1.6F	1230		1514	2.3F	1303		1550	2.0F	1230	1514	2.3F	
	1553	2018	3.4E		1712	2108	3.4E		1751	2129	3.2E	1849		2213	2.4E	1802		2120	3.0E	1846		2157	2.2E	1802	2120	3.0E	
10 Tu		0310	2.9F	25 W		0344	2.8F	10 F			0351	2.6F	25 Sa		0417	1.8F	10 Sa		0322	2.2F	25 Su		0343	1.2F			
	0634	0936	2.3E		0656	1009	2.8E		0648	1012	3.2E	0657		1037	2.9E	0601		0938	3.7E	0600		0954	3.0E	0601	0938	3.7E	
	1313	1459	0.7F		1347	1555	1.2F		1348	1617	1.7F	1423		1654	1.5F	1312		1601	2.5F	1336		1626	2.0F	1312	1601	2.5F	
	1642	2058	3.4E		1802	2150	3.0E		1848	2215	2.9E	1934		2252	2.1E	1857		2208	2.8E	1927		2235	2.0E	1857	2208	2.8E	
11 W		0344	2.9F	26 Th		0419	2.5F	11 Sa			0428	2.3F	26 Su		0449	1.4F	11 Su		0402	2.0F	26 M		0414	1.0F			
	0703	1011	2.5E		0725	1046	2.8E		0718	1052	3.4E	0720		1110	2.8E	0634		1019	3.8E	0622		1026	2.9E	0634	1019	3.8E	
	1350	1543	0.9F		1431	1640	1.1F		1434	1708	1.8F	1503		1737	1.4F	1359		1651	2.6F	1412		1704	1.9F	1359	1651	2.6F	
	1734	2139	3.2E		1851	2231	2.6E		1948	2305	2.5E	2021		2335	1.8E	1955		2300	2.5E	2010		2317	1.8E	1955	2300	2.5E	
12 Th		0418	2.8F	27 F		0454	2.2F	12 Su			0509	2.0F	27 M		0523	1.1F	12 M		0446	1.6F	27 Tu		0449	0.7F			
	0732	1047	2.7E		0752	1123	2.8E		0751	1136	3.4E	0744		1147	2.7E	0710		1105	3.7E	0644		1100	2.7E	0710	1105	3.7E	
	1432	1631	1.0F		1516	1726	1.1F		1525	1804	1.9F	1547		1824	1.3F	1450		1746	2.5F	1452		1747	1.7F	1450	1746	2.5F	
	1831	2223	2.9E		1942	2314	2.2E		2054		2115			2115		2057		2357	2.1E	2057							
13 F		0455	2.5F	28 Sa		0528	1.8F	13 M			0002	2.1E	28 Tu		0024	1.5E	13 Tu		0536	1.3F	28 W		0004	1.6E			
	0802	1127	2.9E		0818	1200	2.8E		0314	0554	1.6F	0348		0601	0.8F	0749		1157	3.5E	0346		0528	0.5F	0749	1157	3.5E	
	1517	1724	1.1F		1603	1816	1.0F		0827	1225	3.4E	0808		1229	2.6E	1548		1847	2.3F	0706		1140	2.6E	1548	1847	2.3F	
	1934	2313	2.5E		2038				1622	1907	1.9F	1638		1919	1.2F	2205				1538		1835	1.6F	2205			
14 Sa		0535	2.3F																								

Admiralty Inlet (off Bush Pt.), Washington, 2012

F—Flood, Dir. 180° True E—Ebb, Dir. 005° True

April				May				June																	
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum											
	h	m	knots		h	m	knots		h	m	knots		h	m	knots										
1 Su	0048	0415	1.7E	16 M	0135	0514	2.6E	1 Tu	0028	0414	2.5E	16 W	0113	0518	3.0E	1 F	0053	0507	3.7E	16 Sa	0120	0558	3.2E		
		0949	*		0907	1125	1.1F		0817	1029	0.9F		0915	1157	1.6F		0900	1200	2.4F		0954	1258	2.2F		
		1547	2.2E		1347	1721	2.2E		1246	1620	1.9E		1454	1756	1.7E		1517	1807	1.8E		1624	1914	1.5E		
	1931	2232	1.7F		2045	2333	1.7F		1940	2229	1.6F		2109	2333	1.1F		2114	2332	1.2F		2239				
2 M	0135	0505	2.0E	17 Tu	0216	0559	2.8E	2 W	0109	0500	2.9E	17 Th	0147	0558	3.2E	2 Sa	0139	0556	4.0E	17 Su		0020	0.5F		
	0900	1054	0.6F		0946	1218	1.5F		0852	1126	1.5F		0951	1243	1.9F		0945	1252	2.9F		0155	0637	3.3E		
	1247	1652	2.3E		1456	1818	2.2E		1409	1725	2.1E		1550	1848	1.7E		1618	1907	2.0E		1029	1337	2.4F		
	2026	2322	1.8F		2139				2040	2319	1.6F		2204				2218				1705	1958	1.6E		
3 Tu	0216	0547	2.4E	18 W		0018	1.6F	3 Th	0149	0544	3.4E	18 F		0016	0.9F	3 Su		0026	1.1F	18 M	0231	0713	3.3E		
	0930	1149	1.2F		0251	0638	3.0E		0929	1218	2.2F		0219	0635	3.3E		0226	0645	4.2E		1102	1413	2.5F		
	1408	1750	2.5E		1022	1304	1.8F		1518	1824	2.2E		1024	1323	2.2F		1030	1342	3.3F		1743	2038	1.8E		
	2118				1553	1907	2.2E		2138				1637	1934	1.8E		1712	2002	2.2E						
4 W		0007	1.9F	19 Th		0057	1.4F	4 F		0008	1.5F	19 Sa		0055	0.8F	4 M		0120	1.1F	19 Tu	0018	0144	0.4F		
	0253	0627	2.9E		0322	0713	3.2E		0229	0627	3.8E		0249	0709	3.3E		0315	0734	4.3E		0306	0749	3.3E		
	1003	1239	1.7F		1055	1344	2.1F		1009	1308	2.7F		1056	1359	2.4F		1117	1431	3.5F		1135	1448	2.7F		
	1516	1843	2.7E		1641	1950	2.2E		1619	1919	2.4E		1719	2016	1.8E		1803	2054	2.4E		●	1819	2116	1.9E	
	2206				2312				2233				2343				○								
5 Th		0049	2.0F	20 F		0133	1.3F	5 Sa		0055	1.5F	20 Su		0133	0.7F	5 Tu		0016	0.213	1.0F	20 W	0102	0223	0.4F	
	0327	0705	3.3E		0349	0746	3.2E		0309	0711	4.1E		0317	0742	3.3E		0405	0823	4.2E		0342	0824	3.2E		
	1039	1326	2.3F		1127	1420	2.2F		1050	1356	3.1F		1128	1434	2.5E		1204	1519	3.6F		1208	1522	2.7F		
	1616	1933	2.8E		●	1724	2030	2.2E		○	1715	2011	2.5E		●	1758	2055	1.9E		1851	2146	2.5E			
	2253				2354				2327																
6 F		0130	1.9F	21 Sa		0207	1.1F	6 Su		0142	1.4F	21 M		0029	0.209	0.6F	6 W		0114	0.307	1.0F	21 Th	0144	0.303	0.4F
	0402	0744	3.7E		0415	0816	3.2E		0351	0756	4.2E		0345	0814	3.3E		0456	0913	4.0E		0420	0.900	3.2E		
	1117	1412	2.7F		1157	1454	2.3F		1134	1444	3.4F		1159	1509	2.5F		1251	1607	3.5F		1241	1556	2.7F		
	1713	2022	2.9E		1804	2108	2.1E		1808	2103	2.5E		1835	2134	1.9E		1937	2237	2.5E		1924	2229	2.1E		
	2341																								
7 Sa		0212	1.9F	22 Su		0035	0.239	0.9F	7 M		0022	0.231	1.3F	22 Tu		0116	0.245	0.4F	7 Th		0213	0.403	0.9F		
	0437	0824	3.9E		0439	0846	3.2E		0433	0842	4.3E		0411	0847	3.2E		0411	0847	3.2E		0549	1003	3.7E		
	1159	1458	3.0F		1228	1528	2.3F		1220	1532	3.5F		1231	1543	2.6F		1231	1543	2.6F		1339	1654	3.2F		
	1807	2111	2.8E		1842	2145	2.0E		1900	2155	2.5E		1911	2212	1.9E		1911	2212	1.9E		2021	2328	2.6E		
8 Su		0030	0.254	1.7F	23 M		0117	0.311	0.8F	8 Tu		0119	0.321	1.1F	23 W		0204	0.322	0.3F	8 F		0315	0.501	0.8F	
	0514	0907	4.1E		0502	0917	3.1E		0518	0929	4.1E		0438	0921	3.1E		0438	0921	3.1E		0646	1056	3.2E		
	1243	1546	3.1F		1259	1603	2.3F		1309	1622	3.4F		1304	1618	2.5F		1304	1618	2.5F		1429	1742	2.8F		
	1901	2202	2.7E		1921	2224	1.9E		1951	2249	2.5E		1948	2252	1.9E		1948	2252	1.9E		2103				
9 M		0121	0.339	1.5F	24 Tu		0203	0.345	0.6F	9 W		0220	0.414	0.9F	24 Th		0401	*	9 Sa		0020	2.6E			
	0552	0952	4.0E		0524	0949	3.0E		0605	1020	3.8E		0605	1020	3.8E		0957	2.9E		0419	0604	0.7F			
	1331	1636	3.1F		1333	1639	2.2F		1359	1713	3.2F		1340	1655	2.4F		1655	2.4F		0750	1151	2.7E			
	1956	2255	2.5E		2000	2305	1.8E		2042	2345	2.4E		2024	2333	1.9E		2024	2333	1.9E		1519	1830	2.4F		
10 Tu		0218	0.428	1.2F	25 W		0255	0.422	0.4F	10 Th		0327	0.513	0.7F	25 F		0446	*	10 Su		0113	2.7E			
	0633	1040	3.8E		0546	1023	2.8E		0656	1114	3.4E		0656	1114	3.4E		1037	2.7E		0522	0711	0.7F			
	1422	1730	2.9F		1411	1719	2.1F		1453	1807	2.8F		1418	1734	2.3F		1418	1734	2.3F		0904	1252	2.1E		
	2054	2353	2.2E		2043	2350	1.7E		2133				2100				2100				1613	1920	2.0F		
11 W		0323	0.523	0.9F	26 Th		0503	*	11 F		0440	0.618	0.6F	26 Sa		0016	2.0E	11 M		0205	2.8E				
	0718	1133	3.5E		1103	2.6E			0756	1214	2.9E		0756	1214	2.9E		0537	*		0620	0821	0.8F			
	1519	1828	2.6F		1452	1802	2.0F		1550	1903	2.5F		1550	1903	2.5F		1816	2.2F		1031	1359	1.7E			
	2153				2127				2222				2222				2136			○	1712	2010	1.6F		
12 Th		0058	2.1E	27 F		0040	1.7E	12 Sa		0145	2.4E	27 Su		0102	2.1E	12 Tu		0257	2.9E	12 W		0157	3.0E		
	0440	0626	0.6F		0554	*			0554	0732	0.5F		0638	*			0638	*		0713	0931	1.0F			
	0810	1234	3.0E		1149	2.4E			0912	1320	2.4E		1217	2.2E			1217	2.2E		1202	1512	1.4E			
	1621	1931	2.3F		1539	1851	1.9F		1652	2001	2.1F		1550	1902	2.0F		1550	1902	2.0F		1817	2102	1.2F		
	2254				2214				2310				2213				2213			2333					
13 F		0207	2.0E	28 Sa		0135	1.7E	13 Su		0246	2.5E	28 M		0150	2.3E	13 W		0346	3.0E	13 Th		0249	3.3E		
	0605	0741	0.5F		0657	*			0658	0849	0.7F		0615	0746	0.4F		0759	1034	1.3F		0658	0938	1.6F		
	0917	1344	2.7E		1246	2.2E			1044	1434	2.0E		0920	1322	1.9E		1328	1623	1.3E		1238	1529	1.4E		
	1728	2038	2.1F		1733																				

Admiralty Inlet (off Bush Pt.), Washington, 2012

F—Flood, Dir. 180° True E—Ebb, Dir. 005° True

July				August				September																		
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum												
	h	m	knots		h	m	knots		h	m	knots		h	m	knots											
1 Su	0103	0535	4.0E	16 M	0116	0608	3.1E	1 W	0300	0712	3.8E	16 Th	0254	0707	3.1E	1 Sa	0006	0235	1.7F	16 Su	0449	0814	2.9E			
	0927	1238	2.9F		1001	1310	2.3F		1051	1400	3.1F		1046	1349	2.4F		0505	0838	3.1E		1137	1420	2.1F			
	1611	1857	1.9E		1638	1934	1.6E		1721	2023	2.5E		1700	2009	2.3E		1204	1453	2.3F		1743	2110	3.1E	1700	2033	3.4E
	2210				2310					2349							2341									
2 M		0009	0.9F	17 Tu	0204	0649	3.2E	2 Th	0400	0802	3.7E	17 F	0349	0748	3.2E	2 Su	0044	0317	1.8F	17 M	0006	0252	2.3F			
	0200	0628	4.1E		1037	1348	2.5F		1136	1443	3.0F		1122	1422	2.5F		0554	0920	2.8E		0542	0858	2.9E			
	1016	1329	3.2F		1715	2012	1.8E		1758	2105	2.7E		1728	2041	2.6E		1244	1528	2.0F		1810	2144	3.1E	1219	1456	2.0F
	1702	1952	2.1E		2351												1810	2144	3.1E		1730	2110	3.6E	1730	2110	3.6E
3 Tu		0107	0.9F	18 W	0252	0728	3.3E	3 F	0035	0247	1.3F	18 Sa	0013	0228	1.3F	3 M	0122	0359	1.8F	18 Tu	0045	0336	2.5F			
	0257	0720	4.1E		1111	1422	2.6F		0456	0849	3.5E		0441	0829	3.1E		0641	1001	2.5E		0635	0945	2.7E			
	1103	1417	3.4F		1747	2048	2.0E		1220	1523	2.9F		1158	1455	2.5F		1324	1601	1.7F		1304	1535	1.8F			
	1748	2042	2.4E						1832	2146	2.9E		1755	2114	2.9E		1836	2218	3.0E		1802	2150	3.7E	1802	2150	3.7E
4 W	0006	0203	1.0F	19 Th	0027	0205	0.6F	4 Sa	0120	0335	1.4F	19 Su	0047	0310	1.5F	4 Tu	0201	0440	1.7F	19 W	0129	0424	2.6F			
	0354	0811	4.1E		0340	0806	3.3E		0550	0934	3.2E		0534	0910	3.0E		0727	1042	2.2E		0731	1034	2.4E			
	1150	1503	3.2F		1145	1456	2.7F		1301	1601	2.6F		1236	1529	2.3F		1405	1634	1.4F		1405	1634	1.4F			
	1831	2130	2.6E		1817	2122	2.2E		1903	2225	2.9E		1822	2148	3.1E		1900	2253	2.9E		1836	2234	3.7E	1836	2234	3.7E
5 Th	0100	0257	1.0F	20 F	0101	0246	0.7F	5 Su	0205	0423	1.4F	20 M	0124	0354	1.7F	5 W	0242	0523	1.6F	20 Th	0218	0516	2.5F			
	0451	0900	3.8E		0429	0844	3.2E		0643	1018	2.8E		0628	0954	2.8E		0815	1126	1.8E		0829	1129	2.2E			
	1235	1548	3.3F		1220	1528	2.7F		1343	1637	2.2F		1316	1605	2.1F		1451	1710	1.0F		1450	1705	1.2F			
	1910	2216	2.7E		1845	2155	2.4E		1932	2303	2.9E		1850	2225	3.3E		1924	2330	2.7E		1915	2324	3.5E	1915	2324	3.5E
6 F	0152	0350	1.0F	21 Sa	0136	0328	0.8F	6 M	0250	0511	1.3F	21 Tu	0206	0442	1.9F	6 Th	0327	0610	1.5F	21 F	0312	0614	2.4F			
	0547	0948	3.5E		0519	0923	3.1E		0736	1104	2.3E		0725	1042	2.5E		0908	1216	1.5E		0933	1232	1.9E			
	1320	1630	3.0F		1255	1601	2.6F		1424	1714	1.8F		1400	1643	1.9F		1545	1750	0.7F		1558	1801	0.9F			
	1947	2301	2.8E		1912	2228	2.6E		2000	2342	2.9E		1921	2307	3.4E		1950				1959			1959		
7 Sa	0245	0444	1.0F	22 Su	0212	0413	1.0F	7 Tu	0338	0601	1.3F	22 W	0253	0535	1.9F	7 F		0013	2.6E	22 Sa		0021	3.3E			
	0644	1037	3.0E		0614	1006	2.8E		0833	1152	1.9E		0827	1135	2.1E		0418	0704	1.4F		0414	0719	2.2F			
	1405	1712	2.6F		1333	1635	2.4F		1509	1752	1.4F		1450	1726	1.5F		1009	1316	1.3E		1042	1345	1.8E			
	2022	2345	2.8E		1940	2305	2.8E		2028				1955	2353	3.4E		1656	1839	0.4F		1722	1910	0.6F			
8 Su	0339	0540	1.0F	23 M	0253	0502	1.1F	8 W		0024	2.8E	23 Th	0347	0634	1.9F	8 Sa		0103	2.4E	23 Su		0128	3.0E			
	0744	1128	2.5E		0713	1052	2.5E		0429	0655	1.2F		0936	1237	1.8E		0514	0806	1.3F		0522	0830	2.1F			
	1450	1753	2.2F		1413	1712	2.2F		1601	1833	1.0F		1550	1816	1.2F		1117	1428	1.2E		1152	1502	1.8E			
	2055				2008	2344	3.0E		2056				2034				1940	*			1851	2031	0.5F			
9 M		0030	2.8E	24 Tu	0339	0556	1.2F	9 Th		0109	2.7E	24 F		0047	3.3E	9 Su		0203	2.3E	24 M		0243	2.8E			
	0434	0639	0.9F		0819	1144	2.1E		1047	1349	1.2E		0447	0740	1.9F		0614	0912	1.3F		0632	0940	2.1F			
	0850	1222	2.0E		1459	1753	1.9F		1705	1921	0.7F		1704	1917	0.9F		1227	1543	1.2E		1257	1614	2.0E			
	1538	1836	1.8F		2040				2126				2120				2054	*			2003	2153	0.6F			
10 Tu		0117	2.8E	25 W		0029	3.1E	10 F		0200	2.6E	25 Sa		0149	3.2E	10 M		0309	2.3E	25 Tu		0359	2.7E			
	0529	0742	1.0F		0429	0656	1.4F		0619	0901	1.2F		0552	0853	2.0F		0712	1014	1.5F		0739	1044	2.1F			
	1005	1322	1.5E		0935	1245	1.8E		1206	1504	1.0E		1215	1510	1.5E		1328	1646	1.5E		1352	1714	2.3E			
	1631	1920	1.3F		1553	1840	1.5F		1827	2019	0.4F		1832	2030	0.6F		2206	*			2058	2305	0.9F			
11 W		0205	2.8E	26 Th		0119	3.2E	11 Sa		0257	2.6E	26 Su		0259	3.2E	11 Tu		0413	2.4E	26 W		0507	2.7E			
	0623	0847	1.1F		0525	0803	1.5F		0713	1006	1.4F		0658	1005	2.1F		0805	1107	1.7F		0840	1139	2.2F			
	1129	1430	1.2E		1100	1356	1.5E		1322	1620	1.1E		1329	1628	1.6E		1417	1736	1.7E		1438	1804	2.7E			
	1734	2010	1.0F		1659	1934	1.2F		1956	2125	0.3F		1958	2149	0.6F		2130	2307	0.4F		2143					
12 Th		0255	2.8E	27 F		0216	3.3E	12 Su		0355	2.6E	27 M		0409	3.2E	12 W		0509	2.5E	27 Th		0604	1.3F			
	0714	0952	1.2F		0623	0915	1.8F		0803	1104	1.6F		0801	1109	2.3F		0852	1152	1.9F		0934	1226	2.1F			
	1253	1544	1.1E		1229	1516	1.3E		1425	1725	1.3E		1431	1734	1.9E		1457	1816	2.1E		1517	1847	2.9E			
	1849	2104	0.7F		1819	2038	0.9F		2110	2230	0.3F		2106	2302	0.8F		2158	2358	0.8F		2223					
13 F		0346	2.9E	28 Sa		0318	3.4E	13 M		0450	2.7E	28 Tu		0515	3.3E	13 Th		0600	2.7E	28 F		0655	1.7F			
	0801	1052	1.5F		0722	1024	2.1F		0849	1154	1.9F		0859	1205	2.5F		0935	1232	2.0F		0329	0658	2.8E			
	1408	1656	1.1E		1351	1636	1.4E		1515	1817	1.5E		1521	1829	2.3E		1531	1852	2.4E		1023	1308	2.0F			
	2009	2202	0.5F		1945	2149	0.7F		2200	2329	0.4F		2159				2227				1551	1925	3.1E			
14 Sa		0436	2.9E	29 Su		0421	3.6E	14 Tu		0553	2.9E	29 W		0006	1.0F	14 F		0044	1.2F	29 Sa		0140	2.0F			
	0844	1144	1.8F		0819	1128	2.5F		0930	1236	2.1F		0208	0613	3.3E		0259	0646	2.8E		0423	0744	2.7E			
	1508	1758	1.2E		1458	1746	1.6E		1555	1859	1.8E		0951	1254	2.6F		1017	1309	2.1F		1107	1346	1.9F			
	2122	2259	0.4F		2103	2259	0.7F		2237				1604	1915	2.6E		1602	1926	2.8E		1621	2000	3.2E			
15 Su		0029	3.0E	30 M		0048	3.7E	15 W		0019	0.5F	30 Th														

Admiralty Inlet (off Bush Pt.), Washington, 2012

F—Flood, Dir. 180° True E—Ebb, Dir. 005° True

October				November				December																				
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum														
	h	m	knots		h	m	knots		h	m	knots		h	m	knots													
1 M	0010	0258	2.2F	16 Tu	0546	0847	2.6E	1 Th	0043	0349	2.4F	16 F	0041	0355	3.5F	1 Sa	0050	0404	2.6F	16 Su	0113	0427	3.4F					
	0556	0906	2.4E		1205	1426	1.6F		0710	1011	1.9E		0725	1021	2.5E		0733	1036	1.9E		0753	1058	2.7E					
	1230	1453	1.4F		1641	2038	4.1E		1352	1529	0.5F		1348	1544	1.0F		1438	1547	0.3F		1437	1631	1.0F	1437	1631	1.0F		
	1713	2104	3.2E						1704	2132	3.0E		1735	2150	4.0E		1655	2142	2.9E		1655	2142	2.9E	1824	2229	3.5E		
2 Tu	0043	0335	2.2F	17 W	0015	0320	3.2F	2 F	0117	0425	2.3F	17 Sa	0130	0444	3.3F	2 Su	0124	0439	2.5F	17 M	0201	0514	3.1F	17 M	0201	0514	3.1F	
	0637	0945	2.2E		0638	0936	2.6E		0749	1052	1.8E		0815	1115	2.5E		0807	1116	2.0E		0834	1149	2.8E		0834	1149	2.8E	
	1311	1526	1.2F		1256	1510	1.4F		1446	1606	0.3F		1453	1641	0.8F		1629	*			1539	1732	0.9F		1539	1732	0.9F	
	1737	2135	3.1E		1719	2122	4.0E		1725	2207	2.8E		1826	2243	3.6E		2219	2.7E	2219		2.7E	1926	2323		2.9E	1926	2323	2.9E
3 W	0118	0412	2.1F	18 Th	0101	0408	3.2F	3 Sa	0153	0503	2.2F	18 Su	0222	0537	3.0F	3 M	0200	0515	2.3F	18 Tu	0251	0602	2.6F	18 Tu	0251	0602	2.6F	
	0719	1025	2.0E		0731	1028	2.4E		0829	1137	1.7E		0904	1213	2.5E		0840	1157	2.0E		0914	1241	2.8E		0914	1241	2.8E	
	1354	1559	0.9F		1351	1557	1.2F		1648	*			1604	1745	0.6F		1718	*			1642	1838	0.8F		1642	1838	0.8F	
	1759	2208	3.0E		1759	2209	3.9E		2245	2.6E	1926		2341	3.0E	1926		2341	3.0E	2302		2.4E	2038						
4 Th	0154	0450	2.0F	19 F	0150	0500	3.0F	4 Su	0233	0545	2.0F	19 M	0317	0631	2.7F	4 Tu	0239	0554	2.1F	19 W	0344	0651	2.2F	19 W	0344	0651	2.2F	
	0801	1107	1.8E		0826	1124	2.3E		0911	1226	1.7E		0953	1313	2.5E		0914	1240	2.1E		0953	1334	2.9E		0953	1334	2.9E	
	1444	1634	0.6F		1454	1651	0.9F		1739	*			1717	1858	0.6F		1815	*			1745	1949	0.9F		1745	1949	0.9F	
	1821	2243	2.8E		1843	2301	3.6E		2330	2.3E	2039				2039			2352	2.1E		2201							
5 F	0234	0532	1.8F	20 Sa	0245	0556	2.8F	5 M	0318	0632	1.9F	20 Tu	0417	0728	2.3F	5 W	0324	0636	1.9F	20 Th	0443	0742	1.7F	20 Th	0443	0742	1.7F	
	0847	1154	1.6E		0923	1226	2.1E		0955	1320	1.7E		1040	1414	2.6E		0948	1326	2.3E		1031	1428	2.9E		1031	1428	2.9E	
	1545	1715	0.4F		1609	1753	0.6F		*	*			1826	2016	0.7F		1800	1920	0.3F		1843	2102	1.1F		1843	2102	1.1F	
	1842	2323	2.5E		1935				0024	2.1E	0409		0722	1.7F	0522		0827	1.9F	2043				0550		0836	1.3F	0550	0836
6 Sa	0319	0620	1.7F	21 Su	0344	0657	2.5F	6 Tu	0409	0722	1.7F	21 W	0522	0827	1.9F	6 Th	0416	0723	1.7F	21 F	0550	0836	1.3F	21 F	0550	0836	1.3F	
	0938	1250	1.5E		1022	1334	2.1E		1039	1415	1.9E		1126	1513	2.8E		1022	1413	2.5E		1109	1522	3.0E		1109	1522	3.0E	
	*	*			1732	1907	0.5F		*	*			1923	2133	0.9F		1838	2030	0.6F		1936	2211	1.3F		1936	2211	1.3F	
					2041				1954	*			2352				2229				2229				2335			
7 Su	0411	0715	1.5F	22 M	0450	0802	2.2F	7 W	0508	0816	1.8E	22 Th	0632	0925	1.6F	7 F	0516	0814	1.4F	22 Sa	0704	0932	0.9F	22 Sa	0704	0932	0.9F	
	1034	1354	1.4E		1120	1444	2.2E		1122	1507	2.1E		1208	1607	3.0E		1059	1502	2.8E		1146	1613	3.1E		1146	1613	3.1E	
	1909	*			1850	2030	0.5F		1940	2107	0.3F		2012	2241	1.3F		1917	2138	1.1F		2022	2312	1.6F		2022	2312	1.6F	
					2211				2238				2012	2241	1.3F		1917	2138	1.1F		2022	2312	1.6F		2022	2312	1.6F	
8 M	0509	0815	1.5F	23 Tu	0600	0907	2.0F	8 Th	0611	0911	1.5F	23 F	0123	0432	1.6E	8 Sa	0013	0321	1.4E	23 Su	0224	0513	1.2E	23 Su	0224	0513	1.2E	
	1132	1501	1.5E		1215	1549	2.5E		1202	1555	2.5E		1248	1655	3.2E		0625	0909	1.3F		0821	1028	0.7F		0821	1028	0.7F	
	2025	*			1951	2150	0.8F		2006	2213	0.8F		2054	2338	1.7F		1138	1552	3.2E		1225	1701	3.1E		1225	1701	3.1E	
					2352												1957	2241	1.6F		2104							
9 Tu	0610	0916	1.5F	24 W	0709	1009	1.9F	9 F	0025	0357	1.7E	24 Sa	0238	0537	1.6E	9 Su	0142	0436	1.5E	24 M	0325	0614	1.3E	24 M	0325	0614	1.3E	
	1225	1600	1.8E		1304	1644	2.7E		1241	1639	2.9E		0847	1111	1.1F		1221	1641	3.5E		0930	1121	0.6F		0930	1121	0.6F	
	2140	*			2039	2259	1.2F		2037	2309	1.4F		1325	1739	3.3E		2039	2337	2.2F		1304	1746	3.2E		1304	1746	3.2E	
													2133				2039	2337	2.2F		2143							
10 W	0710	1011	1.6F	25 Th	0814	1103	1.7F	10 Sa	0150	0503	1.8E	25 Su	0338	0633	1.7E	10 M	0254	0542	1.6E	25 Tu	0414	0705	1.5E	25 Tu	0414	0705	1.5E	
	1311	1648	2.1E		1346	1732	3.0E		1320	1721	3.3E		0947	1157	0.9F		1307	1731	3.9E		1030	1210	0.5F		1030	1210	0.5F	
	2051	2243	0.6F		2121	2355	1.6F		2111	2359	2.0F		1359	1818	3.4E		2122				1344	1826	3.3E		1344	1826	3.3E	
													2209				2122				2218							
11 Th	0035	0435	2.1E	26 F	0237	0554	2.2E	11 Su	0259	0602	2.0E	26 M	0109	0239	0.8F	11 Tu	0029	0287	2.8F	26 W	0127	0247	2.4F	26 W	0127	0247	2.4F	
	0806	1100	1.6F		0912	1151	1.6F		0914	1141	1.4F		0427	0721	1.8E		0355	0642	1.9E		0455	0748	1.7E		0455	0748	1.7E	
	1350	1728	2.5E		1423	1814	3.2E		1359	1803	3.7E		1040	1239	0.8F		0951	1159	1.0F		1121	1254	0.5F		1121	1254	0.5F	
	2118	2335	1.1F		2159				2148				1432	1854	3.4E		1356	1820	4.2E		1424	1904	3.3E		1424	1904	3.3E	
12 F	0155	0532	2.3E	27 Sa	0044	2.0F	12 M	0047	2.6F	27 Tu	0147	2.5F	12 W	0118	3.2F	12 W	0118	3.2F	27 Th	0203	2.6F	27 Th	0203	2.6F				
	0857	1144	1.7F		0338	0647		2.2E	0359		0656	2.2E		1129	1318		0.7F	0449		0737	2.1E		0532	0828	1.8E	0532	0828	1.8E
	1425	1806	2.9E		1005	1234		1.4F	1008		1228	1.4F		1502	1929		3.4E	1050		1253	1.0F		1205	1335	0.5F	1205	1335	0.5F
	2147	*			1456	1851		3.3E	1438		1845	4.0E		2314				1447		1909	4.3E		1502	1940	3.3E	1502	1940	3.3E
13 Sa	0301	0624	2.4E	28 Su	0126	2.2F	13 Tu	0133	3.1F	28 W	0222	2.6F	13 Th	0206	3.5F	13 Th	0206	3.5F	28 F	0237	2.7F	28 F	0237	2.7F				
	0945	1225	1.8F		0429	0733		2.2E	0454		0747	2.3E		0548	0843		1.9E	0539		0828	2.3E		0605	0904	1.9E	0605	0904	1.9E
	1459	1842	3.3E		1053	1312		1.3F	1101		1314	1.3F		121														

The Narrows (north end), Puget Sound, Washington, 2012

F—Flood, Dir. 135° True E—Ebb, Dir. 335° True

April				May				June																					
Slack	Maximum		knots	Slack	Maximum		knots	Slack	Maximum		knots	Slack	Maximum		knots														
h m	h m	h m		h m	h m	h m		h m	h m	h m		h m	h m	h m															
1 Su	0130 0738 1206 1930	0428 0944 1541 2231	1.3E 1.4F 2.3E 3.1F	16 M	0220 0835 1420 2040	0553 1108 1759 2333	2.6E 2.2F 2.5E 3.0F	1 Tu	0115 0756 1317 1945	0421 1020 1619 2242	2.2E 2.2F 2.1E 3.1F	16 W	0206 0855 1526 2102	0558 1145 1839 2337	3.1E 2.8F 2.0E 2.4F	1 F	0141 0856 1542 2119	0515 1154 1823 2351	3.8E 4.1F 2.0E 2.6F	16 Sa	0226 0948 1700 2218	0630 1251 1959 2218	3.3E 3.5F 1.7E						
2 M	0222 0833 1329 2030	0533 1048 1655 2326	1.7E 1.8F 2.4E 3.2F	17 Tu	0305 0926 1531 2136	0641 1210 1900 2366	2.9E 2.7F 2.6E	2 W	0158 0842 1437 2048	0512 1121 1733 2335	2.7E 2.9F 2.3E 3.1F	17 Th	0245 0939 1624 2157	0639 1236 1932 2357	3.3E 3.2F 2.1E	2 Sa	0227 0946 1644 2220	0607 1250 1929 2320	4.2E 4.7F 2.3E	17 Su	0306 1029 1743 2308	0706 1334 2043 2308	1.8F 3.4E 3.9F 1.9E						
3 Tu	0305 0920 1444 2126	0615 1147 1803 2326	2.2E 2.4F 2.7E	18 W	0344 1011 1630 2227	0722 1301 1950 2327	2.9F 3.2E 2.7E	3 Th	0238 0927 1546 2147	0558 1217 1840 2347	3.3E 3.7F 2.5E	18 F	0321 1019 1713 2247	0024 0714 2019 2247	2.3F 3.4E 2.2E	3 Su	0315 1035 1740 2317	0044 0658 2026 2317	2.6F 4.6E 2.5E	18 M	0345 1108 1822 2354	0740 1414 2122 2354	3.5E 4.1F 1.9E						
4 W	0342 1002 1550 2218	0651 1241 1901 2218	3.4F 2.7E 3.0E	19 Th	0418 1051 1719 2313	0756 1344 2034 2313	3.4E 3.5F 2.7E	4 F	0318 1011 1647 2243	0642 1310 1938 2243	3.9E 4.5F 2.8E	19 Sa	0354 1057 1756 2333	0107 0744 2100 2333	2.2F 3.5E 2.2E	4 M	0405 1124 1832	0137 0749 2119	2.6F 4.9E 2.7E	19 Tu	0424 1146 1857	0813 1453 2155	3.6E 4.3F 2.0E						
5 Th	0416 1043 1649 2307	0726 1332 1953 2307	3.3E 3.9F 3.3E	20 F	0448 1127 1802 2356	0824 1423 2113 2356	3.4E 3.8F 2.6E	5 Sa	0358 1056 1743 2335	0727 1401 2032 2335	4.4E 5.1F 2.9E	20 Su	0427 1134 1835	0148 0811 2137	2.1F 3.5E 2.2E	5 Tu	0011 0456 1213 1921	0229 0839 5.0E 2.8E	2.6F 5.0E 5.8F	20 W	0037 0503 1223 1931	0243 0847 1531 2224	1.8F 3.6E 4.5F 2.1E						
6 F	0450 1124 1744 2355	0803 1420 2042 2355	3.9E 4.6F 3.4E	21 Sa	0517 1202 1842	0848 1459 2146	3.5E 4.1F 2.5E	6 Su	0439 1142 1837	0811 1450 2123	4.8E 5.6F 3.0E	21 M	0017 0459 1209 1912	0228 0838 1514 2209	2.0F 3.6E 4.3F 2.1E	6 W	0104 0548 1303 2008	0321 0929 1613 2259	2.6F 4.9E 5.7F 2.9E	21 Th	0119 0543 1259 2003	0325 0922 1609 2250	1.9F 3.6E 4.6F 2.2E						
7 Sa	0525 1206 1838	0842 1508 2130	4.4E 5.1F 3.4E	22 Su	0037 0544 1236 1920	0259 0911 1535 2216	2.5F 3.5E 4.2F 2.4E	7 M	0027 0523 1229 1929	0251 0857 1539 2214	3.0F 5.0E 5.8F 3.0E	22 Tu	0059 0531 1245 1948	0308 0909 1552 2238	1.9F 3.6E 4.4F 2.1E	7 Th	0156 0643 1352 2054	0413 1020 1701 2349	2.6F 4.5E 5.4F 2.9E	22 F	0200 0625 1335 2035	0409 0959 1648 2318	1.9F 3.5E 4.5F 2.3E						
8 Su	0042 0601 1250 1931	0317 0923 1556 2218	3.5F 4.7E 5.5F 3.3E	23 M	0117 0611 1310 1959	0336 0938 1613 2245	2.3F 3.5E 4.2F 2.2E	8 Tu	0118 0608 1318 2020	0340 0944 1629 2305	2.9F 4.9E 5.7F 2.9E	23 W	0140 0605 1320 2025	0348 0942 1631 2307	1.9F 3.5E 4.4F 2.0E	8 F	0250 0740 1442 2138	0506 1111 1749 2138	2.5F 4.0E 4.9F	23 Sa	0241 0710 1411 2106	0453 1039 1728 2351	2.0F 3.4E 4.4F 2.4E						
9 M	0130 0640 1337 2026	0402 1006 1645 2308	3.3F 4.8E 5.5F 3.0E	24 Tu	0157 0640 1344 2038	0414 1008 1652 2317	2.2F 3.4E 4.2F 2.0E	9 W	0210 0657 1409 2112	0430 1033 1719	2.7F 4.7E 5.5F	24 Th	0223 0641 1355 2102	0430 1017 1711 2340	1.8F 3.4E 4.3F 2.0E	9 Sa	0345 0841 1532 2220	0040 0602 1205 1836	2.8E 2.4F 3.4E 4.4F	24 Su	0323 0802 1450 2138	0541 1122 1809	2.1F 3.1E 4.2F						
10 Tu	0220 0722 1427 2122	0449 1052 1736	3.0F 4.6E 5.3F	25 W	0238 0712 1421 2120	0454 1042 1733 2353	2.0F 3.3E 4.0F 1.9E	10 Th	0305 0750 1501 2204	0000 0523 1810	2.7E 2.5F 5.0F	25 F	0307 0722 1432 2139	0514 1056 1753	1.7F 3.2E 4.2F	10 Su	0442 0950 1624 2302	0133 0659 1304 1925	2.8E 2.3F 2.7E 3.8F	25 M	0408 0902 1533 2211	0631 1211 1853	2.6E 2.2F 3.8F						
11 W	0314 0809 1521 2221	0539 1142 1829	2.7E 2.7F 4.3E 4.9F	26 Th	0323 0747 1500 2204	0537 1120 1818	1.7F 3.1E 3.8F	11 F	0404 0850 1557 2256	0059 0619 1222 1903	2.6E 2.2F 3.6E 4.4F	26 Sa	0354 0809 1513 2218	0018 0602 1140 1837	2.0E 1.6F 3.0E 4.0F	11 M	0539 1107 1719 2343	0800 1412 2014	2.3F 2.1E 3.2F	26 Tu	0456 1011 1623 2246	0726 1307 1941	2.4F 2.3E 3.4F						
12 Th	0414 0903 1620 2324	0634 1238 1926	2.3E 2.3F 3.8E 4.3F	27 F	0413 0829 1544 2252	0624 1203 1906	1.5F 2.9E 3.6F	12 Sa	0507 1000 1655 2347	0204 0720 1327 1958	2.5E 2.1F 2.9E 3.9F	27 Su	0444 0906 1559 2256	0100 0654 1229 1924	2.1E 1.7F 2.7E 3.7F	12 Tu	0635 1230 1819	0322 0903 2105	2.9E 2.3F 1.6E 2.7F	27 W	0547 1132 1722 2325	0825 1411 2031	2.7F 1.9E 3.0F						
13 F	0520 1007 1724	0735 1344 2027	2.1E 2.0F 3.2E 3.8F	28 Sa	0509 0921 1635 2341	0126 0717 1254 1957	1.6E 1.4F 2.6E 3.4F	13 Su	0610 1121 1757	0311 0825 2055	2.5E 2.0F 2.4E 3.4F	28 M	0535 1016 1652 2335	0147 0750 1327 2014	2.2E 1.8F 2.3E 3.4F	13 W	0024 0728 1354 1921	0416 1007 1702 2158	2.9E 2.5F 1.5E 2.3F	28 Th	0640 1259 1832	0927 1525 2126	3.4E 1.6E 2.7F						
14 Sa	0027 0630 1126 1831	0343 0842 1507 2131	2.1E 1.8F 2.7E 3.5F	29 Su	0608 1027 1734	0815 1354 2051	1.7E 1.4F 2.3E 3.2F	14 M	0037 0711 1250 1900	0415 0935 1617 2151	2.7E 2.1F 2.0E 2.9F	29 Tu	0627 1139 1754	0237 0851 2107	2.5E 2.1F 3.2F	14 Th	0105 0818 1509 2024	0506 1108 1812 2250	3.0E 2.8F 1.5E 2.0F	29 F	0008 0831 1423 1946	0344 1133 1650 2224	3.6E 3.6F 1.5E 2.4F						
15 Su	0127 0736 1256 1938	0455 0955 1642 2235	2.3E 1.9F 2.5E 3.2F	30 M	0030 0705 1149 1839	0323 0917 1503 2147	1.9E 1.7F 2.1E 3.1F	15 Tu	0123 0806 1414 2003	0510 1044 1736 2246	2.9E 2.4F 1.9E 2.6F	30 W	0016 0717 1307 1904	0329 0953 1548 2201	2.8E 2.7F 1.8E 2.9F	15 F	0145 0904 1610 2123	0550 1203 1910	3.1E 3.2F 1.6E 1.8F	30 Sa	0057 0831 1537 2058	0443 1133 1816 2323	4.0E 4.2F 1.6E 2.3F						
								31 Th	0058 0807 1430 2013	0422 1055 1708 2256	3.3E 3.3F 1.8E 2.7F																		

Time meridian 120° W. 0000 is midnight. 1200 is noon. Times are not adjusted for Daylight Saving Time.
 NOTE—These predictions are for midstream. On the west side the current floods most of the time while on the east side it ebbs most of the time.

The Narrows (north end), Puget Sound, Washington, 2012

F—Flood, Dir. 135° True E—Ebb, Dir. 335° True

July				August				September																	
Slack	Maximum		knots	Slack	Maximum		knots	Slack	Maximum		knots	Slack	Maximum		knots										
h m	h m	h m		h m	h m	h m		h m	h m	h m		h m	h m	h m											
1 Su	0151 0926 1640 2202	0543 1233 1926	4.3E 4.7F 1.9E	16 M	0227 1001 1720 2240	0633 1306 2020	3.2E 3.7F 1.7E	1 W	0345 1059 1759 2338	0735 1405 2059	4.3E 4.9F 2.7E	16 Th	0351 1058 1746 2335	0732 1358 2047	3.4E 4.1F 2.3E	1 Sa	0002 0547 1216 1830	0240 0911 1506 2143	3.4F 3.7E 4.1F 3.4E	16 Su	0528 1154 1749	0835 1441 2053	3.5E 3.9F 3.6E		
2 M	0248 1019 1734 2301	0641 1329 2023	2.3F 4.6E 5.4F 2.3E	17 Tu	0316 1044 1757 2326	0714 1349 2058	1.7F 3.4E 4.0F 1.9E	2 Th	0446 1147 1837	0828 1451 2140	4.4E 4.9F 3.0E	17 F	0442 1138 1814	0811 1436 2110	3.6E 4.3F 2.7E	2 Su	0042 0636 1258 1900	0324 0951 1543 2212	3.6F 3.4E 3.8F 3.4E	17 M	0013 0619 1237 1818	0305 0917 1521 2127	4.2F 3.5E 3.8F 4.0E		
3 Tu	0346 1111 1821 2355	0737 1421 2113	2.4F 4.7E 5.4F 2.6E	18 W	0403 1124 1829	0752 1428 2128	1.8F 3.5E 4.3F 2.1E	3 F	0026 0543 1233 1913	0253 0916 1533 2217	3.0F 4.2E 4.8F 3.2E	18 Sa	0013 0530 1217 1842	0243 0850 1514 2135	2.9F 3.7E 4.3F 3.0E	3 M	0122 0723 1338 1928	0405 1028 1619 2239	3.7F 3.1E 3.5F 3.4E	18 Tu	0052 0710 1320 1850	0350 1001 1602 2205	4.6F 3.4E 3.6F 4.3E		
4 W	0444 1201 1905	0830 1509 2200	2.5F 4.8E 5.5F 2.8E	19 Th	0009 0448 1202 1900	0220 0829 1506 2153	2.0F 3.6E 4.5F 2.3E	4 Sa	0111 0637 1317 1946	0342 1000 1613 2252	3.2F 3.9E 4.5F 3.3E	19 Su	0049 0619 1256 1909	0326 0930 1552 2205	3.3F 3.7E 4.3F 3.3E	4 Tu	0200 0809 1418 1955	0446 1104 1657 2308	3.7F 2.7E 3.1F 3.3E	19 W	0134 0803 1405 1925	0437 1048 1646 2246	4.8F 3.1E 3.3F 4.3E		
5 Th	0047 0541 1249 1946	0306 0921 1555 2243	2.7F 4.6E 5.3F 3.0E	20 F	0049 0533 1239 1928	0304 0906 1544 2217	2.2F 3.7E 4.5F 2.5E	5 Su	0156 0729 1359 2017	0428 1043 1652 2325	3.2F 3.5E 4.1F 3.3E	20 M	0127 0710 1336 1937	0411 1012 1631 2239	3.6F 3.5E 4.1F 3.6E	5 W	0239 0856 1459 2024	0528 1142 1736 2340	3.6F 2.3E 2.7F 3.1E	20 Th	0220 0859 1454 2005	0526 1138 1732 2332	4.8F 2.7E 2.9F 4.2E		
6 F	0137 0637 1335 2025	0358 1010 1639 2326	2.8F 4.3E 5.1F 3.1E	21 Sa	0127 0620 1315 1956	0348 0944 1622 2244	2.5F 3.6E 4.5F 2.7E	6 M	0239 0821 1441 2048	0514 1125 1731 2358	3.2F 2.9E 3.7F 3.2E	21 Tu	0206 0803 1417 2008	0457 1057 1712 2317	3.9F 3.2E 3.8F 3.8E	6 Th	0321 0946 1544 2055	0613 1223 1818	3.4F 1.8E 2.2F	21 F	0311 1001 1550 2050	0619 1234 1823	4.6F 2.3E 2.5F		
7 Sa	0226 0734 1421 2101	0449 1058 1722	2.8F 3.8E 4.6F	22 Su	0205 0709 1352 2024	0432 1025 1700 2316	2.7F 3.5E 4.4F 3.0E	7 Tu	0324 0915 1524 2118	0600 1208 1811	3.1F 2.4E 3.2F	22 W	0250 0901 1503 2042	0546 1146 1756	4.0F 2.8E 3.3F	7 F	0406 1044 1636 2132	0018 0701 1312 1904	2.9E 3.1F 1.8F	22 Sa	0409 1109 1656 2145	0024 0716 1342 1920	3.9E 4.3F 2.1F		
8 Su	0316 0832 1506 2137	0540 1146 1805	3.1E 3.2E 4.1F	23 M	0245 0802 1432 2054	0519 1109 1741 2352	2.9F 3.2E 4.1F 3.2E	8 W	0410 1014 1610 2151	0033 0649 1255 1854	3.0E 3.0F 1.9E 2.6F	23 Th	0340 1006 1555 2122	0000 0639 1240 1844	3.9E 4.0F 2.3E 2.9F	8 Sa	0459 1150 1737 2217	0102 0755 1416 1956	2.6E 2.9F 1.1E 1.5F	23 Su	0514 1221 1809 2254	0125 0819 1511 2024	3.6E 4.0F 1.7E 1.9F		
9 M	0406 0934 1553 2212	0632 1237 1848	3.1E 2.7F 3.6F	24 Tu	0328 0901 1515 2125	0608 1157 1824	3.1F 2.8E 3.7F	9 Th	0459 1120 1702 2226	0112 0741 1351 1941	2.9E 2.8F 1.4E 2.2F	24 F	0436 1119 1657 2209	0049 0737 1345 1938	3.8E 3.9F 1.8E 2.4F	9 Su	0558 1303 1847 2314	0156 0854 1607 2055	2.4E 2.8F 1.0E 1.3F	24 M	0623 1331 1921	0238 0926 1644	3.2E 3.7F 1.9E 1.8F		
10 Tu	0458 1042 1642 2248	0726 1333 1933	3.0E 2.6F 3.0F	25 W	0415 1009 1604 2201	0033 0702 1251 1911	3.4E 3.2F 2.3E 3.2F	10 F	0553 1235 1804 2309	0158 0837 1510 2032	2.7E 2.7F 1.0E 1.8F	25 Sa	0539 1239 1810 2306	0146 0840 1507 2038	3.7E 3.8F 1.4E 2.0F	10 M	0700 1411 1954	0300 0956 2158	2.3E 2.8F 1.3F	25 Tu	0017 0732 1432 2026	0407 1034 1751 2248	3.0E 3.6F 2.3E 2.1F		
11 W	0550 1158 1738 2325	0823 1442 2021	2.9E 2.6F 1.4E 2.5F	26 Th	0509 1126 1703 2242	0800 1354 2002	3.5E 1.8E 2.7F	11 Sa	0649 1355 1913 2359	0252 0938 1702 2129	2.6E 2.7F 0.9E 1.5F	26 Su	0646 1359 1927	0253 0948 2145	3.5E 3.8F 1.5E 1.9F	11 Tu	0024 0759 1505 2051	0414 1056 1825 2300	2.3E 3.0F 1.5E 1.5F	26 W	0144 0836 1522 2123	0535 1137 1843 2356	3.0E 3.6F 2.7E 2.5F		
12 Th	0643 1320 1840	0923 1615 2112	2.8E 2.6F 1.1E 2.0F	27 F	0607 1250 1814 2331	0902 1511 2058	3.5F 1.4E 2.3F	12 Su	0746 1506 2020	0356 1041 1813 2228	2.6E 2.8F 1.1E 1.4F	27 M	0016 0753 1507 2037	0411 1057 1810 2254	3.5E 3.9F 1.8E 2.0F	12 W	0138 0854 1546 2139	0524 1151 1903 2357	2.5E 3.2F 1.9E 2.0F	27 Th	0301 0934 1604 2212	0642 1231 1928	3.2E 3.6F 3.1E		
13 F	0005 0736 1439 1946	0359 1024 1740 2207	2.8E 2.8F 1.1E 1.7F	28 Sa	0709 1415 1932	0314 1008 1646 2200	3.7E 3.8F 1.3E 2.1F	13 M	0058 0841 1600 2120	0502 1140 1906 2327	2.7E 3.1F 1.4E 1.5F	28 Tu	0133 0856 1601 2138	0531 1201 1907	3.5E 4.0F 2.3E	13 Th	0244 0943 1621 2221	0621 1238 1931	2.8E 3.5F 2.3E	28 F	0406 1026 1640 2255	0053 0737 1317 2006	3.0F 3.3E 3.6F 3.4E		
14 Sa	0049 0827 1545 2050	0455 1124 1844 2302	2.9E 3.0F 1.3E 1.6F	29 Su	0028 0811 1528 2045	0421 1115 1817 2304	3.8E 4.1F 1.6E 2.0F	14 Tu	0159 0930 1641 2211	0601 1232 1948	2.9E 3.4F 1.7E	29 W	0248 0953 1646 2231	0000 0641 1257 1954	2.3F 3.7E 4.2F 2.7E	14 F	0343 1029 1651 2259	0048 0709 1321 1956	2.5F 3.1E 3.7F 2.7E	29 Sa	0501 1113 1713 2335	0142 0824 1357 2039	3.5F 3.5E		
15 Su	0138 0916 1638 2148	0547 1218 1936 2356	3.0E 3.3F 1.5E 1.6F	30 M	0133 0911 1627 2149	0531 1218 1921	4.0E 4.4F 2.0E	15 W	0258 1016 1716 2255	0650 1317 2021	3.2E 3.8F 2.0E	30 Th	0355 1045 1724 2318	0100 0738 1345 2035	2.7F 3.8E 4.3F 3.1E	15 Sa	0437 1112 1720 2336	0135 0752 1401 2023	3.1F 3.3E 3.9F 3.2E	30 Su	0550 1157 1743	0905 1435 2106	3.2E 3.3F 3.6E		
				31 Tu	0240 1007 1717 2246	0636 1315 2013	4.2E 4.7F 2.4E					31 F	0454 1132 1759	0153 0827 2111	3.1F 4.2F 3.3E										

Time meridian 120° W. 0000 is midnight. 1200 is noon. Times are not adjusted for Daylight Saving Time.
 NOTE—These predictions are for midstream. On the west side the current floods most of the time while on the east side it ebbs most of the time.

The Narrows (north end), Puget Sound, Washington, 2012

F—Flood, Dir. 135° True E—Ebb, Dir. 335° True

October				November				December																		
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum												
	h	m	knots		h	m	knots		h	m	knots		h	m	knots											
1 M	0013	0304	4.0F	16 Tu	0617	0906	3.2E	1 Th	0054	0357	4.4F	16 F	0051	0403	5.9F	1 Sa	0106	0415	4.4F	16 Su	0126	0436	5.6F			
	0634	0942	3.0E		1218	1451	3.3F		0747	1038	2.2E		0755	1036	2.9E		0811	1058	2.1E		0826	1117	3.0E			
	1239	1511	3.1F		1731	2055	4.6E		1342	1556	2.1F		1342	1603	2.7F		1406	1613	1.8F		1420	1640	2.8F	1420	1640	2.8F
	1810	2131	3.6E						1822	2152	3.5E		1827	2205	4.9E		1827	2203	3.4E		1827	2203	3.4E	1914	2245	4.4E
2 Tu	0048	0342	4.1F	17 W	0024	0331	5.4F	2 F	0129	0436	4.3F	17 Sa	0140	0452	5.7F	2 Su	0141	0454	4.4F	17 M	0216	0523	5.2F			
	0716	1016	2.7E		0708	0952	3.1E		0826	1108	2.0E		0845	1128	2.8E		0846	1127	2.0E		0909	1206	3.0E			
	1319	1547	2.8F		1305	1536	3.2F		1424	1636	1.9F		1436	1655	2.6F		1449	1656	1.7F		1514	1734	2.7F	1514	1734	2.7F
1837	2157	3.5E	1809	2137	4.8E	1853	2226	3.3E	1920	2256	4.5E	1907	2240	3.2E	2015	2338	3.7E	2015	2338	3.7E						
3 W	0124	0420	4.1F	18 Th	0109	0419	5.5F	3 Sa	0205	0516	4.1F	18 Su	0232	0543	5.3F	3 M	0217	0534	4.2F	18 Tu	0305	0610	4.7F			
	0757	1048	2.4E		0801	1041	3.0E		0906	1143	1.9E		0935	1224	2.7E		0921	1201	2.0E		0951	1256	3.0E			
	1359	1624	2.5F		1354	1622	2.9F		1508	1719	1.7F		1534	1750	2.4F		1534	1742	1.7F		1610	1831	2.6F	1610	1831	2.6F
1904	2225	3.4E	1850	2222	4.7E	1929	2303	3.1E	1929	2303	3.1E	2019	2351	3.9E	1952	2321	3.0E	2122								
4 Th	0200	0500	4.0F	19 F	0157	0508	5.4F	4 Su	0243	0559	3.9F	19 M	0326	0635	4.7F	4 Tu	0254	0616	4.0F	19 W		0035	3.0E			
	0839	1121	2.1E		0855	1133	2.7E		0949	1223	1.7E		1025	1325	2.6E		0956	1239	2.1E		0357	0658	4.1F			
	1440	1703	2.2F		1447	1711	2.6F		1558	1806	1.5F		1635	1850	2.2F		1622	1832	1.7F		1708	1932	2.5F	1708	1932	2.5F
1934	2258	3.2E	1937	2311	4.4E	2011	2345	2.8E	2011	2345	2.8E	2127			2045			2237								
5 F	0237	0542	3.8F	20 Sa	0249	0601	5.1F	5 M	0325	0646	3.6F	20 Tu		0053	3.2E	5 W		0007	2.6E	20 Th		0139	2.3E			
	0924	1159	1.8E		0952	1231	2.4E		1034	1311	1.6E		0424	0729	4.1F		0335	0701	3.7F		0452	0748	3.4F			
	1525	1746	1.9F		1545	1805	2.3F		1654	1858	1.4F		1116	1432	2.6E		1032	1322	2.2E		1114	1446	3.0E	1114	1446	3.0E
2007	2335	2.9E	2029			2102			1739	1956	2.1F	1712	1927	1.7F	1712	1927	1.7F	1806	2035	2.5F	1806	2035	2.5F			
6 Sa	0319	0628	3.5F	21 Su		0005	3.9E	6 Tu		0033	2.5E	21 W		0206	2.5E	6 Th		0100	2.2E	21 F		0300	1.7E			
	1014	1244	1.5E		0347	0656	4.6F		0414	0736	3.4F		0525	0825	3.6F		0423	0749	3.3F		0551	0839	2.8F			
	1616	1832	1.6F		1052	1340	2.2E		1120	1406	1.7E		1205	1539	2.8E		1109	1409	2.4E		1156	1545	3.0E	1156	1545	3.0E
2045			1650	1905	2.0F	2207			1753	1955	1.3F	1842	2106	2.2F	1803	2025	2.0F	1903	2142	2.6F	1903	2142	2.6F			
7 Su		0018	2.7E	22 M		0108	3.4E	7 W		0131	2.1E	22 Th		0338	2.1E	7 F		0203	1.9E	22 Sa		0436	1.4E			
	0408	0718	3.2F		0450	0756	4.1F		0510	0828	3.1F		0630	0922	3.1F		0521	0839	3.0F		0656	0933	2.3F			
	1110	1341	1.3E		1153	1501	2.2E		1207	1504	1.8E		1253	1640	3.0E		1147	1500	2.7E		1240	1643	3.1E	1240	1643	3.1E
1717	1925	1.3F	1800	2012	1.9F	1849	2057	1.5F	1849	2057	1.5F	1940	2218	2.5F	1854	2127	2.4F	1956	2249	2.8F	1956	2249	2.8F			
2133			2251			2329			2329		2329															
8 M		0109	2.4E	23 Tu		0225	2.8E	8 Th		0239	1.9E	23 F		0507	1.9E	8 Sa		0315	1.6E	23 Su		0553	1.4E			
	0504	0813	3.0F		0557	0859	3.7F		0613	0923	3.0F		0735	1019	2.7F		0630	0933	2.7F		0803	1028	2.0F			
	1211	1455	1.2E		1252	1618	2.4E		1251	1600	2.2E		1338	1732	3.2E		1228	1553	3.1E		1324	1735	3.2E	1324	1735	3.2E
1823	2025	1.2F	1907	2125	2.0F	1939	2200	2.0F	1939	2200	2.0F	2032	2324	2.9F	1944	2229	3.0F	2047	2349	3.1F	2047	2349	3.1F			
9 Tu		0212	2.1E	24 W		0203	2.5E	9 F		0355	1.8E	24 Sa		0617	1.9E	9 Su		0436	1.5E	24 M		0655	1.6E			
	0606	0911	2.9F		0705	1002	3.3F		0720	1017	2.9F		0838	1114	2.4F		0742	1028	2.5F		0906	1123	1.8F			
	1309	1626	1.4E		1346	1720	2.7E		1332	1650	2.6E		1420	1818	3.4E		1311	1646	3.5E		1409	1822	3.3E	1409	1822	3.3E
1925	2128	1.3F	2008	2239	2.3F	2025	2300	2.6F	2025	2300	2.6F	2119			2033	2328	3.7F	2133			2133					
2354																										
10 W		0324	2.0E	25 Th		0527	2.5E	10 Sa		0511	1.9E	25 Su		0020	3.3F	10 M		0555	1.7E	25 Tu		0040	3.5F			
	0709	1009	2.9F		0810	1102	3.1F		0823	1110	2.9F		0410	0714	2.1E		0851	1123	2.4F		0452	0747	1.7E			
	1359	1722	1.8E		1433	1811	3.1E		1411	1735	3.2E		0936	1204	2.2F		1357	1739	4.0E		1003	1215	1.7F	1003	1215	1.7F
2018	2231	1.7F	2101	2346	2.8F	2108	2356	3.4F	2108	2356	3.4F	2202			2122			2257			2257					
11 Th		0440	2.1E	26 F		0634	2.6E	11 Su		0618	2.2E	26 M		0106	3.7F	11 Tu		0025	4.5F	26 W		0125	3.8F			
	0810	1104	3.0F		0909	1156	3.0F		0923	1200	2.9F		0502	0804	2.2E		0422	0704	2.0E		0535	0833	1.9E			
	1441	1800	2.2E		1514	1855	3.4E		1450	1818	3.7E		1029	1249	2.1F		0954	1218	2.4F		1054	1303	1.7F	1054	1303	1.7F
2104	2330	2.3F	2148			2148			2150		2150					1446	1832	4.5E	1446	1832	4.5E	1535	1937	3.5E		
12 F		0548	2.4E	27 Sa		0041	3.3F	12 M		0048	4.2F	27 Tu		0147	4.0F	12 W		0119	5.1F	27 Th		0204	4.1F			
	0905	1154	3.2F		0412	0728	2.7E		0428	0716	2.5E		0545	0848	2.2E		0518	0802	2.3E		0612	0912	2.0E			
	1517	1832	2.7E		1003	1242	2.9F		1018	1249	2.9F		1117	1331	2.0F		1051	1311	2.5F		1140	1347	1.8F	1140	1347	1.8F
2144			1551	1933	3.6E	1529	1901	4.3E	1529	1901	4.3E	1611	2001	3.6E	1537	1923	4.8E	1616	2009	3.6E	1616	2009	3.6E			
13 Sa		0023	3.0F	28 Su		0126	3.7F	13 Tu		0137	5.0F	28 W		0224	4.2F	13 Th		0210	5.6F	28 F		0242	4.3F			
	0336	0644	2.7E		0504	0816	2.7E		0522	0808	2.7E		0624	0927	2.2E		0609	0853	2.6E		0646	0947	2.1E			
	0956	1241	3.3F		1052	1324	2.7F		1110	1337	2.9F		1201	1412	2.0F		1144	1403	2.6F		1222	1430	1.9F	1222	1430	1.9F
1550	1904	3.3E	1624	2004	3.7E	1624	2004	3.7E	1610	1945	4.7E	1644	2029	3.6E	1629											

Deception Pass (Narrows), Washington, 2012

F—Flood, Dir. 090° True E—Ebb, Dir. 270° True

January				February				March																								
Slack	Maximum		knots	Slack	Maximum		knots	Slack	Maximum		knots	Slack	Maximum		knots																	
h m	h m	h m		h m	h m	h m		h m	h m	h m		h m	h m	h m																		
1 Su	0228	0539	5.0F	16 M	0153	0520	5.3F	1 W	0343	0640	3.6F	16 Th	0423	0657	3.7F	1 Th	0302	0602	3.1F	16 F	0435	0646	3.4F									
	0849	1155	6.7E	●	0808	1135	7.2E		0909	1249	6.0E		0923	1303	6.5E		0808	1205	5.6E		0922	1246	6.0E		1617	1933	5.3F		2329			
	1546	1826	4.8F		1454	1806	5.5F		1626	1933	4.7F		1635	1952	5.5F		1509	1849	4.5F													
	2200				2126				2332				2351				2246															
2 M		0021	5.3E	17 Tu	0259	0617	4.8F	2 Th	0530	0746	3.1F	17 F	0606	0814	3.6F	2 F	0513	0714	2.6F	17 Sa	0602	0810	3.6F		0602	0810	3.6F		0200	5.6E		
	0332	0632	4.5F		0855	1230	7.0E		1015	1350	5.9E		1056	1416	6.4E		0924	1313	5.3E		1113	1405	6.0E		1113	1405	6.0E		1145	2052	5.5F	
	0934	1246	6.5E		1554	1908	5.5F		1734	2039	4.8F		1756	2107	5.7F		1638	2001	4.5F		1745											
	1117	1432	6.5E		2248																											
	2310																															
3 Tu		0122	5.1E	18 W	0425	0720	4.3F	3 F	0654	0854	3.1F	18 Sa	0719	0931	3.9F	3 Sa	0637	0830	2.8F	18 Su	0704	0931	4.3F		0704	0931	4.3F		1234	1522	6.3E	
	0448	0728	4.1F		0953	1330	7.0E		1136	1453	5.9E		1226	1527	6.6E		1117	1423	5.4E		1117	1423	5.4E		1117	1423	5.4E		1617	1933	5.3F	
	1024	1339	6.4E		1701	2014	5.7F		1835	2142	5.2F		1905	2214	6.0F		1801	2109	4.9F		1854	2158	5.8F		1854	2158	5.8F					
	1730	2022	5.0F																													
4 W	0014	0225	5.1E	19 Th	0006	0226	5.6E	4 Sa	0137	0401	5.4E	19 Su	0156	0441	6.4E	4 Su	0101	0331	5.5E	19 M	0127	0424	6.6E		0127	0424	6.6E		0751	1030	5.0F	
	0603	0826	3.9F		0601	0827	4.0F		0755	0958	3.5F		0814	1037	4.5F		0730	0937	3.5F		0751	1030	5.0F		0751	1030	5.0F		1335	1624	6.7E	
	1117	1432	6.5E		1102	1433	7.0E		1247	1551	6.2E		1335	1631	6.9E		1237	1528	5.9E		1237	1528	5.9E		1237	1528	5.9E		1950	2248	6.0F	
	1819	2118	5.3F		1808	2120	6.0F		1927	2235	5.7F		2002	2308	6.4F		1901	2205	5.5F		1950	2248	6.0F		1950	2248	6.0F					
5 Th	0111	0327	5.3E	20 F	0114	0337	5.9E	5 Su	0222	0454	6.0E	20 M	0242	0529	6.9E	5 M	0146	0423	6.2E	20 Tu	0211	0504	7.1E		0211	0504	7.1E		0831	1115	5.6F	
	0711	0924	3.8F		0719	0934	4.1F		0841	1052	4.0F		0858	1129	5.2F		0810	1030	4.4F		0831	1115	5.6F		0831	1115	5.6F		1424	1712	7.1E	
	1211	1525	6.5E		1216	1535	7.1E		1343	1644	6.6E		1430	1724	7.3E		1332	1622	6.5E		1424	1712	7.1E		1424	1712	7.1E		2036	2329	6.2F	
	1906	2210	5.7F		1910	2222	6.4F		2012	2320	6.1F		2051	2353	6.6F		1949	2252	5.9F		2036	2329	6.2F		2036	2329	6.2F					
6 F	0201	0424	5.6E	21 Sa	0211	0443	6.3E	6 M	0301	0537	6.5E	21 Tu	0322	0608	7.3E	6 Tu	0224	0505	6.8E	21 W	0248	0538	7.4E		0248	0538	7.4E		0906	1152	6.1F	
	0808	1018	3.9F		0822	1037	4.4F		0918	1138	4.6F		0937	1212	5.7F		0843	1114	5.1F		0906	1152	6.1F		0906	1152	6.1F		1507	1752	7.3E	
	1303	1615	6.7E		1324	1634	7.3E		1430	1730	7.0E		1518	1809	7.5E		1418	1709	7.1E		1507	1752	7.3E		1507	1752	7.3E		2117			
	1948	2257	6.0F		2005	2317	6.7F		2052			●	2134			2031	2333	6.3F		2117												
7 Sa	0246	0514	6.1E	22 Su	0300	0538	6.8E	7 Tu	0336	0616	7.0E	22 W	0357	0642	7.6E	7 W	0257	0543	7.3E	22 Th	0321	0610	7.6E		0321	0610	7.6E		0939	1227	6.4F	
	0858	1108	4.1F		0913	1133	4.8F		0952	1219	5.1F		1012	1252	6.0F		0913	1154	5.8F		0939	1227	6.4F		0939	1227	6.4F		1546	1829	7.5E	
	1351	1702	6.9E		1424	1728	7.5E		1512	1814	7.4E		1600	1850	7.6E		1459	1752	7.5E		1546	1829	7.5E		1546	1829	7.5E		2154			
	2028	2341	6.3F	●	2056			2129			○	2213			2110					●	2154				2154							
8 Su	0326	0558	6.4E	23 M	0345	0624	7.1E	8 W	0408	0652	7.4E	23 Th	0430	0716	7.7E	8 Th	0328	0619	6.6F	23 F	0351	0642	7.7E		0351	0642	7.7E		1008	1301	6.5F	
	0941	1154	4.3F		0959	1223	5.2F		1022	1259	5.6F		1045	1329	6.2F		0942	1232	6.3F		1008	1301	6.5F		1008	1301	6.5F		1622	1905	7.4E	
	1435	1747	7.1E		1518	1818	7.6E		1552	1855	7.6E		1640	1928	7.6E		1538	1834	7.8E		1622	1905	7.4E		1622	1905	7.4E		2228			
	2105				2142			2206			2248		2248			2147				2228					2228							
9 M		0022	6.5F	24 Tu	0425	0706	7.4E	9 Th	0439	0729	7.7E	24 F	0459	0750	7.7E	9 F	0358	0656	8.1E	24 Sa	0418	0715	7.7E		0418	0715	7.7E		1035	1335	6.5F	
	0403	0639	6.8E		1040	1309	5.5F		1052	1338	5.9F		1116	1405	6.2F		1011	1311	6.7F		1035	1335	6.5F		1035	1335	6.5F		1656	1940	7.3E	
	1020	1238	4.6E		1607	1904	7.6E		1633	1937	7.7E		1717	2006	7.4E		1618	1915	8.0E		1656	1940	7.3E		1656	1940	7.3E		2259			
	1517	1830	7.2E		2225			2242			2321		2321			2225				2259					2259							
	2142																															
10 Tu		0102	6.7F	25 W	0502	0745	7.5E	10 F	0509	0806	7.9E	25 Sa	0526	0824	7.6E	10 Sa	0429	0734	8.2E	25 Su	0442	0749	7.6E		0442	0749	7.6E		1101	1411	6.4F	
	0438	0718	7.0E		1119	1352	5.7F		1122	1419	6.2F		1145	1442	6.1F		1043	1352	6.9F		1101	1411	6.4F		1101	1411	6.4F		1730	2017	7.0E	
	1055	1320	4.8F		1652	1948	7.5E		1715	2019	7.7E		1754	2044	7.1E		1700	1958	7.9E		1730	2017	7.0E		1730	2017	7.0E		2330			
	1558	1912	7.3E		2305			2320			2352		2352			2304				2330					2330							
	2218																															
11 W		0141	6.7F	26 Th	0536	0823	7.6E	11 Sa	0539	0845	7.9E	26 Su	0552	0900	7.4E	11 Su	0500															

Deception Pass (Narrows), Washington, 2012

F—Flood, Dir. 090° True E—Ebb, Dir. 270° True

July				August				September																					
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum															
h	m	h	m	knots	h	m	h	m	knots	h	m	h	m	knots	h	m	h	m	knots										
1 Su		0321	7.4E		16 M		0047	0356	6.5E	1 W		0156	0502	7.4E	16 Th		0220	0514	6.9E	1 Sa		0339	0628	7.7E	16 Su		0321	0614	7.7E
		0647	1003	6.5F			0734	1041	5.8F			0830	1139	6.8F			0839	1144	6.3F			0952	1246	6.7F			0929	1228	6.5F
		1350	1617	6.4E			1430	1658	5.8E			1518	1757	7.1E			1518	1758	6.9E			1605	1853	7.8E			1535	1833	7.9E
		1950	2215	4.6F			2043	2252	3.9F			2132	2358	5.2F			2135					2221					2149		
2 M		0049	0416	7.6E	17 Tu		0139	0445	6.7E	2 Th		0253	0555	7.6E	17 F		0003	0517	5.1F	2 Su		0421	0708	7.7E	17 M		0359	0654	7.8E
		0740	1057	6.8F			0817	1126	6.1F			0919	1226	7.0F			0301	0557	7.2E			1030	1323	6.5F			1005	1306	6.5F
		1443	1715	6.7E			1512	1744	6.3E			1600	1842	7.4E			0916	1222	6.5F			1637	1928	7.8E			1604	1910	8.1E
		2049	2311	4.8F			2128	2340	4.2F			2215					1550	1834	7.3E			2253					2218		
3 Tu		0149	0510	7.7E	18 W		0227	0532	6.9E	3 F		0046	0567	5.6F	18 Sa		0041	0567	5.6F	3 M		0500	0747	7.5E	18 Tu		0438	0735	7.8E
		0832	1149	7.0F			0856	1208	6.3F			0345	0643	7.7E			0340	0638	7.5E			1106	1400	6.2F			1122	1425	5.9F
		1533	1808	7.0E			1550	1825	6.6E			1004	1309	7.0F			0952	1300	6.6F			1706	2004	7.7E			1634	1948	8.1E
		2143					2207					1639	1923	7.6E			1620	1909	7.6E			2324					2251		
4 W		0246	0602	7.8E	19 Th		0310	0616	7.0E	4 Sa		0131	0597	5.9F	19 Su		0417	0718	7.6E	4 Tu		0539	0827	7.2E	19 W		0521	0818	7.6E
		0922	1239	7.2F			0933	1248	6.5F			1047	1351	6.8F			1026	1337	6.6F			1140	1436	5.8F			1122	1425	5.9F
		1619	1857	7.3E			1625	1903	6.9E			1715	2002	7.7E			1648	1945	7.7E			1733	2040	7.4E			1706	2028	7.9E
		2233					2243					2333					2301					2355					2328		
5 Th		0058	0527	5.2F	20 F		0106	0487	4.8F	5 Su		0214	0597	5.9F	20 M		0158	0617	6.1F	5 W		0302	0617	6.1F	20 Th		0608	0905	7.2E
		0343	0653	7.7E			0351	0658	7.2E			0519	0812	7.5E			0456	0759	7.6E			0618	0907	6.8E			0608	0905	7.2E
		1011	1326	7.1F			1008	1327	6.6F			1127	1431	6.5F			1102	1414	6.5F			1214	1515	5.2F			1206	1509	5.3F
		1703	1945	7.4E			1658	1941	7.1E			1749	2041	7.6E			1716	2022	7.8E			1801	2119	7.1E			1742	2112	7.6E
6 F		0148	0537	5.3F	21 Sa		0147	0507	5.0F	6 M		0256	0597	5.9F	21 Tu		0238	0627	6.2F	6 Th		0027	0344	5.7F	21 F		0010	0342	6.4F
		0438	0743	7.6E			0431	0740	7.2E			0605	0855	7.2E			0538	0841	7.4E			0702	0951	6.2E			0703	0957	6.7E
		1058	1413	7.0F			1044	1405	6.6F			1206	1511	6.1F			1139	1454	6.1F			1252	1557	4.6F			1301	1600	4.7F
		1746	2030	7.5E			1729	2019	7.3E			1822	2120	7.5E			1746	2101	7.7E			1830	2201	6.6E			1825	2202	7.1E
7 Sa		0007	0238	5.4F	22 Su		0227	0527	5.2F	7 Tu		0339	0577	5.7F	22 W		0322	0627	6.2F	7 F		0103	0431	5.2F	22 Sa		0101	0439	6.0F
		0532	0832	7.4E			0512	0822	7.2E			0651	0939	6.7E			0625	0927	7.1E			0754	1040	5.6E			0809	1057	6.2E
		1145	1458	6.7F			1120	1444	6.4F			1245	1552	5.6F			1220	1536	5.7F			1342	1646	3.8F			1416	1702	4.0F
		1827	2115	7.4E			1759	2058	7.4E			1854	2201	7.2E			1819	2144	7.5E			1907	2249	6.0E			1920	2303	6.5E
8 Su		0053	0327	5.4F	23 M		0309	0547	5.4F	8 W		0425	0557	5.5F	23 Th		0409	0617	6.1F	8 Sa		0149	0526	4.8F	23 Su		0205	0545	5.6F
		0627	0921	7.0E			0557	0906	7.0E			0741	1025	6.2E			0718	1017	6.6E			0902	1138	5.1E			0930	1206	5.8E
		1231	1544	6.3F			1158	1524	6.2F			1327	1636	5.0F			1308	1623	5.1F			1507	1746	3.1F			1600	1815	3.5F
		1907	2159	7.3E			1829	2138	7.4E			1927	2245	6.8E			1857	2231	7.2E			1956	2347	5.5E			2043		
9 M		0139	0416	5.3F	24 Tu		0354	0557	5.5F	9 Th		0514	0517	5.1F	24 F		0503	0587	5.8F	9 Su		0253	0630	4.5F	24 M		0014	0614	6.1E
		0725	1011	6.6E			0646	0952	6.8E			0840	1116	5.6E			0824	1114	6.1E			1026	1247	4.8E			1052	1324	5.8E
		1319	1630	5.8F			1239	1607	5.8F			1418	1724	4.3F			1409	1719	4.4F			1702	1858	2.7F			1729	1937	3.6F
		1946	2245	7.1E			1902	2220	7.3E			2005	2333	6.4E			1944	2326	6.8E			2121					2236		
10 Tu		0227	0508	5.2F	25 W		0442	0557	5.5F	10 F		0609	0497	4.9F	25 Sa		0606	0567	5.6F	10 M		0055	0526	5.2E	25 Tu		0132	0606	6.0E
		0826	1103	6.1E			0741	1042	6.4E			0951	1214	5.1E			0945	1220	5.6E			0424	0741	4.5F			0507	0815	5.5F
		1410	1718	5.3F			1327	1654	5.4F			1532	1821	3.6F			1540	1825	3.8F			1141	1403	4.9E			1200	1444	6.1E
		2027	2332	6.9E			1939	2307	7.2E			2053					2046					1820	2015	2.9F			1833	2056	4.3F
11 W		0317	0601	5.0F	26 Th		0535	0557	5.5F	11 Sa		0028	0606	6.0E	26 Su		0031	0656	6.5E	11 Tu		0206	0536	5.3E	26 W		0004	0249	6.2E
		0932	1158	5.6E			0848	1139	6.0E			0404	0711	4.7F			0350	0717	5.5F			0545	0850	4.8F			0621	0923	5.8F
		1509	1809	4.7F			1423	1746	4.8F			1108	1320	4.8E			1111	1335	5.5E			1239	1513	5.5E			1255	1547	6.7E
		2110					2022	2358	7.0E			1712	1926	3.2F			1727	1941	3.6F			1912	2123	3.6F			1922	2159	5.1F
12 Th		0021	0676	6.7E	27 F		0635	0557	5.5F	12 Su		0129	0587	5.8E	27 M		0142	0646	6.4E	12 W		0028	0311	5.8E	27 Th		0108	0354	6.7E
		0409	0657	5.0F			1005	1242	5.7E			0514	0818	4.8F			0516	0830	5.6F			0645	0946	5.3F			0721	1018	6.0F

Deception Pass (Narrows), Washington, 2012

F—Flood, Dir. 090° True E—Ebb, Dir. 270° True

October				November				December																					
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum															
h	m	h	m	knots	h	m	h	m	knots	h	m	h	m	knots	h	m	h	m	knots										
1 M	0404	0646	7.5E		16 Tu	0341	0630	7.8E	1 Th	0500	0739	6.8E	16 F	0501	0745	7.5E	1 Sa	0526	0805	6.6E	16 Su	0540	0824	7.5E					
	1010	1253	6.0F			0944	1236	6.1F			1106	1340		4.7F		1109		1346	5.2F			1146	1406	4.1F		1159	1428	5.1F	
	1555	1854	7.8E			1521	1837	8.2E			1611	1935		7.1E		1614		1942	7.9E			1628	1956	6.7E		1708	2022	7.6E	
	2214					2143					2236					2245						2252				2329			
2 Tu	0116	0722	7.3E		17 W	0103	0714	7.7E	2 F	0205	0820	6.6E	17 Sa	0217	0836	7.3E	2 Su	0229	0848	6.5E	17 M	0254	0914	7.4E	17 Tu	0254	0914	7.4E	
	0440	1328	5.7F			0423	1317	5.9F			0537	1146		4.2F		0551		1205	4.8F			0603	1231	3.9F			0627	1252	5.1F
	1118	1405	5.2F			1111	1401	5.5F			1146	1421		4.2F		1205		1438	4.8F			1231	1451	3.9F			1252	1522	5.1F
	1621	1928	7.6E			1555	1918	8.2E			1641	2014		6.7E		1705		2034	7.5E			1709	2040	6.4E			1809	2116	7.2E
2242				2220				2307				2334				2327				2329									
3 W	0152	0800	7.0E		18 Th	0146	0759	7.6E	3 Sa	0247	0904	6.3E	18 Su	0309	0930	7.0E	3 M	0312	0933	6.4E	18 Tu	0344	1004	7.3E	18 W	0344	1004	7.3E	
	0516	1118	4.0F			0508	1141	4.0F			0617	1234		3.7F		0644		1309	4.5F			0642	1318	4.3F			0714	1347	5.0F
	1118	1405	5.2F			1111	1401	5.5F			1234	1506		3.7F		1309		1536	4.5F			1318	1540	3.8F			1347	1618	5.0F
	1647	2004	7.3E			1633	2001	7.9E			1717	2057		6.3E		1807		2130	7.0E			1758	2128	6.1E			1916	2211	6.7E
2309				2300				2342				2334				2327				2329									
4 Th	0230	0840	6.7E		19 F	0232	0848	7.2E	4 Su	0332	0953	6.0E	19 M	0404	1028	6.8E	4 Tu	0358	1021	6.3E	19 W	0436	1056	7.1E	19 Th	0436	1056	7.1E	
	0553	1153	4.4F			0558	1203	4.5F			0702	1336		3.2F		0741		1419	4.3F			0723	1408	3.7F			0802	1444	5.0F
	1153	1444	4.7F			1203	1450	5.0F			1234	1559		3.2F		1419		1639	4.3F			1408	1633	3.7F			1444	1716	5.0F
	1714	2042	6.9E			1716	2049	7.5E			1802	2147		5.7E		1923		2231	6.4E			1857	2220	5.7E			2029	2310	6.2E
2338				2346				2342				2334				2327				2329									
5 F	0311	0923	6.2E		20 Sa	0323	0943	6.8E	5 M	0423	1048	5.7E	20 Tu	0504	1129	6.7E	5 W	0448	1111	6.3E	20 Th	0530	1149	7.0E	20 F	0530	1149	7.0E	
	0633	1234	4.0F			0654	1307	4.4F			0755	1451		3.0F		0841		1528	4.3F			0806	1459	3.9F			0851	1540	5.0F
	1234	1527	4.0F			1307	1546	4.4F			1451	1659		3.0F		1528		1748	4.3F			1459	1728	3.9F			1540	1817	5.0F
	1745	2123	6.4E			1807	2143	6.9E			1905	2246		5.3E		2054		2339	6.0E			2009	2317	5.5E			2144		
2214				2143				2307				2334				2327				2329									
6 Sa	0012	0722	5.7E		21 Su	0421	1044	6.4E	6 Tu	0521	1147	5.7E	21 W	0607	1232	6.7E	6 Th	0540	1202	6.4E	21 F	0626	1243	6.9E	21 Sa	0626	1243	6.9E	
	0722	1332	3.3F			0758	1430	3.9F			0854	1602		3.1F		0941		1630	4.6F			0851	1549	4.2F			0942	1636	5.1F
	1332	1618	3.3F			1430	1652	3.9F			1602	1805		3.1F		1630		1858	4.6F			1549	1826	4.2F			1636	1919	5.1F
	1823	2212	5.7E			1917	2247	6.3E			2040	2351		5.0E		2221						2130					2257		
2212				2247				2342				2334				2327				2329									
7 Su	0055	0824	5.3E		22 M	0526	1152	6.2E	7 W	0622	1247	5.9E	22 Th	0711	1332	6.8E	7 F	0635	1253	6.6E	22 Sa	0724	1337	6.8E	22 Su	0724	1337	6.8E	
	0824	1508	2.7F			0911	1556	1.8F			0953	1657		1.1F		1037		1725	2.006			0937	1636	1.923			0944	1636	1.923
	1508	1721	2.7F			1556	1807	3.7F			1657	1911		3.6F		1725		2006	5.1F			1636	1923	4.7F			1729	2019	5.3F
	1919	2313	5.2E			2059	2359	5.9E			2221					2333						2245					2257		
2313				2359				2221				2333				2245				2257									
8 M	0153	0941	5.1E		23 Tu	0637	1305	6.2E	8 Th	0058	0723	4.8F	23 F	0812	1129	7.0E	8 Sa	0731	1024	6.9E	23 Su	0731	1024	6.9E	23 M	0731	1024	6.9E	
	0941	1644	1.835			1022	1708	1.927			0358	0743		6.3E		0527		0812	5.1F			0414	0731	4.8F			0554	0822	4.3F
	1644	1835	2.6F			1708	1927	4.1F			1047	1343		6.3E		1129		1427	7.0E			1024	1345	6.9E			1124	1430	6.8E
	2101					2240					1741	2010		4.3F		1813		2104	5.5F			1721	2018	5.3F			1819	2116	5.5F
				2240				2332				2334				2351				2351									
9 Tu	0023	0703	4.5F		24 W	0749	1031	5.7F	9 F	0202	0819	5.0F	24 Sa	0304	0906	5.0F	9 Su	0317	1112	7.2E	9 M	0317	1112	7.2E	9 Tu	0317	1112	7.2E	
	0323	1053	5.4E			0448	1416	6.6E			0515	1133		4.33		0629		1215	1515			0528	1112	1435			0659	1214	1521
	1053	1328	5.4E			1416	1652	4.8F			1818	2101		5.1F		1856		2153	5.9F			1805	2111	5.9F			1905	2207	5.8F
	1748	2258	3.1F			1804	2041	4.8F			2357					2357						1805	2111	5.9F			1905	2207	5.8F
2258				2357				2357				2357				1805	2111	5.9F		1905	2207	5.8F							
10 W	0136	0809	4.8F		25 Th	0853	1512	7.0E	10 Sa	0258	0910	5.2F	25 Su	0358	0955	7.3E	10 M	0317	1200	1525		10 Tu	0317	1200	1525				
	0500	1149	4.9E			0600	0853	5.5F			0616	1214		1519		0724		1257	1558		0635		1200	1525		0635	1200	1525	
	1149	1431	5.8E			1216	1512	7.0E			1853	2147		5.9F		1936		2235	6.2F		1849		2202	6.4F		1947	2252	6.0F	
	1833	2052	4.0F			1851	2138	5.5F			2357					2357					1849		2202	6.4F		1947	2252	6.0F	
2052				2138				2357				2357				1849	2202	6.4F		1947	2252	6.0F							
11 Th	0008	0607	0906	5.2F		26 F	0946	1301	7.3E	11 Su	0350	0956	5.4F	26 M	0444	1039	4.9F	11 Tu	0412	1248	1614		11 W	0412	1248	1614			
	0607	1234	1521		1301		1557	7.3E			1252	1602	7.6E			1336	1638		7.4E		0735	1011		4.9F		0735	1011	4.9F	
	1234	1909	2141		1557		1931	2224			1927	2231	6.5F			2012	2314		6.4F		1248	1614		7.7E		1248	1614	7.7E	
	1909	2141	4.8F		1931		2224	6.0F			2332					2012	2314		6.4F		1933	2251		6.9F					

Rosario Strait, Washington, 2012

F—Flood, Dir. 335° True E—Ebb, Dir. 175° True

January				February				March															
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum									
	h	m	knots		h	m	knots		h	m	knots		h	m	knots								
1 Su	0445	0730	1.3F	16 M	0409	0720	1.5F	1 W	0135	0345	0.4E	16 Th	0156	0403	0.6E	1 Th	0020	0317	0.5E	16 F	0114	0352	0.9E
	1025	1504	2.2E	●	0944	1432	2.5E		0605	0824	0.5F		0645	0841	0.6F		0622	0751	0.3F		0715	0826	0.3F
	1926	2038	0.3F		1844	2028	0.9F		0958	1552	2.2E		1017	1600	2.6E		0900	1502	1.9E		0942	1539	2.2E
	2359				2356				2013	2349	0.7F		2010	2330	1.3F		1913	2110	0.8F		1934	2209	1.2F
2 M	0534	0814	1.0F	17 Tu	0501	0808	1.1F	2 Th	0314	0455	0.3E	17 F	0314	0519	0.7E	2 F	0209	0426	0.5E	17 Sa	0221	0503	1.1E
	1047	1551	2.3E		1017	1527	2.7E		0802	0920	0.3F		0834	0950	0.3F		0848	*			0940	*	
	2017	2335	0.5F		1942	2143	1.0F		1029	1643	2.2E		1115	1703	2.6E		1602	1.9E			1646	2.1E	
									2105				2112				2230	0.9F		2041			
3 Tu	0227	0420	0.4E	18 W	0217	0416	0.5E	3 F	0039	1.1F	18 Sa	0408	0643	0.9E	3 Sa	0310	0533	0.6E	18 Su	0311	0613	1.3E	
	0646	0904	0.7F		0616	0904	0.8F		0414	0617	0.5E		0957	1107	0.3F		0956	*			0956	1120	0.3F
	1111	1637	2.4E		1058	1623	2.8E		1026	*		1249	1807	2.6E		1700	1.9E			1326	1752	2.0E	
	2103				2040	2352	1.3F		1736	2.3E		2206				2108				2140			
4 W	0350	0530	0.4E	19 Th	0346	0531	0.5E	4 Sa	0458	0809	0.7E	19 Su	0451	0752	1.3E	4 Su	0350	0637	0.9E	19 M	0351	0713	1.7E
	0825	1001	0.4F		0819	1009	0.6F		0113	1.4F		1054	1219	0.5F		1107	*			1043	1253	0.6F	
	1142	1724	2.5E		1150	1720	2.9E		1129	*		1422	1908	2.6E		1758	2.0E			1457	1856	2.0E	
	2145				2135				1829	2.4E		2253				2156				2231			
5 Th	0449	0659	0.5E	20 F	0446	0653	0.7E	5 Su	0532	0823	1.0E	20 M	0526	0831	1.6E	5 M	0420	0724	1.2E	20 Tu	0424	0755	2.0E
	0950	1101	0.3F		0952	1117	0.5F		1126	1225	0.3F		1140	1317	0.6F		1058	1209	0.4F		1122	1339	0.9F
	1222	1812	2.6E		1254	1820	3.0E		1337	1920	2.5E		1536	2002	2.6E		1350	1855	2.1E		1607	1952	2.0E
	2223				2224				2308			2335				2238				2315			
6 F	0141	1.5F		21 Sa	0137	2.0F		6 M	0151	1.8F	21 Tu	0557	0904	1.9E	6 Tu	0444	0800	1.6E	21 W	0452	0829	2.3E	
	0536	0826	0.7E		0532	0806	1.0E		0559	0846	1.3E		1222	1405	0.8F		1128	1301	0.7F		1158	1414	1.1F
	1055	1156	0.3F		1058	1219	0.5F		1202	1315	0.5F	●	1640	2048	2.5E		1515	1946	2.2E		1707	2038	2.0E
	1307	1859	2.7E		1402	1918	3.1E		1446	2006	2.6E		0014	0249	1.9F		2317				2355		
	2259				2309				2343				0622	0936	2.2E		0138	1.7F			0207	1.4F	
7 Sa	0614	0852	0.9E	22 Su	0611	0851	1.3E	7 Tu	0620	0915	1.6E	22 W	0622	0936	2.2E	7 W	0507	0834	2.0E	22 Th	0517	0901	2.5E
	1145	1245	0.3F		1151	1314	0.6F		1236	1402	0.7F		1302	1451	1.0F		1159	1348	1.1F		1233	1446	1.3F
	1354	1944	2.8E	●	1507	2011	3.1E	○	1552	2048	2.6E		1737	2129	2.4E		1625	2032	2.3E	●	1759	2118	1.9E
	2333				2351				0017	0251	2.1F		0051	0317	1.8F		2353				0207	1.4F	
8 Su	0645	0918	1.1E	23 M	0644	0928	1.6E	8 W	0639	0946	1.9E	23 Th	0645	1007	2.3E	8 Th	0530	0907	2.3E	23 F	0540	0933	2.6E
	1229	1331	0.3F		1240	1406	0.7F		1311	1450	0.9F		1342	1535	1.1F		1233	1435	1.4F		1307	1520	1.4F
○	1441	2025	2.8E		1609	2058	3.0E		1656	2126	2.6E		1828	2207	2.2E	○	1729	2115	2.3E		1845	2156	1.8E
9 M	0006	0249	2.2F	24 Tu	0031	0320	2.3F	9 Th	0050	0327	2.1F	24 F	0126	0350	1.7F	9 F	0029	0252	1.8F	24 Sa	0110	0312	1.2F
	0711	0947	1.3E		0712	1003	1.9E		0659	1017	2.1E		0706	1039	2.4E		0553	0940	2.7E		0600	1003	2.6E
	1311	1417	0.4F		1327	1457	0.7F		1349	1539	1.0F		1422	1619	1.1F		1309	1523	1.7F		1342	1558	1.5F
	1531	2102	2.8E		1709	2140	2.8E		1758	2203	2.4E		1914	2244	1.9E		1828	2156	2.1E		1926	2232	1.6E
10 Tu	0038	0322	2.3F	25 W	0109	0352	2.2F	10 F	0122	0406	2.1F	25 Sa	0201	0425	1.5F	10 Sa	0105	0332	1.7F	25 Su	0148	0349	1.1F
	0733	1019	1.5E		0738	1039	2.1E		0719	1049	2.4E		0725	1112	2.4E		0619	1013	2.9E		0617	1033	2.5E
	1352	1505	0.4F		1415	1548	0.7F		1430	1630	1.2F		1503	1702	1.1F		1349	1613	1.8F		1418	1638	1.5F
	1623	2136	2.7E		1805	2219	2.5E		1858	2241	2.1E		1957	2321	1.6E		1923	2237	1.9E		2005	2309	1.4E
11 W	0110	0359	2.3F	26 Th	0145	0426	2.1F	11 Sa	0156	0446	2.0F	26 Su	0236	0503	1.4F	11 Su	0142	0415	1.6F	26 M	0229	0429	0.9F
	0753	1052	1.7E		0801	1115	2.2E		0741	1124	2.5E		0742	1145	2.3E		0646	1048	3.0E		0633	1100	2.4E
	1435	1555	0.5F		1504	1639	0.7F		1516	1721	1.3F		1546	1746	1.1F		1434	1703	1.9F		1455	1719	1.5F
	1720	2208	2.5E		1857	2258	2.1E		1957	2321	1.7E		2040				2018	2321	1.6E		2045	2350	1.2E
12 Th	0141	0438	2.3F	27 F	0221	0501	1.9F	12 Su	0232	0527	1.8F	27 M	0314	0002	1.2E	12 M	0225	0459	1.4F	27 Tu	0317	0510	0.7F
	0813	1127	1.9E		0823	1153	2.2E		0804	1203	2.6E		0757	1221	2.2E		0715	1126	3.0E		0651	1123	2.3E
	1520	1647	0.6F		1553	1727	0.7F		1606	1813	1.4F		1632	1830	1.1F		1525	1754	1.9F		1535	1802	1.5F
	1820	2240	2.2E		1945	2337	1.7E		2059				2129				2115				2128		
13 F	0213	0517	2.2F	28 Sa	0255	0538	1.7F	13 M	0312	0610	1.5F	28 Tu	0357	0622	0.9F	13 Tu	0316	0545	1.2F	28 W	0415	0553	0.5F
	0833	1204	2.0E		0843	1234	2.2E		0830	1251	2.7E		0814	1304	2.1E		0747	1212	2.8E		0714	1146	2.1E
	1607	1739	0.7F		1642	1815	0.7F		1701	1906	1.3F		1721	1917	1.0F		1620	1845	1.8F		1620	1846	1.4F
	1921	2315	1.8E		2034				2213				2234				2220				2221		
14 Sa	0248	0557	2.0F	29 Su	0330	0615	1.5F	14 Tu	0401	0654	1.2F	29 W	0455	0704	0.6F	14 W	0420	0634	0.9F	29 Th	0526	0638	0.3F
	0854	1247	2.2E		0900	1320	2.2E		0900	1351	2.6E		0835	1400	1.9E		0821</						

Rosario Strait, Washington, 2012

F—Flood, Dir. 335° True E—Ebb, Dir. 175° True

July				August				September															
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum									
	h	m	knots		h	m	knots		h	m	knots		h	m	knots								
1 Su	0047	0603	3.2E	16 M	1044	1358	1.7F	1 W	0242	0744	3.0E	16 Th	0239	0751	2.4E	1 Sa	0035	0231	1.1F	16 Su	0014	0216	1.4F
	1012	1305	2.0F		1755	2047	0.9E	○	1127	1417	2.2F		1128	1359	1.8F		1231	1452	1.7F		0516	0858	2.1E
	1723	1932	0.8E						1813	2101	1.6E		1755	2058	1.6E		1815	2144	2.5E		1211	1428	1.6F
	2226																				1722	2118	2.6E
2 M	0142	0659	3.3E	17 Tu	1120	1416	1.8F	2 Th	0011	0143	0.7F	17 F	0020	0146	0.6F	2 Su	0115	0316	1.2F	17 M	0047	0302	1.7F
	1057	1348	2.3F		1828	2108	1.1E		0350	0835	3.0E		0343	0833	2.4E		0619	0951	2.2E		0613	0939	2.0E
	1809	2031	1.1E						1209	1452	2.2F	●	1202	1430	1.9F		1309	1527	1.6F		1246	1507	1.6F
	2327								1844	2139	1.9E		1815	2128	1.9E		1839	2218	2.5E		1745	2150	2.8E
3 Tu	0237	0754	3.4E	18 W	0015	0115	0.3F	3 F	0059	0235	0.8F	18 Sa	0054	0232	0.9F	3 M	0156	0401	1.3F	18 Tu	0124	0349	1.9F
	1141	1431	2.5F		0224	0812	2.7E		0455	0921	2.8E		0445	0913	2.4E		0709	1030	1.9E		0707	1019	1.8E
	1848	2118	1.4E	●	1154	1436	2.0F		1249	1528	2.2F		1235	1506	1.9F		1347	1604	1.4F		1322	1549	1.4F
					1855	2135	1.3E		1912	2216	2.1E		1835	2158	2.1E		1900	2251	2.5E		1811	2221	3.0E
4 W	0023	0151	0.7F	19 Th	0057	0201	0.3F	4 Sa	0147	0328	0.9F	19 Su	0129	0319	1.0F	4 Tu	0238	0446	1.3F	19 W	0205	0438	2.0F
	0333	0844	3.3E		0315	0851	2.7E		0557	1003	2.6E		0545	0950	2.3E		0754	1110	1.6E		0759	1101	1.6E
	1223	1513	2.5F		1226	1506	2.1F		1328	1604	2.1F		1307	1543	1.9F		1426	1643	1.3F		1403	1633	1.3F
	1923	2201	1.6E		1918	2205	1.5E		1937	2253	2.3E		1854	2229	2.3E		1919	2325	2.4E		1840	2255	3.0E
5 Th	0118	0244	0.7F	20 F	0138	0248	0.4F	5 Su	0235	0420	0.9F	20 M	0207	0408	1.2F	5 W	0322	0530	1.3F	20 Th	0253	0528	2.0F
	0431	0930	3.2E		0408	0926	2.6E		0653	1044	2.2E		0643	1026	2.0E		0839	1152	1.2E		0853	1150	1.3E
	1305	1555	2.5F		1258	1541	2.1F		1406	1641	1.9F		1339	1623	1.8F		1508	1723	1.0F		1453	1719	1.1F
	1955	2242	1.8E		1937	2237	1.7E		2001	2331	2.3E		1914	2300	2.5E		1935				1913	2335	2.9E
6 F	0214	0340	0.6F	21 Sa	0219	0337	0.5F	6 M	0325	0511	0.9F	21 Tu	0249	0458	1.3F	6 Th	0409	0614	1.2F	21 F	0346	0619	1.9F
	0532	1014	2.9E		0505	0959	2.4E		0746	1126	1.8E		0740	1103	1.7E		0927	1245	0.9E		0953	1253	1.0E
	1347	1636	2.4F		1328	1618	2.1F		1444	1719	1.7F		1413	1704	1.6F		1559	1805	0.8F		1558	1808	0.8F
	2024	2325	2.0E		1955	2310	1.9E		2023				1935	2334	2.6E		1953				1949		
7 Sa	0311	0437	0.6F	22 Su	0301	0427	0.6F	7 Tu	0415	0559	0.9F	22 W	0336	0549	1.4F	7 F	0458	0700	1.1F	22 Sa	0445	0712	1.7F
	0632	1058	2.5E		0605	1030	2.2E		0838	1212	1.3E		0838	1148	1.3E		1028	1352	0.7E		1106	1409	0.9E
	1428	1716	2.2F		1359	1657	2.0F		1523	1758	1.4F		1452	1746	1.4F		1704	1848	0.5F	●	1720	1901	0.6F
	2052				2014	2344	2.0E		2043				2001				2015				2028		
8 Su	0409	0532	0.6F	23 M	0345	0519	0.7F	8 W	0506	0646	0.8F	23 Th	0428	0640	1.4F	8 Sa	0552	0750	1.0F	23 Su	0548	0809	1.5F
	0731	1144	2.0E		0706	1102	1.8E		0936	1310	0.9E		0945	1253	1.0E		1159	1504	0.6E		1230	1523	1.0E
	1509	1754	2.0F		1432	1736	1.9F		1605	1838	1.2F		1540	1830	1.2F	○	1825	1936	0.3F		1849	2000	0.3F
	2119				2032				2101				2030				2039				2112		
9 M	0504	0626	0.6F	24 Tu	0430	0610	0.8F	9 Th	0558	0736	0.8F	24 F	0525	0734	1.4F	9 Su	0649	0847	0.9F	24 M	0655	0916	1.3F
	0832	1238	1.4E		0809	1142	1.4E		1057	1419	0.6E	○	1112	1416	0.7E		1337	1611	0.6E		1340	1630	1.1E
	1550	1833	1.7F		1507	1816	1.7F	○	1657	1920	0.9F		1642	1918	0.9F		2032		*		2110		*
	2144				2052				2119				2105								2110		
10 Tu	0559	0719	0.5F	25 W	0519	0703	0.9F	10 F	0652	0832	0.7F	25 Sa	0627	0835	1.3F	10 M	0749	0959	0.9F	25 Tu	0802	1055	1.3F
	0945	1343	1.0E		0922	1244	1.0E		1302	1528	0.5E		1303	1532	0.6E		1438	1714	0.8E		1432	1733	1.4E
	1633	1913	1.4F		1547	1857	1.4F		1808	2006	0.5F		1812	2013	0.6F		2139		*		2126	2240	0.3F
	2208				2117				2143				2147								2126		
11 W	0653	0817	0.5F	26 Th	0611	0759	1.0F	11 Sa	0748	0957	0.7F	26 Su	0732	0952	1.3F	11 Tu	0845	1146	1.1F	26 W	0054	0521	2.0E
	1136	1452	0.7E		1105	1423	0.6E		1441	1635	0.4E		1430	1643	0.7E		1519	1813	1.0E		0905	1208	1.4F
	1721	1955	1.1F	○	1634	1942	1.1F		1945	2101	0.3F		1957	2119	0.4F		2251		*		1512	1831	1.8E
	2230				2148				2212				2242								2215		
12 Th	0747	1055	0.6F	27 F	0707	0903	1.0F	12 Su	0842	1218	1.0F	27 M	0836	1151	1.4F	12 W	0935	1215	1.3F	27 Th	0235	0625	1.9E
	1353	1558	0.5E		1320	1542	0.5E		1542	1748	0.5E		1527	1754	0.9E		1550	1900	1.3E		1001	1246	1.4F
	1824	2042	0.7F		1737	2034	0.8F		2205		*		2123	2234	0.3F		2244	2356	0.3F		1547	1919	2.1E
	2253				2226																2255		
13 F	0838	1206	0.9F	28 Sa	0805	1025	1.2F	13 M	0931	1256	1.3F	28 Tu	0934	1244	1.6F	13 Th	0148	0636	1.9E	28 F	0118	0276	1.0F
	1523	1704	0.4E		1503	1654	0.5E		1628	1934	0.7E		1611	1902	1.3E		1615	1938	1.6E		1049	1314	1.4F
	1954	2137	0.5F		1921	2136	0.6F		2311		*		2224	2350	0.5F		2313				1617	2000	2.4E
	2322				2315																2333		
14 Sa	0925	1252	1.2F	29 Su	0902	1209	1.5F	14 Tu	1014	1322	1.5F	29 W	1024	1322	1.8F	14 F	0309	0728	2.0E	29 Sa	0157	0276	1.3F
	1626	1823	0.5E		1609	1807	0.6E		1704	2003	1.0E		1648	1954	1.6E		1059	1317	1.6F	○	0454	0817	1.9E
	2124	2237	0.3F																				

Rosario Strait, Washington, 2012

F—Flood, Dir. 335° True E—Ebb, Dir. 175° True

October				November				December																		
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum												
	h	m	knots		h	m	knots		h	m	knots		h	m	knots											
1 M	0045	0305	1.6F	16 Tu	0015	0245	2.2F	1 Th	0123	0359	1.9F	16 F	0113	0404	2.7F	16 Su	0141	0434	2.7F							
	0637	0940	1.8E		0629	0927	1.7E		0804	1046	1.3E		0810	1047	1.5E		0831	1121	1.8E							
	1253	1449	1.2F		1228	1433	1.2F		1416	1536	0.5F		1403	1544	0.7F		1459	1625	0.6F							
	1731	2143	2.7E		1641	2115	3.3E		1658	2209	2.6E		1720	2212	3.3E		1804	2247	2.9E							
2 Tu	0120	0342	1.6F	17 W	0053	0332	2.4F	2 F	0156	0438	1.9F	17 Sa	0159	0453	2.6F	2 Su	0200	0456	2.1F	17 M	0225	0519	2.5F			
	0720	1018	1.6E		0720	1010	1.6E		0839	1127	1.2E		0852	1137	1.5E		0858	1155	1.3E		0905	1210	1.9E			
	1333	1527	1.0F		1311	1518	1.1F		1516	1621	0.3F		1510	1639	0.6F		1646	*			1603	1723	0.6F			
	1749	2214	2.7E		1716	2151	3.3E		1723	2231	2.4E		1807	2256	3.0E		2231	2.3E			1902	2335	2.4E			
3 W	0156	0421	1.7F	18 Th	0135	0420	2.4F	3 Sa	0231	0519	1.9F	18 Su	0247	0541	2.5F	3 M	0233	0536	2.1F	18 Tu	0310	0601	2.3F			
	0800	1056	1.4E		0809	1055	1.5E		0915	1214	1.1E		0934	1233	1.5E		0925	1241	1.3E		0938	1305	2.0E			
	1417	1607	0.8F		1401	1605	1.0F		1708	*			1622	1736	0.5F		1737	*			1707	1821	0.5F			
	1806	2242	2.5E		1754	2229	3.2E		2249	2.2E			1856	2347	2.5E		2255	2.0E			2002					
4 Th	0234	0502	1.6F	19 F	0221	0510	2.4F	4 Su	0309	0602	1.8F	19 M	0338	0627	2.2F	4 Tu	0307	0616	1.9F	19 W		0033	1.8E			
	0839	1138	1.2E		0858	1146	1.3E		0953	1311	1.0E		1016	1336	1.6E		0951	1332	1.4E		0357	0643	2.0F			
	1509	1650	0.6F		1505	1657	0.8F		1758	*			1734	1835	0.3F		1829	*			1010	1401	2.2E			
	1825	2308	2.3E		1833	2310	3.0E		2315	1.9E			1948				2329	1.6E		●	1808	1920	0.4F			
5 F	0314	0544	1.6F	20 Sa	0313	0600	2.3F	5 M	0350	0645	1.7F	20 Tu		0056	2.0E	5 W	0345	0656	1.8F	20 Th		0145	1.3E			
	0922	1228	1.0E		0950	1247	1.2E		1034	1413	1.1E		0432	0714	1.9F		1016	1422	1.6E		0445	0725	1.6F			
	1612	1734	0.4F		1620	1751	0.6F		1849	*		●	1100	1439	1.8E		1923	*			1042	1456	2.3E			
	1848	2331	2.1E		1915				2354	1.6E			1938	*							1909	2027	0.4F			
6 Sa	0359	0629	1.5F	21 Su		0003	2.6E	6 Tu	0436	0730	1.5F	21 W		0216	1.5E	6 Th		0020	1.2E	21 F		0258	0.9E			
	1011	1332	0.8E		0409	0650	2.0F		1115	1508	1.3E		0528	0801	1.6F		0426	0739	1.5F		0538	0810	1.2F			
	1821	*		●	1047	1358	1.2E	●	1946	*			1143	1536	2.1E	●	2023	*			1114	1546	2.5E			
					1739	1847	0.4F						2054	*							2007	2313	0.6F			
					1958																					
7 Su	0448	0715	1.9E	22 M	0120	2.1E	7 W	0528	0818	1.3F	22 Th	0630	0329	1.2E	7 F	0513	0230	0.8E	22 Sa	0153	0407	0.6E				
	1113	1441	0.8E		0509	0742	1.8F		1155	1555	1.5E		1224	1627	2.3E		1106	1824	1.3F		0644	0859	0.9F			
●					1147	1507	1.4E		2050	*		2047	2340	0.6F		2015	2132	0.4F		1146	1635	2.6E				
					1950	*															2059					
8 M	0543	0806	1.6E	23 Tu	0613	0839	1.5F	8 Th	0626	0910	1.2F	23 F	0153	0438	0.9E	8 Sa	0026	0356	0.6E	23 Su		0018	1.0F			
	1222	1544	0.9E		1243	1609	1.7E		1230	1638	1.8E		0739	0949	1.0F		0609	0915	1.0F		0327	0517	0.5E			
	2008	*			2104	*			2205	*			1302	1715	2.5E		2054	2251	0.8F		0806	0955	0.6F			
													2132								1218	1722	2.6E			
9 Tu	0642	0902	1.1F	24 W	0720	0943	1.2F	9 F	0733	1005	1.1F	24 Sa	0326	0037	1.0F	9 Su	0240	0505	0.6E	24 M		0105	1.3F			
	1317	1637	1.1E		1330	1703	2.0E		1301	1719	2.1E		0850	1047	0.8F		0726	1012	0.9F		0435	0649	0.5E			
	2115	*			2114	2346	0.4F		2134	2322	0.7F		1336	1801	2.7E		1215	1717	2.7E		0928	1054	0.4F			
													2211				2133				1251	1810	2.7E			
10 W	0744	1004	1.1F	25 Th	0132	0503	1.4E	10 Sa	0228	0536	1.0E	25 Su		0120	1.4F	10 M		0003	1.3F	25 Tu		0143	1.6F			
	1356	1724	1.4E		0827	1055	1.1F		0843	1059	1.0F		0435	0702	0.9E		0405	0615	0.6E		0527	0819	0.7E			
	2231	*			1409	1754	2.2E		1331	1800	2.5E		0955	1139	0.7F		0900	1108	0.8F		1037	1149	0.3F			
					2157				2205				1405	1846	2.8E		1258	1805	3.0E		1324	1858	2.7E			
11 Th	0844	1102	1.1F	26 F	0307	0610	1.4E	11 Su	0348	0639	1.0E	26 M		0157	1.6F	11 Tu		0052	1.8F	26 W		0217	1.7F			
	1427	1807	1.7E		0929	1149	1.1F		0945	1149	1.0F		0531	0808	1.0E		0508	0721	0.8E		0609	0859	0.9E			
	2211	2342	0.5F		1442	1840	2.5E		1402	1842	2.8E		1052	1224	0.6F		1013	1202	0.8F		1132	1237	0.3F			
					2235				2239				1430	1928	2.9E		1345	1854	3.3E		1359	1942	2.8E			
12 F	0212	0607	1.5E	27 Sa	0419	0715	1.3E	12 M	0454	0738	1.1E	27 Tu		0229	1.8F	12 W		0052	1.8F	27 Th		0243	1.9F			
	0938	1151	1.2F		1023	1228	1.0F		1038	1235	1.0F		0617	0852	1.1E		0559	0819	1.0E		0645	0924	1.1E			
	1453	1848	2.1E		1512	1923	2.7E		1436	1925	3.1E		1143	1305	0.5F		1112	1253	0.8F		1221	1322	0.3F			
	2238				2310				2314				1452	2008	2.9E		1433	1944	3.5E		1434	2022	2.8E			
13 Sa	0331	0704	1.5E	28 Su	0518	0810	1.4E	13 Tu	0550	0830	1.3E	28 W		0251	1.9F	13 Th		0219	2.5F	28 F		0259	2.0F			
	1025	1232	1.3F		1112	1302	0.9F		1126	1319	1.0F		0656	0926	1.2E		0642	0907	1.2E		0715	0949	1.2E			
	1518	1926	2.4E		1537	2002	2.8E	●	1513	2008	3.4E	○	1231	1345	0.5F		1205	1343	0.8F		1308	1405	0.3F			
	2308				2344				2351			○	1515	2044	2.9E		1522	2032	3.6E		1511	2059	2.7E			
14 Su	0436	0757	1.6E	29 M	0608	0853	1.4E	14 W	0641	0917	1.4E	29 Th		0026	0311	2.0F	14 F		0015	0303	2.7F	29 Sa		0037	0322	2.1F
	1107	1312	1.3F		1156	1337	0.9F		1214	1404	1.0F		0730	1000	1.2E		0721	0952	1.5E		0741	1019	1.4E			
	1543	2004	2.8E	○	1559	2037	2.9E		1553	2049																

San Juan Channel (south entrance), Washington, 2012

F—Flood, Dir. 010° True E—Ebb, Dir. 180° True

January				February				March																			
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum													
h	m	h	m	h	m	h	m	h	m	h	m	h	m	h	m												
1 Su		0127	1.0E	16 M		0112	1.5E	1 W		0100	0.8E	16 Th		0116	1.6E	1 Th		0008	2.31	1.0E	16 F		0047	0.343	1.9E		
	0405	0707	1.9F		0359	0657	2.2F		0600	0817	0.9F		0654	0906	1.1F		0541	0738	0.7F	0541		0738	0.7F	0653	0907	1.0F	
	1026	1404	2.6E		0955	1337	3.3E		1047	1446	2.5E		1132	1518	3.2E		0949	1401	2.2E	0949		1401	2.2E	1134	1506	2.7E	
	1749	2046	1.8F	●	1717	2019	2.7F	1833	2200	2.5F		1854	2229	3.6F	1736	2100	2.4F	1736	2100	2.4F	1829	2206	3.3F				
2 M		0241	0.9E	17 Tu		0233	1.4E	2 Th		0157	0.425	1.0E	17 F		0215	0.507	1.9E	2 F		0107	0.339	1.2E	17 Sa		0141	0.445	2.2E
	0514	0803	1.4F		0521	0802	1.7F		0722	0928	0.8F	0807		1022	1.3F	0659	0854		0.7F	0659	0854	0.7F		0755	1024	1.4F	
	1106	1448	2.7E		1048	1435	3.4E		1145	1537	2.7E	1242		1622	3.2E	1108	1459		2.3E	1108	1459	2.3E		1251	1614	2.7E	
	1836	2156	2.2F	●	1816	2136	3.2F	1922	2250	2.9F		1953	2322	3.9F	1834	2203	2.7F	1834	2203	2.7F	1932	2300	3.4F				
3 Tu		0353	0.9E	18 W		0354	1.5E	3 F		0243	0.528	1.3E	18 Sa		0304	0.605	2.2E	3 Sa		0154	0.437	1.5E	18 Su		0226	0.537	2.5E
	0633	0906	1.2F		0650	0915	1.4F		0825	1028	1.0F	0902		1120	1.6F	0757	1002		1.0F	0757	1002	1.0F		0842	1118	1.8F	
	1148	1532	2.8E		1145	1532	3.6E		1240	1628	2.9E	1345		1722	3.3E	1221	1555		2.6E	1221	1555	2.6E		1355	1715	2.8E	
	1920	2245	2.7F	●	1914	2241	3.8F	2008	2330	3.4F		2044			1928	2251	3.2F	1928	2251	3.2F	2026	2342	3.4F				
4 W		0504	1.1E	19 Th		0513	1.7E	4 Sa		0324	0.614	1.7E	19 Su		0347	0.650	2.6E	4 Su		0234	0.525	1.9E	19 M		0305	0.619	2.8E
	0747	1005	1.1F		0809	1024	1.4F		0913	1116	1.2F	0947		1208	1.8F	0841	1055		1.4F	0841	1055	1.4F		0922	1201	2.2F	
	1229	1616	3.0E		1243	1631	3.7E		1331	1717	3.1E	1443		1816	3.4E	1322	1649		2.8E	1322	1649	2.8E		1451	1809	2.8E	
	2001	2324	3.1F	●	2008	2334	4.2F	2049				2130			2016	2331	3.5F	2016	2331	3.5F	2113						
5 Th		0602	1.3E	20 F		0618	2.1E	5 Su		0400	0.006	3.7F	20 M		0425	0.727	2.8E	5 M		0310	0.604	2.4E	20 Tu		0018	0.018	3.3F
	0848	1054	1.1F		0911	1121	1.5F		0952	1159	1.5F	1026		1251	2.1F	0918	1139		1.9F	0918	1139	1.9F		0958	1239	2.5F	
	1309	1700	3.1E		1340	1728	3.8E		1420	1804	3.3E	1536		1901	3.4E	1417	1741		3.1E	1417	1741	3.1E		1542	1853	2.8E	
	2040	2359	3.5F	●	2058			2127				2212			2101			2101		2155							
6 F		0646	1.6E	21 Sa		0021	4.5F	6 M		0042	4.0F	21 Tu		0122	3.9F	6 Tu		0009	3.8F	21 W		0051	3.1F				
	0937	1137	1.2F		0415	0708	2.4E		0434	0721	2.4E		0459	0758	2.9E		0345	0640	2.8E		0345	0640	2.8E	0411	0722	3.1E	
	1348	1744	3.3E		1003	1212	1.6F		1028	1241	1.8F		1103	1332	2.2F		0953	1222	2.4F		0953	1222	2.4F	1030	1315	2.7F	
	2116			1435	1821	3.9E	1510	1848	3.5E	2205			2250			1511	1830	3.4E	1511	1830	3.4E	1629	1930	2.7E			
7 Sa		0034	3.8F	22 Su		0104	4.6F	7 Tu		0119	4.2F	22 W		0156	3.6F	7 W		0048	3.9F	22 Th		0123	2.9F				
	0436	0721	1.9E		0458	0750	2.7E		0506	0752	2.8E		0529	0825	3.0E		0417	0715	3.2E		0417	0715	3.2E	0438	0747	3.1E	
	1020	1218	1.3F		1049	1300	1.7F		1104	1324	2.0F		1138	1412	2.3F		1027	1306	2.9F		1027	1306	2.9F	1101	1350	2.9F	
	1429	1825	3.4E	●	1529	1909	3.8E	1600	1930	3.6E	1712	2017	3.0E	1605	1917	3.5E	1605	1917	3.5E	1712	2005	2.6E					
	2150			2226			2243				2326		2227			2227			2227		2310						
8 Su		0109	4.1F	23 M		0145	4.5F	8 W		0157	4.2F	23 Th		0230	3.3F	8 Th		0128	3.8F	23 F		0155	2.6F				
	0511	0752	2.2E		0536	0826	2.8E		0537	0824	3.1E		0557	0852	3.0E		0450	0750	3.6E		0450	0750	3.6E	0504	0812	3.1E	
	1059	1259	1.3F		1132	1346	1.8F		1140	1410	2.3F		1213	1453	2.4F		1103	1351	3.2F		1103	1351	3.2F	1131	1427	2.9F	
	1511	1905	3.5E	1621	1951	3.6E	1653	2012	3.6E	2322			1757	2052	2.7E	1659	2002	3.5E	1659	2002	3.5E	1754	2038	2.4E			
	2224			2306			2322						2311			2311			2311		2347						
9 M		0146	4.2F	24 Tu		0225	4.2F	9 Th		0238	4.1F	24 F		0305	2.9F	9 F		0210	3.6F	24 Sa		0229	2.3F				
	0544	0823	2.4E		0611	0859	2.9E		0608	0859	3.3E		0622	0920	2.9E		0522	0826	3.8E		0522	0826	3.8E	0528	0840	3.1E	
	1138	1342	1.4F		1215	1433	1.8F		1220	1459	2.5F		1248	1534	2.4F		1142	1440	3.5F		1142	1440	3.5F	1201	1505	3.0F	
	1556	1944	3.6E	1711	2030	3.3E	1748	2056	3.4E	1842	2129	2.3E	1755	2048	3.3E	1755	2048	3.3E	1835	2113	2.2E						
	2259			2345			2345						2358			2358			2358		2205						
10 Tu		0224	4.3F	25 W		0303	3.9F	10 F		0320	3.8F	25 Sa		0341	2.6F	10 Sa		0254	3.2F	25 Su		0306	1.9F				
	0616	0855	2.6E		0643	0932	2.9E		0639	0937	3.4E		0647	0951	2.8E		0556	0905	3.9E		0556	0905	3.9E	0551	0909	2.9E	
	1218	1429	1.5F		1258	1520	1.8F		1303	1550	2.7F		1303	1550	2.7F		1225	1531	3.7F		1225	1531	3.7F	1234	1545	2.9F	
	1645	2023	3.5E	1801	2109	2.9E	1846	2143	3.0E	1846	2143	3.0E	1930	2209	1.9E	1852	2137	3.0E	1852	2137	3.0E	1918	2151	1.9E			
	2335																										
11 W		0304	4.2F	26 Th		0341	3.5F	11 Sa		0404	3.4F	26 Su		0419	2.1F	11 Su		0341	2.8F	26 M		0346	1.6F				
	0648	0930	2.8E		0713	1005	2.8E		0712	1019	3.4E		0737	1109	2.4E		0630	0947	3.8E		0630	0947	3.8E	0615	0942	2.7E	
	1301	1518	1.6F		1341	1606	1.8F		1351	1643	2.9F		1406	1700	2.3F		1314	1624	3.7F		1314	1624	3.7F	1310	1627	2.8F	
	1738	2105	3.2E	1851	2149	2.4E	1950	2238	2.4E	1950	2238	2.4E	2024	2258	1.5E	1954	2233	2.5E	1954	2233	2.5E	2005	2236	1.6E			
12 Th		0346	4.0F	27 F		0418	3.1F	12 Su		0450	2.9F	27 M		0458	1.7F	12 M		0431	2.3F	27 Tu		0428	1.3F				
	0720	1009	2.9E		0742	1041	2.7E		0747	1107	3.3E		0737	1109	2.4E		0708	1035	3.5E		0708	1035	3.5E	0642	1021	2.5E	
	1347	1609	1.8F		1425	1652	1.8F		1444	1739	2.9F		1451	1748	2.2F		1408	1720	3.6F		1408	1720	3.6F	1351	1712	2.7F	
	1836	2152	2.9E	1947	2234	1.9E	2106	2345	1.9E	2106	2345	1.9E	2132	2359	1.1E	2104	2341	2.0									

San Juan Channel (south entrance), Washington, 2012

F—Flood, Dir. 010° True E—Ebb, Dir. 180° True

April				May				June																	
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum											
	h	m	knots		h	m	knots		h	m	knots		h	m	knots										
1 Su	0056	0344	1.9E	16 M	0138	0457	2.8E	1 Tu	0037	0343	2.9E	16 W	0118	0448	3.1E	1 F	0104	0438	3.9E	16 Sa	0130	0518	3.1E		
	0722	0934	1.1F		0815	1108	2.1F		0724	1005	2.1F		0818	1128	2.8F		0814	1126	4.1F		0855	1213	3.4F		
	1207	1522	2.2E		1359	1701	2.2E		1309	1553	2.1E		1451	1739	1.6E		1511	1747	2.2E		1611	1859	1.6E		
	1840	2203	3.0F		1959	2307	2.7F		1900	2208	2.8F		2023	2304	1.9F		2050	2317	2.1F		2144	2346	1.2F		
2 M	0137	0431	2.4E	17 Tu	0214	0537	3.0E	2 W	0116	0428	3.3E	17 Th	0150	0523	3.1E	2 Sa	0147	0528	4.2E	17 Su	0203	0557	3.2E		
	0804	1031	1.7F		0852	1148	2.6F		0803	1056	2.9F		0853	1203	3.1F		0859	1215	4.6F		0929	1246	3.7F		
	1315	1620	2.5E		1455	1757	2.2E		1413	1656	2.4E		1540	1830	1.8E		1608	1849	2.5E		1650	1936	1.8E		
	1939	2251	3.2F		2050	2343	2.6F		2004	2257	2.8F		2114	2340	1.7F		2151				2229				
3 Tu	0213	0514	2.8E	18 W	0246	0611	3.1E	3 Th	0153	0513	3.7E	18 F	0219	0557	3.2E	3 Su		0007	2.0F	18 M		0236	0635	3.3E	
	0841	1118	2.4F		0926	1223	2.9F		0843	1143	3.7F		0925	1235	3.4F		0944	1303	5.0F		1002	1320	3.8F		
	1415	1718	2.8E		1544	1843	2.2E		1512	1757	2.6E		1624	1912	1.9E		1702	1943	2.7E		1727	2007	1.9E		
	2032	2334	3.4F		2135				2104	2344	2.7F		2201				2248				2312				
4 W	0249	0555	3.3E	19 Th		0016	2.4F	4 F	0231	0559	4.0E	19 Sa		0015	1.6F	4 M		0057	1.8F	19 Tu		0311	0712	3.3E	
	0916	1202	3.1F		0315	0640	3.2E		0923	1229	4.3F		0247	0630	3.2E		0318	0708	4.4E		1030	1353	5.1F		
	1512	1813	3.0E		0957	1255	3.1F		1609	1854	2.8E		0956	1307	3.6F		1030	1353	5.1F		1753	2033	2.8E		
	2123				1629	1921	2.3E		2200				1705	1947	1.9E		1841	2121	2.8E		2344				
5 Th		0015	3.4F	20 F		0048	2.1F	5 Sa		0030	2.6F	20 Su		0050	1.4F	5 Tu		0150	1.7F	20 W		0349	0748	3.3E	
	0324	0635	3.7E		0342	0707	3.2E		0310	0644	4.3E		0314	0703	3.3E		0408	0756	4.3E		1116	1444	5.0F		
	0953	1247	3.7F		1026	1328	3.3F		1004	1317	4.7F		1026	1341	3.7F		1116	1444	5.0F		1834	2109	2.2E		
	1608	1904	3.2E		1710	1955	2.2E		1704	1947	3.0E		1743	2019	2.0E		1841	2121	2.8E						
	2212				2256				2254				2328												
6 F		0058	3.2F	21 Sa		0121	1.9F	6 Su		0117	2.3F	21 M		0128	1.2F	6 W		0246	1.5F	21 Th		0039	0232	1.0F	
	0359	0715	4.0E		0407	0735	3.2E		0350	0729	4.4E		0342	0735	3.2E		0501	0843	4.0E		0431	0824	3.1E		
	1031	1333	4.1F		1055	1403	3.4F		1047	1407	4.9F		1056	1418	3.7F		1204	1535	4.8F		1138	1513	3.9F		
	1703	1953	3.3E		1750	2028	2.2E		1758	2038	2.9E		1820	2052	2.0E		1928	2212	2.7E		1907	2143	2.3E		
	2302				2337				2351																
7 Sa		0142	2.9F	22 Su		0157	1.6F	7 M		0208	2.0F	22 Tu		0209	1.0F	7 Th		0345	1.4F	22 F		0124	0320	1.0F	
	0435	0755	4.2E		0431	0804	3.2E		0434	0813	4.3E		0413	0809	3.1E		0558	0931	3.5E		0518	0903	3.0E		
	1111	1422	4.4F		1124	1440	3.4F		1133	1459	4.9F		1127	1457	3.7F		1253	1624	4.4F		1213	1553	3.9F		
	1758	2042	3.2E		1829	2101	2.1E		1852	2129	2.8E		1856	2127	2.0E		2013	2306	2.7E		1939	2222	2.4E		
	2354																								
8 Su		0230	2.6F	23 M		0235	1.4F	8 Tu		0302	1.7F	23 W		0254	0.9F	8 F		0443	1.3F	23 Sa		0210	0410	1.1F	
	0512	0837	4.2E		0457	0835	3.0E		0520	0859	4.0E		0447	0843	3.0E		0700	1023	2.8E		0611	0945	2.7E		
	1156	1514	4.5F		1155	1519	3.4F		1222	1552	4.7F		1159	1537	3.7F		1344	1711	3.9F		1253	1634	3.7F		
	1854	2133	2.9E		1909	2138	1.9E		1945	2225	2.6E		1933	2206	2.0E		2058				2012	2306	2.5E		
9 M		0051	0320	2.1F	24 Tu		0318	1.1F	9 W		0400	1.4F	24 Th		0341	0.8F	9 Sa		0005	2.6E	24 Su		0256	0501	1.3F
	0552	0921	3.9E		0525	0908	2.8E		0611	0949	3.5E		0527	0921	2.8E		0811	1124	2.2E		0712	1036	2.3E		
	1244	1608	4.4F		1228	1601	3.3F		1315	1645	4.4F		1235	1619	3.6F		1437	1758	3.4F		1339	1717	3.4F		
	1953	2230	2.5E		1950	2221	1.8E		2039	2329	2.4E		2011	2251	2.0E		2142				2047	2354	2.7E		
10 Tu		0156	0414	1.7F	25 W		0403	0.9F	10 Th		0459	1.2F	25 F		0431	0.8F	10 Su		0103	2.7E	25 M		0342	0555	1.5F
	0635	1010	3.6E		0556	0946	2.6E		0709	1045	2.9E		0613	1004	2.5E		0435	0645	1.3F		0827	1139	1.9E		
	1339	1703	4.1F		1306	1644	3.2F		1411	1739	3.9F		1316	1702	3.5F		0938	1236	1.7E		1432	1803	3.1F		
	2056	2339	2.2E		2036	2313	1.6E		2134				2050	2342	2.1E		1533	1846	2.8F		2124				
11 W		0307	0511	1.4F	26 Th		0304	0.8F	11 F		0041	2.4E	26 Sa		0523	0.8F	11 M		0154	2.8E	26 Tu		0429	0655	1.8F
	0725	1108	3.1E		0635	1030	2.3E		0409	0602	1.1F		0711	1057	2.1E		0526	0758	1.5F		1113	1350	1.3E		
	1439	1801	3.7F		1351	1730	3.1F		0821	1153	2.4E		1404	1746	3.3F		1113	1350	1.3E		1632	1938	2.3F		
	2203				2126				1511	1833	3.4F		2132				2307				2307				
12 Th		0420	0614	1.1F	27 F		0014	1.6E	12 Sa		0146	2.5E	27 Su		0036	2.3E	12 Tu		0238	2.9E	27 W		0518	0802	2.3F
	0830	1219	2.6E		0405	0544	0.7F		0511	0714	1.1F		0428	0620	1.0F		0615	0917	1.9F		1138	1404	1.5E		
	1543	1904	3.4F		0725	1128	2.0E		0956	1311	2.0E		0827	1203	1.9E		1236	1501	1.2E		1645	1952	2.2F		
	2309				1442	1819	3.0F		1613	1932	3.0F		1458	1835	3.1F		1737	2035	1.8F		2338				
13 F		0216	2.2E	28 Sa		0116	1.8E	13 Su		0241	2.7E	28 M		0128	2.5E	13 W		0319	2.9E	28 Th		0609	0913	2.8F	
	0532	0730	1.0F		0504	0644	0.7F		0607	0841	1.4F		0514	0723	1.3F		0700	1017	2.3F		1259	1515	1.5E		
	1002	1337	2.3E		0837	1237	1.9E		1132	1425	1.7E		1008	1314	1.7E		1343	1609	1.2E		1807	2056	1.		

San Juan Channel (south entrance), Washington, 2012

F—Flood, Dir. 010° True E—Ebb, Dir. 180° True

July				August				September															
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum									
h	m	h	m	knots	h	m	h	m	knots	h	m	h	m	knots	h	m	h	m	knots				
1 Su	0118 0842 1601 2143	0507 1203 1845 2352	4.1E 4.6F 2.3E 1.7F	16 M	0135 0903 1623 2207	0529 1222 1912 2207	3.1E 3.6F 1.8E	1 W	0306 1004 1710 2306	0035 1321 2002 0124	1.9F 4.5F 2.9E	16 Th	0258 0950 1645 2245	0632 1300 1934 0106	1.7F 3.9F 2.6E	1 Sa	0459 1111 1734 2350	0803 1410 2033 0236	3.1E 3.3F 3.2E	16 Su	0440 1049 1653 2315	0741 1344 2001 0214	3.2F 3.3F 3.7E
2 M	0210 0930 1651 2238	0602 1251 1937 2238	4.2E 4.9F 2.6E	17 Tu	0217 0939 1658 2246	0612 1256 1943 0005	3.2E 3.8F 2.0E	2 Th	0402 1047 1747 2349	0732 1403 2038 0124	3.8E 4.3F 3.0E	17 F	0347 1026 1715 2319	0713 1336 2004 0106	3.3E 3.9F 2.9E	2 Su	0547 1150 1802	0840 1447 2102	2.7F 2.8E 3.1E	17 M	0533 1134 1725 2355	0826 1427 2038 0214	3.2E 3.0F 3.8E
3 Tu	0303 1017 1737 2329	0654 1339 2022 0136	4.2E 4.9F 2.8E	18 W	0300 1012 1730 2324	0652 1331 2011 0127	3.3E 4.0F 2.3E	3 F	0457 1129 1821	0815 1444 2112	3.5E 4.0F 3.0E	18 Sa	0437 1103 1744 2355	0754 1415 2037 0235	3.3E 3.8F 3.2E	3 M	0634 1231 1828	0918 1525 2134	2.4E 2.4F 2.9E	18 Tu	0628 1224 1759	0913 1513 2118	2.9E 2.6F 3.7E
4 W	0359 1102 1820	0743 1426 2105	4.1E 4.8F 2.9E	19 Th	0344 1046 1800	0730 1407 2040	3.3E 4.0F 2.5E	4 Sa	0550 1210 1853	0857 1524 2146	3.1E 3.6F 3.0E	19 Su	0529 1144 1813	0836 1456 2112	3.2E 3.5F 3.3E	4 Tu	0723 1315 1853	1000 1604 2209	2.0E 2.0F 2.7E	19 W	0727 1322 1836	1005 1602 2204	2.5E 2.2F 3.5E
5 Th	0456 1147 1900	0829 1513 2147	3.8E 4.5F 2.9E	20 F	0432 1120 1830	0809 1445 2112	3.3E 4.0F 2.7E	5 Su	0643 1252 1924	0938 1603 2223	2.6E 3.1F 2.8E	20 M	0624 1228 1844	0921 1539 2151	2.9E 3.2F 3.4E	5 W	0817 1406 1920	1048 1645 2250	1.6E 1.6F 2.4E	20 Th	0832 1430 1918	1108 1655 2258	2.1E 1.7F 3.2E
6 F	0553 1231 1938	0914 1557 2230	3.3E 4.1F 2.8E	21 Sa	0522 1157 1859	0848 1525 2147	3.1E 3.8F 2.8E	6 M	0739 1335 1953	1024 1642 2303	2.0E 2.6F 2.7E	21 Tu	0724 1319 1917	1012 1624 2235	2.5E 2.7F 3.3E	6 Th	0921 1507 1952	1149 1730 2342	1.2E 1.2F 2.2E	21 F	0946 1546 2010	1226 1754 2010	1.8E 1.3F
7 Sa	0652 1317 2014	1001 1639 2316	2.7E 3.6F 2.8E	22 Su	0617 1237 1929	0932 1606 2227	2.8E 3.6F 2.9E	7 Tu	0843 1424 2024	1118 1722 2350	1.5E 2.1F 2.5E	22 W	0833 1420 1955	1113 1713 2328	2.0E 2.3F 3.2E	7 F	1036 1618 2034	1307 1822 0910	1.0E 0.9F	22 Sa	1102 1705 2124	1352 1902 1.1F	1.8E 1.1F
8 Su	0756 1404 2050	1053 1720 2050	2.1E 3.1F	23 M	0718 1324 2002	1022 1649 2313	2.4E 3.2F 3.0E	8 W	1000 1522 2057	1226 1806 0167	1.1E 1.6F	23 Th	0954 1532 2040	1228 1807 0187	1.7E 1.8F	8 Sa	1148 1735 2137	1424 1925 0710	1.1E 0.7F	23 Su	1210 1820 2258	1506 2027 1.1F	2.0E 1.1F
9 M	0912 1455 2126	1156 1802 2126	1.5E 2.5F	24 Tu	0830 1419 2038	1122 1735 2038	2.0E 2.8F	9 Th	1124 1630 2139	0716 1857 0139	2.0F 1.2F	24 F	1120 1653 2139	1351 1910 0137	1.5E 1.3F	9 Su	1246 1846 2301	1528 2040 0710	1.3E 0.7F	24 M	1306 1923	1607 2151	2.3E 1.4F
10 Tu	1040 1551 2204	0706 1848 2204	1.1E 2.0F	25 W	0958 1524 2119	1235 1826 2119	1.6E 2.3F	10 F	1238 1748 2233	1459 2000 2233	0.9E 0.9F	25 Sa	1236 1816 2254	1511 2026 0137	1.7E 1.1F	10 M	1333 1942	1621 2150	1.6E 1.0F	25 Tu	1353 2013	1701 2252	2.6E 1.9F
11 W	1206 1656 2245	1423 1941 2245	1.0E 1.5F	26 Th	1131 1641 2209	1353 1925 2209	1.4E 1.8F	11 Sa	1336 1906 2333	1609 2112 0322	1.1E 0.8F	26 Su	1337 1931	1623 2146	1.9E 1.3F	11 Tu	1412 2025	1705 2242	2.0E 1.4F	26 W	1434 2056	1746 2339	2.9E 2.4F
12 Th	1317 1812 2327	1534 2042 2327	0.9E 1.2F	27 F	1251 1807 2307	1510 2035 2307	1.5E 1.5F	12 Su	1423 2009	1710 2214	1.3E 0.9F	27 M	1429 2030	1725 2251	2.3E 1.6F	12 W	1447 2101	1743 2325	2.3E 1.9F	27 Th	1510 2133	1825 2313	3.1E
13 F	1415 1928	1646 2145	1.1E 1.0F	28 Sa	1357 1930	1627 2147	1.7E 1.4F	13 M	1504 2057	1758 2303	1.7E 1.2F	28 Tu	1514 2117	1816 2342	2.6E 2.0F	13 Th	1520 2134	1818 2134	2.7E	28 F	1543 2208	1857 2208	3.2E
14 Sa	1503 2032	1748 2238	1.3E 1.0F	29 Su	1454 2038	1738 2250	2.0E 1.5F	14 Tu	1540 2136	1834 2345	2.0E 1.5F	29 W	1554 2159	1858 2159	2.9E	14 F	1551 2206	1852 2206	3.1E	29 Sa	1612 2240	1926 2240	3.3E
15 Su	1545 2123	1836 2323	1.5E 1.1F	30 M	1544 2133	1836 2345	2.4E 1.7F	15 W	1614 2211	1905 2211	2.3E	30 Th	1631 2238	1933 2238	3.1E	15 Sa	1622 2239	1926 2239	3.4E	30 Su	1640 2311	1954 2311	3.3E
				31 Tu	1629 2221	1922 2221	2.7E					31 F	1032 1704 2314	1334 2004 3.2E									

Time meridian 120° W. 0000 is midnight. 1200 is noon. Times are not adjusted for Daylight Saving Time.

Seymour Narrows, British Columbia, 2012

F—Flood, Dir. 180° True E—Ebb, Dir. 000° True

April				May				June																
Slack	Maximum		knots	Slack	Maximum		knots	Slack	Maximum		knots	Slack	Maximum		knots									
h m	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m									
1 Su	0054 0728 1249 1910	0413 1004 1615 2224	6.8E 4.7F 6.5E 8.2F	16 M	0124 0755 1401 2006	0444 1052 1709 2308	9.9E 8.5F 8.8E 9.3F	1 Tu	0050 0729 1335 1940	0417 1025 1645 2238	8.9E 8.0F 7.8E 8.3F	16 W	0127 0806 1441 2038	0457 1115 1741 2323	10.1E 9.9F 8.4E 7.2F	1 F	0140 0822 1508 2112	0515 1136 1811 2348	11.4E 12.7F 10.0E 7.9F	16 Sa	0214 0855 1555 2159	0554 1215 1855	9.4E 10.9F 8.3E	
2 M	0146 0813 1354 2009	0505 1057 1714 2315	8.1E 6.5F 8.0E 9.2F	17 Tu	0215 0841 1457 2101	0535 1143 1803 2356	10.7E 9.9F 9.8E 9.3F	2 W	0139 0812 1432 2038	0506 1115 1740 2328	10.2E 10.0F 9.3E 8.9F	17 Th	0214 0848 1529 2130	0543 1159 1830 2130	10.5E 10.9F 9.1E	2 Sa	0230 0908 1559 2206	0605 1225 1902 2206	12.2E 14.2F 11.1E	17 Su	0258 0934 1635 2244	0636 1254 1937 2244	9.6E 11.5F 9.0E	
3 Tu	0230 0852 1448 2101	0548 1144 1804 2315	9.6E 8.6F 9.6E	18 W	0259 0922 1546 2149	0619 1227 1851 2356	11.4E 11.1F 10.5E	3 Th	0224 0854 1523 2130	0551 1201 1830 2130	11.4E 12.0F 10.7E	18 F	0256 0926 1613 2216	0626 1240 1914 2216	7.0F 10.6E 9.6E	3 Su	0319 0953 1646 2256	0652 1311 1950 2256	12.9E 15.3F 12.0E	18 M	0339 1011 1712 2324	0716 1331 2015 2324	9.7E 12.0F 9.5E	
4 W	0310 0930 1537 2148	0628 1227 1850 2315	11.0E 10.6F 11.1E	19 Th	0339 0959 1629 2234	0659 1306 1933 2356	11.7E 11.9F 10.9E	4 F	0307 0935 1611 2219	0634 1245 1917 2219	12.4E 13.7F 11.8E	19 Sa	0335 1003 1653 2259	0705 1318 1955 2259	10.6E 12.1F 9.9E	4 M	0408 1038 1732 2344	0739 1357 2037 2344	13.1E 15.8F 12.6E	19 Tu	0419 1048 1747	0754 1407 2052	9.8E 12.4F 9.9E	
5 Th	0348 1007 1623 2234	0707 1308 1934 2315	12.2E 12.4F 12.1E	20 F	0415 1035 1709 2315	0736 1343 2013 2315	11.7E 12.3F 10.9E	5 Sa	0349 1016 1657 2307	0716 1329 2003 2307	13.2E 15.0F 12.5E	20 Su	0411 1037 1730 2340	0741 1354 2034 2340	10.5E 12.3F 10.0E	5 Tu	0457 1123 1817	0826 1443 2122	13.0E 15.7F 12.8E	20 W	0459 1125 1821	0831 1434 2128	9.8E 12.5F 10.2E	
6 F	0425 1045 1709 2319	0745 1349 2018	13.1E 13.8F 12.8E	21 Sa	0449 1109 1747 2355	0811 1419 2052 2355	11.4E 12.3F 10.6E	6 Su	0431 1058 1743 2354	0758 1412 2049 2354	13.5E 15.6F 12.7E	21 M	0446 1112 1806	0817 1429 2111	10.1E 12.3F 9.9E	6 W	0548 1209 1902	0913 1529 2208	12.5E 15.0F 12.6E	21 Th	0541 1203 1855	0909 1521 2205	9.7E 12.4F 10.3E	
7 Sa	0503 1123 1754	0823 1431 2101	13.5E 14.6F 12.8E	22 Su	0521 1142 1825	0845 1453 2129	10.8E 12.1F 10.1E	7 M	0515 1141 1830	0841 1457 2135	13.3E 15.5F 12.6E	22 Tu	0521 1146 1843	0852 1505 2149	9.7E 12.1F 9.7E	7 Th	0641 1257 1946	1001 1616 2255	11.5E 13.8F 12.1E	22 F	0626 1243 1931	0950 1601 2243	9.4E 11.9F 10.4E	
8 Su	0541 1204 1841	0903 1515 2147	13.5E 14.8F 12.4E	23 M	0552 1215 1902	0918 1529 2208	10.0E 11.5F 9.3E	8 Tu	0601 1225 1917	0926 1543 2222	12.6E 14.9F 12.1E	23 W	0558 1223 1920	0928 1542 2228	9.1E 11.6F 9.4E	8 F	0738 1346 2031	1052 1704 2343	10.3E 12.3F 11.5E	23 Sa	0715 1327 2008	1033 1643 2323	8.9E 11.2F 10.3E	
9 M	0622 1247 1930	0945 1601 2234	12.9E 14.3F 11.6E	24 Tu	0625 1250 1942	0953 1606 2248	9.1E 10.8F 8.5E	9 W	0650 1313 2006	1014 1632 2312	11.5E 13.7F 11.3E	24 Th	0640 1302 1959	1008 1623 2309	8.5E 11.0F 9.0E	9 Sa	0839 1440 2117	1147 1756 2117	8.9E 10.6F	24 Su	0810 1415 2048	1122 1729 2048	8.3E 10.2F	
10 Tu	0706 1334 2023	0419 1031 1650 2326	8.5F 11.8E 13.3F 10.6E	25 W	0701 1328 2025	0424 1030 1647 2332	5.1F 8.1E 7.8E	10 Th	0746 1404 2057	1107 1725 2057	10.2E 12.2F	25 F	0728 1346 2041	1052 1708 2354	7.8E 10.2F 8.8E	10 Su	0946 1539 2204	1247 1852 2204	7.6E 8.9F	25 M	0913 1510 2131	1217 1821 2131	7.6E 9.0F	
11 W	0757 1426 2119	0513 1123 1746	7.2F 10.5E 11.9F	26 Th	0744 1412 2112	0510 1114 1735	4.4F 7.1E 9.0F	11 F	0851 1502 2150	1206 1824 2150	8.7E 10.6F	26 Sa	0826 1437 2126	1144 1759 2126	7.0E 9.3F	11 M	1058 1645 2254	1353 1951 2254	6.6E 7.4F	26 Tu	1022 1614 2218	1320 1918	7.0E 7.9F	
12 Th	0859 1525 2221	0615 1222 1849	6.1F 9.0E 10.5F	27 F	0840 1505 2205	0607 1207 1831	3.8F 6.2E 8.2F	12 Sa	1004 1607 2246	1312 1927 2246	7.6E 9.2F	27 Su	0934 1537 2214	1244 1856 2214	6.5E 8.4F	12 Tu	1211 1756 2345	1504 2052 2345	6.1E 6.3F	27 W	1135 1726 2310	1431 2021	6.7E 7.0F	
13 F	1013 1635 2325	0728 1333 1958	5.6F 7.9E 9.5F	28 Sa	0952 1609 2301	1313 1935 2301	5.6E 7.6F	13 Su	1123 1720 2342	1426 2032 2342	7.0E 8.2F	28 M	1049 1645 2305	1353 1958 2305	6.2E 7.8F	13 W	1319 1908	1613 2152	6.3E 5.6F	28 Th	1247 1842	1544 2125	7.1E 6.5F	
14 Sa	1135 1750	0844 2108	6.0F 9.0F	29 Su	1113 1723 2357	1428 2041 2357	5.7E 7.5F	14 M	1238 1833	1539 2135	7.0E 7.6F	29 Tu	1204 1759 2357	1505 2059 2357	6.5E 7.4F	14 Th	1419 2014	1715 2248	6.9E 5.3F	29 F	1354 1954	1653 2228	8.0E 6.4F	
15 Su	1254 1902	1605 2212	7.9E 9.0F	30 M	1230 1835	1541 2142	6.5E 7.8F	15 Tu	1344 1939	1644 2232	7.6E 7.3F	30 W	1312 1910	1614 2159	7.4E 7.4F	15 F	1511 2110	1809 2338	7.6E 5.2F	30 Sa	1453 2057	1754 2328	9.3E 6.8F	
												31 Th	0049 0735 1413 2014	0424 1046 1716 2256	10.5E 11.0F 8.7E 7.6F									

Time meridian 120° W. 0000 is midnight. 1200 is noon. Times are not adjusted for Daylight Saving Time.

Snow Passage Narrows, Alaska, 2012

F—Flood, Dir. 153° True E—Ebb, Dir. 331° True

July				August				September															
Slack	Maximum		knots	Slack	Maximum		knots	Slack	Maximum		knots	Slack	Maximum		knots								
h m	h m	h m		h m	h m	h m		h m	h m	h m		h m	h m	h m									
1 Su	0317 0930 1603 2125	0625 1221 1835	3.9F 3.9E 3.1F	16 M	0336 0951 1621 2120	0634 1242 1829	3.3F 3.2E 2.2F	1 W	0437 1047 1720 2243	0740 1338 1952	4.1E 3.9E 3.1F	16 Th	0422 1029 1658 2217	0716 1318 1928	3.4F 3.2E 2.7F	1 Sa	0538 1131 1809 2354	0826 1437 2055	3.1F 3.5E 3.0F	16 Su	0502 1056 1722 2327	0809 1345 2035	3.3F 3.8E 3.5F
2 M	0404 1019 1650 2211	0024 0709 1307 1920	4.2E 4.3F 4.1E 3.3F	17 Tu	0411 1027 1655 2156	0706 1318 1909	3.6F 3.2E 2.4F	2 Th	0518 1126 1759 2326	0819 1424 2036	3.9F 3.7E 3.0F	17 F	0451 1056 1720 2256	0755 1344 2012	3.3F 3.3E 2.9F	2 Su	0611 1200 1842	0901 1513 2132	2.9F 3.3E 2.9F	17 M	0538 1132 1758	0853 1428 2121	3.3F 4.0E 3.6F
3 Tu	0448 1104 1734 2255	0107 0754 1356 2007	4.3E 4.0E 3.2F	18 W	0443 1059 1725 2231	0744 1352 1951	3.6F 3.2E 2.6F	3 F	0557 1203 1837	0856 1507 2117	3.5F 3.5E 2.9F	18 Sa	0520 1124 1746 2338	0836 1415 2057	3.3F 3.5E 3.1F	3 M	0646 1228 1916	0937 1544 2209	2.7F 3.1E 2.8F	18 Tu	0622 1212 1841	0938 1514 2206	3.3F 4.0E 3.6F
4 W	0531 1148 1817 2339	0155 0840 1446 2053	4.2E 4.2F 3.8E 3.1F	19 Th	0512 1130 1751 2308	0824 1424 2035	3.5F 3.1E 2.7F	4 Sa	0635 1237 1916	0931 1544 2155	3.1F 3.3E 2.7F	19 Su	0554 1156 1820	0917 1453 2141	3.2F 3.6E 3.2F	4 Tu	0727 1258 1952	1015 1611 2249	2.4F 2.9E 2.6F	19 W	0713 1259 1931	1023 1600 2254	3.1F 3.9F 3.5F
5 Th	0613 1231 1902	0245 0921 1532 2136	4.0E 3.8F 3.6E 2.8F	20 F	0542 1159 1817 2348	0904 1452 2119	3.3F 3.1E 2.8F	5 Su	0714 1309 1954	1006 1616 2234	2.7F 3.0E 2.5F	20 M	0635 1233 1901	0959 1534 2225	3.1F 3.7E 3.2F	5 W	0813 1329 2031	1056 1640 2336	2.1F 2.7E 2.4F	20 Th	0812 1350 2026	1112 1648 2349	2.7E 3.7E 3.2F
6 F	0657 1313 1947	0332 0959 1612 2217	3.6E 3.4F 3.2E 2.6F	21 Sa	0615 1228 1848	0943 1522 2201	3.3E 3.1F 2.8F	6 M	0754 1340 2032	1043 1646 2317	2.3F 2.7E 2.2F	21 Tu	0724 1317 1950	1042 1617 2313	2.9F 3.7E 3.1F	6 Th	0905 1403 2115	1143 1717	1.7F 2.3E	21 F	0917 1445 2125	1210 1748	2.3F 3.2E
7 Sa	0742 1353 2031	0414 1035 1650 2259	3.2E 2.8F 2.8E 2.2F	22 Su	0654 1302 1927	1022 1527 2245	2.9F 3.3E 2.7F	7 Tu	0838 1410 2112	1125 1719	1.9F 2.4E	22 W	0820 1407 2043	1133 1705	2.5F 3.4E	7 F	0354 1011 1441 2211	0031 0712 1815	2.2F 1.9E 2.0E	22 Sa	0410 1040 1548 2241	0714 1314 1910	2.6E 1.9F 2.8E
8 Su	0825 1429 2114	0458 1115 1732 2348	2.6E 2.3F 2.4E 1.9F	23 M	0740 1341 2012	1105 1637 2334	2.6F 3.2E 2.6F	8 W	0931 1443 2203	1216 1816	1.5F 2.0E	23 Th	0924 1502 2144	1233 1809	2.2F 3.0E	8 Sa	0508 1148 1528 2335	0816 1338 1942	1.8E 1.0F 1.8E	23 Su	0529 1216 1712	0825 1418 2027	2.5E 1.6F 2.7E
9 M	0911 1503 2204	0556 1201 1832	2.1E 1.8F 2.1E	24 Tu	0833 1427 2104	1157 1727	2.3F 3.0E	9 Th	1047 1525 2318	1313 1939	1.2F 1.8E	24 F	1052 1611 2306	1336 1931	1.9F 2.8E	9 Su	1308 1654	1436 2059	0.9F 1.8E	24 M	1330 1836	1538 2142	1.5F 2.7E
10 Tu	1008 1541 2314	0044 0712 1254 1936	1.6F 1.8E 1.4F 1.9E	25 W	0936 1523 2208	0613 1258 1835	2.0F 2.4E 2.8E	10 F	1224 1636	1409 2044	1.0F 1.8E	25 Sa	1233 1737	1440 2047	1.7F 2.8E	10 M	1409 1839	1543 2218	0.9F 2.0E	25 Tu	1431 1945	1733 2252	2.0F 3.0E
11 W	1138 1643	0141 0816 1348 2033	1.5F 1.7E 1.2F 1.8E	26 Th	1106 1638 2336	1359 1954	1.9F 2.7E	11 Sa	1336 1815	1510 2156	1.0F 2.0E	26 Su	1347 1855	1603 2205	1.7F 3.0E	11 Tu	1456 1943	1656 2312	1.3F 2.4E	26 W	1522 2044	1820 2344	2.5F 3.3E
12 Th	1258 1805	0240 0920 1444 2137	1.5F 1.8E 1.1F 1.9E	27 F	1248 1805	1504 2110	1.8F 2.8E	12 Su	1435 1919	1624 2256	1.1F 2.3E	27 M	1449 2000	1736 2309	2.2F 3.3E	12 W	1534 2035	1746 2349	1.9F 2.7E	27 Th	1604 2134	1855 2348	2.8F
13 F	1401 1908	0508 1027 1552 2240	1.8F 2.1E 1.1F 2.2E	28 Sa	1401 1916	1626 2227	2.0F 3.2E	13 M	1523 2010	1726 2338	1.6F 2.7E	28 Tu	1541 2056	1823 2358	2.6F 3.7E	13 Th	1603 2121	1826 2312	2.5F	28 F	1640 2218	1924 2349	3.0F
14 Sa	1455 1958	0546 1121 1704 2326	2.4F 2.6E 1.5F 2.6E	29 Su	1502 2016	1738 2325	2.5F 3.6E	14 Tu	1601 2055	1808 2447	2.0F	29 W	1624 2146	1901 2377	2.9F	14 F	1628 2203	1906 2327	2.9F	29 Sa	1712 2257	1955 2351	3.1F
15 Su	1542 2041	0609 1204 1750 2401	2.9F 3.0E 1.9F	30 M	1554 2109	1826 2451	2.9F	15 W	1632 2137	1847	2.4F	30 Th	1702 2231	1938 2394	3.0F	15 Sa	1652 2244	1949 2404	3.3F	30 Su	1741 2335	2030 2404	3.2F
				31 Tu	0352 1005 1639 2158	0011 0700 1254 1909	4.0E 4.1F 4.0E 3.1F						31 F	0503 1100 1737 2313	0124 0753 1357 2017	3.7E 3.4F 3.6E 3.1F							

Time meridian 135° W. 0000 is midnight. 1200 is noon. Times are not adjusted for Daylight Saving Time.
 If three or more consecutive entries are marked (F) or (E) the middle ones are not true maximums but intermediate values to show the current pattern.

Snow Passage Narrows, Alaska, 2012

F—Flood, Dir. 153° True E—Ebb, Dir. 331° True

October				November				December							
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum	
	h	m	knots		h	m	knots		h	m	knots		h	m	knots
1				16				1				1			
M	0549	0831	2.8F	Tu	0527	0832	3.4F	Th	0646	0927	2.5F	F	0700	0949	3.2F
	1126	1440	3.4E		1113	1408	4.2E		1156	1512	3.3E		1229	1533	4.1E
	1810	2107	3.2F		1741	2103	4.0F		1845	2201	3.3F		1902	2219	4.0F
2				17				2				2			
Tu	0014	0315	3.1E	W	0001	0253	3.8E	F	0117	0414	2.9E	Sa	0135	0425	3.5E
	0623	0910	2.7F		0613	0919	3.4F		0732	1008	2.3F		0758	1036	2.8F
	1154	1512	3.3E		1156	1458	4.3E		1228	1544	3.1E		1320	1621	3.8E
	1841	2145	3.1F		1825	2150	4.0F		1924	2243	3.1F		1956	2307	3.5F
3				18				3				3			
W	0055	0355	3.0E	Th	0053	0344	3.7E	Sa	0203	0452	2.5E	Su	0230	0519	3.1E
	0704	0950	2.5F		0706	1005	3.2F		0820	1051	1.9F		0857	1127	2.3F
	1224	1541	3.1E		1243	1546	4.1E		1303	1618	2.9E		1415	1714	3.2E
	1916	2225	3.0F		1916	2237	3.8F		2006	2329	2.7F		2052		
4				19				4				4			
Th	0141	0435	2.7E	F	0149	0435	3.5E	Su	0249	0538	2.1E	M		0001	2.9F
	0752	1031	2.2F		0806	1053	2.8F		0908	1140	1.6F		0325	0628	2.6E
	1256	1610	2.9E		1334	1634	3.8E		1343	1656	2.5E		1000	1226	1.9F
	1956	2308	2.8F		2010	2328	3.4F		2051				1515	1828	2.7E
5				20				5				5			
F	0230	0522	2.3E	Sa	0248	0536	3.0E	M		0021	2.3F	Tu		0101	2.4F
	0843	1116	1.8F		0909	1148	2.3F		0336	0647	1.8E		0425	0735	2.3E
	1330	1644	2.6E		1429	1730	3.3E		1002	1236	1.2F		1117	1330	1.5F
	2038	2359	2.5F		2109				1430	1747	2.1E		1628	1946	2.3E
6				21				6				6			
Sa	0323	0632	2.0E	Su		0029	3.0F	Tu		0117	1.9F	W		0158	1.9F
	0941	1209	1.4F		0351	0654	2.6E		0429	0747	1.6E		0533	0835	2.2E
	1408	1727	2.3E		1024	1251	1.8F		1121	1334	1.1F		1232	1436	1.4F
	2126				1530	1850	2.8E		1530	1905	1.7E		1756	2053	2.1E
7				22				7				7			
Su		0056	2.2F	M		0132	2.6F	W		0210	1.7F	Th		0259	1.5F
	0424	0741	1.7E		0502	0803	2.4E		0532	0839	1.6E		0637	0937	2.2E
	1102	1307	1.1F		1152	1355	1.5F		1236	1432	1.2F		1333	1703	1.7F
	1452	1832	1.9E		1649	2007	2.5E		1717	2029	1.6E		1912	2203	2.1E
8				23				8				8			
M		0153	2.0F	Tu		0237	2.3F	Th		0307	1.5F	Sa		0524	1.6F
	0536	0840	1.6E		0616	0908	2.3E		0631	0938	1.8E		0730	1039	2.4E
	1229	1405	0.9F		1306	1509	1.4F		1330	1539	1.4F		1424	1753	2.2F
	1554	1957	1.7E		1817	2119	2.4E		1851	2159	1.8E		2011	2304	2.4E
9				24				9				9			
Tu	0007	0250	1.8F	W	0109	0449	2.2F	F	0144	0414	1.7F	Sa	0242	0558	1.8F
	0641	0942	1.7E		0718	1016	2.5E		0720	1034	2.3E		0814	1126	2.7E
	1331	1506	0.9F		1406	1723	1.8F		1414	1652	2.0F		1508	1827	2.6F
	1757	2125	1.7E		1930	2231	2.5E		1954	2301	2.3E		2059	2348	2.8E
10				25				10				10			
W	0121	0358	1.8F	Th	0213	0546	2.3F	Sa	0234	0513	2.1F	Su	0326	0606	2.0F
	0730	1039	2.0E		0809	1112	2.8E		0805	1116	2.9E		0852	1202	3.1E
	1419	1618	1.3F		1457	1810	2.4F		1453	1744	2.7F		1545	1849	2.9F
	1917	2241	2.0E		2030	2326	2.8E		2046	2344	2.9E		2140		
11				26				11				11			
Th	0217	0504	2.1F	F	0306	0621	2.5F	Su	0317	0558	2.7F	M		0027	3.1E
	0809	1119	2.4E		0851	1153	3.1E		0848	1151	3.5E		0403	0625	2.3F
	1457	1721	1.9F		1539	1844	2.8F		1531	1827	3.4F		0927	1235	3.3E
	2015	2326	2.5E		2119				2133				1617	1908	3.2F
12				27				12				12			
F	0302	0546	2.5F	Sa		0009	3.1E	M		0022	3.5E	Tu		0105	3.3E
	0845	1149	2.9E		0349	0636	2.5F		0357	0640	3.1F		0438	0658	2.5F
	1529	1805	2.6F		0927	1228	3.3E		0932	1226	4.0E		1000	1305	3.4E
	2104				1614	1908	3.0F		1608	1911	3.8F		1646	1938	3.4F
13				28				13				13			
Sa		0001	3.0E	Su		0047	3.3E	Tu		0102	3.8E	W		0146	3.4E
	0339	0623	2.8F		0425	0653	2.6F		0438	0725	3.4F		0513	0737	2.6F
	0919	1216	3.4E		0959	1300	3.4E		1015	1306	4.3E		1031	1336	3.5E
	1558	1846	3.2F		1645	1931	3.2F		1646	1957	4.1F		1714	2017	3.6F
14				29				14				14			
Su		0035	3.4E	M		0126	3.3E	W		0150	4.0E	Th		0231	3.3E
	0412	0702	3.1F		0457	0724	2.7F		0520	0813	3.5F		0550	0820	2.6F
	0955	1245	3.8E		1028	1333	3.5E		1058	1352	4.4E		1101	1408	3.4E
	1628	1929	3.6F		1713	2004	3.3F		1727	2046	4.3F		1744	2058	3.6F
15				30				15				15			
M		0113	3.6E	Tu		0209	3.3E	Th		0244	4.0E	Sa		0314	3.2E
	0448	0745	3.3F		0529	0803	2.7F		0607	0902	3.4F		0629	0904	2.5F
	1033	1323	4.1E		1057	1406	3.4E		1142	1443	4.3E		1132	1444	3.3E
	1702	2015	3.8F		1741	2042	3.4F		1812	2133	4.2F		1818	2138	3.5F
16				31				16				16			
				W		0253	3.2E								
					0605	0844	2.7F								
					1126	1440	3.4E								
					1811	2122	3.4F								

Time meridian 135° W. 0000 is midnight. 1200 is noon. Times are not adjusted for Daylight Saving Time.

If three or more consecutive entries are marked (F) or (E) the middle ones are not true maximums but intermediate values to show the current pattern.

Boca de Finas, Alaska, 2012

F—Flood, Dir. 125° True E—Ebb, Dir. 315° True

January				February				March									
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum			
	h	m	knots		h	m	knots		h	m	knots		h	m	knots		
1	0015	0448	0.4F	16	0839	1136	0.4F	1	0525	03F	16	0006	0444	0.3F	16	0032	*
Su	1204	*	*	M	1136	0.3E	*	W	1258	*	Th	0555	1121	*	F	0535	0.3F
	1740	*	*		1748	*	*		2039	*		0956	1951	*		1315	*
	2258	*	*	●	2259	*	*		2320	*		1714	2255	*		2034	0.3F
2	0529	0.4F		17	0928	1249	0.3E	2	0629	0.3F	17	0239	0538	0.3F	17	0246	*
M	1313	*	*	Tu	1249	0.3E	*	Th	1421	*	F	0725	1304	*	Sa	0727	0.3F
	2014	*	*		1627	0.3F	*		2137	*		1107	2058	*		1443	*
	2332	*	*		2009	0.3F	*					1823	2158	0.3F		2125	0.3F
3	0624	0.3F		18	1021	1408	0.3E	3	0313	*	18	0422	0242	*	18	0404	*
Tu	1419	*	*	W	1408	0.3E	0.4F	F	0743	0.3F	Sa	0841	0706	*	Su	0857	0.3F
	2112	*	*		1744	0.3F	*		1525	*		1224	1439	*		1555	*
					2116	0.3F	*		2238	0.3F		1916	2148	0.3F		2214	0.4F
4	0221	*	*	19	1121	1515	0.4E	4	0518	*	19	0521	0447	*	19	0459	*
W	0730	0.3F	*	Th	1515	0.4E	0.4F	Sa	0840	0.3F	Su	0947	0822	*	M	1003	0.3F
	1512	*	*		1848	0.4F	*		1625	0.3E		1330	1545	*		1656	*
	2209	0.3F	*			0.4F	*		1935	0.3F		1959	2341	0.4F		2300	0.4F
5	0400	*	*	20	1224	1620	0.4E	5	0545	*	20	0557	0514	*	20	0536	*
Th	0821	0.3F	*	F	1620	0.4E	0.4F	Su	0932	0.3F	M	1059	0920	0.3F	Tu	1106	0.4F
	1209	1604	0.3E		1939	0.4F	0.4F		1711	0.3E		1425	1643	*		1738	*
	1921	2309	0.3F			0.4F	*		2013			2036	2315	0.4F		2338	0.4F
6	0524	*	*	21	1323	1715	0.4E	6	0004	0.4F	21	0017	0534	*	21	0603	*
F	0906	0.3F	*	Sa	1715	0.4E	0.4F	M	0603	0.3F	Tu	0625	1022	0.3F	W	1155	0.4F
	1254	1652	0.3E		2023		0.4E		1030	0.3F		1155	1726	0.3E		1809	*
	2002	2355	0.4F				*		1408	1746	●	1514	2009	0.4F			*
									2048	0.4E		2109	2344	0.4F			
7	0555	*	*	22	1416	1757	0.4E	7	0030	0.4F	22	0046	0557	*	22	0006	0.4F
Sa	0952	0.3F	*	Su	1757	0.4E	0.5F	Tu	0625	0.4F	W	0650	1126	0.4F	Th	0626	0.3E
	1336	1729	0.4E	●	2104		*		1129	0.4F		1234	1800	0.3E		1231	0.4F
	2040					0.4E	*		1454	1817	○	1558	2040		●	1835	*
							*		2121	0.4E		2139					
8	0029	0.4F	*	23	1505	1832	0.4E	8	0051	0.5F	23	0108	0007	0.4F	23	0026	0.4F
Su	0618	*	*	M	1832	0.4E	0.5F	W	0649	*	Th	0716	0623	0.4F	F	0648	0.3E
	1045	0.3F	*		2141		0.4F		1218	0.4F		1307	1215	0.4F		1301	0.4F
○	1416	1800	0.4E			0.4E	*		1541	1846	○	1639	1550	0.3E		1900	*
	2116						*		2151	0.4E		2205	2109				
9	0057	0.4F	*	24	1552	1904	0.4E	9	0112	0.5F	24	0126	0033	0.5F	24	0045	0.4F
M	0642	*	*	Tu	1904	0.4E	0.5F	Th	0718	*	F	0744	0652	0.3E	Sa	0710	0.3E
	1137	0.3F	*		2215		0.4F		1302	0.4F		1340	1258	0.5F		1328	0.4F
	1456	1829	0.4E			0.4E	*		1628	1915		1943	1903	*		1923	*
	2150						*		2218	0.3E				*			
10	0120	0.5F	*	25	1635	1935	0.3E	10	0138	0.5F	25	0149	0103	0.5F	25	0110	0.4F
Tu	0708	*	*	W	1935	0.3E	0.5F	F	0751	*	Sa	0814	0724	0.4E	Su	0733	0.3E
	1223	0.4F	*		2244		0.4F		1347	0.4F		1415	1342	0.5F		1358	0.4F
	1538	1855	0.4E			0.3E	*		1716	1947		2008	1937	*		1944	*
	2221						*		2241	0.3E				*			
11	0143	0.5F	*	26	1718	2007	0.3E	11	0211	0.5F	26	0217	0137	0.5F	26	0139	0.4F
W	0739	*	*	Th	2007	0.3E	0.5F	Sa	0833	0.3E	Su	0847	0803	0.4E	M	0756	0.3E
	1306	0.4F	*		2307		0.4F		1130	1437		1455	1430	0.5F		1433	0.4F
	1621	1923	0.4E			0.3E	*		2025	0.4F		2032	2016	*		2003	*
	2250						*			*				*			
12	0211	0.5F	*	27	1848	2148	0.4F	12	0247	0.5F	27	0250	0215	0.5F	27	0212	0.4F
Th	0818	*	*	F	2148	0.4F	0.5F	Su	0925	0.3E	M	0924	0852	0.4E	Tu	0534	0.824
	1353	0.4F	*		2040	0.3F	*		1530	0.4F		1537	1521	0.4F		1514	0.4F
	1954	0.3E	*			*	*		2113	*		2101	2108	*		2030	*
	2314						*			*				*			
13	0244	0.5F	*	28	1946	2114	*	13	0327	0.5F	28	0326	0258	0.5F	28	0249	0.4F
F	0908	*	*	Sa	2114	*	0.5F	M	1015	0.3E	Tu	1001	0948	0.4E	W	0904	0.3E
	1445	0.3F	*			0.3F	*		1329	1624		1621	1613	0.4F		1556	0.3F
	2035	*	*			*	*		2203	*		2136	2205	*		2113	*
							*			*				*			
14	0320	0.5F	*	29	2043	2143	*	14	0409	0.4F	29	0403	0344	0.4F	29	0330	0.3F
Sa	0958	*	*	Su	2143	*	0.4F	Tu	1106	0.3E	W	1038	1042	0.3E	Th	0950	*
	1540	0.3F	*			0.3F	*		1727	0.3F		1711	1710	0.3F		1643	0.3F
	2125	*	*	●		*	*		2250	*	○	2214	2300	*		2202	*
							*			*				*			
15	0358	0.5F	*	30	2211	*	0.4F	15	0455	0.4F	15	0434	0434	0.4F	30	0414	0.3F
Su	1045	*	*	M	2211	*	0.4F	W	1211	0.3E	Th	1035	1142	0.3E	F	1035	*
	1637	0.3F	*	●		*	*		1556	0.3F		1741	1918	0.3F		1741	0.3F
	2213	*	*			*	*					2253	*			2253	*
							*										
				31	0442	0.4F	*	31			31				31	0508	*
				Tu	1141	*	*				Sa	1128	*			1128	*
					1802	*	*					2001	0.3F			2001	0.3F
					2241	*	*										

Time meridian 135° W. 0000 is midnight. 1200 is noon. Times are not adjusted for Daylight Saving Time.
 * Current weak and variable.

Boca de Finas, Alaska, 2012

F–Flood, Dir. 125° True E–Ebb, Dir. 315° True

July				August				September																
Slack	Maximum			Slack	Maximum			Slack	Maximum			Slack	Maximum											
	h	m	knots		h	m	knots		h	m	knots		h	m	knots		h	m	knots					
1 Su	0003	0354	0.4E	16 M	0039	0437	0.3E	1 W	0152	0535	0.4E	16 Th	0158	0533	0.3E	1 Sa	0345	0635	0.3E	16 Su	0542	0614	*	
	0727	1101	0.4F		0746	1138	0.3F		0840	1219	0.5F		0828	1212	0.4F		0916	1246	0.5F		1542	1208	0.5F	
		1648	*			1748	*			1817	*			1812	*			1857	*		2119	1831	0.3E	
		2121	0.4F			2135	0.3F		○	2322	0.4F			2312	0.3F									
2 M	0058	0453	0.5E	17 Tu	0124	0519	0.3E	2 Th	0245	0614	0.4E	17 F	0243	0603	0.3E	2 Su	0429	0703	0.3E	17 M		0038	0.5F	
	0815	1156	0.5F		0824	1216	0.4F		0919	1253	0.5F		0859	1233	0.4F		0943	1307	0.5F			0644	*	
		1745	*			1812	*			1850	*		●	1834	*		1648	1925	0.3E		1606	1238	0.5F	
		2217	0.4F			2226	0.3F						●				2217				2207	1900	0.4E	
3 Tu	0152	0542	0.5E	18 W	0205	0551	0.4E	3 F	0336	0648	0.4E	18 Sa	0328	0631	0.3E	3 M		0128	0.4F	18 Tu		0120	0.5F	
	0900	1238	0.5F		0900	1246	0.4F		0954	1322	0.5F		0928	1251	0.5F		0731	*				0713	*	
	○	1825	*		●	1834	*			1923	*			1859	*		1710	1954	0.3E			1311	0.5F	
		2320	0.4F			2321	0.3F										2258				1636	1932	0.4E	
4 W	0243	0623	0.5E	19 Th	0245	0619	0.4E	4 Sa	0423	0721	0.3E	19 Su	0414	0658	0.3E	4 Tu		0203	0.4F	19 W		0204	0.5F	
	0943	1316	0.5F		0933	1309	0.4F		1025	1348	0.5F		0953	1316	0.5F		0758	*				0746	*	
		1903	*			1858	*			2000	*			1927	*		1736	2027	0.3E		1711	2014	0.4E	
																	2337				2346	2014	0.4E	
5 Th	0334	0700	0.5E	20 F	0326	0645	0.4E	5 Su	0509	0754	0.3E	20 M	0127	0426	0.4F	5 W		0242	0.4F	20 Th		0254	0.5F	
	1023	1351	0.5F		1004	1329	0.5F		1051	1414	0.5F		0726	0346	0.5F		0824	*				0830	*	
		1944	*			1925	*			2042	*			1727	2001	0.3E		1431	0.4F		1750	2109	0.4E	
													2304				2106	*						
6 F	0424	0738	0.4E	21 Sa	0409	0710	0.3E	6 M		0223	0.4F	21 Tu	0213	0421	0.4F	6 Th		0324	0.3F	21 F		0038	0.347	0.4F
	1059	1425	0.5F		1031	1353	0.5F			0830	0.5F		0757	0421	0.5F		0854	*				0934	*	
		2034	*			1958	*			1443	0.5F		1421	0.5F			1508	0.4F				1516	0.4F	
										2127	*			1755	2047	0.3E		2147	*		1839	2209	0.3E	
7 Sa	0512	0819	0.3E	22 Su	0453	0737	0.3E	7 Tu		0309	0.3F	22 W	0305	0421	0.4F	7 F		0408	0.3F	22 Sa		0137	0.441	0.4F
	1130	1457	0.5F		1054	1423	0.5F			0909	0.4F		0839	0421	0.5F		0931	*			○	1037	*	
		2130	*			2040	*			1515	0.4F		1500	0.5F			1547	0.3F			●	1607	0.4F	
										2208	*			1831	2141	0.3E		2228	*			1942	2308	0.3E
8 Su	0242	0327	0.3F	23 M	0223	0317	0.3F	8 W		0354	0.3F	23 Th	0054	0358	0.4F	8 Sa		0456	*	23 Su		0244	0.601	0.3F
	0906	1528	0.5F		0810	1457	0.5F			0945	0.4F			0933	0.4F		1011	*				1154	*	
		2217	*			2130	*			1549	0.4F			1543	0.4F		1629	0.3F				1706	0.3F	
										2247	*		1916	2233	0.3E		2312	*						
9 M	0334	0950	0.4F	24 Tu	0317	0855	0.3F	9 Th		0440	*	24 F	0202	0455	0.3F	9 Su		0616	*	24 M		0027	*	
	1559	2258	*		1534	2216	*		○	1013	*			1025	*		1054	*				0803	0.3F	
										1626	0.4F		○	1628	0.4F		1722	*				1409	*	
										2328	*		○	2014	2330	0.3E							1838	0.3F
10 Tu	0424	*	*	25 W	0411	0945	0.3F	10 F		0540	*	25 Sa	0316	0632	0.3F	10 M		0041	*	25 Tu		0205	*	
	1028	*	*		0945	*	*			1040	*			1124	*		0841	*				0856	0.4F	
	1632	0.4F	*	○	1613	0.4F	0.3E			1708	0.3F			1723	0.3F		1450	*				1526	*	
	2343	*	*	○	2005	2302	0.3E						2120			1847	*					2035	0.3F	
11 W	0521	*	*	26 Th	0225	0511	0.3F	11 Sa		0033	*	26 Su	0433	0054	0.3E	11 Tu		0223	*	26 W		0317	*	
	1059	*	*		1032	0.3F	0.3E			0820	0.3F			0828	0.3F		0926	0.3F				0941	0.4F	
	1710	0.4F	*		1656	0.4F	*			1115	*			1352	*		1619	*				1624	*	
					2053					1805	0.3F			1844	0.3F		2013	*				2138	0.3F	
12 Th	0041	*	*	27 F	0000	0701	0.3E	12 Su		0202	*	27 M	0546	0222	0.3E	12 W		0327	*	27 Th		0422	*	
	0746	*	*		0701	*	*			0916	*			0924	0.3F		1007	0.3F				1025	0.4F	
	1130	*	*		1122	*	*			1456	*			1531	*		1655	*				1708	*	
	1758	0.3F	*		1750	0.4F	*			1925	0.3F			2014	0.3F		2110	0.3F				2241	0.4F	
13 F	0152	*	*	28 Sa	0122	0842	0.3F	13 M		0307	*	28 Tu	0644	0333	0.3E	13 Th		0423	*	28 F		0513	*	
	0851	*	*		0842	0.3F	0.3E			1010	0.3F			1018	0.4F		1045	0.4F				1105	0.4F	
	1348	*	*		1340	*	*			1655	*			1645	*		1717	*				1740	*	
	1903	0.3F	*		1903	0.4F	*			2028	0.3F			2120	0.3F		2207	0.3F				2335	0.4F	
14 Sa	0250	*	*	29 Su	0236	0943	0.3F	14 Tu		0407	*	29 W	0731	0103	0.3E	14 F		0508	*	29 Sa		0550	*	
	0945	0.3F	*		0943	0.3F	0.3E			1103	0.3F			1108	0.4F		1115	0.4F			○	1138	0.4F	
	1522	*	*		1519	*	*			1731	*			1730	*		1740	*				1806	0.3E	
	2002	0.3F	*		2013	0.4F	*			2119	0.3F			2229	0.4F		2307	0.4F						
15 Su	2351			30 M	0342	1045	0.4F	15 W	0110	0457	0.3E	30 Th	0810	0203	0.3E	15 Sa		0543	*	30 Su		0016	0.4F	
	0703	0.3E	*		1045	0.4F	*		0754	1143	0.4F			1149	0.4F		1141	0.4F				0619	*	
		1709	*		1650	*	*			1752	*			1802	*		1805	*				1203	0.4F	
		2049	0.3F		2111	0.4F	*			2213	0.3F			2333	0.4F		2357	0.4F				1831	0.3E	
				31 Tu	0054	0445	0.4E					31 F	0257	0603	0.3E	●						1530	0.4E	
					0757	1138	0.4F					○	0844	1221	0.5F							2122		
						1741	*							1830	*									
						2213	0.4F																	

Time meridian 135° W. 0000 is midnight. 1200 is noon. Times are not adjusted for Daylight Saving Time.
* Current weak and variable.

Wrangell Narrows (off Petersburg), Alaska, 2012

F—Flood, Dir. 246° True E—Ebb, Dir. 062° True

April				May				June									
Slack	Maximum	Slack	Maximum	Slack	Maximum	Slack	Maximum	Slack	Maximum	Slack	Maximum						
h m	h m	knots	h m	h m	knots	h m	h m	knots	h m	h m	knots						
1 Su	0227 0824	0556 1.1E 1059 1.0E 1204 1.1E 1617 1934 2.9F	16 M	0404 0700 1002 1327 1.7E 1622 1927 3.1F 2253	0111 1.6E 0111 1.6E	1 Tu	0314 0624 0859 1229 1.4E 1525 1850 2.9F 2138	0009 1.2E 0009 1.2E	16 W	0424 0722 1031 1342 1.5E 1634 1940 3.0F 2235	0120 1.8E 0120 1.8E	1 F	0436 0747 1038 1358 1.9E 1646 2001 3.4F 2246	16 Sa	0523 0828 1138 1442 1.4E 1731 2038 2.8F 2315	0214 2.0E 0214 2.0E	
2 M	0056 0357 0702 0933 1314 1.5E 1617 1934 2.9F 2223	0056 1.0E 0357 2.2F 0933 1.5E 1617 1934 2.9F 2223	17 Tu	0457 0754 1106 1421 2.0E 1711 2016 3.3F 2329	0210 2.0E 0210 2.0E	2 W	0415 0722 1003 1332 1.8E 1626 1943 3.3F 2230	0110 1.7E 0110 1.7E	17 Th	0511 0811 1123 1429 1.7E 1719 2026 3.1F 2313	0207 2.1E 0207 2.1E	2 Sa	0528 0840 1136 1451 2.3E 1741 2052 3.7F 2337	0221 2.8E 0221 2.8E	17 Su	0605 0913 1218 1523 1.6E 1813 2120 2.9F 2357	0255 2.2E 0255 2.2E
3 Tu	0451 1034 1409 1707 2022 2312	0451 2.8E 1034 3.4F 1409 2.0E 1707 2022 3.4F 2312	18 W	0541 0841 1150 1500 2.2E 1754 2059 3.5F 2358	0246 2.3E 0246 2.3E	3 Th	0505 0814 1102 1425 2.3E 1717 2031 3.7F 2318	0202 2.3E 0202 2.3E	18 F	0552 0856 1202 1508 1.9E 1801 2107 3.2F 2350	0246 2.3E 0246 2.3E	3 Su	0617 0930 1230 1539 2.6E 1832 2141 3.9F	0309 3.2E 0309 3.2E	18 M	0643 0955 1255 1601 1.7E 1852 2200 3.0F	0333 2.4E 0333 2.4E
4 W	0536 1128 1454 1751 2105 2355	0536 3.4F 1128 2.8E 1454 2.5E 1751 2105 3.8F 2355	19 Th	0621 0924 1225 1534 2.3E 1832 2138 3.6F	0318 2.6E 0318 2.6E	4 F	0551 0902 1155 1511 2.6E 1804 2116 4.0F	0248 2.9E 0248 2.9E	19 Sa	0630 0937 1237 1544 1.9E 1838 2145 3.2F	0322 2.5E 0322 2.5E	4 M	0704 1019 1320 1626 2.7E 1921 2229 3.9F	0355 3.5E 0355 3.5E	19 Tu	0719 1034 1330 1638 1.8E 1928 2238 3.0F	0409 2.5E 0409 2.5E
5 Th	0617 1216 1535 1833 2145 2355	0617 3.9F 1216 2.8E 1535 2.9E 1833 2145 4.2F 2355	20 F	0656 1002 1258 1608 2.4E 1906 2213 3.6F	0350 2.7E 0350 2.7E	5 Sa	0635 0948 1245 1556 2.9E 1850 2201 4.1F	0330 3.3E 0330 3.3E	20 Su	0705 1015 1311 1619 2.0E 1912 2221 3.2F	0356 2.6E 0356 2.6E	5 Tu	0751 1107 1407 1714 2.7E 2009 2318 3.9F	0440 3.6E 0440 3.6E	20 W	0751 1111 1406 1713 1.8E 2001 2315 3.0F	0443 2.5E 0443 2.5E
6 F	0657 1302 1615 1913 2226	0657 4.3F 1302 3.1E 1615 3.1E 1913 2226 4.4F	21 Sa	0729 1038 1330 1641 2.3E 1937 2246 3.5F	0421 2.8E 0421 2.8E	6 Su	0719 1033 1332 1640 3.0E 1935 2246 4.2F	0411 3.6E 0411 3.6E	21 M	0737 1052 1346 1654 1.9E 1943 2256 3.1F	0428 2.6E 0428 2.6E	6 W	0837 1154 1453 1802 2.6E 2057	0526 3.5E 0526 3.5E	21 Th	0821 1147 1443 1747 1.9E 2033 2353 3.0F	0511 2.5E 0511 2.5E
7 Sa	0737 1347 1656 1953 2307	0737 4.6F 1347 3.2E 1656 3.2E 1953 2307 4.4F	22 Su	0758 1112 1404 1712 2.2E 2003 2319 3.4F	0452 2.8E 0452 2.8E	7 M	0803 1120 1419 1726 2.9E 2020 2332 4.0F	0454 3.7E 0454 3.7E	22 Tu	0806 1127 1423 1726 1.8E 2011 2332 3.0F	0457 2.6E 0457 2.6E	7 Th	0923 1240 1540 1852 2.4E 2147	0005 3.8F 0005 3.8F	22 F	0851 1223 1522 1803 1.9E 2107	0503 2.5E 0503 2.5E
8 Su	0818 1432 1738 2034 2350	0818 4.6F 1432 3.1E 1738 3.1E 2034 2350 4.2F	23 M	0824 1145 1440 1736 2.0E 2028 2352 3.2F	0516 2.6E 0516 2.6E	8 Tu	0848 1207 1506 1814 2.6E 2106	0538 3.5E 0538 3.5E	23 W	0834 1203 1501 1735 1.7E 2041	0452 2.5E 0452 2.5E	8 F	0936 1326 1627 1942 2.2E 2238	0053 3.5F 0053 3.5F	23 Sa	0924 1301 1604 1806 1.9E 2145	0033 2.9F 0033 2.9F
9 M	0901 1519 1822 2116	0901 4.5F 1519 2.8E 1822 2.8E 2116	24 Tu	0850 1220 1518 1717 1.9E 2054	0500 2.6E 0500 2.6E	9 W	0935 1254 1555 1905 2.3E 2156	0019 3.8F 0019 3.8F	24 Th	0904 1241 1542 1734 1.7E 2114	0010 2.9F 0010 2.9F	9 Sa	1056 1415 1717 2035 1.9E 2334	0142 3.2F 0142 3.2F	24 Su	1000 1343 1648 1846 2.0E 2230	0115 2.8F 0115 2.8F
10 Tu	0947 1609 1911 2203	0947 4.2F 1609 2.3E 1911 2.3E 2203	25 W	0919 1258 1600 1748 1.8E 2124	0525 2.5E 0525 2.5E	10 Th	1026 1345 1648 2001 2.0E 2253	0108 3.4F 0108 3.4F	25 F	0937 1321 1626 1814 1.7E 2154	0050 2.7F 0050 2.7F	10 Su	1146 1510 1808 2131 1.7E	0237 2.8F 0237 2.8F	25 M	1736 1933 2323	0202 2.7F 0202 2.7F
11 W	1038 1703 2009 2257	1038 3.7F 1703 1.9E 2009 1.9E 2257	26 Th	0952 1340 1646 1829 1.6E 2202	0109 2.6F 0109 2.6F	11 F	1121 1441 1745 2102 1.7E 2358	0201 3.0F 0201 3.0F	26 Sa	1017 1407 1715 1900 1.6E 2243	0135 2.4F 0135 2.4F	11 M	1241 1610 1901 2230 1.6E	0340 2.5F 0340 2.5F	26 Tu	1828 2025 2323	0256 2.5F 0256 2.5F
12 Th	1138 1804 2120	1138 3.2F 1804 1.4E 2120	27 F	1033 1430 1738 1915 1.4E 2250	0647 2.2E 0647 2.2E	12 Sa	1222 1548 1845 2208 1.5E	0304 2.6F 0304 2.6F	27 Su	1103 1500 1807 1950 1.5E 2343	0225 2.2F 0225 2.2F	12 Tu	1343 1711 1955 2329 1.5E	0448 2.4F 0448 2.4F	27 W	1923 2131 2323	0401 2.5F 0401 2.5F
13 F	1251 1914 2235	1251 2.8F 1914 1.2E 2235	28 Sa	1124 1532 1837 2007 1.2E 2356	0249 1.9F 0249 1.9F	13 Su	1331 1655 1950 2314 1.5E	0419 2.4F 0419 2.4F	28 M	1158 1602 1903 2048 1.5E	0327 2.1F 0327 2.1F	13 W	1449 1807 2050	0549 2.4F 0549 2.4F	28 Th	2021 2349 2323	0512 2.6F 0512 2.6F
14 Sa	1411 2037 2351	1411 2.8F 2037 1.3E 2351	29 Su	1230 1644 1939 2108 1.0E	0359 1.8F 0359 1.8F	14 M	1440 1755 2054	0528 2.4F 0528 2.4F	29 Tu	1306 1707 2000 2320 1.5E	0437 2.2F 0437 2.2F	14 Th	1550 1901 2142	0646 2.5F 0646 2.5F	29 F	2121	0621 2.9F 0621 2.9F
15 Su	1523 2200	1523 2.9F 2200	30 M	1400 1752 2041	0516 1.9F 0516 1.9F	15 Tu	1541 1850 2150	0628 2.5F 0628 2.5F	30 W	1429 1808 2057	0546 2.5F 0546 2.5F	15 F	1643 1951 2230	0739 2.7F 0739 2.7F	30 Sa	2220	0059 2.2E 0059 2.2E
									31 Th	1545 1906 2153	0027 1.9E 0027 1.9E						

Time meridian 135° W. 0000 is midnight. 1200 is noon. Times are not adjusted for Daylight Saving Time.
 † See page 194 for the remaining currents on this day.

Wrangell Narrows (off Petersburg), Alaska, 2012

F—Flood, Dir. 246° True E—Ebb, Dir. 062° True

July				August				September																					
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum															
h	m	h	m	h	m	h	m	h	m	h	m	h	m	h	m														
1 Su	0511	0823	3.7F	16 M	0540	0849	3.0F	1 W	0640	0950	3.2E	16 Th	0635	0948	3.6F	1 Sa	0117	0436	3.1E	16 Su	0059	0415	3.0E						
	1124	1436	2.0E		1200	1503	1.4E		1300	1602	2.6E		1244	1556	2.1E		0741	1051	4.3F		0714	1029	4.2F						
	1726	2035	3.4F		1752	2058	2.7F		1900	2204	3.8F		1851	2158	3.3F		1345	1658	3.0E		1322	1635	3.1E	1322	1635	3.1E			
	2316				2333												2001	2308	4.0F		1935	2249	4.2F	1935	2249	4.2F			
2 M	0604	0916	4.1F	17 Tu	0622	0933	3.3F	2 Th	0048	0414	3.3E	17 F	0039	0405	2.7E	2 Su	0154	0512	3.0E	17 M	0141	0449	3.1E						
	1221	1527	2.3E		1237	1542	1.7E		1338	1643	2.8E		1318	1630	2.4E		0815	1126	4.2F		0748	1106	4.3F	0748	1106	4.3F			
	1820	2128	3.6F		1835	2141	2.9F		1944	2249	3.9F		1925	2235	3.6F		2035	2344	3.9F		1416	1732	2.9E	1400	1706	3.2E	1400	1706	3.2E
																						2010	2329	4.3F	2010	2329	4.3F		
3 Tu	0010	0342	3.3E	18 W	0017	0351	2.5E	3 F	0133	0456	3.3E	18 Sa	0120	0439	2.9E	3 M	0231	0547	2.7E	18 Tu	0224	0521	3.0E						
	0653	1006	4.4F		0659	1013	3.5F		0805	1117	4.4F		0741	1059	4.1F		0845	1200	3.9F		0823	1145	4.2F	0823	1145	4.2F			
	1311	1615	2.6E		1311	1619	1.9E		1414	1724	2.8E		1353	1703	2.7E		1449	1805	2.7E		1439	1732	3.3E	1439	1732	3.3E			
	1911	2217	3.8F		1912	2219	3.1F		2025	2331	3.9F		1958	2312	3.8F		2106				2049			2049					

Time meridian 135° W. 0000 is midnight. 1200 is noon. Times are not adjusted for Daylight Saving Time.
 † See page 194 for the remaining currents on this day.

Wrangell Narrows (off Petersburg), Alaska, 2012

F—Flood, Dir. 246° True E—Ebb, Dir. 062° True

October						November						December																																																																																																																																																																																																							
Slack			Maximum			Slack			Maximum			Slack			Maximum			Slack			Maximum																																																																																																																																																																																														
	h	m	h	m	knots		h	m	h	m	knots		h	m	h	m	knots		h	m	h	m	knots		h	m	h	m	knots																																																																																																																																																																																						
1 M	0134	0447	2.7E	16 Tu	0123	0430	3.0E	1 Th	0224	0527	2.0E	16 F	0241	0546	2.7E	1 Sa	0245	0543	1.8E	16 Su	0315	0626	2.6E	17 M	0402	0715	2.4E	17 W	0402	0715	2.4E	18 Tu	0450	0806	2.2E	19 W	0541	0902	1.9E	20 Th	0633	1001	1.7E	21 F	0729	1102	1.6E	22 Sa	0826	1205	1.6E	23 Su	0923	1307	1.7E	24 M	1015	1401	2.0E	25 Tu	1103	1445	2.2E	26 W	1226	1559	2.5E	27 Th	1326	1702	3.6E	28 F	1425	1749	3.5E	29 Sa	1543	1900	2.5E	30 Su	1655	2019	2.2E	31 M	1854	2201	1.3E	1 Tu	0000	0300	3.0F	2 W	0000	0300	3.0F	3 Th	0000	0300	3.0F	4 Fr	0000	0300	3.0F	5 Sa	0000	0300	3.0F	6 Su	0000	0300	3.0F	7 M	0000	0300	3.0F	8 Tu	0000	0300	3.0F	9 W	0000	0300	3.0F	10 Th	0000	0300	3.0F	11 Fr	0000	0300	3.0F	12 Sa	0000	0300	3.0F	13 Su	0000	0300	3.0F	14 M	0000	0300	3.0F	15 Tu	0000	0300	3.0F	16 W	0000	0300	3.0F	17 Th	0000	0300	3.0F	18 Fr	0000	0300	3.0F	19 Sa	0000	0300	3.0F	20 Su	0000	0300	3.0F	21 M	0000	0300	3.0F	22 Tu	0000	0300	3.0F	23 W	0000	0300	3.0F	24 Th	0000	0300	3.0F	25 Fr	0000	0300	3.0F	26 Sa	0000	0300	3.0F	27 Su	0000	0300	3.0F	28 M	0000	0300	3.0F	29 Tu	0000	0300	3.0F	30 W	0000	0300	3.0F	31 Th	0000	0300	3.0F

Time meridian 135° W. 0000 is midnight. 1200 is noon. Times are not adjusted for Daylight Saving Time.
† See page 194 for the remaining currents on this day.

Sergius Narrows, Peril Strait, Alaska, 2012

F—Flood, Dir. 059° True E—Ebb, Dir. 241° True

January												February												March																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
Slack			Maximum			Slack			Maximum			Slack			Maximum			Slack			Maximum			Slack			Maximum			Slack			Maximum																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
	h	m	h	m	knots		h	m	h	m	knots		h	m	h	m	knots		h	m	h	m	knots		h	m	h	m	knots		h	m	h	m	knots		h	m	h	m	knots		h	m	h	m	knots		h	m	h	m	knots																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
1 Su	0414	0637	3.2E	0032	5.0F	16 M	0358	0629	4.8E	0027	6.4F	1 W	0519	0734	2.6E	0133	4.1F	16 Th	0559	0940	3.9E	0218	5.1F	1 Th	0426	0643	2.8E	0052	4.1F	16 F	0542	0937	3.8E	0204	4.8F	2 M	0513	0749	2.8E	0505	0743	4.3E	2 Th	0629	0855	2.5E	0714	1105	4.6E	2 F	0542	0755	2.4E	0700	1050	4.4E	3 Tu	1328	1622	4.3F	1128	1408	5.6F	3 F	1248	1518	3.8F	1327	1652	5.6F	3 Sa	1205	1433	3.8F	1307	1637	5.4F	4 W	1953	2342	3.0E	1750	2026	3.7E	4 Sa	1439	1740	5.2F	1958	2339	4.6E	4 Su	1407	1701	5.1F	1456	1821	6.7F	5 Th	0149	0440	4.5F	0209	0519	6.2F	5 Su	0300	0552	5.4F	0114	6.0E	5 M	0231	0523	5.4F	0054	5.9E	6 F	0853	1234	4.2E	0827	1208	5.6E	6 M	0954	1258	5.3E	0341	0656	7.1F	6 Tu	0929	1234	5.5E	0424	0730	7.4F	7 Sa	1506	1805	5.6F	0442	0741	7.7F	7 Tu	1607	1855	7.0F	1038	1407	6.5E	7 W	2126	0054	4.0E	0524	0818	7.7F	8 Su	2222	0116	5.3E	1644	1932	7.8F	8 Th	2301	0225	6.4E	1721	2015	7.7F	8 F	2154	0026	4.8E	2335	0247	6.2E	9 M	0239	0534	5.0F	0205	6.3E	9 Th	0545	0830	8.3F	0540	0828	7.6F	9 F	0523	0810	7.3E	0808	1159	3.7E	10 Tu	0853	1234	4.2E	0442	0741	7.7F	10 F	1154	1437	7.0E	1150	1451	6.1E	10 Sa	1742	2030	9.1F	1506	1805	5.6F	11 W	1506	1805	5.6F	0110	4.4E	11 Sa	1803	2052	8.6F	1756	2043	7.6F	11 Su	2126	0503	8.0F	0009	0301	6.0E	12 Th	2126	0503	8.0F	0615	0859	7.4F	12 M	2355	0239	7.6E	1225	1508	5.8E	12 F	2355	0239	7.6E	1830	2114	7.4F	13 Sa	0447	0727	6.8F	0604	0853	7.6F	13 M	1903	2150	7.0F	1830	2114	7.4F	13 Tu	0447	0727	6.8F	0001	0310	6.2E	14 W	0615	0859	7.4F	0545	0830	8.3F	14 F	0615	0859	7.4F	0525	0807	7.2F	14 Sa	0615	0859	7.4F	0604	0853	7.6F	15 Su	0615	0859	7.4F	1236	1517	7.0E	15 Th	0615	0859	7.4F	1844	2136	8.6F	16 F	0615	0859	7.4F	0604	0853	7.6F	16 Sa	0615	0859	7.4F	0604	0853	7.6F	17 Su	0615	0859	7.4F	0604	0853	7.6F	17 M	0615	0859	7.4F	0604	0853	7.6F	18 Tu	0615	0859	7.4F	0604	0853	7.6F	18 W	0615	0859	7.4F	0604	0853	7.6F	19 Th	0615	0859	7.4F	0604	0853	7.6F	19 F	0615	0859	7.4F	0604	0853	7.6F	20 Sa	0615	0859	7.4F	0604	0853	7.6F	20 Su	0615	0859	7.4F	0604	0853	7.6F	21 M	0615	0859	7.4F	0604	0853	7.6F	21 Th	0615	0859	7.4F	0604	0853	7.6F	22 F	0615	0859	7.4F	0604	0853	7.6F	22 Sa	0615	0859	7.4F	0604	0853	7.6F	23 Su	0615	0859	7.4F	0604	0853	7.6F	23 M	0615	0859	7.4F	0604	0853	7.6F	24 Tu	0615	0859	7.4F	0604	0853	7.6F	24 W	0615	0859	7.4F	0604	0853	7.6F	25 Th	0615	0859	7.4F	0604	0853	7.6F	25 F	0615	0859	7.4F	0604	0853	7.6F	26 Sa	0615	0859	7.4F	0604	0853	7.6F	26 Su	0615	0859	7.4F	0604	0853	7.6F	27 M	0615	0859	7.4F	0604	0853	7.6F	27 Th	0615	0859	7.4F	0604	0853	7.6F	28 F	0615	0859	7.4F	0604	0853	7.6F	28 Sa	0615	0859	7.4F	0604	0853	7.6F	29 Su	0615	0859	7.4F	0604	0853	7.6F	29 M	0615	0859	7.4F	0604	0853	7.6F	30 Tu	0615	0859	7.4F	0604	0853	7.6F	30 W	0615	0859	7.4F	0604	0853	7.6F	31 Th	0615	0859	7.4F	0604	0853	7.6F	31 F	0615	0859	7.4F	0604	0853	7.6F	31 Sa	0615	0859	7.4F	0604	0853	7.6F	31 Su	0615	0859	7.4F	0604	0853	7.6F

Time meridian 135° W. 0000 is midnight. 1200 is noon. Times are not adjusted for Daylight Saving Time.

Sergius Narrows, Peril Strait, Alaska, 2012

F—Flood, Dir. 059° True E—Ebb, Dir. 241° True

July				August				September																
Slack	Maximum		knots	Slack	Maximum		knots	Slack	Maximum		knots	Slack	Maximum		knots									
h m	h m	h m		h m	h m	h m		h m	h m	h m		h m	h m	h m										
1 Su	0224 0844 1448 2102	0521 1158 1743	7.0F 5.3E 7.1F	16 M	0249 0911 1509 2121	0556 1250 1803	5.2F 3.8E 5.3F	1 W	0356 1015 1618 2231	0702 1339 1918	7.9F 6.4E 7.8F	16 Th	0349 1004 1608 2217	0639 1306 1853	6.6F 5.0E 6.8F	1 Sa	0501 1115 1721 2333	0756 1430 2011	8.0F 6.5E 7.8F	16 Su	0439 1050 1659 2311	0724 1334 1945	8.4F 6.9E 8.6F	
2 M	0319 0938 1542 2154	0618 1253 1837	6.3E 7.7F 5.9E 7.7F	17 Tu	0334 0952 1552 2202	0629 1316 1838	5.8F 4.2E 5.8F	2 Th	0442 1100 1703 2315	0742 1419 1958	8.2F 6.6E 8.0F	17 F	0428 1041 1647 2255	0713 1327 1929	7.3F 5.6E 7.4F	2 Su	0538 1151 1758	0826 1449 2043	7.8F 6.2E 7.6F	17 M	0518 1129 1739 2352	0804 1411 2027	8.7F 7.3E 8.8F	
3 Tu	0410 1029 1633 2244	0708 1342 1925	8.2F 6.4E 8.0F	18 W	0415 1031 1633 2240	0701 1327 1913	6.4F 4.6E 6.4F	3 F	0525 1141 1746 2357	0820 1454 2036	6.9E 8.2F 7.9F	18 Sa	0505 1118 1724 2333	0750 1358 2008	7.9F 6.2E 7.9F	3 M	0614 1226 1834	0858 1509 2117	7.5F 5.9E 7.2F	18 Tu	0558 1210 1821	0847 1452 2112	8.7F 7.3E 8.6F	
4 W	0459 1117 1721 2332	0754 1427 2011	8.4F 6.6E 8.1F	19 Th	0453 1108 1711 2318	0736 1348 1950	6.9F 5.0E 6.8F	4 Sa	0605 1221 1827	0856 1522 2113	8.0F 6.3E 7.6F	19 Su	0542 1155 1802	0829 1434 2049	8.2F 6.6E 8.1F	4 Tu	0649 1301 1910	0934 1536 2154	7.0F 5.5E 6.7F	19 W	0641 1255 1907	0933 1536 2159	8.3F 7.0E 8.1F	
5 Th	0545 1203 1807	0838 1509 2056	8.3F 6.5E 7.9F	20 F	0529 1144 1747 2355	0813 1419 2030	7.3F 5.5E 7.1F	5 Su	0645 1300 1907	0932 1547 2151	7.6F 5.8E 7.1F	20 M	0620 1234 1842	0911 1513 2133	8.3F 6.8E 8.1F	5 W	0725 1339 1949	1012 1608 2234	6.4F 4.9E 6.0F	20 Th	0729 1345 2000	1021 1622 2249	7.6F 6.2E 7.3F	
6 F	0630 1248 1853	0922 1547 2140	8.0F 6.2E 7.5F	21 Sa	0605 1221 1825	0853 1455 2112	7.5F 5.8E 7.3F	6 M	0725 1339 1949	1009 1615 2230	7.0F 5.3E 6.5F	21 Tu	0701 1317 1927	0955 1555 2219	8.0F 6.6E 7.7F	6 Th	0805 1421 2033	1053 1646 2318	5.6F 4.2E 5.2F	21 F	0826 1442 2102	1114 1714 2346	6.7F 5.2E 6.3F	
7 Sa	0714 1332 1939	0359 1003 2223	6.1E 7.5F 6.9F	22 Su	0642 1300 1905	0312 0935 2156	6.1E 7.6F 7.3F	7 Tu	0806 1421 2033	0429 1048 2311	4.9E 6.3F 5.8F	22 W	0747 1405 2018	0417 1042 2309	6.1E 7.5F 7.1F	7 F	0853 1511 2128	1140 1730 2348	4.8F 3.4E	22 Sa	0933 1549 2212	1214 1821 2422	5.7F 4.2E	
8 Su	0800 1417 2027	0434 1065 2307	5.4E 6.9F 6.2F	23 M	0723 1343 1949	0353 1019 2242	6.0E 7.4F 7.1F	8 W	0850 1506 2122	0505 1131 2357	4.1E 5.6F 5.0F	23 Th	0842 1501 2119	0505 1133 1732	5.3E 6.7F 5.2E	8 Sa	0954 1613 2236	1234 1826 2366	4.1F 2.7E	23 Su	1047 1706 2326	1327 2048 2488	5.0F 3.8E	
9 M	0847 1504 2117	0511 1128 2353	4.6E 6.2F 5.5F	24 Tu	0809 1430 2041	0437 1106 2332	5.7E 7.1F 6.6F	9 Th	0941 1558 2218	0548 1220 1815	3.3E 4.8F 3.2E	24 F	0947 1605 2229	0602 1232 1836	4.4E 5.9F 4.4E	9 Su	1108 1726 2348	0701 1337 1940	2.1E 3.7F 2.3E	24 M	1201 1825	1503 2215	5.0F 4.4E	
10 Tu	0937 1555 2211	0553 1215 1824	3.8E 5.4F 3.6E	25 W	0903 1524 2141	0526 1157 1755	5.1E 6.6F 5.1E	10 F	1042 1701 2322	0642 1315 1918	2.5E 4.1F 2.6E	25 Sa	1101 1720 2343	0718 1341 2011	3.6E 5.3F 3.9E	10 M	1219 1839	1447 2242	3.7F 2.6E	25 Tu	1308 1933	1632 2316	5.6F 5.1E	
11 W	1031 1650 2308	0644 1308 1932	4.9F 4.8F 3.1E	26 Th	1006 1626 2249	0628 1255 1859	6.1F 6.0F 4.5E	11 Sa	1149 1810	0151 0756 2214	3.9F 2.0E 2.5E	26 Su	1215 1837	0226 0942 2223	5.2F 3.6E 4.3E	11 Tu	1321 1938	1603 2330	4.2F 3.4E	26 W	1405 2028	1730 2488	6.4F	
12 Th	1130 1751	0845 2144	2.5E 3.0E	27 F	1117 1737	1359 2017	5.6F 4.3E	12 Su	1254 1915	1528 2318	3.8F 3.0E	27 M	1323 1945	1637 2330	5.6F 5.2E	12 W	1413 2027	1706 2348	5.2F	27 Th	1455 2114	1815 2488	7.0F	
13 F	1230 1852	1024 2252	4.1F 3.2E	28 Sa	1229 1848	1510 2201	5.6F 4.5E	13 M	1352 2009	1647 2309	4.4F	28 Tu	1422 2042	1742 2304	6.5F	13 Th	1458 2110	1750 2348	6.2F	28 F	1539 2155	1850 2488	7.4F	
14 Sa	1328 1947	1618 2345	4.3F 3.6E	29 Su	1335 1953	1631 2331	5.9F 5.2E	14 Tu	1443 2056	1740 2356	5.1F	29 W	1514 2131	1829 2311	7.2F	14 F	1540 2150	1828 2348	7.2F	29 Sa	1618 2232	1919 2488	7.6F	
15 Su	1421 2036	0511 1212 1721	4.6F 3.4E 4.7F	30 M	1435 2051	0519 1205	6.5F 5.1E 6.6F	15 W	1527 2138	1252 1818	4.3E 6.0F	30 Th	1600 2215	1907 2356	7.7F	15 Sa	1620 2230	1905 2348	8.1F	30 Su	1655 2307	1945 2488	7.6F	
				31 Tu	1529 2143	1834 2488	7.3F 6.0E 7.3F					31 F	1642 2255	1941 2356	7.9F									

Time meridian 135° W. 0000 is midnight. 1200 is noon. Times are not adjusted for Daylight Saving Time.

North Inian Pass, Cross Sound, Alaska, 2012

F—Flood, Dir. 070° True E—Ebb, Dir. 261° True

July					August					September															
Slack	Maximum			Slack	Maximum			Slack	Maximum			Slack	Maximum			Slack	Maximum								
	h	m	knots		h	m	knots		h	m	knots		h	m	knots		h	m	knots						
1 Su		0207	2.3E	16 M		0159	2.1E	1 W		0000	0356	2.8E	16 Th		0311	2.5E	1 Sa		0100	0456	2.9E	16 Su		0415	2.7E
	0603	0743	1.1F		0617	0758	1.1F		0720	0856	1.2F	0716		0850	1.1F	0824		0951	1.2F	0804	0940		1.2F		
	1128	1505	1.9E		1121	1458	1.8E		1248	1644	2.7E	1143		1558	2.3E	1323		1736	2.9E	1142	1651		2.7E		
	1818	2000	1.2F		1828	2010	1.3F		1943	2120	1.4F	1936		2111	1.3F	2057		2221	1.1F	2036	2206		1.1F		
	2316				2259							2334													
2 M		0315	2.6E	17 Tu		0255	2.3E	2 Th		0045	0438	3.0E	17 F		0357	2.7E	2 Su		0137	0531	2.9E	17 M		0501	2.7E
	0651	0830	1.2F		0659	0837	1.2F		0804	0935	1.2F	0754		0927	1.2F	0905		1032	1.1F	0842	1021		1.2F		
	1217	1605	2.2E		1152	1544	2.0E		1329	1723	2.9E	1150		1637	2.6E	1356		1806	2.9E	1223	1733		2.8E		
	1909	2048	1.4F		1913	2052	1.4F		2032	2202	1.2F	2019		2150	1.2F	2143		2305	0.9F	2117	2250		1.0F		
3 Tu		0407	2.9E	18 W		0341	2.6E	3 F		0131	0518	3.0E	18 Sa		0440	2.8E	3 M		0217	0606	2.8E	18 Tu		0547	2.7E
	0737	0912	1.3F		0740	0914	1.2F		0849	1016	1.1F	0831		1005	1.1F	0947		1118	1.0F	0921	1108		1.2F		
	1307	1652	2.5E		1217	1624	2.3E		1410	1800	3.0E	1213		1717	2.7E	1430		1835	2.7E	1319	1816		2.8E		
	1959	2134	1.3F		1957	2133	1.3F		2122	2247	1.1F	2101		2231	1.1F	2228		2353	0.9F	2201	2340		1.0F		
4 W		0454	3.0E	19 Th		0424	2.7E	4 Sa		0216	0556	3.0E	19 Su		0523	2.8E	4 Tu		0300	0640	2.6E	19 W		0633	2.5E
	0824	0954	1.2F		0820	0952	1.1F		0933	1100	1.0F	0908		1048	1.1F	1028		1208	1.1F	1004	1202		1.2F		
	1357	1736	2.7E		1237	1703	2.5E		1449	1835	2.9E	1256		1758	2.7E	1506		1905	2.5E	1429	1900		2.7E		
	2050	2220	1.2F		2041	2215	1.2F		2212	2336	0.9F	2144		2317	1.0F	2312				2248					
5 Th		0537	3.1E	20 F		0506	2.8E	5 Su		0258	0632	2.8E	20 M		0606	2.8E	5 W		0044	0.9F	20 Th		0035	1.0F	
	0911	1039	1.1F		0858	1032	1.1F		1017	1149	1.0F	0944		1135	1.1F	0343		0716	2.3E	0313		0719	2.2E		
	1445	1818	2.8E		1302	1743	2.6E		1524	1906	2.7E	1351		1838	2.7E	1109		1258	1.1F	1053		1258	1.2F		
	2142	2311	1.1F		2126	2259	1.0F		2302			2227				1544		1937	2.3E	1540		1945	2.5E		
6 F		0619	3.0E	21 Sa		0547	2.9E	6 M			0028	0.8F	21 Tu		0008	1.0F	6 Th		0132	1.0F	21 F		0129	1.1F	
	0959	1129	1.0F		0936	1117	1.0F		0338	0707	2.6E	0212		0648	2.6E	0429		0753	2.0E	0437		0808	1.9E		
	1528	1858	2.8E		1345	1822	2.6E		1100	1240	1.0F	1022		1227	1.2F	1150		1346	1.2F	1150		1353	1.2F		
	2237				2211	2348	1.0F		1556	1937	2.5E	1448		1919	2.6E	1626		2013	2.1E	1655		2035	2.2E		
7 Sa		0007	1.0F	22 Su		0628	2.8E	7 Tu			0117	0.9F	22 W		0100	1.0F	7 F		0218	1.0F	22 Sa		0222	1.0F	
	0335	0657	2.8E		1012	1206	1.1F		0416	0742	2.3E	0309		0732	2.3E	0520		0836	1.6E	0602		0908	1.6E		
	1047	1221	1.0F		1432	1901	2.6E		1142	1328	1.1F	1104		1319	1.2F	1235		1435	1.2F	1254		1449	1.1F		
	1607	1934	2.6E		2256				1626	2010	2.2E	1543		2003	2.4E	1717		2058	1.8E	1818		2138	1.9E		
8 Su		0102	0.9F	23 M		0039	0.9F	8 W		0032	0203	0.9F	23 Th		0151	1.0F	8 Sa		0306	0.9F	23 Su		0318	0.9F	
	0418	0734	2.6E		0244	0709	2.6E		0457	0820	1.9E	0408		0820	1.9E	0625		0931	1.3E	0729		1026	1.4E		
	1132	1312	1.0F		1048	1255	1.1F		1223	1414	1.1F	1155		1410	1.2F	1330		1528	1.1F	1406		1522	1.0F		
	1643	2011	2.4E		1516	1941	2.4E		1700	2048	1.9E	1642		2055	2.1E	1822		2155	1.6E	1944		2250	1.8E		
9 M		0149	0.9F	24 Tu		0128	1.0F	9 Th		0117	0248	0.9F	24 F		0243	0.9F	9 Su		0402	0.7F	24 M		0422	0.7F	
	0458	0812	2.2E		0329	0751	2.3E		0548	0906	1.5E	0536		0921	1.5E	0745		1036	1.2E	0605		05F			
	1216	1358	1.1F		1126	1343	1.2F		1309	1502	1.1F	1300		1506	1.1F	1438		1628	0.9F	0711		0.6F			
	1716	2049	2.1E		1600	2025	2.2E		1746	2137	1.7E	1811		2200	1.8E	1943		2256	1.6E	0850		1150	1.5E		
10 Tu		0234	0.9F	25 W		0216	0.9F	10 F		0208	0340	0.8F	25 Sa		0341	0.8F	10 M		0503	0.7F	25 Tu		0533	0.7F	
	0540	0854	1.9E		0417	0839	1.9E		0702	1005	1.2E	0745		1038	1.2E	0857		1138	1.2E	0636		0.7F			
	1301	1443	1.0F		1212	1432	1.1F		1406	1557	1.0F	1420		1610	1.0F	1549		1731	0.9F	0805		0.8F			
	1751	2136	1.8E		1649	2119	1.9E		1856	2235	1.6E	1958		2311	1.8E	2054		2352	1.7E	0952		1335	1.7E		
11 W		0322	0.8F	26 Th		0307	0.8F	11 Sa		0309	0439	0.7F	26 Su		0449	0.7F	11 Tu		0605	0.7F	26 W		0622	0.7F	
	0633	0946	1.5E		0517	0939	1.5E		0827	1109	1.1E	0631		0.5F	0950	1236		1.4E	0950	1236		1.4E	0711	0.6F	
	1351	1533	0.9F		1314	1527	1.0F		1514	1658	0.9F	0741		0.6F	1651	1832		1.0F	1651	1832		1.0F	1127	2002	1.2F
	1839	2229	1.6E		1758	2224	1.8E		2018	2331	1.6E	1158		1.3E	2146				1943	2256		1.6E	0850	1150	1.5E
12 Th		0417	0.7F	27 F		0407	0.7F	12 Su		0410	0542	0.7F	27 M		0549	0.8F	12 W		0045	1.9E	27 Th		0236	2.3E	
	0746	1045	1.3E		0747	1052	1.3E		0935	1208	1.2E	0427		0602	0.8F	0525		0659	0.8F	0550		0736	1.0F		
	1450	1630	0.8F		1439	1632	0.9F		1619	1801	1.0F	0702		0.7F	1743	1923		1.1F	1027	1338		1.7E	1115	1534	2.5E
	1948	2321	1.6E		2005	2330	1.8E		2122			0830		0.8F	1958	2311		1.8E	2223				1818	2012	1.2F
13 F		0518	0.7F	28 Sa		0515	0.7F	13 M			0024	1.8E	28 Tu		0136	2.1E	13 Th		0141	2.1E	28 F		0325	2.5E	
	0901	1142	1.2E		0706	0.4F	0505		0642	0.8F	0136	2.1E		0525	0905	1.0F		0609	0744	0.9F		0635	0813	1.1F	
	1554	1731	0.9F		0759	0.5F	1023		1310	1.4E	1106	1508		2.1E	1746	1942		1.2F	1054	1439		2.0E	1145	1611	2.8E
	2055				0929	1205	1.3E		1716	1859	1.1F	2305				2305				1830		2007	1.2F	1904	2043
14 Sa		0010	1.7E	29 Su		0036	1.9E	14 Tu			0120	2.0E	29 W		0256	2.4E	14 F		0238	2.4E	29 Sa		0359	2.6E	
	0445	0619	0.8F		0450	0625	0.8F		0553	0732	1.0F	0614		0801	1.1F	0649		0823	1.1F	0717		0849	1.2F		
	1000	1240	1.3E		0742	0.7F	1058		1422	1.7E	1144	1552		2.5E	1108	1527		2.3E	1108	1527		2.3E	1210	1641	2.8E
	1651	1830	1.0F		0844	0.8F	1805		1948	1.2F	1837	2026		1.3F	1913	2047		1.2F	1913	2047					

North Inian Pass, Cross Sound, Alaska, 2012

F—Flood, Dir. 070° True E—Ebb, Dir. 261° True

October				November				December																		
Slack	Maximum		knots	Slack	Maximum		knots	Slack	Maximum		knots	Slack	Maximum		knots											
	h m	h m		h m	h m	h m		h m	h m	h m		h m	h m	h m												
1 M	0100	0505	2.7E	16 Tu	0820	0959	1.2F	1 Th	0210	0555	2.4E	16 F	0244	0614	2.5E	1 Sa	0236	0613	2.4E	16 Su	0329	0651	2.7E			
	0837	1005	1.2F		1201	1712	2.8E		0932	1109	1.1F		0943	1122	1.1F		0953	1135	1.1F		1027	1203	1.1F			
	1246	1734	2.8E		2053	2226	1.1F		1342	1806	2.7E		1440	1829	2.9E		1417	1819	2.7E		1535	1858	2.9E	1628	1940	2.7E
	2111	2235	1.0F						2202	2340	1.0F		2212	2350	1.1F		2216				2245					
2 Tu	0140	0540	2.6E	17 W	0039	0533	2.5E	2 F	0302	0633	2.3E	17 Sa	0345	0702	2.4E	2 Su		0000	1.0F	17 M		0023	1.0F			
	0917	1048	1.1F		0904	1046	1.2F		1015	1202	1.1F		1039	1222	1.1F		0318	0651	2.4E		0416	0735	2.6E			
	1324	1803	2.7E		1300	1758	2.9E		1445	1843	2.6E		1549	1914	2.8E		1040	1229	1.1F		1124	1303	1.1F			
	2153	2321	1.0F		2139	2316	1.1F		2245				2305				1511	1858	2.7E		1628	1940	2.7E			
3 W	0231	0616	2.5E	18 Th	0216	0622	2.4E	3 Sa	0349	0711	2.2E	18 Su	0439	0749	2.3E	3 M	0353	0730	2.3E	18 Tu	0500	0819	2.4E			
	0958	1137	1.1F		0952	1140	1.1F		1101	1256	1.2F		1138	1322	1.1F		1129	1320	1.1F		1129	1355	1.0F			
	1418	1834	2.6E		1428	1843	2.8E		1540	1921	2.5E		1649	2001	2.5E		1555	1938	2.5E		1511	1858	2.7E	1628	1940	2.7E
	2235				2229				2328				2359				2338				2336				0117	1.1F

Time meridian 135° W. 0000 is midnight. 1200 is noon. Times are not adjusted for Daylight Saving Time.

† See page 194 for the remaining currents on this day.

Montague Strait, Prince William Sound, Alaska, 2012

F—Flood, Dir. 047° True E—Ebb, Dir. 236° True

January					February					March																																				
Slack		Maximum			Slack		Maximum			Slack		Maximum			Slack		Maximum																													
	h	m	h	m	knots		h	m	h	m	knots		h	m	h	m	knots		h	m	h	m	knots																							
1 Su	0734	1244	1008	1752	0.4F 0.4E 0.4F	16 M	0701	1246	0944	1653	0.7E 0.7F 0.4E	1 W	0740	1343	1040	1856	0.3E 0.5F 0.5F	16 Th	0808	1427	1113	1850	0.8E 1.0F 0.3E	1 Th	0645	1244	0927	1817	0.3E 0.5F 0.5F	16 F	0749	1355	1051	1829	0.7E 0.9F 0.3E											
			0311	1100	0.6F 0.4E 0.4E			0242	0944	07E 0.7F 0.4E			0242	0944	07E 0.7F 0.4E		0421		0833	1148	1506	1953	0.5F 0.3E 0.6F			0546	0917	1223	1541		1954	1.0F		0344	0755	1051	1416	1914	0.5F 0.3E 0.6F		0613	0910	1207	1513	1931	0.5F 0.6E 1.0F
			0411	1154	0.5F 0.3E 0.5F			0242	0944	07E 0.7F 0.4E			0242	0944	07E 0.7F 0.4E		0242		0944	07E 0.7F 0.4E		0242	0944		07E 0.7F 0.4E		0242	0944	07E 0.7F 0.4E			0242	0944	07E 0.7F 0.4E		0242	0944	07E 0.7F 0.4E		0242	0944	07E 0.7F 0.4E		0242	0944	07E 0.7F 0.4E

Time meridian 135° W. 0000 is midnight. 1200 is noon. Times are not adjusted for Daylight Saving Time.

* Current weak and variable.

† See page 194 for the remaining currents on this day.

Montague Strait, Prince William Sound, Alaska, 2012

F—Flood, Dir. 047° True E—Ebb, Dir. 236° True

April				May				June																							
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum																	
	h	m	knots		h	m	knots		h	m	knots		h	m	knots																
1 Su	0900	1145	0.3E	16 M	0305	0733	0.6F	1 Tu	0258	0644	0.6F	16 W	0403	0820	0.7F	1 F	0434	0828	0.9F	16 Sa	0503	0931	0.8F								
	1450	1924	0.7F		1033	1300	0.5E		1002	1214	0.3E		1146	1336	0.3E		1147	1343	0.3E		1151	1955	0.8F	1450	*						
2 M		0057	*	17 Tu	0419	0837	0.7F	2 W	0407	0752	0.7F	17 Th	0454	0912	0.8F	2 Sa	0521	0920	1.1F	17 Su	0543	1008	0.9F	17 Su	0543	1008	0.9F				
	1019	1303	0.8E		1144	1406	0.5E		1107	1319	0.3E		1243	1432	0.3E		1241	1441	0.4E		1650	2049	0.8F		1532	*					
3 Tu		0155	0.4E	18 W	0515	0930	0.8F	3 Th	0500	0850	0.9F	18 F	0535	0954	0.9F	3 Su	0607	1007	1.3F	18 M	0624	1041	0.9F	18 M	0624	1041	0.9F				
	1121	1403	0.4E		1243	1458	0.5E		1201	1415	0.4E		1329	1517	0.3E		1330	1531	0.5E		1429	1611	0.3E		1429	1611	0.3E				
4 W	0004	0241	0.6E	19 Th	0602	1013	0.9F	4 F	0547	0938	1.0F	19 Sa	0613	1029	0.9F	4 M	0654	1051	1.4F	19 Tu	0706	1112	1.0F	19 Tu	0706	1112	1.0F				
	0519	0908	0.8F		1332	1541	0.5E		1251	1503	0.5E		1407	1556	0.3E		1417	1619	0.6E		1458	1649	0.3E		1458	1649	0.3E				
5 Th	0037	0319	0.7E	20 F	0643	1049	0.9F	5 Sa	0631	1021	1.2F	20 Su	0648	1100	1.0F	5 Tu	0741	1135	1.4F	20 W	0746	1142	1.0F	20 W	0746	1142	1.0F				
	0609	0954	1.0F		1413	1619	0.5E		1338	1548	0.6E		1440	1633	0.3E		1503	1709	0.6E		1528	1730	0.3E		1528	1730	0.3E				
6 F	0110	0354	0.9E	21 Sa	1449	1657	0.4E	6 Su	1424	1633	0.6E	21 M	1512	1712	0.3E	6 W	1550	1802	0.6E	21 Th	1559	1813	0.4E	21 Th	1559	1813	0.4E				
	0655	1035	1.1F		1834	2218	0.7F		1904	2233	1.0F		1916	2216	0.7F		2025	2331	0.9F		2021	2321	0.8F		2021	2321	0.8F				
7 Sa	0142	0430	1.0E	22 Su	0718	1119	1.0F	7 M	0714	1102	1.3F	22 Tu	0724	1127	1.0F	7 Th	0826	1217	1.4F	22 F	0824	1211	1.0F	22 F	0824	1211	1.0F				
	0738	1114	1.2F		1912	2226	0.7F		1511	1722	0.6E		1546	1753	0.3E		1639	1855	0.6E		1633	1856	0.4E		1633	1856	0.4E				
8 Su	0216	0509	1.0E	23 M	1947	2244	0.8F	8 Tu	1951	2305	1.0F	23 W	1955	2251	0.7F	8 F	1909	1258	1.3F	23 Sa	1711	1937	0.5E	23 Sa	1711	1937	0.5E				
	0817	1152	1.3F		0213	0517	0.6E		0839	1225	1.4F		0836	1218	1.0F		1729	1945	0.6E		0951	1337	1.2F		0930	1306	1.0F				
9 M	0250	0552	1.1E	24 Tu	1600	1816	0.4E	9 W	1600	1815	0.6E	24 Th	1706	1918	0.3E	9 Sa	1820	2034	0.6E	24 Su	1752	2018	0.5E	24 Su	1752	2018	0.5E				
	0857	1231	1.3F		2020	2312	0.8F		2037	2339	0.9F		2113	2216	0.7F		2256	0053	0.7F		2247	0418	0.7F		2247	0418	0.7F				
10 Tu	0327	0639	1.0E	25 W	2052	2346	0.8F	10 Th	2121	0017	0.8F	25 F	2159	0011	0.8F	10 Su	2357	0140	0.6F	25 M	1835	2103	0.6E	25 M	1835	2103	0.6E				
	0939	1312	1.2F		0304	0614	0.6E		0351	0713	1.0E		0329	0641	0.6E		1111	1503	0.9F		1033	1411	0.9F		1033	1411	0.9F				
11 W	0412	0728	1.0E	26 Th	0735	1009	0.5E	11 F	0753	1009	0.5E	26 Sa	0838	0819	0.5E	11 M	1909	2126	0.5E	26 Tu	1835	2103	0.6E	26 Tu	1835	2103	0.6E				
	1024	1400	1.1F		0924	1250	0.9F		1054	1452	1.0F		1054	1452	1.0F		1150	1635	0.7F		1919	2126	0.5E		1110	1458	0.8F				
12 Th	0508	0820	0.9E	27 F	1228	1732†	0.8F	12 Sa	1238	1732†	0.8F	27 Su	1254	1511	0.4E	12 Tu	2357	0140	0.6F	27 W	2346	0139	0.7F	27 W	2346	0139	0.7F				
	1115	1520	1.0F		0436	0742	0.5E		0610	0903	0.7E		0425	0729	0.5E		1111	1503	0.9F		1033	1411	0.9F		1033	1411	0.9F				
13 F	0619	0920	0.7E	28 Sa	1947	2151	0.4E	13 Su	1947	2151	0.4E	28 M	1924	2137	0.4E	13 W	2256	0436	0.5F	28 Th	2051	2345	0.7E	28 Th	2051	2345	0.7E				
	1214	1700	0.9F		0157	0170	0.6F		0345	05F	0345		05F	0425	05F		1151	*	1806		0.6F	0911	1058		0.3E	0911	1058	0.3E			
14 Sa	0740	1032	0.6E	29 Su	0552	0834	0.4E	14 M	0735	1009	0.5E	29 Tu	0818	1022	0.3E	14 Th	2134	0022	0.5E	29 F	2051	2345	0.7E	29 F	2051	2345	0.7E				
	1320	1805	0.9F		1133	1641	0.6F		0128	0614	0.5F		0118	0514	0.5F		1815	0.5F	0330		0022	0.5E	1207		*	1806	0.7F	1207	*		
15 Su	0842	1102	0.3E	30 M	2208	*	15 Tu	2225	0000	0.5E	30 W	2140	0236	0.6F	15 F	2257	0120	0.5E	30 Sa	2232	0042	0.8E	30 Sa	2232	0042	0.8E					
	1913	2107	0.4E		0842	1102		0.3E	0254	0719		0.6F	0938	1132		0.3E	0421	0848		0.7F	0403	0805		1.0F	0403	0805	1.0F				
16 Su	1432	1901	0.9F	31 M	1337	1833	0.7F	16 Tu	1434	1912	0.7F	31 Th	1445	1902	0.8F	16 F		1359	*	31 Su		1513	1902	0.7F	31 Su		1513	1902	0.7F		
	2221				1337	1833	0.7F		1034	1230	0.3E		1336	1817	0.8F		1837	0.5F	1132		1316	0.3E	1132	1316		0.3E					
17 Su				1 M	2153			1 Tu				1 W				1 Th				1 F				1 Sa				1 Su			

Time meridian 135° W. 0000 is midnight. 1200 is noon. Times are not adjusted for Daylight Saving Time.

* Current weak and variable.

† See page 194 for the remaining currents on this day.

Montague Strait, Prince William Sound, Alaska, 2012

F=Flood, Dir. 047° True E=Ebb, Dir. 236° True

July				August				September																	
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum											
	h	m	knots		h	m	knots		h	m	knots		h	m	knots										
1	0456	0902	1.1F	16	0517	0945	0.8F	1	0007	0315	1.0E	16	0015	0327	0.6E	1	0200	0440	0.8E	16	0140	0412	0.7E		
Su	1229	1421	0.4E	M	1509	*		W	0623	1024	1.3F	Th	0626	1027	1.0F	Sa	0730	1118	1.1F	Su	0703	1050	1.1F		
	1623	2018	0.7F		1943	0.5F		○	1348	1551	0.6E		1355	1602	0.4E		1430	1702	0.8E		1401	1642	0.8E		
	2323				2337				1815	2214	0.8F		1815	2153	0.8F		1952	2339	1.0F		1941	2309	1.1F		
2	0547	0953	1.3F	17	0604	1021	0.9F	2	0104	0405	1.0E	17	0102	0400	0.7E	2	0249	0525	0.7E	17	0222	0449	0.7E		
M	1320	1516	0.5E	Tu	1549	*		Th	0712	1107	1.3F	F	0705	1057	1.0F	Su	0805	1144	1.1F	M	0738	1114	1.1F		
	1725	2122	0.8F		2100	0.6F			1427	1639	0.6E	●	1418	1638	0.5E		1502	1746	0.8E		1431	1718	0.9E		
3	0638	1040	1.4F	18	0022	0342	0.6E	3	0158	0453	1.0E	18	0146	0434	0.7E	3		0015	1.0F	18	0305	0532	0.7E		
Tu	1407	1606	0.5E	W	0650	1053	1.0F	F	0755	1145	1.3F	Sa	0739	1124	1.1F	M	0335	0610	0.6E	Tu	0813	1138	1.1F		
○	1826	2211	0.8F	●	1434	1626	0.3E		1505	1727	0.7E		1444	1715	0.6E		0836	1156	1.0F		1503	1758	0.9E		
4	0106	0414	1.1E	19	0107	0415	0.7E	4	0249	0543	0.9E	19	0229	0510	0.7E	4		0040	0.9F	19		0023	1.1F		
W	0728	1123	1.4F	Th	0731	1124	1.1F	Sa	0833	1217	1.2F	Su	0810	1147	1.1F	Tu	0422	0653	0.5E	W	0352	0619	0.7E		
	1450	1655	0.6E		1458	1705	0.4E		1541	1815	0.7E		1512	1754	0.7E		0904	1206	0.9F		0849	1205	1.1F		
	1923	2255	0.9F		1921	2236	0.8F		2052				2043	2355	1.0F		1600	1905	0.6E		1537	1840	0.9E		
5	0157	0503	1.1E	20	0150	0450	0.7E	5		0021	0.9F	20	0313	0552	0.7E	5		0054	0.8F	20		0102	1.1F		
Th	0813	1205	1.4F	F	0807	1152	1.1F	Su	0340	0631	0.8E	M	0840	1210	1.1F	W	0513	0732	0.4E	Th	0446	0708	0.6E		
	1532	1747	0.6E		1524	1746	0.5E		0905	1238	1.1F		1544	1834	0.8E		0930	1227	0.8F		0926	1236	1.0F		
	2015	2337	0.9F		2011	2318	0.9F		1617	1900	0.7E		2124				1626	1936	0.5E		1617	1924	0.9E		
6	0248	0556	1.0E	21	0234	0529	0.7E	6		0052	0.8F	21	0401	0034	1.0F	6		0111	0.7F	21		0145	1.0F		
F	0854	1242	1.3F	Sa	0838	1217	1.1F	M	0434	0716	0.6E	Tu	0911	1235	1.1F	Th	0610	0810	0.3E	F	0549	0758	0.5E		
	1614	1838	0.7E		1554	1828	0.6E		0934	1249	1.0F		1619	1914	0.8E		0955	1255	0.7F		1008	1312	0.9F		
	2104				2057				1653	1940	0.7E		2205				1654	2003	0.4E		1704	2011	0.9E		
7	0341	0648	0.9E	22	0319	0612	0.7E	7		0116	0.7F	22	0457	0723	0.6E	7		0140	0.6F	22		0247	0.9F		
Sa	0931	1312	1.2F	Su	0907	1241	1.1F	Tu	0534	0757	0.5E	W	0945	1305	1.0F	F	0851	*	*	Sa	0656	0852	0.4E		
	1657	1925	0.7E		1627	1909	0.6E		1000	1304	0.9F		1659	1954	0.8E		1730	2028	0.3E	●	1055	1354	0.7F		
	2152				2143				1729	2018	0.6E		2249				2318			○	1803	2105	0.8E		
8	0442	0736	0.7E	23	0410	0656	0.6E	8		0142	0.6F	23	0201	0910	0.9F	8		0222	0.5F	23		0006	0443	0.9F	
Su	1004	1333	1.0F	M	0935	1307	1.1F	W	0640	0838	0.3E	Th	0601	0812	0.5E	Sa	0942	*	*	Su	0806	0955	0.3E		
	1740	2010	0.6E		1705	1948	0.7E		1025	1329	0.8F		1023	1339	0.9F	○	1410	0.5F		○	1153	1451	0.6F		
	2240				2230				1806	2054	0.5E		1745	2039	0.8E		1821	2105	0.3E		1912	2212	0.7E		
9	0552	0822	0.5E	24	0509	0741	0.6E	9		0216	0.5F	24	0711	0312	0.8F	9		0602	0.5F	24		0113	0556	0.9F	
M	1035	1349	0.9F	Tu	1007	1336	1.0F	Th	0924	*	*	F	1108	1421	0.8F	Su	1050	*	*	M	0917	1105	0.3E		
	1823	2055	0.6E		1746	2028	0.7E	○	1402	0.6F		○	1836	2132	0.8E		1508	0.5F	*		1305	1725	0.5F		
	2331				2320				1843	2133	0.4E		○				2218				2030	2327	0.6E		
10	0707	0909	0.3E	25	0617	0829	0.5E	10		0548	0.5F	25	0037	0508	0.8F	10		0657	0.5F	25		0230	0656	1.0F	
○	1104	1413	0.7F	W	1043	1412	0.9F	F	1022	*	*	Sa	0826	1011	0.3E	M	1202	*	*	Tu	1021	1215	0.4E		
	1907	2143	0.5E	○	1830	2114	0.7E		1444	0.5F			1203	1520	0.7F		1636	0.4F		○	1433	1900	0.6F		
11	0025	0527	0.5F	26	0015	0358	0.7F	11		0644	0.5F	26	0146	0618	0.9F	11		0001	*	26		0042	0.6E		
W	1004	*	*	Th	0729	0925	0.4E	Sa	1129	*	*	Su	0944	1122	0.3E	Tu	0750	0.6F	*	W	0342	0755	1.0F		
	1448	0.6F	0.4E		1127	1500	0.8F		1545	0.5F			1311	1659	0.6F		1313	*	*		1115	1324	0.5E		
	1950	2236	0.4E		1917	2207	0.7E		2017	2330	0.3E		2042	2346	0.7E		1805	0.5F		○	1556	2014	0.7F		
12	0124	0627	0.5F	27	0116	0535	0.8F	12		0739	0.6F	27	0302	0721	1.0F	12		2213		27		0152	0.7E		
Th	1107	*	*	F	0847	1031	0.3E	Su	1240	*	*	M	1052	1234	0.3E	W	0417	0838	0.7F	W	0441	0849	1.0F		
	1538	0.5F	0.4E		1221	1608	0.7F		1701	0.4F			1436	1845	0.6F		1412	*	*	Th	1200	1424	0.6E		
	2034	2332	0.4E		2009	2307	0.7E		2122				2155				1944	0.6F		○	1702	2115	0.9F		
13	0230	0722	0.6F	28	0224	0639	0.9F	13		0049	0.3E	28	0411	0059	0.8E	13		0225	0.4E	28		0012	0251	0.7E	
F	1212	1641	0.5F	Sa	1142	*	*	Tu	0832	0.7F			0822	1.1F	Th	0507	0918	0.8F	F	0531	0935	1.0F			
	2120				1724	0.7F			1350	*	*		1149	1345	0.4E		1240	1457	0.4E		1241	1513	0.7E		
14	0031	0316	0.8E	29	0010	0332	0.6E	14		0203	0.4E	29	0411	0208	0.8E	14		0225	0.4E	29		0110	0339	0.7E	
Sa	0817	0.6F	0.6F	Su	0743	1.0F		M	0917	0.8F			0917	1.2F	F	0009	0305	0.5E	Sa	0615	1014	1.0F			
	1320	*	*		1115	1253	0.3E		1444	*	*		1237	1445	0.5E		1305	1533	0.5E	○	1318	1556	0.8E		
	1738	0.4F	0.4E		1448	1835	0.6F		1931	0.5F			1707	2121	0.8F		1804	2148	0.9F		○	1849	2249	1.0F	
	2206				2207				2324																
15	0134	0416	0.8E	30	0116	0344	0.6E	15		0251	0.5E	30	0008	0305	0.9E	15		0057	0339	0.6E	30		0201	0422	0.6E
Su	0905	0.7F	0.7F	M	0844	1.1F		Th	0954	0.9F			0602	1003	1.2F										

Kennedy Entrance, Cook Inlet, Alaska, 2012

F—Flood, Dir. 308° True E—Ebb, Dir. 110° True

January				February				March																		
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum												
	h	m	knots		h	m	knots		h	m	knots		h	m	knots											
1 Su	0228	0623	1.4F	16 M	0214	0614	1.6F	1 W	0056	0405	0.4E	16 Th	0507	0804	1.3F	1 Th	0230	0655	0.8F	16 F	0507	0745	1.2F			
	0908	1215	1.1E		0847	1159	1.6E		0345	0734	0.9F		0507	0804	1.3F		0859	1215	0.9E		0507	0745	1.2F			
	1607	1902	1.3F		1533	1859	1.7F		0955	1334	1.0E		1045	1429	1.5E		1606	1945	1.2F		1036	1414	1.4E	1036	1414	1.4E
	2209				2201				1715	2026	1.3F		1753	2056	1.9F		2320				1735	2033	1.8F	1735	2033	1.8F
2 M		0042	0.6E	17 Tu	0338	0716	1.5F	2 Th	0020	0254	0.5E	17 F	0051	0332	1.1E	2 F		0159	0.4E	17 Sa	0027	0320	1.1E			
	0345	0718	1.2F		0951	1319	1.6E		0531	0841	0.9F		0632	0913	1.4F		0445	0805	0.8F		0623	0856	1.4F			
	1003	1329	1.1E		1654	2008	1.8F		1110	1500	1.2E		1210	1537	1.8E		1021	1413	0.9E		1205	1527	1.6E	1205	1527	1.6E
	1712	2004	1.3F		2338				1822	2128	1.5F		1900	2159	2.2F		1732	2053	1.4F		1842	2136	2.0F	1842	2136	2.0F
3 Tu		0223	0.6E	18 W	0510	0824	1.4F	3 F	0126	0350	0.7E	18 Sa	0148	0424	1.4E	3 Sa	0045	0323	0.7E	18 Su	0123	0409	1.5E			
	0506	0818	1.2F		1103	1444	1.8E		0651	0940	1.1F		0736	1013	1.7F		0620	0911	1.0F		0721	0956	1.7F			
	1103	1444	1.2E		1805	2115	2.0F		1222	1550	1.4E		1317	1628	2.1E		1147	1522	1.3E		1402	1616	1.8E	1402	1616	1.8E
	1809	2105	1.5F						1916	2222	1.8F		1955	2252	2.4F		1837	2150	1.7F		1936	2228	2.2F	1936	2228	2.2F
4 W	0057	0328	0.8E	19 Th	0100	0337	1.2E	4 Sa	0207	0433	1.0E	19 Su	0230	0510	1.7E	4 Su	0131	0406	1.0E	19 M	0203	0449	1.7E			
	0617	0916	1.2F		0632	0929	1.6F		0746	1032	1.4F		0825	1106	2.0F		0717	1005	1.3F		0807	1047	2.0F			
	1202	1533	1.5E		1216	1544	2.0E		1317	1631	1.7E		1409	1715	2.2E		1254	1607	1.6E		1402	1659	2.0E	1402	1659	2.0E
	1900	2159	1.7F		1909	2214	2.3F		2000	2309	2.1F		2040	2338	2.6F		1927	2238	2.0F		2021	2313	2.4F	2021	2313	2.4F
5 Th	0148	0412	0.9E	20 F	0158	0431	1.4E	5 Su	0240	0512	1.3E	20 M	0305	0553	1.9E	5 M	0205	0443	1.4E	20 Tu	0237	0526	1.9E			
	0718	1008	1.3F		0740	1026	1.8F		0826	1119	1.6F		0906	1152	2.2F		0758	1054	1.7F		0846	1132	2.3F			
	1255	1613	1.7E		1319	1635	2.3E		1401	1711	2.0E		1451	1759	2.3E		1343	1648	1.9E		1442	1739	2.1E	1442	1739	2.1E
	1944	2248	2.0F		2004	2308	2.6F		2037	2352	2.4F		2119				2009	2322	2.4F		2058	2353	2.5F	2058	2353	2.5F
6 F	0228	0453	1.1E	21 Sa	0244	0521	1.6E	6 M	0310	0552	1.6E	21 Tu		0019	2.8F	6 Tu	0235	0521	1.8E	21 W	0305	0602	2.1E			
	0806	1056	1.5F		0834	1120	2.0F		0900	1203	1.9F		0337	0631	2.0E		0833	1138	2.1F		0918	1212	2.4F			
	1339	1652	1.9E		1411	1724	2.4E		1440	1753	2.2E		0942	1234	2.4F		1425	1729	2.2E		1517	1817	2.1E	1517	1817	2.1E
	2022	2333	2.2F		2051	2357	2.9F		2111				1529	1839	2.3E		2046				2130			2130		
7 Sa	0301	0535	1.3E	22 Su	0324	0609	1.8E	7 Tu		0031	2.7F	22 W		0056	2.8F	7 W		0003	2.7F	22 Th		0030	2.5F			
	0845	1142	1.6F		0919	1208	2.2F		0339	0630	1.8E		0407	0706	2.1E		0305	0559	2.1E		0332	0635	2.1E			
	1417	1731	2.0E		1456	1812	2.5E		0933	1243	2.2F		1013	1311	2.5F		0907	1220	2.5F		0947	1249	2.5F			
	2057				2133				1518	1833	2.4E		1605	1914	2.3E		1506	1812	2.4E		1550	1851	2.0E	1550	1851	2.0E
8 Su		0015	2.5F	23 M		0040	3.0F	8 W		0108	2.8F	23 Th		0131	2.7F	8 Th		0042	2.8F	23 F		0104	2.5F			
	0333	0615	1.4E		0402	0653	2.0E		0409	0707	2.0E		0435	0737	2.1E		0336	0638	2.3E		0357	0705	2.2E			
	0919	1224	1.8F		0959	1251	2.3F		1006	1321	2.4F		1042	1347	2.4F		0942	1300	2.7F		1013	1324	2.5F	1013	1324	2.5F
	1452	1811	2.1E		1537	1855	2.5E		1558	1913	2.4E		1640	1946	2.2E		1547	1854	2.5E		1622	1923	2.0E	1622	1923	2.0E
9 M		0053	2.6F	24 Tu		0119	3.0F	9 Th		0144	2.8F	24 F		0205	2.5F	9 F		0119	2.9F	24 Sa		0137	2.3F			
	0405	0654	1.6E		0437	0731	2.0E		0442	0742	2.2E		0502	0805	2.1E		0409	0716	2.5E		0422	0733	2.1E			
	0951	1302	1.9F		1035	1331	2.3F		1041	1359	2.4F		1110	1423	2.3F		1019	1340	2.9F		1038	1358	2.4F	1038	1358	2.4F
	1529	1850	2.2E		1618	1934	2.4E		1641	1951	2.4E		1716	2017	2.0E		1631	1936	2.5E		1655	1953	1.8E	1655	1953	1.8E
10 Tu		0130	2.7F	25 W		0156	2.9F	10 F		0220	2.7F	25 Sa		0239	2.2F	10 Sa		0157	2.7F	25 Su		0209	2.1F			
	0437	0729	1.7E		0511	0805	2.0E		0517	0818	2.3E		0531	0834	2.0E		0445	0754	2.6E		0449	0801	2.0E			
	1024	1339	2.0E		1110	1410	2.2F		1119	1440	2.4F		1138	1501	2.0F		1058	1421	2.8F		1105	1433	2.2F	1105	1433	2.2F
	1607	1928	2.3E		1658	2009	2.2E		1728	2031	2.3E		1753	2048	1.7E		1718	2017	2.3E		1731	2023	1.6E	1731	2023	1.6E
11 W		0206	2.7F	26 Th		0233	2.6F	11 Sa		0301	2.5F	26 Su		0316	1.9F	11 Su		0237	2.5F	26 M		0242	1.7F			
	0511	0804	1.8E		0543	0838	2.0E		0554	0856	2.3E		0601	0904	1.8E		0524	0833	2.5E		0520	0829	1.9E			
	1100	1417	1.9F		1143	1451	2.1F		1200	1529	2.2F		1208	1546	1.8F		1140	1508	2.6F		1134	1512	1.9F	1134	1512	1.9F
	1650	2005	2.3E		1738	2043	2.0E		1818	2114	2.0E		1833	2121	1.4E		1809	2101	2.0E		1809	2055	1.4E	1809	2055	1.4E
12 Th		0244	2.5F	27 F		0313	2.3F	12 Su		0350	2.1F	27 M		0400	1.5F	12 M		0324	2.1F	27 Tu		0319	1.4F			
	0548	0841	1.9E		0615	0911	1.8E		0635	0940	2.1E		0634	0936	1.6E		0607	0917	2.3E		0554	0900	1.7E			
	1138	1500	1.9F		1216	1536	1.8F		1247	1629	2.0F		1242	1640	1.5F		1227	1606	2.3F		1206	1603	1.6F	1206	1603	1.6F
	1737	2045	2.1E		1820	2119	1.7E		1914	2204	1.6E		1918	2159	1.1E		1905	2151	1.6E		1852	2131	1.1E	1852	2131	1.1E
13 F		0328	2.3F	28 Sa		0358	1.9F	13 M		0448	1.8F	28 Tu		0455	1.2F	13 Tu		0424	1.7F	28 W		0413	1.1F			
	0626	0921	1.9E		0647	0946	1.7E		0720	1030	1.9E		0712	1015	1.4E		0654	1008	2.0E		0633	0936	1.5E			
	1221	1553	1.8F		1251	1628	1.6F		1343	1731	1.9F		1325	1738	1.3F		1321	1710	2.1F		1245	1703	1.4F	1245	1703	1.4F
	1829	2129	1.9E		1904	2157	1.4E		2020	2303	1.2E		2013	2246	0.8E		2010	2251	1.2E		1943	2217	0.9E	1943	2217	0.9E
14 Sa		0420	2.1F	29 Su		0447	1.6F	14 Tu		0549	1.5F	29 W		0552	0.9F	14 W		0529	1.4F	29 Th		0519	0.8F			
	0707	1006	1.8E		0722	1025	1.5E		0814																	

Kennedy Entrance, Cook Inlet, Alaska, 2012

F—Flood, Dir. 308° True E—Ebb, Dir. 110° True

Table with columns for July, August, and September. Each month has columns for Slack and Maximum, with sub-columns for time (h m) and flow direction (knots). Rows represent days of the month with their corresponding day of the week and tide data.

Time meridian 135° W. 0000 is midnight. 1200 is noon. Times are not adjusted for Daylight Saving Time.

Tesoro Pier, Cook Inlet, Alaska, 2012

F—Flood, Dir. 353° True E—Ebb, Dir. 149° True

April				May				June							
Slack	Maximum			Slack	Maximum			Slack	Maximum			Slack	Maximum		
	h	m	knots		h	m	knots		h	m	knots		h	m	knots
1 Su	0220	0558	0.9E	16 M	0233	0623	1.8E	1 Tu	0205	0355	1.6E	16 W	0237	0005	3.3F
	0726	0939	2.2F		0813	1207	3.0F		0741	1008	2.9F		0858	1206	4.3F
	1359	1538	1.3E		1436	1622	1.5E		1410	1602	1.9E		1534	1736	2.7E
	1949				1728	1728	1.4E		1952	2243	3.4F		2117		
					1839†	1.5E									
2 M		0024	2.7F	17 Tu	0042	037F		2 W	0246	0447	2.2E	17 Th	0046	0046	3.7F
	0257	0457	1.3E		0315	0702	2.2E		0834	1116	3.6F		0320	0640	2.4E
	0820	1045	2.7F		0904	1252	3.7F		1500	1700	2.5E		0919	1311	4.2F
	1446	1635	1.8E		1524	1725	2.0E		2046	2345	4.0F		1547	1756	2.4E
	2036				2115								2128		
3 Tu		0037	3.2F	18 W	0118	0118	4.1F	3 Th	0326	0536	2.9E	18 F	0119	0119	4.0F
	0329	0531	1.9E		0353	0723	2.5E		0922	1220	4.3F		0400	0622	2.9E
	0906	1150	3.4F		0949	1330	4.2F		1549	1755	3.0E		1004	1350	4.7F
	1527	1728	2.4E		1607	1814	2.6E		2137				1635	1844	2.7E
	2119				2158								2217		
4 W		0030	3.9F	19 Th	0147	0147	4.4F	4 F		0038	4.6F	19 Sa	0143	0143	4.1F
	0402	0609	2.7E		0430	0651	2.9E		0406	0620	3.5E		0440	0655	3.2E
	0950	1242	4.1F		1031	1404	4.6F		1010	1313	5.0F		1049	1428	4.9F
	1609	1816	3.1E		1651	1857	3.0E		1638	1844	3.4E		1722	1927	2.8E
	2202				2241				2228				2304		
5 Th		0107	4.6F	20 F	0208	0208	4.5F	5 Sa	0126	0126	4.9F	20 Su	0206	0206	4.2F
	0437	0647	3.3E		0508	0721	3.3E		0447	0702	4.0E		0519	0731	3.3E
	1033	1328	4.8F		1113	1438	4.9F		1058	1402	5.4F		1133	1505	4.9F
	1653	1902	3.6E	●	1736	1940	3.2E	○	1727	1932	3.5E	●	1809	2010	2.7E
	2248				2325				2320				2351		
6 F		0148	5.1F	21 Sa	0230	0230	4.6F	6 Su	0212	0212	5.1F	21 M	0237	0237	4.1F
	0515	0727	3.8E		0546	0756	3.5E		0530	0745	4.1E		0559	0808	3.3E
	1118	1414	5.3F		1156	1512	5.0F		1147	1451	5.5F		1216	1538	4.8F
○	1739	1948	3.8E		1822	2025	3.1E		1818	2019	3.3E		1856	2054	2.5E
	2335														
7 Sa		0232	5.3F	22 Su	0301	0301	4.5F	7 M	0011	0259	5.0F	22 Tu	0036	0314	4.0F
	0554	0808	4.1E		0625	0835	3.4E		0615	0829	4.0E		0639	0848	3.1E
	1203	1502	5.6F		1238	1548	4.9F		1236	1540	5.4F		1258	1606	4.5F
	1828	2035	3.7E		1911	2112	2.9E		1909	2109	3.0E		1942	2139	2.2E
8 Su		0024	5.3F	23 M	0338	0338	4.3F	8 Tu	0102	0347	4.7F	23 W	0119	0352	3.8F
	0636	0853	4.1E		0704	0917	3.3E		0701	0915	3.7E		0718	0929	2.9E
	1250	1551	5.6F		1320	1623	4.7F		1324	1627	5.1F		1337	1634	4.2F
	1919	2126	3.5E		2000	2201	2.5E		2002	2200	2.6E		2026	2221	2.0E
9 M		0113	4.0E	24 Tu	0416	0416	4.0F	9 W	0152	0434	4.4F	24 Th	0159	0432	3.7F
	0720	0939	4.0E		0744	0959	3.0E		0749	1003	3.3E		0757	1011	2.7E
	1337	1638	5.4F		1401	1656	4.4F		1412	1711	4.6F		1412	1705	4.0F
	2013	2217	3.0E		2051	2247	2.1E		2056	2250	2.2E		2108	2300	1.8E
10 Tu		0203	4.7F	25 W	0455	0455	3.7F	10 Th	0242	0519	4.0F	25 F	0236	0511	3.6F
	0806	1026	3.6E		0824	1040	2.7E		0841	1051	2.9E		0836	1053	2.5E
	1425	1724	4.9F		1440	1731	3.9F		1500	1753	4.0F		1440	1739	3.7F
	2110	2308	2.5E		2142	2329	1.7E		2150	2338	1.8E		2148	2338	1.7E
11 W		0254	4.2F	26 Th	0535	0535	3.4F	11 F	0333	0604	3.5F	26 Sa	0312	0553	3.5F
	0858	1113	3.1E		0907	1121	2.3E		0938	1139	2.4E		0918	1136	2.3E
	1516	1811	4.2F		1516	1807	3.4F		1547	1837	3.4F		1501	1819	3.5F
	2211	2358	1.9E		2233				2248				2230		
12 Th		0349	3.5F	27 F	0012	0012	1.3E	12 Sa	0028	0028	1.5E	27 Su	0021	0021	1.6E
	0956	1202	2.5E		0345	0618	3.0F		0427	0654	3.0F		0353	0639	3.3F
	1611	1902	3.4F		0954	1205	1.9E	○	1041	1231	1.9E		1009	1225	2.1E
	2318				1548	1849	3.0F		1638	1928	2.9F		1532	1906	3.4F
					2327				2349				2319		
13 F		0054	1.3E	28 Sa	0059	0059	1.0E	13 Su	0127	0127	1.2E	28 M	0112	0112	1.6E
	0450	0718	2.8F		0432	0706	2.7F		0306	0306	1.0E		1112	1322	1.9E
	1105	1257	1.8E		1052	1255	1.6E		0348	0348	1.0E	○	1631	2001	3.3F
○	1715	2010	2.7F		1627	1940	2.7F		0527	0754	2.5F				
14 Sa		0031	0.9E	29 Su	0156	0156	0.9E	14 M	1151	1332†	1.5E	29 Tu	0015	0211	1.7E
	0312	0808	2.5F		0533	0802	2.5F		0053	0240	1.2E		0552	0832	3.1F
	0430	1.0E			1202	1356	1.4E		0337	0337	1.1E		1227	1427	1.9E
	0600	0826	2.4F	○	1736	2038	2.6F		0450	0450	1.2E		1755	2101	3.4F
	1224	1402†	1.3E						0633	0919	2.4F				
	0140	0533	1.3E		0119	0258	1.1E		1303	1441†	1.3E		0112	0312	2.0E
15 Su	0711	1102	2.4F	30 M	0640	0904	2.6F	15 Tu	0150	0544	1.6E	30 W	0701	0937	3.3F
	1338	1514	1.2E		1312	1501	1.5E		0736	1133	2.9F		1337	1533	2.1E
		1644	1.0E		1851	2139	2.9F		1405	1550	1.5E		1913	2204	3.6F
		1759†	1.1E						1945				2019	2310	3.9F

Time meridian 135° W. 0000 is midnight. 1200 is noon. Times are not adjusted for Daylight Saving Time.
† See page 194 for the remaining currents on this day.

Tesoro Pier, Cook Inlet, Alaska, 2012

F—Flood, Dir. 353° True E—Ebb, Dir. 149° True

July				August				September			
Slack	Maximum		knots	Slack	Maximum		knots	Slack	Maximum		knots
h m	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m
1 Su	0318	0530	3.1E	16 M	0354	0612	2.4E	1 W	0447	0652	2.9E
	0936	1317	4.7F		1006	1408	4.5F		1108	1446	4.8F
	1618	1826	2.4E		1655	2003	2.2E		1738	1950	2.4E
	2202				2225				2330		
2 M		0103	4.1F	17 Tu	0437	0646	2.6E	2 Th	0533	0734	3.0E
	0409	0621	3.3E		1051	1444	4.4F		1152	1522	4.7F
	1030	1407	5.0F		1735	1952	2.1E		1818	2018	2.5E
	1709	1914	2.5E		2308						
3 Tu		0153	4.3F	18 W	0516	0720	2.7E	3 F	0616	0815	3.0E
	0458	0706	3.3E		1131	1509	4.2F		1231	1550	4.6F
	1122	1452	5.0F		1811	2008	2.1E		1857	2056	2.6E
	1756	1956	2.5E		2348						
4 W		0240	4.4F	19 Th	0553	0756	2.8E	4 Sa	0700	0900	3.0E
	0546	0750	3.3E		1207	1512	4.2F		1307	1613	4.5F
	1211	1535	4.8F		1844	2038	2.3E		1935	2138	2.7E
	1841	2037	2.4E								
5 Th	0034	0324	4.3F	20 F	0025	0303	4.0F	5 Su	0136	0425	4.4F
	0633	0835	3.1E		0629	0834	3.0E		0743	0947	3.1E
	1255	1611	4.6F		1239	1534	4.3F		1342	1640	4.5F
	1924	2121	2.4E		1915	2114	2.5E		2015	2221	2.8E
6 F	0119	0406	4.3F	21 Sa	0101	0343	4.3F	6 M	0216	0502	4.3F
	0719	0921	3.0E		0704	0917	3.1E		0830	1036	3.0E
	1335	1640	4.6F		1307	1608	4.6F		1419	1714	4.4F
	2007	2206	2.4E		1947	2154	2.7E		2057	2304	2.8E
7 Sa	0203	0445	4.2F	22 Su	0135	0424	4.5F	7 Tu	0257	0541	4.2F
	0806	1009	2.9E		0742	1002	3.3E		0921	1125	2.8E
	1412	1709	4.2F		1337	1646	4.8F		1459	1751	4.2F
	2050	2250	2.4E		2021	2236	3.0E		2141	2349	2.7E
8 Su	0245	0524	4.0F	23 M	0211	0507	4.7F	8 W	0341	0624	3.8F
	0853	1057	2.7E		0825	1048	3.3E		1019	1216	2.4E
	1447	1741	4.1F		1410	1727	4.9F		1547	1835	3.7F
	2134	2333	2.4E		2100	2319	3.1E		2231		
9 M	0328	0605	3.7F	24 Tu	0251	0551	4.6F	9 Th		0037	2.4E
	0945	1146	2.5E		0915	1137	3.2E		0431	0715	3.4F
	1525	1820	3.8F		1452	1812	4.7F		1127	1316	1.8E
	2221				2144				1645	1925	3.1F
10 Tu		0020	2.2E	25 W		0005	3.1E	10 F		0133	2.0E
	0415	0651	3.4F		0337	0641	4.3F		0533	0821	2.9F
	1044	1239	2.2E		1016	1230	2.8E		1245	1429	1.3E
	1612	1906	3.5F		1546	1902	4.3F		1758	2024	2.5F
11 W		0113	2.0E	26 Th		0057	2.9E	11 Sa		0237	1.7E
	0509	0747	3.0F		0436	0738	3.9F		0644	1119	3.1F
	1152	1341	1.8E		1130	1332	2.2E		1403	1724	1.2E
	1713	2000	3.1F		1656	2000	3.8F		1914	2132	2.2F
12 Th	0015	0214	1.9E	27 F		0157	2.6E	12 Su		0344	1.5E
	0613	0906	2.8F		0550	0845	3.6F		0754	1222	3.6F
	1308	1453	1.5E		1253	1443	1.8E		1506	1830†	1.6E
	1827	2103	2.7F		1823	2105	3.3F		2200		
13 F	0118	0318	1.8E	28 Sa	0055	0302	2.4E	13 M		0265	2.5F
	0720	1140	3.3F		0710	1009	3.5F		0247	0655	1.8E
	1418	1615	1.5E		1411	1559	1.6E		0853	1311	3.9F
	1939	2220	2.6F		1944	2219	3.1F		1555	1918	1.9E
14 Sa	0217	0423	2.0E	29 Su	0203	0406	2.4E	14 Tu		0107	2.9F
	0822	1239	3.9F		0821	1223	4.0F		0335	0557	1.9E
	1519	1838	1.8E		1515	1851	1.8E		0942	1351	4.1F
	2042				2051				1635	1955	2.0E
15 Su		0041	2.9F	30 M		0001	3.4F	15 W		0130	3.2F
	0308	0557	2.2E		0304	0509	2.5E		0416	0622	2.2E
	0916	1326	4.3F		0923	1319	4.5F		1024	1421	4.1F
	1610	1926	2.1E		1609	1942	2.2E		1708	1934	2.0E
16 Su				31 Tu		0110	3.8F	16 Th		0225	4.4F
					0357	0606	2.7E		0453	0655	2.5E
					1018	1405	4.7F		1100	1430	4.0F
					1656	2025	2.3E		1737	1936	2.3E

Time meridian 135° W. 0000 is midnight. 1200 is noon. Times are not adjusted for Daylight Saving Time.
 † See page 194 for the remaining currents on this day.

Tesoro Pier, Cook Inlet, Alaska, 2012

F—Flood, Dir. 353° True E—Ebb, Dir. 149° True

October				November				December							
Slack	Maximum		knots	Slack	Maximum		knots	Slack	Maximum		knots				
h m	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m				
1 M	0001	0311	4.8F	16 Tu	0604	0811	3.7E	1 Th	0059	0409	4.9F	16 Su	0137	0439	4.8F
	0618	0819	3.2E		1154	1450	5.3F		0739	0940	2.7E		0811	1010	2.4E
	1210	1509	4.6F		1810	2027	4.2E		1321	1601	4.2F		1404	1645	4.3F
	1831	2039	3.4E						1926	2140	3.2E		2004	2211	3.0E
2 Tu	0041	0345	4.9F	17 W	0021	0324	5.6F	2 F	0142	0445	4.6F	17 Su	0222	0517	4.4F
	0704	0906	3.2E		0653	0900	3.6E		0830	1031	2.4E		0859	1056	2.2E
	1252	1544	4.6F		1244	1538	5.2F		1408	1641	3.9F		1452	1728	4.0F
	1910	2122	3.4E		1852	2113	4.2E		2010	2225	2.9E		2056	2259	2.7E
3 W	0121	0422	4.9F	18 Th	0108	0412	5.5F	3 Sa	0226	0520	4.2F	18 Su	0238	0533	4.5F
	0753	0957	3.0E		0745	0951	3.3E		0923	1118	2.0E		0923	1118	2.2E
	1337	1623	4.4F		1335	1626	5.0F		1453	1722	3.6F		1511	1745	3.9F
	1951	2207	3.3E		1938	2201	3.9E		2056	2309	2.5E		2113	2320	2.7E
4 Th	0203	0500	4.7F	19 F	0156	0500	5.2F	4 Su	0309	0556	3.7F	19 M	0328	0618	3.8F
	0846	1048	2.6E		0840	1044	2.8E		1016	1202	1.6E		1020	1207	1.8E
	1424	1703	4.1F		1428	1713	4.6F		1539	1804	3.2F		1604	1834	3.4F
	2035	2251	3.0E		2029	2250	3.5E		2147	2353	2.0E		2214		
5 F	0247	0540	4.2F	20 Sa	0247	0547	4.7F	5 M	0351	0636	3.1F	20 Tu	0010	0010	2.2E
	0943	1138	2.1E		0940	1135	2.3E		1111	1248	1.2E		0419	0706	3.2F
	1512	1744	3.6F		1523	1801	4.0F		1626	1850	2.8F		1119	1300	1.4E
	2123	2336	2.5E		2126	2340	2.9E		2243				1701	1930	2.9F
6 Sa	0333	0622	3.6F	21 Su	0343	0637	3.9F	6 Tu	0435	0723	2.7F	21 W	0034	0107	1.7E
	1044	1229	1.6E		1044	1229	1.7E		1209	1342	0.9E		0514	0805	2.8F
	1604	1829	3.0F		1623	1854	3.3F		1720	1942	2.5F		1221	1405	1.2E
	2218				2233				2349				1522	1.1E	
7 Su	0425	0709	3.0F	22 M	0446	0737	3.1F	7 W	0527	0816	2.5F	22 Th	0212	0319	1.3E
	1153	1329	1.0E		1155	1333	1.2E		1304	1441	1.0E		0616	1036	2.6F
	1701	1919	2.5F		1506	1.0E		1821	2041	2.4F		1321	1517	1.3E	
	2325				1551†	1.0E							1558	1.3E	
8 M	0117	1.4E		23 Tu	0557	1014	2.8F	8 Th	0057	0239	1.2E	23 F	0141	0319	1.3E
	0527	2.3F			1307	1704	1.3E		0629	0913	2.6F		0718	1139	2.9F
		2.4F			1841	2127	2.5F		1349	1535	1.3E		1412	1811	1.8E
	1307	1637†	0.8E						1921	2143	2.6F		2008		
9 Tu	0041	0220	1.1E	24 W	0108	0246	1.3E	9 F	0155	0339	1.5E	24 Sa	0006	0006	3.3F
	0421	0.6E			0426	1.0E			0727	1012	3.0F		0238	0425	1.6E
	0511	0.7E			0532	1.1E			1428	1624	1.8E		0814	1225	3.3F
	0635	1127	2.5F		0708	1128	3.0F		2013	2247	3.1F		1456	1842	2.1E
	1407	1739†	1.1E		1408	1802†	1.6E						2058		
10 W	0148	0324	1.1E	25 Th	0214	0356	1.3E	10 Sa	0244	0436	2.0E	25 Su	0053	0053	3.9F
	0501	0.8E			0502	1.2E			0819	1111	3.5F		0328	0527	2.0E
	0606	0.9E			0623	1.4E			1505	1710	2.5E		0904	1300	3.7F
	0735	1215	2.7F		0807	1220	3.4F		2059	2351	3.8F		1537	1753	2.6E
	1448	1825†	1.4E		1454	1847†	2.0E						2143		
11 Th	0238	0421	1.4E	26 F	0303	0500	1.7E	11 Su	0330	0529	2.6E	26 M	0134	0134	4.4F
	0823	1245	3.0F		0556	1.7E			0908	1206	4.1F		0415	0620	2.5E
	1519	1848	1.7E		0655	1.7E			1542	1754	3.2E		0953	1328	3.9F
	2052	2337	3.0F		0855	1300†	3.8F		2144				1618	1831	3.0E
12 F	0318	0511	1.9E	27 Sa	0350	0552	2.2E	12 M	0416	0620	3.0E	27 Tu	0212	0212	4.8F
	0903	1228	3.4F		0938	1331	4.1F		0958	1256	4.6F		0501	0706	2.7E
	1548	1754	2.3E		1610	1831	2.7E		1622	1837	3.8E		1042	1351	4.1F
	2134				2212				2230				1658	1910	3.3E
13 Sa	0356	0557	2.6E	28 Su	0433	0635	2.7E	13 Tu	0503	0707	3.3E	28 W	0250	0250	5.0F
	0942	1245	4.1F		1019	1354	4.3F		1050	1344	4.9F		0548	0750	2.8E
	1619	1828	3.0E		1646	1858	3.1E		1704	1920	4.1E		1131	1423	4.1F
	2214				2253				2318				1740	1949	3.4E
14 Su	0436	0641	3.1E	29 M	0517	0718	3.0E	14 W	0552	0755	3.4E	29 Th	0327	0327	4.9F
	1022	1323	4.7F		1103	1413	4.4F		1143	1432	5.0F		0635	0836	2.7E
	1653	1905	3.6E		1724	1933	3.4E		1748	2004	4.2E		1218	1500	4.1F
	2254				2335								1822	2031	3.2E
15 M	0518	0725	3.5E	30 Tu	0602	0802	3.1E	15 Th	0007	0312	5.5F	30 F	0040	0401	4.8F
	1107	1405	5.1F		1148	1442	4.4F		0643	0844	3.2E		0723	0925	2.4E
	1730	1944	4.0E		1803	2012	3.5E		1235	1522	4.9F		1304	1540	4.0F
	2337								1835	2051	4.0E		1905	2115	3.0E
16 Su	0604	0811	3.7E	31 W	0016	0332	5.0F					16 Sa	0124	0429	4.5F
	1154	1450	5.3F		0649	0850	3.0E						0810	1012	2.2E
	1810	2027	4.2E		1235	1520	4.3F						1348	1620	3.8F
					1844	2055	3.4E						1948	2159	2.8E

Time meridian 135° W. 0000 is midnight. 1200 is noon. Times are not adjusted for Daylight Saving Time.

† See page 194 for the remaining currents on this day.

The Forelands, Cook Inlet, Alaska, 2012

F—Flood, Dir. 010° True E—Ebb, Dir. 201° True

April				May				June																
Slack	Maximum		knots	Slack	Maximum		knots	Slack	Maximum		knots	Slack	Maximum		knots									
h m	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m									
1 Su	0213 0759 1359 2024	0431 1104 1627 2024	2.9E 3.0F 3.5E	16 M	0258 0902 1511 2129	0624 1218 1855 2129	3.9E 3.5F 3.6E	1 Tu	0218 0821 1434 2034	0445 1135 1700 2356	3.6E 3.4F 3.7E 3.8F	16 W	0301 0926 1541 2135	0640 1247 1911 2135	3.7F 3.7E 3.2E	1 F	0304 0934 1606 2147	0549 1256 1833 2147	4.8E 4.5F 4.3E	16 Sa	0336 1016 1645 2226	0611 1347 1943 2226	3.5F 3.8E 3.9F 3.3E	
2 M	0304 0857 1500 2116	0535 1205 1731 2116	3.6F 3.4E 3.5F 3.9E	17 Tu	0346 0955 1605 2214	0713 1309 1941 2214	4.2E 4.0F 3.9E	2 W	0303 0913 1531 2126	0537 1228 1800 2126	4.2E 4.0F 4.2E	17 Th	0341 1009 1627 2216	0712 1330 1949 2216	3.8E 3.9F 3.4E	2 Sa	0353 1025 1658 2240	0641 1347 1930 2240	4.6F 5.3E 4.7E	17 Su	0417 1054 1726 2308	0653 1425 2008 2308	3.9F 4.3E 4.3F 3.7E	
3 Tu	0348 0946 1553 2202	0622 1253 1826 2202	4.0E 4.1F 4.5E	18 W	0425 1039 1651 2252	0753 1352 2019 2252	4.4E 4.3F 4.0E	3 Th	0344 1001 1623 2213	0624 1314 1853 2213	4.9E 4.6F 4.6E	18 F	0417 1046 1709 2255	0704 1408 2014 2255	4.1E 4.2F 3.6E	3 Su	0442 1114 1749 2331	0732 1436 2025 2331	5.7E 5.4F 5.1E	18 M	0459 1132 1807 2351	0738 1502 2043 2351	4.8E 4.6F 4.1E	
4 W	0426 1029 1642 2243	0702 1335 1916 2243	4.7E 4.7F 5.0E	19 Th	0459 1116 1732 2327	0817 1430 2046 2327	4.5E 4.5F 4.1E	4 F	0424 1045 1712 2300	0709 1358 1945 2300	5.5E 5.2F 5.0E	19 Sa	0451 1121 1748 2334	0730 1444 2031 2334	4.5E 4.5F 3.9E	4 M	0531 1203 1839	0823 1525 2119	5.9E 5.7F 5.3E	19 Tu	0540 1210 1849	0823 1537 2121	5.2E 4.9F 4.4E	
5 Th	0502 1110 1728 2324	0742 1416 2004 2324	5.4E 5.2F 5.4E	20 F	0531 1150 1810	0817 1505 2058	4.7E 4.6F 4.1E	5 Sa	0505 1129 1800 2346	0754 1442 2036	5.9E 5.5F 5.3E	20 Su	0526 1155 1828	0806 1518 2102	4.9E 4.6F 4.1E	5 Tu	0620 1252 1930	0914 1612 2209	5.9E 5.7F 5.3E	20 W	0622 1249 1931	0909 1611 2201	5.5E 5.0F 4.6E	
6 F	0537 1151 1813	0823 1455 2052	5.9E 5.5F 5.6E	21 Sa	0601 1223 1849	0842 1537 2124	4.9E 4.7F 4.3E	6 Su	0548 1215 1849	0841 1527 2126	6.2E 5.7F 5.5E	21 M	0603 1231 1908	0847 1551 2140	5.2E 4.7F 4.4E	6 W	0712 1342 2021	1004 1701 2259	5.7E 5.5F 5.1E	21 Th	0705 1329 2012	0954 1642 2241	5.6E 5.0F 4.7E	
7 Sa	0614 1233 1900	0905 1535 2139	6.2E 5.7F 5.7E	22 Su	0633 1256 1928	0916 1607 2200	5.1E 4.6F 4.3E	7 M	0633 1302 1940	0928 1612 2216	6.2E 5.6F 5.4E	22 Tu	0642 1309 1951	0930 1624 2221	5.4E 4.7F 4.4E	7 Th	0804 1432 2112	1053 1752 2349	5.3E 5.2F 4.8E	22 F	0749 1409 2052	1039 1713 2323	5.6E 4.9F 4.7E	
8 Su	0654 1317 1949	0948 1616 2227	6.3E 5.6F 5.6E	23 M	0708 1332 2009	0954 1637 2240	5.2E 4.5F 4.3E	8 Tu	0722 1352 2032	1016 1701 2307	5.9E 5.3F 5.1E	23 W	0724 1349 2035	1013 1658 2303	5.4E 4.6F 4.4E	8 F	0857 1522 2203	1143 1846 2203	4.8E 4.7F	23 Sa	0834 1449 2131	1125 1746	5.4E 4.7F	
9 M	0738 1404 2041	1033 1702 2317	6.1E 5.3F 5.2E	24 Tu	0747 1409 2054	1036 1710 2323	5.2E 4.2F 4.2E	9 W	0813 1444 2127	1105 1758	5.5E 4.9F	24 Th	0808 1430 2120	1059 1734 2349	5.3E 4.4F 4.2E	9 Sa	0953 1613 2254	1234 1939 2254	4.1E 4.2F	24 Su	0922 1530 2211	1214 1824 2211	5.0E 4.5F	
10 Tu	0826 1455 2137	1121 1755	5.7E 4.8F	25 W	0829 1450 2142	1120 1749	5.0E 3.9F	10 Th	0908 1539 2225	1157 1903	4.8E 4.4F	25 F	0854 1513 2206	1147 1815	5.0E 4.1F	10 Su	1053 1707 2345	1327 2032 2345	3.4E 3.7F	25 M	1015 1615 2252	1305 1908	4.5E 4.2F	
11 W	0919 1551 2240	1213 1904	5.0E 4.2F	26 Th	0915 1536 2235	1208 1836	4.7E 3.6F	11 F	1009 1638 2325	1253 2012	4.1E 4.0F	26 Sa	0944 1559 2254	1237 1900	4.6E 3.9F	11 M	1200 1803	1421 2127	2.8E 3.3F	26 Tu	1117 1708 2340	1358 1957	4.0E 3.9F	
12 Th	1021 1657 2348	1310 2030	4.2E 3.7F	27 F	1008 1628 2333	1301 1936	4.3E 3.2F	12 Sa	1117 1743	1352 2122	3.4E 3.7F	27 Su	1042 1651 2344	1330 1950	4.2E 3.6F	12 Tu	1308 1901	1523 2224	2.3E 3.0F	27 W	1228 1809	1456 2055	3.6E 3.7F	
13 F	1134 1811	1412 2159	3.5E 3.6F	28 Sa	1110 1729	1356 2050	3.9E 3.0F	13 Su	1230 1849	1459 2230	2.8E 3.6F	28 M	1148 1749	1426 2046	3.8E 3.4F	13 W	1413 1958	1744 2316	2.2E 3.0F	28 Th	1340 1917	1600 2204	3.4E 3.6F	
14 Sa	1253 1926	1528 2314	3.0E 3.8F	29 Su	1220 1835	1454 2213	3.6E 3.1F	14 M	1341 1952	1727 2326	2.7E 3.6F	29 Tu	1259 1851	1525 2151	3.6E 3.4F	14 Th	1510 2052	1835 2318	2.5E	29 F	1449 2024	1710 2318	3.5E 3.9F	
15 Su	1407 2033	1800 2033	3.3E 3.1F 3.3E	30 M	1330 1938	1556 2313	3.5E 3.4F	15 Tu	1446 2047	1825 2047	2.9E	30 W	1407 1952	1629 2256	3.6E 3.7F	15 F	1600 2140	1915 2140	2.8E	30 Sa	1550 2127	1820 2127	3.9E	
												31 Th	1509 2052	1733 2351	3.8E 4.1F									

Time meridian 135° W. 0000 is midnight. 1200 is noon. Times are not adjusted for Daylight Saving Time.

The Forelands, Cook Inlet, Alaska, 2012

F—Flood, Dir. 010° True E—Ebb, Dir. 201° True

July					August					September																											
Slack		Maximum			Slack		Maximum			Slack		Maximum			Slack		Maximum																				
	h	m	h	m	knots		h	m	h	m	knots		h	m	h	m	knots		h	m	h	m	knots														
1 Su		0332	0620	5.0	4.3F	16 M		0350	0625	4.1	4.1E	1 W		0513	0826	5.3	5.3E	16 Th		0503	0743	5.1	5.1E	1 Sa		0637	0946	5.1	5.1E	16 Su		0612	0852	5.6	5.6E		
		1010	1341	4.9	4.9F			1030	1406	4.3	4.3F			1143	1509	5.9	5.9F			1126	1451	5.1	5.1F			1247	1559	5.5	5.5F			1212	1509	5.5	5.5F		
		1646	1924	4.5	4.5E			1704	1949	3.6	3.6E			1811	2114	5.3	5.3E			1757	2032	4.7	4.7E			1905	2159	5.2	5.2E			1827	2112	5.8	5.8E		
		2226						2246						2348																							
		0118	047	4.7	4.7F			0140	042	4.2	4.2F			0208	049	4.9F			0205	046	4.6F		0205		046	4.6F		0208	0332		5.1	5.1F		0300	0300	5.3	5.3F
2 M		0428	0719	5.3	5.3E	17 Tu		0437	0715	4.7	4.7E	2 Th		0604	0915	5.4	5.4E	17 F		0547	0829	5.5	5.5E	2 Su		0721	1011	4.8	4.8E	17 M		0655	0936	5.7	5.7E		
		1104	1433	5.4	5.4F			1111	1444	4.7	4.7F			1228	1551	6.0	6.0F			1203	1519	5.3	5.3F			1325	1628	5.2	5.2F			1251	1540	5.6	5.6F		
		1738	2024	4.9	4.9E			1745	2024	4.1	4.1E			1856	2156	5.4	5.4E			1832	2108	5.2	5.2E			1939	2220	5.0	5.0E			1901	2151	6.1	6.1E		
		2320						2330						0048	0345	5.1	5.1F			0027	0322	5.1	5.1F			0147	0447	4.5	4.5F			0115	0410	5.4	5.4F		
		0212	050	5.0	5.0F			0223	052	5.2E			0252	0803	5.2E		0269		0514	5.8E		0269	0514		5.8E		0303	0603	4.4E			0274	0574	5.6E		0212	0512
3 Tu		0521	0816	5.5	5.5E	18 W		0521	0803	5.2E		0521	0803	5.2E	3 F		0652	0954	5.4E		0629	0914	5.8E	3 M		0803	1040	4.4E		0803	1040	4.4E	18 Tu		0740	1021	5.6E
		1154	1521	5.8	5.8F			1150	1518	5.0	5.0F		1311	1628		5.8F		1240	1545	5.5F		1401	1656		4.7F		1401	1656	4.7F		1332	1616		5.6F			
		1828	2118	5.2	5.2E			1826	2101	4.6	4.6E		1938	2230		5.2E		1906	2144	5.5E		2010	2247		4.8E		2010	2247	4.8E		1937	2233		6.1E			
		0012	0304	5.2	5.2F			0012	0304	4.8	4.8F		0133	0428		4.9F		0105	0357	5.2F		0224	0519		4.1F		0224	0519	4.1F		0157	0448		5.3F			
		0612	0909	5.6	5.6E			0604	0849	5.5E		0739	1029	5.0E			0712	0958	5.8E		0844	1115	4.0E			0844	1115	4.0E		0827	1108	5.4E					

Time meridian 135° W. 0000 is midnight. 1200 is noon. Times are not adjusted for Daylight Saving Time.

Knik Arm, Port of Anchorage, Alaska, 2012

F—Flood, Dir. 015° True E—Ebb, Dir. 192° True

April				May				June			
Slack	Maximum		knots	Slack	Maximum		knots	Slack	Maximum		knots
h m	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m
1 Su	0303 0949 1516 2218	0520 1126 1750	3.1E 2.6F 3.7E	16 M	0357 1033 1625 2257	0824 1413 2047	3.6F 4.6E 3.7F 4.7E	1 Tu	0322 1012 1552 2234	0552 1159 1822	4.1E 3.3F 4.1E
2 M	0407 0815 0849 1047	0629 2.9E 2.9E 1230†	3.0F 3.4E 4.7F 2.9F	17 Tu	0453 1127 1723 2348	0911 1503 2133	4.1F 5.2E 4.3F 5.1E	2 W	0417 1105 1654 2326	0656 1303 1927	3.7F 4.8E 4.0F 4.6E
3 Tu	0502 1139 1724	0737 1336 2003	4.2E 3.7F 4.8E	18 W	0542 1215 1813	0951 1546 2214	4.4F 5.6E 5.3E	3 Th	0509 1154 1749	0755 1403 2023	4.3F 5.7E 4.9F 5.3E
4 W	0001 0550 1225 1816	0205 0830 1433 2053	4.2F 5.3E 4.7F 5.6E	19 Th	0034 0625 1258 1856	0358 1020 1624 2236	4.6F 5.8E 5.0F 5.3E	4 F	0014 0557 1241 1840	0220 0845 1455 2112	5.0F 6.7E 5.8F 6.0E
5 Th	0046 0633 1309 1903	0254 0915 1522 2139	5.1F 6.4E 5.7F 6.3E	20 F	0117 0704 1338 1936	0411 0954 1639 2214	4.7F 6.1E 5.2F 5.5E	5 Sa	0101 0643 1327 1927	0309 0932 1544 2200	5.7F 7.5E 6.5F 6.5E
6 F	0129 0714 1351 1947	0340 0959 1608 2224	5.8F 7.3E 6.5F 6.9E	21 Sa	0156 0740 1417 2013	0407 1024 1634 2246	4.9F 6.4E 5.4F 5.7E	6 Su	0146 0727 1412 2012	0357 1019 1632 2247	6.2F 8.0E 7.0F 6.8E
7 Sa	0211 0754 1434 2030	0425 1044 1654 2309	6.4F 8.0E 7.1F 7.2E	22 Su	0235 0814 1455 2049	0441 1059 1707 2322	5.1F 6.6E 5.7F 5.7E	7 M	0231 0812 1458 2058	0446 1106 1719 2335	6.5F 8.3E 7.2F 6.9E
8 Su	0253 0835 1518 2115	0509 1128 1739 2354	6.8F 8.3E 7.3F 7.2E	23 M	0313 0847 1533 2125	0519 1136 1745 2359	5.2F 6.6E 5.7F 5.6E	8 Tu	0318 0858 1545 2145	0533 1153 1805 2145	6.5F 8.2E 7.1F
9 M	0337 0917 1604 2201	0554 1213 1823	6.8F 8.3E 7.2F	24 Tu	0352 0920 1612 2203	0558 1214 1824	5.1F 6.5E 5.6F	9 W	0407 0947 1635 2234	0021 0620 1240 1851	6.7E 6.3F 7.8E 6.6F
10 Tu	0423 1003 1653 2250	0038 0639 1258 1909	6.9E 6.5F 7.9E 6.7F	25 W	0432 0953 1653 2242	0038 0639 1254 1906	5.4E 4.9F 6.1E 5.2F	10 Th	0459 1038 1727 2326	0108 0707 1328 1938	6.3E 5.7F 7.0E 5.9F
11 W	0514 1053 1746 2343	0125 0726 1346 1958	6.3E 5.9F 7.1E 5.9F	26 Th	0515 1028 1738 2325	0119 0723 1337 1951	5.0E 4.4F 5.6E 4.7F	11 F	0555 1134 1822	0158 0757 1419 2029	5.7E 5.0F 6.1E 5.1F
12 Th	0611 1149 1845	0215 0817 1439 2051	5.6E 5.0F 6.2E 4.9F	27 F	0604 1110 1829	0205 0811 1424 2041	4.5E 3.8F 5.0E 4.1F	12 Sa	0020 0655 1235 1922	0252 0852 1515 2124	5.1E 4.2F 5.2E 4.4F
13 F	0041 0716 1253 1950	0312 0914 1538 2150	4.8E 4.1F 5.2E 4.1F	28 Sa	0014 0704 1204 1931	0256 0903 1518 2135	4.0E 3.3F 4.5E 3.7F	13 Su	0118 0759 1341 2024	0351 0952 1614 2222	4.7E 3.6F 4.5E 3.8F
14 Sa	0147 0825 1406 2057	0413 1015 1641 2253	4.2E 3.4F 4.5E 3.5F	29 Su	0114 0811 1320 2036	0352 1000 1616 2230	3.8E 3.0F 4.1E 3.5F	14 M	0219 0903 1449 2124	0451 1055 1716 2322	4.4E 3.2F 4.0E 3.4F
15 Su	0254 0932 1519	0522 1157 1756 1953†	3.9E 3.0F 4.1E 4.2E	30 M	0220 0915 1442 2137	0450 1058 1717 2327	3.8E 3.0F 3.9E 3.5F	15 Tu	0318 1002 1553	0559 1341 2018†	4.3E 4.3E 4.5E 4.1E
16 W	0412 1055 1651 2314	0840 1434 2106	4.9E 3.9F 4.3E	17 Th	0502 1145 1744	0921 1519 2149	5.2E 4.3F 4.5E	18 F	0003 0549 1230 1830	0322 0856 1558 2120	3.9F 5.4E 4.5F 4.6E
19 Sa	0048 0631 1312 1912	0258 0919 1620 2143	4.1F 5.8E 4.7F 4.8E	19 Su	0130 0710 1353 1951	0332 0954 1606 2219	4.3F 6.1E 5.0F 5.0E	20 M	0211 0747 1432 2029	0411 1032 1642 2258	4.6F 6.3E 5.3F 5.2E
21 W	0251 0823 1512 2107	0453 1112 1722 2338	4.7F 6.4E 5.4F 5.2E	22 Th	0332 0858 1552 2146	0535 1152 1803	4.8F 6.3E 5.5F	23 F	0414 0935 1633 2226	0018 0617 1233 1845	5.2E 4.7F 6.1E 5.3F
24 M	0414 0935 1633 2226	0018 0617 1233 1845	5.2E 4.7F 6.1E 5.3F	25 Sa	0458 1013 1716 2307	0701 1316 1929	4.5F 5.8E 5.1F	26 Su	0545 1057 1802 2351	0144 0748 1402 2016	4.9E 4.1F 5.4E 4.7F
27 Tu	0638 1150 1854	0839 1453 2107	3.8F 4.9E 4.3F	28 W	0040 0737 1255 1955	0326 0934 1548 2201	4.5E 3.6F 4.5E 4.1F	29 Th	0136 0839 1409 2056	0421 1030 1646 2255	4.6E 3.6F 4.2E 4.0F
30 F	0236 0937 1519 2155	0518 1129 1746 2352	4.8E 3.8F 4.2E 4.0F	31 Sa	0334 1032 1624 2251	0619 1230 1851	5.2E 4.2F 4.4E	1 Su	0421 1113	0710 1451†	4.6E 3.6F
1 F	0430 1125 1723 2344	0721 1333 1953	5.9E 4.8F 4.9E	2 Sa	0524 1216 1818	0817 1431 2048	6.6E 5.5F 5.4E	3 Su	0035 0616 1305 1908	0243 0908 1523 2138	5.3F 7.3E 6.1F 5.9E
4 M	0125 0706 1353 1956	0334 0958 1614 2229	5.7F 7.7E 6.5F 6.3E	5 Tu	0213 0755 1441 2043	0425 1047 1703 2318	6.0F 7.9E 6.8F 6.5E	6 W	0302 0843 1528 2129	0515 1136 1749	6.1F 7.9E 6.8F
7 Th	0351 0932 1617 2217	0603 1223 1833	6.0F 7.6E 6.5F	8 F	0442 1023 1706 2304	0649 1309 1918	5.7F 7.0E 6.1F	9 Sa	0535 1115 1756 2353	0737 1357 2004	5.1F 6.2E 5.4F
10 Su	0630 1210 1849	0828 1448 2054	4.5F 5.4E 4.7F	11 M	0044 0727 1309 1946	0320 0922 1541 2146	5.2E 3.9F 4.6E 4.1F	12 Tu	0138 0827 1412 2045	0413 1018 1636 2238	4.8E 3.5F 4.0E 3.6F
13 W	0233 0925 1515	0507 1115 1733	4.5E 3.2F 3.6E	14 Th	0328 1020 1615	0606 1401 2039†	4.4E 3.2E 3.5E	15 F	0421 1113	0710 1451†	4.6E 3.6F
16 Sa	0511 1202 1802	0805 1535 2057	4.9E 3.9F 3.8E	17 Su	0019 0559 1247 1848	0217 0847 1610 2115	3.5F 5.3E 4.2F 4.2E	18 M	0105 0643 1305 1931	0302 0927 1542 2155	3.8F 5.6E 4.5F 4.5E
19 Tu	0149 0724 1353 1956	0345 1009 1621 2236	4.1F 5.9E 4.9F 4.8E	20 W	0231 0804 1452 2049	0430 1050 1702 2318	4.4F 6.2E 5.2F 5.1E	21 Th	0313 0842 1532 2127	0514 1132 1743 2359	4.7F 6.3E 5.5F 5.3E
22 F	0355 0920 1612 2205	0557 1214 1824	4.8F 6.3E 5.6F	23 Sa	0437 1001 1653 2244	0641 1256 1906	4.8F 6.1E 5.5F	24 Su	0521 1045 1735 2324	0726 1340 1951	4.7F 5.8E 5.3F
25 M	0609 1134 1821	0815 1428 2040	4.5F 5.4E 5.0F	26 Tu	0007 0703 1231 1915	0259 0908 1521 2132	5.4E 4.3F 4.9E 4.6F	27 W	0056 0827 1412 2045	0352 1003 1636 2238	5.4E 4.2F 4.5E 3.6F
28 Th	0154 0904 1449 2120	0447 1100 1715 2320	5.4E 4.1F 4.2E 4.2F	29 F	0257 1003 1557 2221	0546 1200 1819	5.5E 4.2F 4.1E	30 Sa	0359 1101 1700 2320	0650 1306 1926	5.8E 4.5F 4.4E

Time meridian 135° W. 0000 is midnight. 1200 is noon. Times are not adjusted for Daylight Saving Time.
 † See page 194 for the remaining currents on this day.

Knik Arm, Port of Anchorage, Alaska, 2012

F—Flood, Dir. 015° True E—Ebb, Dir. 192° True

July				August				September																	
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum											
h	m	h	m	knots	h	m	h	m	knots	h	m	h	m	knots	h	m	h	m	knots						
1 Su	0500	0754	6.3E	4.4F	16 M	0531	0819	4.8E	3.1F	1 W	0052	0314	4.9F	16 Th	0103	0303	4.0F	1 Sa	0206	0447	5.8F	16 Su	0157	0409	5.9F
	1156	1412	5.0F	3.8E		1223	1556	3.8F	0640		0935	6.7E	0645		0927	5.6E	0758		1047	6.8E	0747		1026	6.7E	
	1759	2028	4.9E	3.8E		1824	2052	3.8E	1320		1628	5.8F	1325		1537	4.7F	1426		1656	6.0F	1416		1628	6.1F	
									1922		2208	5.9E	1921		2153	5.2E	2019		2305	6.9E	2001		2246	7.3E	
2 M	0015	0221	4.8F	3.5F	17 Tu	0042	0236	3.5F	3.5F	2 Th	0141	0407	5.4F	17 F	0145	0348	4.7F	2 Su	0248	0510	6.0F	17 M	0236	0452	6.5F
	0557	0850	6.8E	5.3E		0620	0905	5.3E	0729		1022	7.1E	0727		1009	6.2E	0839		1122	6.8E	0827		1108	7.0E	
	1248	1511	5.6F	4.2F		1308	1524	4.2F	1406		1654	6.1F	1405		1616	5.4F	1506		1723	6.1F	1454		1710	6.5F	
	1852	2123	5.5E	4.3E		1908	2134	4.3E	2006		2251	6.4E	1958		2233	5.9E	2056		2340	7.0E	2037		2327	7.7E	
3 Tu	0107	0317	5.3F	3.9F	18 W	0127	0324	3.9F	3.9F	3 F	0227	0451	5.8F	18 Sa	0224	0432	5.4F	3 M	0328	0543	6.1F	18 Tu	0317	0536	6.9F
	0651	0942	7.2E	5.7E		0705	0948	5.7E	0815		1105	7.2E	0807		1050	6.6E	0918		1157	6.6E	0908		1150	7.1E	
	1337	1605	6.1F	4.7F		1350	1601	4.7F	1449		1719	6.3F	1443		1656	5.9F	1546		1758	6.0F	1534		1753	6.6F	
	1940	2215	6.0E	4.9E		1949	2216	4.9E	2047		2330	6.7E	2033		2313	6.5E	2131				2114				

Time meridian 135° W. 0000 is midnight. 1200 is noon. Times are not adjusted for Daylight Saving Time.
 † See page 194 for the remaining currents on this day.

Kodiak Harbor Narrows, Alaska, 2012

F—Flood, Dir. 044° True E—Ebb, Dir. 228° True

January				February				March																
Slack	Maximum			Slack	Maximum			Slack	Maximum			Slack	Maximum			Slack	Maximum							
h m	h m	knots		h m	h m	knots		h m	h m	knots		h m	h m	knots		h m	h m	knots						
1 Su	0733 1407	0356 1039 1726 2254	0.8F 0.6E 0.6F *	16 M	0007 0650 1315 2053	0343 0954 1649 2257	1.0F 1.0E 1.1F 0.3E	1 W	0724 1425	0437 1052 1838	0.4F 0.6E 0.9F	16 Th	0312 0818 1454 2329	0549 1135 1909	0.5F 0.8E 1.3F	1 Th	0630 1315	0957 1732	0.6E 0.9F	16 F	0322 0817 1425 2301	0549 1119 1847	0.4F 0.6E 0.6E 1.2F	
2 M	0803 1453	0438 1118 1837	0.6F 0.6E 0.7F	17 Tu	0119 0739 1418 2232	0444 1052 1807	0.8F 1.0E 1.2F	2 Th	0825 1525	0142 0554 1157 1952	* 0.3F 0.6E 1.0F	17 F	0453 0951 1611	0211 0727 1306 2026	0.5E 0.5F 0.7E 1.4F	2 F	1423 2356	0105 0526 1108 1858	* * 0.5E 0.9F	17 Sa	0449 1002 1551	0156 0727 1302 2007	0.6E 0.5F 0.6E 1.2F	
3 Tu	0840 1539	0033 0532 1206 1944	* 0.5F 0.6E 0.9F	18 W	0302 0841 1526 2349	0600 1201 1930	0.6F 0.9E 1.3F	3 F	0944 1625	0253 0730 1312 2047	* 0.3F 0.6E 1.1F	18 Sa	0607 1116 1722	0314 0845 2124	0.7E 0.6F 1.5F	3 Sa	1540	0225 0710 1236 2009	0.3E * 0.5E 1.0F	18 Su	0000 0553 1127 1705	0256 0840 1425 2105	0.8E 0.7F 0.6E 1.3F	
4 W	0928 1625	0208 0643 1300 2036	* 0.4F 0.7E 1.1F	19 Th	0447 0955 1632	0217 0728 2040	0.5E 0.5F 1.5F	4 Sa	0112 0614 1057 1720	0338 0841 1416 2130	0.4E 0.4F 0.7E 1.3F	19 Su	0701 1224 1821	0405 0943 2213	0.9E 0.8F 1.6F	4 Su	0032 0553 1049 1648	0311 0826 1355 2059	0.4E 0.4F 0.6E 1.2F	19 M	0046 0640 1229 1805	0343 0933 1522 2151	0.9E 0.9F 0.8E 1.4F	
5 Th	1022 1709	0309 0756 1353 2117	* 0.4F 0.8E 1.2F	20 F	0046 0610 1109 1735	0324 0845 1427 2136	0.7E 0.6F 1.0E 1.7F	5 Su	0139 0700 1156 1808	0414 0932 1506 2207	0.5E 0.5F 0.8E 1.4F	20 M	0744 1317 1910	0448 1032 2255	1.0E 0.9F 1.6F	5 M	0100 0632 1151 1745	0343 0915 1451 2138	0.6E 0.6F 0.7E 1.3F	20 Tu	0123 0718 1318 1852	0421 1017 1607 2228	1.0E 1.0F 0.8E 1.4F	
6 F	0138 0621 1116 1751	0355 0855 1439 2155	0.4E 0.4F 0.9E 1.4F	21 Sa	0133 0711 1216 1831	0418 0947 1526 2226	0.8E 0.7F 1.1E 1.8F	6 M	0205 0734 1245 1852	0444 1013 1549 2242	0.7E 0.6F 0.9E 1.5F	21 Tu	0231 0821 1403 1951	0525 1114 1658 2331	1.0E 1.0F 1.0E 1.6F	6 Tu	0126 0701 1241 1833	0408 0954 1536 2213	0.7E 0.8F 0.9E 1.4F	21 W	0153 0748 1400 1931	0451 1055 1645 2259	1.0E 1.1F 0.8E 1.3F	
7 Sa	0205 0713 1206 1831	0433 0944 1521 2230	0.5E 0.5F 0.9E 1.5F	22 Su	0216 0801 1313 1920	0505 1040 1618 2312	1.0E 0.8F 1.1E 1.8F	7 Tu	0232 0804 1329 1933	0510 1051 1629 2316	0.7E 0.8F 1.0E 1.6F	22 W	0302 0853 1445 2027	0556 1151 1735 2356	1.0E 1.1F 0.9E	7 W	0149 0728 1326 1916	0431 1031 1618 2248	0.8E 1.0F 1.0E 1.5F	22 Th	0217 0814 1439 2004	0515 1128 1719 2326	1.0E 1.2F 0.8E 1.2F	
8 Su	0233 0755 1251 1909	0507 1027 1601 2305	0.6E 0.6F 1.0E 1.6F	23 M	0256 0845 1404 2004	0548 1127 1705 2352	1.0E 0.9F 1.1E 1.7F	8 W	0257 0832 1412 2012	0534 1128 1710 2350	0.8E 0.9F 1.1E 1.6F	23 Th	0329 0922 1526 2058	0002 0621 1225 1809	1.4F 1.0E 1.1F 0.8E	8 Th	0213 0756 1412 1958	0455 1108 1700 2322	1.0E 1.2F 1.0E 1.5F	23 F	0236 0837 1518 2035	0534 1158 1752 2351	1.0E 1.3F 0.8E 1.1F	
9 M	0303 0831 1334 1947	0538 1107 1641 2339	0.7E 0.6F 1.1E 1.6F	24 Tu	0335 0925 1450 2044	0626 1210 1746	1.0E 0.9F 1.0E	9 Th	0323 0902 1459 2052	0601 1206 1752	0.9E 1.0F 1.1E	24 F	0351 0948 1608 2127	0029 0642 1258 1842	1.3F 0.9E 1.1F 0.7E	9 F	0237 0827 1501 2040	0523 1147 1744 2359	1.1E 1.4F 1.0E 1.4F	24 Sa	0254 0900 1558 2105	0551 1228 1824	1.0E 1.3F 0.7E	
10 Tu	0333 0904 1415 2025	0607 1146 1721	0.7E 0.7F 1.1E	25 W	0410 1002 1534 2120	0029 0701 1250 1825	1.6F 0.9E 0.9E	10 F	0350 0935 1551 2133	0025 0630 1246 1836	1.5F 1.0E 1.2F 1.0E	25 Sa	0410 1013 1654 2155	0054 0701 1330 1916	1.2F 0.9E 1.1F 0.6E	10 Sa	0304 0902 1553 2124	0555 1229 1830	1.2E 1.5F 1.0E	25 Su	0313 0924 1641 2137	0612 1257 1858	1.0E 1.3F 0.6E	
11 W	0404 0937 1500 2104	0014 0636 1224 1802 2104	1.6F 0.8E 0.8F 1.1E	26 Th	0442 1036 1620 2151	0102 0731 1328 1901 2151	1.5F 0.9E 0.9F 0.8E	11 Sa	0419 1013 1649 2217	0704 1331 1924	1.1E 1.2F 0.9E	26 Su	0429 1040 1745 2223	0120 0723 1404 1953	1.0F 0.9E 1.0F 0.4E	11 Su	0335 0941 1649 2213	0631 1313 1919	1.3E 1.6F 0.9E	26 M	0335 0951 1726 2214	0638 1329 1936	1.0E 1.3F 0.5E	
12 Th	0434 1011 1550 2144	0050 0706 1305 1846 2144	1.6F 0.8E 0.8F 1.0E	27 F	0509 1108 1708 2220	0132 0757 1405 1937 2220	1.3F 0.8E 0.8F 0.6E	12 Su	0450 1055 1754 2306	0742 1420 2019	1.1E 1.3F 0.7E	27 M	0451 1109 1843 2255	0148 0750 1442 2038	0.8F 0.9E 1.0F 0.3E	12 M	0411 1024 1751 2308	0711 1401 2016	1.1F 1.3E 1.6F 0.7E	27 Tu	0401 1020 1816 2256	0708 1406 2020	1.0E 1.2F 0.4E	
13 F	0505 1048 1647 2227	0127 0740 1350 1933 2227	1.5F 0.9E 0.9F	28 Sa	0532 1139 1804 2245	0200 0820 1445 2017 2245	1.1F 0.8E 0.8F 0.4E	13 M	0526 1143 1909	0226 0826 2126	1.1F 1.1E 0.5E	28 Tu	0516 1143	0222 0823 1527 2137	0.7F 0.8E 1.0F *	13 Tu	0452 1111 1900	0208 0756 1456 2124	0.9F 1.2E 1.5F 0.6E	28 W	0432 1054 1914 2350	0743 1448 2115	0.6F 0.9E 1.2F 0.3E	
14 Sa	0536 1131 1754 2313	0207 0818 1441 2027 2313	1.4F 0.9E 1.0F 0.7E	29 Su	0553 1211	0229 0847 1529 2104	0.9F 0.7E 0.8F *	14 Tu	0004 0609 1236 2039	0319 0917 1622 2252	0.8F 1.0E 1.3F 0.4E	29 W	0548 1224	0305 0904 1622 2300	0.5F 0.7E 0.9F *	14 W	0015 1203 2020	0306 0849 2251	0.7F 1.0E 0.5E	29 Th	0510 1133	0243 1539 2230	0.4F 1.1F *	
15 Su	0611 1220 1915	0252 0902 1541 2134	1.2F 1.0E 1.0F 0.5E	30 M	0615 1247	0302 0919 1620 2208	0.8F 0.7E 0.8F *	15 W	0125 0703 1339 2213	0425 1019 1740	0.6F 0.9E 1.2F	30 Th	0141 0645 1306 2146	0418 0955 1717	0.5F 0.8E 1.2F	15 Th	0141 0645 1306 2146	0418 0955 1717	0.5F 0.8E 1.2F	30 F	0558 1221	0344 0917 1643	0.3F 0.6E 1.0F	
				31 Tu	0644 1332	0342 1000 1722 2339	0.6F 0.7E 0.8F *														31 Sa	1327 2250	0010 0504 1029 1759	* * 0.4E 0.9F

Time meridian 135° W. 0000 is midnight. 1200 is noon. Times are not adjusted for Daylight Saving Time.
* Current weak and variable.

Kodiak Harbor Narrows, Alaska, 2012

F—Flood, Dir. 044° True E—Ebb, Dir. 228° True

April				May				June																	
Slack	Maximum		knots	Slack	Maximum		knots	Slack	Maximum		knots	Slack	Maximum		knots										
h m	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m										
1 Su	0138 0642 1200 1452 2334	0.3E *	0.4E 0.4E 1.0F	16 M	0526 1131 1637	0825 1412 2034	0.7E 0.5E 1.1F	1 Tu	0418 1027 1529 2257	0114 0721 1257 1923	0.5E 0.5F 0.4E 0.9F	16 W	0526 1234 1656 2336	0851 1448 2031	0.9E 0.4E 0.8F	1 F	0456 1237 1734 2313	0140 0843 1501 2033	1.0E 1.3F 0.6E 0.8F	16 Sa	0537 1351 1823 2332	0936 1602 2106	1.3F 0.4E 0.5F		
2 M	0225 0513 1039 1612	0.4E 0.4F 0.5E 1.1F	17 Tu	0005 0609 1231 1737	0310 0916 1508 2117	0.8E 0.9F 0.6E 1.1F	2 W	0459 1140 1644 2330	0155 0820 1412 2017	0.7E 0.8F 0.5E 1.0F	17 Th	0558 1319 1753	0254 0931 1535 2108	0.8E 1.1F 0.4E 0.7F	2 Sa	0543 1327 1841	0228 0932 1557 2127	1.1E 1.6F 0.7E 0.8F	17 Su	0610 1418 1912	1009 1639 2148	1.4F 0.5E 0.5F			
3 Tu	0006 0550 1145 1716	0.256 0.851 1.433 2.101	0.6E 0.7F 0.6E 1.2F	18 W	0038 0642 1317 1826	0343 0957 1552 2152	0.9E 1.1F 0.6E 1.1F	3 Th	0537 1238 1749	0907 1509 2104	1.1F 0.7E 1.0F	18 F	0000 0625 1356 1841	0317 1005 1615 2141	0.9E 1.3F 0.5E 0.7F	3 Su	0001 0628 1412 1939	0314 1018 1648 2219	1.3E 1.8F 0.9E 0.8F	18 M	0012 0644 1445 1955	0330 1041 1713 2229	1.0E 1.5F 0.6E 0.6F		
4 W	0032 0621 1238 1811	0.322 0.932 1.522 2.139	0.8E 0.9F 0.8E 1.2F	19 Th	0102 0709 1357 1906	0408 1031 1630 2221	1.0E 1.2F 0.7E 1.0F	4 F	0002 0614 1328 1846	0305 0950 1600 2148	1.1E 1.5F 0.8E 1.0F	19 Sa	0024 0650 1429 1923	0338 1035 1651 2213	1.0E 1.4F 0.5E 0.7F	4 M	0049 0713 1457 2033	0401 1104 1737 2311	1.4E 1.9F 0.9E 0.9F	19 Tu	0052 0717 1515 2035	0406 1113 1746 2309	1.0E 1.6F 0.6E 0.6F		
5 Th	0057 0651 1326 1859	0.347 1.010 1.607 2.216	1.0E 1.2F 0.9E 1.3F	20 F	0122 0732 1435 1941	0427 1102 1704 2248	1.0E 1.3F 0.7E 0.9F	5 Sa	0036 0652 1415 1939	0341 1032 1649 2232	1.3E 1.7F 0.9E 1.0F	20 Su	0049 0716 1501 2003	0402 1105 1725 2247	1.1E 1.5F 0.5E 0.7F	5 Tu	0139 0758 1542 2126	0448 1150 1825 2106	1.3E 2.0F 1.0E	20 W	0133 0752 1546 2114	0444 1147 1819 2349	1.1E 1.6F 0.6E 0.6F		
6 F	0123 0722 1414 1946	0.416 1.049 1.652 2.255	1.1E 1.5F 1.0E 1.2F	21 Sa	0140 0754 1511 2016	0445 1131 1737 2315	1.1E 1.4F 0.7E 0.9F	6 Su	0113 0731 1502 2031	0420 1115 1737 2319	1.4E 1.9F 0.9E 1.0F	21 M	0118 0744 1533 2044	0431 1135 1759 2324	1.1E 1.6F 0.6E 0.7F	6 W	0231 0844 1629 2219	0003 0537 1236 1914	0.8F 1.3E 1.9F 1.0E	21 Th	0213 0827 1620 2152	0522 1221 1851 2152	1.0E 1.6F 0.7E		
7 Sa	0151 0757 1502 2032	0.448 1.130 1.739 2.335	1.3E 1.7F 1.0E 1.2F	22 Su	0201 0818 1547 2051	0506 1159 1810 2346	1.1E 1.5F 0.6E 0.8F	7 M	0153 0812 1550 2125	0501 1200 1827 2125	1.4E 1.9F 0.9E	22 Tu	0151 0813 1608 2125	0503 1206 1834 2125	1.1E 1.6F 0.6E	7 Th	0324 0930 1718 2314	0625 1323 2006 2314	1.1E 1.7F 0.9E	22 F	0254 0904 1654 2230	0601 1257 1924 2230	1.0E 1.6F 0.7E		
8 Su	0223 0834 1553 2122	0.525 1.212 1.827 2.122	1.4E 1.8F 0.9E	23 M	0225 0844 1626 2130	0532 1229 1845 2130	1.1E 1.5F 0.6E	8 Tu	0238 0855 1640 2222	0008 0546 1245 1918	0.9F 1.4E 1.9F 0.9E	23 W	0226 0846 1645 2209	0003 0538 1240 1910	0.6F 1.1E 1.6F 0.6E	8 F	0421 1016 1807	0148 0715 2101	0.7F 0.9E 0.8E	23 Sa	0339 0941 1729 2308	0642 1335 1958 2308	0.9E 1.5F 0.7E		
9 M	0300 0914 1647 2216	0.018 0.604 1.257 1.918	1.1F 1.4E 1.8F 0.9E	24 Tu	0253 0913 1706 2213	0603 1302 1923 2213	1.1E 1.5F 0.5E	9 W	0327 0940 1733 2323	0059 0633 1333 2015	0.8F 1.2E 1.8F 0.8E	24 Th	0305 0920 1724 2254	0043 0616 1317 1949	0.6F 1.0E 1.5F 0.6E	9 Sa	0522 1102 1856	0245 0807 2157	0.7F 0.7E 0.7E	24 Su	0429 1021 1802 2348	0725 1414 2035	0.8E 1.4F 0.7E		
10 Tu	0342 0958 1744 2317	0.105 0.648 1.345 2.016	0.9F 1.3E 1.7F 0.8E	25 W	0326 0944 1750 2301	0637 1338 2006 2301	0.6F 1.0E 0.5E	10 Th	0422 1028 1830	0154 0722 2119	0.7F 1.0E 0.7E	25 F	0347 0957 1806 2341	0126 0656 1357 2031	0.5F 0.9E 1.4F 0.5E	10 Su	0106 0632 1146 1945	0346 0905 1550 2252	0.6F 0.5E 1.1F 0.7E	25 M	0529 1103 1836	0814 1457 2116	0.7E 1.2F 0.7E		
11 W	0430 1045 1847	0.158 0.735 1.439 2.125	0.7F 1.1E 1.6F 0.6E	26 Th	0403 1019 1839 2356	0715 1419 2056 2356	0.9E 1.3F 0.4E	11 F	0027 0526 1119 1931	0257 0818 1524 2230	0.6F 0.8E 1.4F 0.7E	26 Sa	0031 0435 1037 1850	0212 0739 1441 2118	0.5E 0.8E 1.3F 0.5E	11 M	0204 0759 1231 2030	0453 1013 1641 2344	0.6F 0.3E 0.9F 0.6E	26 Tu	0032 0643 1149 1911	0336 0913 1544 2203	0.7F 0.5E 1.1F 0.8E		
12 Th	0027 0528 1137 1958	0.301 0.830 1.542 2.247	0.6F 0.9E 1.4F 0.6E	27 F	0447 1059 1935	0228 0758 1508 2157	0.4F 0.7E 1.2F 0.3E	12 Sa	0137 0642 1214 2035	0408 0925 1627 2341	0.5F 0.5E 1.2F 0.6E	27 Su	0031 1121 1934	0306 0830 1530 2209	0.4F 0.6E 1.2F 0.5E	12 Tu	0259 1134 1733 2110	0605 1134 1733 2110	0.6F * 0.7F	27 W	0123 0819 1248 1952	0441 1028 1638 2255	0.8F 0.3E 0.9F 0.8E		
13 F	0149 0643 1239 2114	0.417 0.939 1.655 2.114	0.5F 0.6E 1.2F	28 Sa	0101 0541 1145 2036	0327 0850 1605 2307	0.3F 0.6E 1.1F 0.3E	13 Su	0249 0818 1318 2136	0527 1047 1735 2136	0.5F 0.4E 1.0F	28 M	0125 0650 1213 2018	0408 0933 1624 2301	0.4F 0.5E 1.0F 0.5E	13 W	0346 1309 1830 2146	0032 0718 1309 1830	0.6E 0.7F * 0.6F	28 Th	0220 1004 1414 2041	0554 1201 1743 2354	0.9F 0.3E 0.7F 0.9E		
14 Sa	0315 0823 1355 2224	0.013 0.545 1.108 1.817	0.6E 0.4F 0.4E 1.1F	29 Su	0217 0700 1244 2133	0439 0959 1709 2133	0.3F 0.4E 1.0F	14 M	0354 1004 1433 2227	0048 0649 1221 1844	0.7E 0.6F 0.3E 0.9F	29 Tu	0221 0832 1319 2101	0519 1052 1723 2355	0.5F 0.3E 0.9F 0.6E	14 Th	0427 1425 1929 2219	0115 0817 1425 1929	0.7E 0.9F * 0.5F	29 F	0320 1130 1559 2138	0712 1342 1859 2138	1.1F 0.3E 0.6F		
15 Su	0429 1009 1521 2321	0.129 0.716 1.251 1.935	0.7E 0.5F 0.4E 1.1F	30 M	0325 0849 1402 2220	0601 1124 1818 2220	0.3F 0.3E 0.9F	15 Tu	0446 1132 1549 2306	0759 1347 1945 2306	0.7F 0.3E 0.8F	30 W	0317 1016 1445 2144	0636 1225 1828 2144	0.7F 0.3E 0.8F	15 F	0503 1322 1721 2254	0150 0900 1519 2021	0.7E 1.1F 0.3E 0.5F	30 Sa	0420 1231 1730 2241	0059 0821 1457 2014	1.0E 1.4F 0.5E 0.6F		
								31 Th	0408 1137 1615 2228	0049 0747 1354 1934	0.8E 1.0F 0.4E 0.8F														

Time meridian 135° W. 0000 is midnight. 1200 is noon. Times are not adjusted for Daylight Saving Time.
* Current weak and variable.

Kodiak Harbor Narrows, Alaska, 2012

F—Flood, Dir. 044° True E—Ebb, Dir. 228° True

July				August				September																		
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum												
	h	m	knots		h	m	knots		h	m	knots		h	m	knots											
1 Su	0517	0917	1.6F	16 M	0535	0943	1.3F	1 W	0049	0354	1.1E	16 Th	0037	0339	0.9E	1 Sa	0233	0523	1.0E	16 Su	0200	0445	1.0E			
	1320	1555	0.7E		1357	1624	0.5E		0657	1046	1.8F		0639	1028	1.5F		0815	1145	1.5F		0740	1103	1.4F			
	1841	2118	0.7F		1903	2132	0.5F		1429	1720	1.0E		1416	1657	0.7E		1507	1803	1.1E		1417	1703	1.1E	2008	2329	1.3F
	2344				2353				2017	2303	1.0F		1951	2239	0.8F		2104									
2 M	0611	1008	1.8F	17 Tu	0617	1019	1.5F	2 Th	0144	0445	1.1E	17 F	0120	0418	1.0E	2 Su	0317	0601	0.9E	17 M	0245	0526	1.0E			
	1404	1645	0.9E		1422	1657	0.6E		0745	1130	1.8F		0719	1101	1.5F		0850	1216	1.3F		0820	1137	1.3F			
	1939	2215	0.8F		1943	2216	0.6F		1508	1801	1.1E		1441	1721	0.8E		1533	1827	1.0E		1441	1732	1.2E	2038		
3 Tu	0043	0353	1.2E	18 W	0041	0351	1.0E	3 F	0234	0531	1.1E	18 Sa	0202	0457	1.0E	3 M	0402	0636	0.8E	18 Tu	0333	0609	0.9E			
	0703	1056	1.9F		0658	1053	1.5F		0829	1210	1.7F		0757	1134	1.5F		0923	1244	1.2F		0948	1254	1.1F			
	1446	1733	1.0E		1450	1727	0.7E		1545	1838	1.0E		1506	1745	0.9E		1554	1848	1.0E		1509	1805	1.3E	2113		
4 W	0139	0445	1.2E	19 Th	0125	0431	1.0E	4 Sa	0322	0613	1.0E	19 Su	0246	0536	1.0E	4 Tu	0448	0711	0.6E	19 W	0425	0655	0.9E			
	0751	1142	1.9F		0736	1127	1.6F		0908	1246	1.5F		0834	1207	1.5F		0953	1310	1.0F		0948	1254	1.1F			
	1529	1818	1.0E		1518	1755	0.7E		1619	1911	1.0E		1530	1811	1.0E		1613	1908	0.9E		1541	1843	1.3E	2152		
5 Th	0232	0534	1.2E	20 F	0206	0510	1.0E	5 Su	0113	0410	1.0F	20 M	0027	0324	1.2F	5 W	0153	0450	1.1F	20 Th	0131	0428	1.6F			
	0837	1226	1.8F		0813	1200	1.6F		0410	0653	0.8E		0333	0618	1.0E		0537	0748	0.5E		0521	0746	0.8E			
	1612	1901	1.0E		1548	1822	0.8E		0944	1319	1.4F		0913	1241	1.4F		1022	1337	0.8F		1040	1338	0.9F			
6 F	0324	0621	1.1E	21 Sa	0249	0549	1.0E	6 M	0152	0449	1.0F	21 Tu	0107	0404	1.3F	6 Th	0228	0525	1.1F	21 F	0221	0518	1.6F			
	0921	1308	1.7F		0849	1234	1.6F		1016	1349	1.1F		0954	1317	1.2F		0633	0830	0.3E		0623	0846	0.6E			
	1654	1944	0.9E		1616	1850	0.8E		1714	2005	0.8E		1623	1915	1.1E		1655	2002	0.8E		1706	2014	1.1E	2326		
7 Sa	0417	0706	0.9E	22 Su	0335	0629	1.0E	7 Tu	0232	0529	0.9F	22 W	0151	0448	1.3F	7 F	0309	0606	1.0F	22 Sa	0320	0617	1.4F			
	1002	1349	1.5F		0927	1309	1.5F		1044	1418	0.9F		1039	1358	1.1F		0924	1221	0.7E		0734	1002	0.5E			
	1734	2026	0.9E		1644	1920	0.9E		1736	2030	0.8E		1656	1954	1.1E		1447	0.5F	1257		1538	0.5F	1806	2115	0.9E	
8 Su	0222	0519	0.8F	23 M	0129	0426	0.9F	8 W	0315	0612	0.9F	23 Th	0242	0539	1.3F	8 Sa	0359	0656	1.0F	23 Su	0430	0727	1.3F			
	0512	0751	0.7E		0427	0712	0.9E		0702	0857	0.3E		0632	0850	0.6E		1041	1338	0.3E		0855	1135	0.5E			
	1041	1428	1.3F		1006	1345	1.4F		1109	1448	0.7F		1132	1445	0.8F		1542	0.3F	1431		1702	0.4F	1930	2233	0.7E	
9 M	0019	0313	0.7F	24 Tu	0215	0512	1.0F	9 Th	0402	0699	0.8F	24 F	0341	0638	1.3F	9 Su	0503	0800	0.9F	24 M	0554	0851	1.2F			
	0614	0838	0.5E		0527	0801	0.7E		0956	*	0752		1004	0.4E	1236		*	1014	1309		0.6E					
	1115	1505	1.1F		1047	1425	1.2F		1524	0.5F	1241		1545	0.6F	1659		*	1602	1839		0.5F					
10 Tu	0101	0406	0.7F	25 W	0307	0604	1.0F	10 F	0458	0755	0.8F	25 Sa	0451	0748	1.3F	10 M	0626	0923	0.9F	25 Tu	0012	0309	0.6E			
	0731	0933	0.3E		1135	1510	1.0F		1614	0.4F	1420		1702	0.5F	1844		*	1404	*		0307	0722	1.2F			
	1145	1542	0.8F		1816	2116	1.0E		1853	2222	0.6E		1930	2247	0.8E				1713		2004	0.7F	1119	1419	0.7E	
11 W	0143	0505	0.7F	26 Th	0307	0604	1.1F	11 Sa	0610	0907	0.8F	26 Su	0616	0913	1.2F	11 Tu	0008	0305	0.4E	26 W	0149	0446	0.6E			
	1042	*			0807	1012	0.4E		1326	*	1046		1326	0.5E	1606		1838	0.4F	0312		0746	1.0F	0430	0831	1.3F	
	1621	0.6F			1235	1605	0.8F		1726	*	1606		1838	0.4F	2105			1212	1453		0.4E	1211	1511	0.9E		
12 Th	0227	0613	0.7F	27 F	0132	0519	1.1F	12 Su	0730	1027	0.9F	27 M	0016	0313	0.7E	12 W	0138	0435	0.5E	27 Th	0257	0554	0.7E			
	1218	*			0947	1147	0.3E		1440	*	0327		0743	1.3F	0426		0840	1.1F	0538		0923	1.3F				
	1710	0.4F			1407	1714	0.6F		1907	*	1151		1439	0.6E	1242		1528	0.5E	1253		1554	1.0E				
13 F	0313	0725	0.8F	28 Sa	0239	0641	1.2F	13 M	0047	0344	0.5E	28 Tu	0149	0446	0.8E	13 Th	0238	0535	0.6E	28 F	0349	0646	0.8E			
	1400	*			1113	1335	0.4E		0401	0831	1.1F		0446	0851	1.4F		0526	0921	1.2F		0633	1006	1.4F			
	1818	0.3F			1600	1841	0.5F		1300	1526	0.4E		1242	1534	0.8E		1308	1554	0.7E		1328	1629	1.1E			
14 Sa	0401	0822	1.0F	29 Su	0350	0801	0.9E	14 Tu	0200	0497	0.6E	29 W	0300	0597	0.9E	14 F	0324	0621	0.8E	29 Sa	0433	0730	0.9E			
	1503	*			1216	1452	0.6E		1325	1601	0.5E		0553	0945	1.5F		0615	0957	1.3F		0718	1042	1.3F			
	1938	0.3F			1732	2008	0.5F		1846	2120	0.5F		1325	1619	1.0E		1332	1617	0.8E		1356	1657	1.1E			
15 Su	0132	0429	0.7E	30 M	0149	0446	0.9E	15 W	0255	0552	0.7E	30 Th	0355	0652	1.0E	15 Sa	0405	0702	0.9E	30 Su	0512	0809	0.8E			
	0906	1.2F			0459	0905	1.6F		0554	0954	1.4F		0057	0354	1.0E		0615	0930	1.4F		0756	1113	1.2F			
	1333	1548	0.3E		1305	1548	0.8E		1351	1631	0.6E		1403	1659	1.1E		1354	1639	0.9E		1419	1720	1.1E			
31 Tu	1812	2042	0.4F	31 Tu	1839	2117	0.7F	31 Tu	2202	2499	0.6F	31 F	2253	2550	1.1F	31 F	2253	2550	1.1F	31 Su	2348	2645	1.4F			
	2257				0257	0554	1.0E		0602	0958	1.7F		0147	0442	1.0E		0116	0405	0.9E		0231	0512	0.8E			
					1348	1636	0.9E		1931	2213	0.9F		0735	1110	1.6F		1941	2253	1.1F		2024	2348	1.4F			

Time meridian 135° W. 0000 is midnight. 1200 is noon. Times are not adjusted for Daylight Saving Time.
 * Current weak and variable.

Kodiak Harbor Narrows, Alaska, 2012

F—Flood, Dir. 044° True E—Ebb, Dir. 228° True

October				November				December															
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum									
h	m	h	m	knots	h	m	h	m	knots	h	m	h	m	h	m								
1 M	0312 0831 1439 2047	0547 1141 1739 2047	0.8E 1.1F 1.1E	16 Tu	0244 0810 1357 2008	0518 1111 1659 2348	0.9E 1.1F 1.3E 1.8F	1 Th	0419 0926 1436 2058	0641 1209 1748 2058	0.6E 0.6F 1.1E	16 F	0414 0953 1459 2114	0650 1231 1806 2114	1.9F 0.9E 0.8F 1.3E	1 Sa	0433 0957 1452 2108	0700 1231 1803 2108	1.6F 0.6E 0.6F 1.0E	16 Su	0448 1040 1556 2155	0733 1320 1853 2155	1.8F 1.0E 0.8F 1.1E
2 Tu	0353 0903 1457 2110	0621 1208 1759 2110	1.4F 0.7E 0.9F 1.0E	17 W	0331 0858 1431 2046	0604 1153 1737 2046	0.9E 1.0F 1.4E	2 F	0457 1006 1509 2129	0716 1245 1822 2129	0.5E 0.6F 1.0E	17 Sa	0503 1049 1554 2202	0742 1325 1857 2202	0.9E 0.8F 1.1E	2 Su	0510 1040 1536 2144	0736 1312 1843 2144	1.5F 0.6E 0.5F 0.9E	17 M	0535 1134 1658 2243	0825 1416 1946 2243	0.9E 0.8F 0.9E
3 W	0435 0936 1518 2134	0655 1235 1822 2134	1.4F 0.6E 0.8F 1.0E	18 Th	0421 0950 1512 2128	0652 1238 1819 2128	0.9E 0.9E 1.3E	3 Sa	0537 1051 1548 2204	0755 1326 1900 2204	0.5E 0.5F 0.9E	18 Su	0556 1150 1657 2254	0840 1424 1952 2254	0.8E 0.7F 0.9E	3 M	0548 1125 1623 2223	0816 1357 1925 2223	0.6E 0.5F 0.8E	18 Tu	0622 1230 1805 2330	0919 1516 2043 2330	0.8E 0.7F 0.6E
4 Th	0518 1011 1542 2202	0730 1306 1851 2202	1.3F 0.5E 1.0E	19 F	0514 1047 1559 2215	0744 1329 1906 2215	0.8E 0.8F 1.2E	4 Su	0622 1143 1632 2243	0841 1413 1942 2243	0.4E 0.4F 0.7E	19 M	0652 1255 1809 2349	0946 1532 2055 2349	0.7E 0.6F 0.7E	4 Tu	0628 1213 1718 2303	0859 1447 2012 2303	0.5E 0.5F 0.6E	19 W	0710 1327 1926	1014 1621 2149	0.8E 0.7F 0.4E
5 F	0604 1051 1612 2235	0811 1342 1924 2235	1.3F 0.4E 0.9E	20 Sa	0611 1151 1656 2306	0845 1427 1959 2306	0.7E 0.6F 1.0E	5 M	0712 1243 1727 2326	0937 1509 2031 2326	0.4E 0.3F 0.6E	20 Tu	0752 1404 1937	1055 1647 2212	0.7E 0.6F 0.5E	5 W	0709 1303 1827 2347	0945 1545 2108	0.5E	20 Th	0756 1424	1107 1731	0.7E 0.7F *
6 Sa	0657 1141 1650 2312	0901 1426 2004 2312	0.3E 0.4F 0.7E	21 Su	0715 1304 1806	0959 1538 2103	0.6E 0.5F 0.7E	6 Tu	0807 1352 1839	1041 1616 2134	0.4E 0.3F 0.4E	21 W	0852 1512 2122	1202 1807 2342	0.7E 0.6F 0.3E	6 Th	0750 1355 2000	1033 1650 2219	0.6E 0.5F 0.3E	21 F	0839 1517	1159 1847	0.7E 0.8F
7 Su	0739 2358	2055 2358	0.6E	22 M	0825 1426 1937	1121 1700 2225	0.6E 0.5F 0.5E	7 W	0902 1501 2022	1146 1734 2253	0.4E 0.3F 0.3E	22 Th	0947 1611 2301	1305 1926 2301	0.7E 0.8F	7 F	0830 1447 2345	1122 1802 2345	0.6E 0.7F *	22 Sa	0920 1603	1248 1955	0.7E 0.9F
8 M	0813 1641 2203	1041 1641 2203	1.0F *	23 Tu	0836 1544 2125	1241 1830 2125	0.7E 0.6F	8 Th	0950 1556 2207	1245 1855	0.5E 0.5F	23 F	1034 1700	1356 2028	0.8E 0.9F	8 Sa	0911 1538 2317	1213 1916	0.7E 0.9F	23 Su	0958 1644	1331 2047	0.7E 1.1F
9 Tu	0818 1814 2331	0528 1307 1814 2331	0.9F 0.3E 0.3E	24 W	0824 1039 1648 2259	0650 1349 1950	0.4E 1.1F 0.7F	9 F	0248 1030 1639 2326	0650 1330 2000	0.9F 0.6E 0.7F	24 Sa	0437 1112 1738	0809 1434 2115	0.8F 0.8E 1.1F	9 Su	0331 0954 1625	0121 1306 2016	0.3E 0.7F 1.2F	24 M	0517 1036 1721	0810 1409 2127	0.4F 0.7E 1.2F
10 W	0921 1107 1654 2224	0647 1404 1940	0.9F 0.4E 0.4F	25 Th	0403 1130 1740	0759 1440 2050	1.1F 0.9E 0.9F	10 Sa	0410 1103 1716	0749 1406 2048	0.9F 0.8E 1.0F	25 Su	0543 1142 1810	0854 1503 2154	0.7F 0.9E 1.3F	10 M	0459 1040 1712	0801 1357 2107	0.7F 1.0E 1.5F	25 Tu	0623 1116 1756	0858 1444 2201	0.4F 0.8E 1.4F
11 Th	0341 1143 1734 2334	0751 1439 2036	1.0F 0.6E 0.6F	26 F	0513 1210 1820	0852 1519 2138	1.1F 1.0E 1.1F	11 Su	0520 1136 1751	0838 1440 2130	0.9F 1.0E 1.3F	26 M	0637 1209 1837	0931 1527 2227	0.6F 0.9E 1.4F	11 Tu	0613 1128 1759	0858 1445 2153	0.7F 1.2E 1.7F	26 W	0711 1157 1830	0940 1519 2232	0.5F 0.9E 1.5F
12 F	0451 1211 1805	0839 1505 2118	1.1F 0.7E 0.9F	27 Sa	0610 1241 1852	0933 1550 2217	1.0F 1.0E 1.3F	12 M	0621 1209 1827	0923 1515 2210	0.9F 1.2E 1.6F	27 Tu	0722 1235 1903	1005 1551 2257	0.6F 1.0E 1.5F	12 W	0713 1219 1845	0952 1533 2239	0.8F 1.3E 1.9F	27 Th	0750 1240 1905	1019 1555 2304	0.5F 1.0E 1.6F
13 Sa	0548 1236 1834	0918 1529 2154	1.1F 0.9E 1.1F	28 Su	0657 1305 1919	1008 1613 2252	1.0F 1.0E 1.4F	13 Tu	0716 1245 1905	1007 1553 2251	0.9F 1.3E 1.8F	28 W	0802 1304 1931	1038 1618 2326	0.6F 1.1E 1.6F	13 Th	0807 1311 1932	1044 1621 2324	0.8F 1.3E 1.9F	28 F	0826 1322 1941	1059 1632 2336	0.6F 1.0E 1.6F
14 Su	0638 1301 1902	0955 1555 2231	1.2F 1.1E 1.4F	29 M	0737 1326 1942	1038 1633 2322	0.9F 1.1E 1.5F	14 W	0807 1325 1945	1053 1634 2334	0.9F 1.4E 1.9F	29 Th	0839 1336 2001	1114 1650 2356	0.6F 1.1E 1.6F	14 F	0857 1404 2019	1136 1711	0.9F 1.3E	29 Sa	0901 1403 2016	1138 1711	0.6F 1.0E
15 M	0724 1327 1933	0434 1032 1624 2309	0.9E 1.1F 1.2E 1.6F	30 Tu	0814 1346 2005	1107 1654 2351	0.8F 1.1E 1.5F	15 Th	0859 1409 2028	1141 1719	0.9F 1.4E	30 F	0917 1413 2033	1151 1725	0.6F 1.0E	15 Sa	0402 0948 1459 2107	0645 1228 1802	1.0E 0.9F 1.2E	30 Su	0405 0938 1445 2052	0639 1217 1750	0.7E 0.7F 1.0E
				31 W	0849 1409 2030	1136 1718	0.7F 1.1E													31 M	0438 1015 1529 2128	0710 1256 1829	0.7E 0.7F 0.9E

Time meridian 135° W. 0000 is midnight. 1200 is noon. Times are not adjusted for Daylight Saving Time.
* Current weak and variable.

Isanotski Strait (False Pass Cannery), Alaska, 2012

F—Flood, Dir. 000° True E—Ebb, Dir. 185° True

January				February				March																		
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum												
h	m	h	m	knots	h	m	h	m	knots	h	m	h	m	h	m	knots										
1 Su		0212	2.0E		16 M ●	0433	0749	3.9F	1 W	0152	0337	1.2E	16 Th	0141	0403	2.3E	1 Th	0106	0254	1.3E	16 F	0118	0352	2.5E		
	0456	0801	3.3F	1109		1432	3.4E	0553		0852	2.7F	0643		0936	3.6F	0514		0809	2.6F	0641		0927	3.4F			
	1155	1512	2.7E	1804		2047	3.6F	1224		1608	2.6E	1248		1615	3.6E	1114		1515	2.4E	1238		1556	3.4E	1921	2235	3.9F
	1846	2136	2.9F					1949		2308	3.0F	1946		2256	4.0F	1853		2146	3.0F							
2 M	0108	0316	1.7E	17 Tu	0037	0302	2.3E	2 Th	0256	0446	1.3E	17 F	0246	0513	2.4E	2 F	0206	0400	1.4E	17 Sa	0218	0459	2.6E			
	0549	0851	3.1F		0537	0848	3.8F		0705	0950	2.6F		0754	1043	3.5F		0631	0911	2.5F		0750	1038	3.5F			
	1239	1607	2.8E		1204	1532	3.6E		1314	1701	2.7E		1352	1716	3.6E		1221	1613	2.5E		1346	1700	3.3E	2019	2338	4.0F
	1942	2259	3.0F		1907	2158	3.8F		2037	2358	3.2F		2044				1945	2245	3.2F							
3 Tu	0223	0423	1.5E	18 W	0155	0413	2.2E	3 F	0346	0545	1.5E	18 Sa	0341	0615	2.6E	3 Sa	0252	0459	1.7E	18 Su	0311	0558	2.8E			
	0649	0944	2.9F		0647	0950	3.7F		0812	1048	2.7F		0858	1147	3.6F		0741	1014	2.7F		0851	1144	3.6F			
	1323	1658	2.8E		1302	1632	3.7E		1404	1748	2.9E		1453	1813	3.6E		1327	1706	2.7E		1450	1758	3.3E	2113		
	2032				2006	2308	4.0F		2119				2137				2031	2333	3.4F							
4 W		0002	3.2F	19 Th	0303	0522	2.3E	4 Sa	0425	0633	1.8E	19 Su	0430	0708	2.8E	4 Su	0329	0549	2.1E	19 M		0031	4.0F			
	0328	0528	1.5E		0757	1052	3.7F		0909	1142	2.8F		0956	1245	3.7F		0838	1113	2.9F		0357	0649	2.9E			
	0750	1036	2.8F		1400	1730	3.8E		1451	1831	3.0E		1550	1905	3.6E		1427	1755	2.9E		0945	1242	3.7F	1548	1851	3.3E
	1405	1744	2.9E		2102				2157				2225				2114				2202					

Time meridian 135° W. 0000 is midnight. 1200 is noon. Times are not adjusted for Daylight Saving Time.

Isanotski Strait (False Pass Cannery), Alaska, 2012

F–Flood, Dir. 000° True E–Ebb, Dir. 185° True

April				May				June																											
Slack	Maximum			Slack	Maximum			Slack	Maximum			Slack	Maximum			Slack	Maximum																		
h m	h m	knots		h m	h m	knots		h m	h m	knots		h m	h m	knots		h m	h m	knots																	
1 Su	0147 0714 1255 1935	0414 0944 1623 2236	2.1E 2.8F 2.5E 3.5F	16 M	0233 0837 1444 2042	0533 1138 1738 2355	3.0E 3.5F 2.9E 3.7F	1 Tu	0125 0743 1348 1935	0425 1020 1642 2241	2.8E 3.3F 2.5E 3.8F	16 W	0235 0908 1536 2055	0551 1223 1809 2354	3.1E 3.6F 2.4E 3.3F	1 F	0209 0904 1548 2054	0536 1158 1814 2353	3.7E 4.1F 2.6E 3.9F	16 Sa	0312 1012 1713 2158	0645 1340 1927 2358	3.1E 3.6F 1.9E												
2 M	0226 0810 1406 2025	0505 1046 1718 2325	2.4E 3.1F 2.7E 3.7F	17 Tu	0318 0929 1544 2132	0622 1235 1832 2382	3.1E 3.6F 2.8E	2 W	0206 0835 1455 2030	0515 1119 1739 2332	3.2E 3.6F 2.7E 3.9F	17 Th	0316 0955 1633 2144	0636 1313 1901 2144	3.2E 3.7F 2.3E	2 Sa	0258 0955 1646 2153	0628 1254 1911 2153	3.9E 4.3F 2.7E	17 Su	0347 1051 1758 2244	0723 1414 2010 2244	2.9F 3.1E 3.7F 1.9E												
3 Tu	0303 0900 1507 2113	0552 1142 1809 2313	2.8E 3.5F 2.9E	18 W	0359 1016 1638 2217	0706 1324 1921 2517	3.6F 3.1E 2.7E	3 Th	0249 0924 1555 2124	0604 1215 1834 2382	3.5E 4.0F 2.8E	18 F	0353 1037 1724 2229	0716 1355 1947 2229	3.2E 3.7F 2.2E	3 Su	0348 1045 1740 2251	0719 1347 2007 2251	4.0F 4.1E 2.8E	18 M	0418 1126 1837 2327	0758 1442 2048 2327	3.1E 3.8F 1.9E												
4 W	0340 0948 1603 2159	0638 1235 1859 2359	3.2E 3.8F 3.0E	19 Th	0436 1058 1728 2259	0745 1405 2005 2559	3.2E 3.7F 2.6E	4 F	0333 1013 1651 2217	0653 1309 1928 2317	3.8E 4.3F 2.9E	19 Sa	0426 1115 1811 2311	0752 1431 2029 2311	3.1E 3.7F 2.1E	4 M	0439 1134 1832 2349	0809 1439 2101 2349	4.1E 4.7F 2.9E	19 Tu	0446 1159 1913	0832 1509 2124	3.1E 3.8F 2.0E												
5 Th	0417 1035 1656 2246	0722 1326 1948 2346	3.5E 4.1F 3.1E	20 F	0509 1138 1815 2337	0821 1442 2045 2537	3.1E 3.7F 2.4E	5 Sa	0418 1102 1746 2310	0741 1401 2021 2310	4.0E 4.5F 3.0E	20 Su	0455 1151 1855 2351	0826 1501 2108 2351	3.1E 3.7F 2.0E	5 Tu	0531 1223 1923	0900 1530 2155	4.1E 4.7F 3.0E	20 W	0515 1231 1946	0907 1538 2159	3.0E 3.8F 2.1E												
6 F	0457 1122 1750 2333	0808 1417 2037 2333	3.7E 4.3F 3.2E	21 Sa	0538 1215 1900	0854 1515 2123	3.1E 3.7F 2.3E	6 Su	0504 1151 1840	0830 1453 2114	4.1E 4.6F 3.0E	21 M	0519 1225 1935	0859 1531 2145	3.0E 3.7F 2.0E	6 W	0624 1312 2013	0951 1619 2248	4.0E 4.6F 3.0E	21 Th	0547 1301 2016	0943 1610 2236	3.0E 3.9F 2.2E												
7 Sa	0538 1210 1844	0854 1507 2128	3.9E 4.5F 3.2E	22 Su	0602 1250 1944	0927 1547 2200	3.0E 3.6F 2.1E	7 M	0004 0553 1241 1935	0254 0920 1544 2208	4.1F 4.1E 4.7F 3.0E	22 Tu	0029 0540 1257 2014	0254 0932 1602 2222	2.8F 2.9E 3.7F 1.9E	7 Th	0145 0720 1401 2103	0423 1043 1709 2342	3.7F 3.8E 4.5F 3.0E	22 F	0129 0626 1333 2045	0353 1021 1645 2315	2.8F 2.9E 3.9F 2.4E												
8 Su	0622 1300 1941	0317 0942 1558	4.2F 4.9E 3.1E	23 M	0623 1324 2027	0322 1000 1622 2239	3.0F 2.9E 3.6F 2.0E	8 Tu	0100 0644 1332 2030	0346 1011 1637 2304	4.0F 4.0E 4.6F 3.0E	23 W	0107 0604 1329 2049	0332 1007 1636 2301	2.7F 2.9E 3.7F 1.9E	8 F	0245 0820 1450 2152	0520 1136 1759 2152	3.6F 3.5E 4.4F	23 Sa	0214 0712 1407 2115	0440 1102 1724 2357	2.9F 2.8E 3.9F 2.5E												
9 M	0709 1352 2039	0406 1032 1652 2316	4.1F 4.9E 3.0E	24 Tu	0642 1358 2110	0357 1035 1658 2320	2.8F 2.8E 3.5F 1.8E	9 W	0158 0738 1424 2125	0441 1104 1730 2125	3.8F 3.9E 4.5F	24 Th	0148 0637 1401 2124	0413 1045 1712 2342	2.6F 2.8E 3.7F 2.0E	9 Sa	0347 0924 1540 2241	0619 1231 1849 2241	3.4F 3.2E 4.2F	24 Su	0303 0808 1445 2148	0530 1149 1806	2.9F 2.7E 3.9F												
10 Tu	0801 1447 2140	0459 1125 1748	3.9F 3.8E 4.4F	25 W	0708 1434 2153	0436 1114 1739 2153	2.7F 2.6E 3.4F	10 Th	0300 0838 1518 2221	0002 0538 1159 1825	2.9E 3.6F 3.6E 4.4F	25 F	0234 0719 1436 2157	0458 1126 1753	2.6F 2.7E 3.7F	10 Su	0450 1034 1632 2331	0723 1329 1940 2331	3.3F 2.9E 3.9F	25 M	0357 0916 1529 2225	0626 1241 1853	2.7E 2.5E 3.9F												
11 W	0858 1544 2244	0555 1222 1847	3.8F 3.7E 4.2F	26 Th	0744 1513 2237	0520 1156 1822 2237	2.6F 2.5E 3.4F	11 F	0405 0943 1613 2317	0640 1258 1922	3.5F 3.4E 4.2F	26 Sa	0326 0812 1516 2232	0549 1213 1837	2.6F 2.5E 3.7F	11 M	0553 1149 1725	0832 1430 2032	3.2F 2.5E 3.7F	26 Tu	0455 1036 1619 2308	0726 1340 1943	3.1F 2.3E 3.8F												
12 Th	0915 1002 1645 2347	0657 1323 1950	3.6F 3.5E 4.1F	27 F	0832 1557 2320	1245 1910	2.4E 3.4F	12 Sa	0512 1055 1711	0747 1400 2021	3.3F 3.1E 4.0F	27 Su	0423 0920 1601 2310	0646 1307 1924	2.7F 2.4E 3.7F	12 Tu	0654 1305 1821	0948 1534 2125	3.2F 2.3E 3.4F	27 W	0555 1204 1717 2356	0830 1443 2038	3.3F 2.2E 3.8F												
13 F	1113 1747	0804 2056	3.4F 4.0F	28 Sa	0937 1647	1341 2002	2.4E 3.4F	13 Su	0618 1211 1809	0900 1504 2120	3.3F 2.9E 3.8F	28 M	0522 1043 1653 2350	0747 1406 2015	2.9F 2.3E 3.7F	13 W	0751 1418 1918	1102 1639 2217	3.3F 2.0E 3.2F	28 Th	0654 1326 1821	0936 1550 2135	3.6F 2.2E 3.8F												
14 Sa	0634 1227 1848	0917 1533 2203	3.4F 3.1E 3.9F	29 Su	0547 1101 1742	0812 1441 2055	2.6F 2.3E 3.5F	14 M	0720 1324 1907	1015 1609 2217	3.3F 2.6E 3.6F	29 Tu	0621 1213 1750	0258 0852 2109	2.9E 3.1F 3.8F	14 Th	0151 0843 1524 2014	0517 1206 1741 2306	3.1E 3.4F 1.9E 3.1F	29 F	0047 0751 1438 1928	0418 1042 1656 2233	3.6E 3.8F 2.3E 3.8F												
15 Su	0739 1338 1947	0437 1031 1638 2303	2.9E 3.4F 3.0E 3.8F	30 M	0647 1231 1838	0916 1542 2148	2.9F 2.4E 3.6F	15 Tu	0817 1433 2003	1124 1712 2309	3.4F 2.5E 3.5F	30 W	0718 1335 1851	0956 1612 2204	3.4F 2.3E 3.8F	15 F	0233 0930 1622 2108	0603 1258 1837 2351	3.1E 3.5F 1.9E 3.0F	30 Sa	0141 0846 1540 2035	0514 1144 1759 2332	3.8E 4.1F 2.4E 3.8F												
								15 Tu	0151 0817 1433 2003	0502 1124 1712 2309	3.1E 3.4F 2.5E 3.5F	30 W	0034 0718 1335 1851	0351 0956 1612 2204	3.2E 3.4F 2.3E 3.8F	15 F	0233 0930 1622 2108	0603 1258 1837 2351	3.1E 3.5F 1.9E 3.0F	30 Sa	0141 0846 1540 2035	0514 1144 1759 2332	3.8E 4.1F 2.4E 3.8F												
								31 Th	0121 0812 1446 1953	0444 1059 1714 2259	3.5E 3.8F 2.4E 3.9F	31 Th	0121 0812 1446 1953	0444 1059 1714 2259	3.5E 3.8F 2.4E 3.9F																				

Time meridian 135° W. 0000 is midnight. 1200 is noon. Times are not adjusted for Daylight Saving Time.

Isanotski Strait (False Pass Cannery), Alaska, 2012

F—Flood, Dir. 000° True E—Ebb, Dir. 185° True

July				August				September																		
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum												
	h	m	knots		h	m	knots		h	m	knots		h	m	knots											
1 Su	0235	0608	3.9E	16 M	0314	0653	3.0E	1 W	0418	0739	3.9E	16 Th	0413	0738	3.1E	1 Sa	0600	0857	3.3E	16 Su	0535	0834	3.1E			
	0939	1242	4.3F		1021	1344	3.7F		1101	1408	4.5F		1055	1357	3.9F		1206	1503	4.0F		1135	1433	4.1F	1751	2057	3.4E
	1636	1859	2.6E		1728	1941	1.9E		1753	2030	3.0E		1743	2014	2.6E		1838	2133	3.2E		1828	2141	3.6E	0007	0258	4.1F
	2138				2216				0208	3.9F	0512		0827	3.8E	0455		0817	3.1E	0649		0940	3.1E	0626	0920	3.1E	1216
2 M	0330	0701	4.0E	17 Tu	0351	0730	3.1E	2 Th	1146	1452	4.4F	17 F	1130	1430	4.0F	2 Su	1245	1539	3.9F	17 M	1828	2141	3.6E			
	1029	1335	4.5F		1057	1410	3.8F		1130	1430	4.0F		1130	1430	4.0F		1245	1539	3.9F		1216	1516	4.1F	1828	2141	3.6E
	1728	1954	2.8E		1803	2017	2.0E		1835	2117	3.1E		1811	2051	2.8E		1914	2212	3.1E		1914	2212	3.1E	0054	0347	4.1F
	2238				2300				0015	0258	3.8F		0604	0914	3.6E		0539	0857	3.1E		0739	1022	2.8E	0719	1008	3.0E
3 Tu	0424	0753	4.1E	18 W	0427	0806	3.1E	3 F	1229	1533	4.3F	18 Sa	1205	1507	4.1F	3 M	1322	1614	3.7F	18 Tu	1908	2228	3.7E			
	1118	1425	4.6F		1130	1437	3.9F		1229	1533	4.3F		1205	1507	4.1F		1322	1614	3.7F		1322	1614	3.7F	1301	1601	4.1F
	1816	2047	2.9E		1834	2052	2.2E		1916	2202	3.1E		1840	2130	3.0E		1840	2130	3.0E		1948	2253	3.0E	1908	2228	3.7E
	2336				2341				0105	0347	3.8F		0604	0914	3.6E		0539	0857	3.1E		0739	1022	2.8E	0719	1008	3.0E

Time meridian 135° W. 0000 is midnight. 1200 is noon. Times are not adjusted for Daylight Saving Time.

Isanotski Strait (False Pass Cannery), Alaska, 2012

F–Flood, Dir. 000° True E–Ebb, Dir. 185° True


October				November				December															
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum									
	h	m	knots		h	m	knots		h	m	knots		h	m	knots								
1 M	0019	0313	3.8F	16 Tu	0623	0903	3.0E	1 Th	0110	0410	3.7F	16 F	0103	0408	4.7F	1 Sa	0116	0422	3.7F	16 Su	0133	0441	4.7F
	0646	0922	2.7E		1154	1448	4.1F		0814	1026	2.0E		0802	1035	3.0E		0835	1047	2.0E		0832	1112	3.1E
	1219	1505	3.5F		1750	2114	3.9E		1312	1542	2.8F		1328	1611	3.9F		1336	1557	2.6F		1414	1651	3.8F
	1829	2140	3.1E						1832	2221	2.8E		1906	2235	3.9E		1825	2229	2.8E		1950	2308	3.7E
2 Tu	0059	0352	3.7F	17 W	0032	0332	4.5F	2 F	0145	0446	3.6F	17 Sa	0154	0501	4.6F	2 Su	0147	0456	3.7F	17 M	0222	0530	4.5F
	0733	1002	2.5E		0716	0954	3.0E		0858	1107	1.9E		0856	1131	3.0E		0909	1126	2.0E		0921	1207	3.1E
	1256	1538	3.3F		1244	1537	4.0F		1352	1621	2.7F		1429	1708	3.7F		1420	1640	2.6F		1515	1749	3.6F
	1857	2217	3.0E		1836	2203	3.9E		1856	2259	2.7E		2004	2329	3.7E		1901	2308	2.6E		2053		
3 W	0139	0430	3.6F	18 Th	0123	0424	4.5F	3 Sa	0220	0524	3.5F	18 Su	0247	0555	4.5F	3 M	0218	0533	3.6F	18 Tu	0312	0002	3.4E
	0821	1044	2.2E		0813	1048	2.9E		0941	1151	1.8E		0950	1230	3.0E		0941	1208	2.1E		1010	1303	3.1E
	1332	1614	3.1F		1339	1629	3.9F		1438	1704	2.5F		1534	1809	3.6F		1508	1728	2.5F		1618	1852	3.5F
	1924	2255	2.8E		1926	2255	3.8E		1928	2340	2.5E		2109				1947	2351	2.4E		2202		

Time meridian 135° W. 0000 is midnight. 1200 is noon. Times are not adjusted for Daylight Saving Time.

EXPLANATION OF PREDICTIONS FOR UNIMAK PASS

The predictions for Unimak Pass contain the predicted times of slack water, times and speeds of maximum flood and ebb, and times and speeds of minimum flood. The currents are identified by an "F" accompanying a flood speed and "E" with an ebb speed. The middle one of three consecutive floods or a 0.0 speed is called "minimum flood".

The currents in this waterway are dominated primarily by the declination of the Moon. When the Moon is near the Equator there are two flood and two ebb currents each day, but as the Moon's declination increases it gives rise to a diminishing speed in one ebb and an increasing speed in the other. As the Moon approaches its extreme declination, north or south of the Equator, the diurnal inequality in the ebb current may become so pronounced that one ebb entirely disappears and instead of two floods and two ebbs there are but one flood and one ebb in a day.



The current on days when there is but one flood and one ebb is represented by the figure above, which is characteristic of the current on a day when the Moon is near its maximum declination. The speed at any moment is given by the distance of the curve from the horizontal line, while the occurrence of slack water is denoted by the intersection of the curve with the horizontal or slack water line. The flood current is represented by the curve above the line and the ebb current by the curve below the line. It will be noted that when there are but one ebb and one flood in a day the flood lasts for the greater part of the day and is of varying strength. Starting with the slack before ebb, *A*, the figure shows that the current gradually increases to a maximum ebb at *B* after which it begins to decrease to a slack before flood at *C*. From this slack the current gradually increases to a maximum flood at *D* and then begins to decrease gradually to a smaller speed at *E*, called the minimum flood. From this point the current again increases to a second maximum flood, *F*, after which it gradually decreases to a slack before ebb at *G*.

Unimak Pass, Aleutian Islands, 2012

F—Flood, Dir. 280° True E—Ebb, Dir. 118° True

April				May				June													
Slack	Maximum		knots	Slack	Maximum		knots	Slack	Maximum		knots	Slack	Maximum		knots						
h m	h m	h m		h m	h m	h m		h m	h m	h m		h m	h m	h m							
1 Su	0008 0600 1122 1404 2135	2.1F 0.2F 1.0F 2.2E		16 M	0434 0709 0953 1604 2216	0.038 1.1E 1.7F 2.1E		1 Tu	0403 0922 1507 2106	0.624 1.3F 1.6E		16 W	0412 0735 1059 1726 2152	0.041 2.5F 1.9F 0.8E		1 F	0344 0727 1109 1810 2104	2.6F 3.4E 2.8F 0.5E	16 Sa	0428 0821 1205 2111	0.122 3.1E 2.4F 0.1F
2 M	0056 0714 1234 1519 2221	2.2F 0.2E 1.2F 2.1E		17 Tu	0510 1106 1720 2302	0.129 1.6E 2.0F 1.8E		2 W	0420 1029 1635 2148	0.039 1.7E 1.8F 1.4E		17 Th	0445 1148 1846 2232	0.126 2.6E 2.2F 0.6E		2 Sa	0425 1202 1928 2148	2.6F 4.1E 3.3F 0.3E	17 Su	0504 1247 2202	0.208 3.3E 2.7F 0.2F
3 Tu	0140 0552 1028 1633 2301	2.3F 0.7E 1.6F 2.1E		18 W	0543 1202 1829 2343	0.215 2.1E 1.5E		3 Th	0442 1124 1754 2228	0.121 2.5E 1.2E		18 F	0516 1230 1957 2309	0.209 3.0E 0.4E		3 Su	0510 1254 2132	2.7F 4.6E 0.2E	18 M	0541 1327 2249	0.252 3.5E 2.8F 0.2F
4 W	0600 1131 1742 2339	2.5F 1.4E 2.0E		19 Th	0612 1249 1932	0.256 2.5E 1.3E		4 F	0511 1215 1905 2307	0.204 3.3E 1.0E		19 Sa	0547 1309 2100 2341	2.1F 3.2E 0.3E		4 M	0559 1345 2228	2.8F 4.9E 3.9F 0.2E	19 Tu	0617 1406 2337	0.332 3.6E 3.0F 0.2F
5 Th	0616 1225 1848	2.6F 2.2E 1.8E		20 F	0640 1331 2029	0.332 2.9E 1.0E		5 Sa	0545 1305 2010 2346	0.246 4.0E 0.8E		20 Su	0618 1348 2305	2.0F 3.4E 0.1E		5 Tu	0651 1436 2223	2.8F 5.0E 3.9F 0.3E	20 W	0652 1444	1.7F 3.6E 3.0F
6 F	0014 0638 1316 1951	2.8F 3.0E 3.2F 1.6E		21 Sa	0054 0708 1410 2125	0.407 3.1E 2.9F 0.8E		6 Su	0624 1356 2112	0.330 4.5E 0.7E		21 M	0650 1427 2352	1.9F 3.5E 0.0		6 W	0040 0744 1524 2308	2.7F 4.8E 3.9F	21 Th	0022 0450 1141 1830	0.2F 1.6F 3.5E 3.1F
7 Sa	0049 0707 1406 2053	2.9F 3.6E 3.6F 1.4E		22 Su	0126 0736 1449 2224	0.441 3.2E 3.0F		7 M	0027 0709 1446 2213	0.414 4.8E 4.0F 0.5E		22 Tu	0723 1506	1.8F 3.5E 3.0F		7 Th	0156 0839 1611 2348	0.4E 2.5F 4.4E 3.7F	22 F	0101 0532 1221 1553	0.0 1.5F 3.3E 3.1F
8 Su	0123 0743 1457 2156	2.9F 4.1E 3.9F 1.1E		23 M	0154 0806 1528 2327	0.008 2.0F 3.3E 3.0F		8 Tu	0112 0757 1537 2312	0.502 4.8E 4.0F		23 W	0756 1545	0.038 1.6F 3.4E 3.0F		8 F	0313 0937 1655	0.6E 2.2F 3.9E 3.5F	23 Sa	0136 0618 1301 1624	0.2E 1.5F 3.1E 3.1F
9 M	0159 0824 1550 2259	2.9F 4.4E 3.9F		24 Tu	0051 0217 0837 1608	0.3E 1.8F 3.2E 2.9F		9 W	0203 0850 1628	0.035 2.7F 4.6E 3.8F		24 Th	0831 1622	0.120 1.5F 3.3E 2.9F		9 Sa	0025 0432 1039 1736	0.223 0.9E 1.9F 3.3F	24 Su	0027 0405 0944 1653	0.210 1.5F 2.8E 3.0F
10 Tu	0236 0912 1643	0.9E 2.9F 4.5E 3.7F		25 W	0131 0624 1321 1958	0.2E 1.6F 3.1E 2.7F		10 Th	0006 0302 0947 1719	0.131 0.5E 4.2F 3.5F		25 F	0159 0632 1330 1659	0.0 1.4F 3.1E 2.9F		10 Su	0100 0552 1146 1813	0.317 1.2E 2.6E 3.1F	25 M	0036 0516 1049 1721	0.247 1.1E 2.4E 3.0F
11 W	0003 0316 1006 1739	0.136 0.7E 4.3E 3.4F		26 Th	0210 0658 1402 1732	0.0 1.4F 3.0E 2.6F		11 F	0054 0410 1049 1808	0.226 2.1F 3.7E 2.1E		26 Sa	0239 0717 1410 1734	0.1E 1.2F 2.9E 2.8F		11 M	0135 0714 1259 1847	0.411 1.5E 1.8E 2.8F	26 Tu	0049 0626 1205 1748	0.328 1.6F 1.9E 2.9F
12 Th	0104 0403 1106 1835	0.228 0.7E 4.0E 3.1F		27 F	0253 0736 1443 1814	0.1F 1.2F 2.8E 2.5F		12 Sa	0139 0531 1157 1855	0.326 1.7F 3.1E 3.0F		27 Su	0156 0502 1050 1807	0.320 1.1F 2.5E 2.7F		12 Tu	0209 0832 1422 1918	0.504 1.9E 1.2E 2.6F	27 W	0110 0736 1332 1814	0.415 1.8F 1.3E 2.8F
13 F	0203 0501 1212 1932	0.326 0.5E 3.5E 2.9F		28 Sa	0340 0824 1528 1856	0.0 1.1F 2.5E 2.4F		13 Su	0220 0704 1311 1941	0.430 1.5F 2.4E 2.8F		28 M	0207 0630 1202 1839	0.405 1.1F 2.1E 2.7F		13 W	0243 0939 1555 1945	0.556 2.2E 0.6E 2.4F	28 Th	0139 0845 1508 1840	0.505 2.1F 0.8E 2.7F
14 Sa	0301 0621 1324 2030	0.432 0.5E 3.0E 2.7F		29 Su	0434 0939 1616 1939	0.1E 0.9F 2.2E 2.4F		14 M	0300 0840 1433 2026	0.535 1.4F 1.8E 2.7F		29 Tu	0222 0755 1329 1912	0.453 1.3E 1.6E 2.6F		14 Th	0317 1034 1850	0.647 2.5E 0.2E	29 F	0217 0950 1650 1904	0.600 2.5F 0.3E 2.7F
15 Su	0351 0811 1443 2126	0.548 0.7E 1.7F 2.5E		30 M	0350 0743 1337 2022	0.530 1.0F 1.9E 2.4F		15 Tu	0337 1000 1600 2110	0.639 1.7E 1.2E		30 W	0242 0910 1506 1947	0.542 1.7F 1.2E 2.6F		15 F	0352 1122	0.036 2.1F 2.8E 0.1F	30 Sa	0304 1050	0.659 2.9F 4.0E 0.0
												31 Th	0310 1013 1642 2024	0.634 2.7E 2.2F 0.8E							

Time meridian 135° W. 0000 is midnight. 1200 is noon. Times are not adjusted for Daylight Saving Time.
NOTE—See detailed explanation on page 129.

Unimak Pass, Aleutian Islands, 2012

F—Flood, Dir. 280° True E—Ebb, Dir. 118° True

July				August				September																
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum										
	h	m	knots		h	m	knots		h	m	knots		h	m	knots									
1 Su	0356	0759	4.5E	16 M	0430	0834	3.2E	1 W	0548	0941	4.3E	16 Th	0539	0929	3.0E	1 Sa	0134	0440	2.7F	16 Su	0111	0414	2.5F	
	1148	1449	3.3F		1222	1539	2.5F		1316	1615	3.4F		1306	1616	2.7F		1406	1706	3.1F		1318	1626	2.7F	
		2014	0.1F		2149	0.4F	2038		2216	0.6E	2106		2323	0.3E	2039		2337	2.1E	1945		2252	2.4E		
2 M		0147	2.7F	17 Tu	0513	0918	3.3E	2 Th	0647	1033	4.1E	17 F	0004	0340	1.8F	2 Su	0229	0529	2.6F	17 M	0159	0500	2.9F	
	0452	0857	4.8E		1304	1617	2.7F		1401	1659	3.4F		0626	1007	2.9E		0849	1150	2.3E		0822	1059	1.9E	
	1242	1543	3.5F		2233	0.3F	2107		2313	1.0E	2102		2302	0.7E	1440		1742	3.0F	1347		1658	2.8F		
3 Tu		0248	2.7F	18 W	0554	0957	3.4E	3 F	0121	0441	2.6F	18 Sa	0110	0425	2.0F	3 M		0018	2.4E	18 Tu	0247	0548	3.2F	
	0548	0951	4.8E		1342	1652	2.8F		0745	1122	3.7E		0715	1044	2.8E		0319	0616	2.6F		0921	1145	1.6E	
	1334	1633	3.7F		2313	0.2F	1441		1741	3.4F	2108		2335	1.2E	1511		1817	2.8F	1416		1733	2.9F		
4 W		0346	2.7F	19 Th	0634	1035	3.4E	4 Sa	0230	0536	2.5F	19 Su	0207	0511	2.3F	4 Tu		0057	2.6E	19 W		0017	3.6E	
	0645	1044	4.7E		1416	1725	2.9F		0841	1210	3.2E		0808	1125	2.6E		0405	0701	2.5F		0337	0638	3.5F	
	1422	1721	3.7F		2349	0.1E	1517		1820	3.3F	2121		1436	1743	2.9F		1044	1314	1.4E		1024	1233	1.3E	
5 Th		0052	2.6F	20 F	0716	1113	3.3E	5 Su	0054	0054	1.8E	20 M		0012	1.9E	5 W		0135	2.7E	20 Th		0105	4.0E	
	0741	1137	4.4E		1448	1756	3.0F		0937	1255	2.6F		0300	0559	2.5F		0451	0746	2.4F		0430	0729	3.5F	
	1506	1807	3.7F		2248		1550		1857	3.2F	2242		1503	1814	3.0F		1144	1352	1.0E		1516	1852	2.8F	
6 F		0024	0.7E	21 Sa	0200	0520	1.8F	6 M	0136	0136	2.1E	21 Tu		0052	2.5E	6 Th		0214	2.8E	21 F		0155	4.2E	
	0837	1228	3.9E		0801	1153	3.1E		1037	1336	2.1E		0353	0650	2.8F		0537	0834	2.2F		0526	0824	3.4F	
	1548	1851	3.6F		1518	1827	3.1F		1620	1933	2.9F		1008	1252	1.9E		1248	1430	0.6E		1234	1409	0.7E	
7 Sa		0118	1.1E	22 Su	0057	0909	0.9E	7 Tu	0215	0215	2.3E	22 W		0135	3.1E	7 F		0255	2.7E	22 Sa		0249	4.2E	
	0330	0635	2.2F		0305	0609	1.9F		1140	1414	1.5E		0448	0743	2.9F		0625	0928	2.1F		0624	0925	3.2F	
	0934	1315	3.3E		1546	1857	3.1F		1646	2008	2.7F		1115	1337	1.5E		1510	2.0E	2038		1341	1501	0.5E	
8 Su		0206	1.5E	23 M	0132	1406	0.7E	8 W	0255	0255	2.5E	23 Th		0220	3.5E	8 Sa		0340	2.6E	23 Su		0347	4.0E	
	0440	0732	1.9F		0853	1233	2.8E		0616	0906	1.8F		0545	0840	2.9F		0719	1031	1.9F		0726	1030	3.0F	
	1035	1359	2.7E		1612	1929	3.1F		1247	1453	1.0E		1226	1423	1.1E		1557	2.0F	2125		1451	1601	0.3E	
9 M		0011	1.8E	24 Tu	0210	0506	0.7E	9 Th	0336	0336	2.5E	24 F		0311	3.8E	9 Su		0431	2.5E	24 M		0450	3.7E	
	0548	0832	1.7F		1101	1357	2.0E		1402	1534	0.5E		0646	0944	2.9F		0818	1135	1.9F		0831	1135	2.8F	
	1141	1440	2.0E		1638	2002	3.0F		1716	2126	2.0F		1341	1513	0.7E		1655	0.3F	2229		1557	1710	0.3E	
10 Tu		0043	0.3E	25 W	0252	0606	0.8E	10 F	0422	0422	2.6E	25 Sa		0408	3.9E	10 M		0525	2.4E	25 Tu		0557	3.3E	
	0653	0939	1.5F		1216	1442	1.5E		1622	0.0	0752		1051	2.8F	0919		1237	1.9F	0934		1238	2.8F		
	1251	1523	1.4E		1703	2040	2.9F		2214	1.8F	1505		1610	0.3E	1816		0.4F	2338	1650		1832	0.5E		
11 W		0115	2.3E	26 Th	0011	0340	3.2E	11 Sa	0513	0513	2.6E	26 Su		0511	3.9E	11 M		0623	2.3E	26 W		0028	2.0F	
	0757	1049	1.5F		0710	1005	2.4F		1216	1.8F	0901		1159	2.7F	1014		1335	2.0F	1032		1336	2.8F		
	1411	1608	0.7E		1337	1532	1.0E		1718	0.3F	1714		0.1E	1714	0.1E		2015	0.2F	1732		1956	1.0E		
12 Th		0148	2.4E	27 F	0051	0434	3.6E	12 Su	0608	0608	2.6E	27 M		0618	3.9E	12 W		0045	1.2F	27 Th		0145	2.2F	
	0859	1154	1.6F		0817	1114	2.5F		1322	1.9F	1007		1305	2.8F	0333		0721	2.3E	0450		0813	2.7E		
	1658	2303	2.1F		1509	1628	0.5E		1837	0.5F	1831		0.0	1831	0.0		1101	1422	2.2F		1122	1428	2.8F	
13 F		0224	2.6E	28 Sa	0140	0533	3.9E	13 M	0006	0006	1.4F	28 Tu		0024	2.3F	13 Th		0147	1.3F	28 F		0251	2.4F	
	0956	1258	1.7F		0926	1221	2.7F		0310	0707	2.7E		0335	0727	3.8E		0434	0812	2.4E		0600	0910	2.5E	
	1758	2350	1.9F		1730	0.1E	2041		0.5F	1102	1423		2.1F	1838	2000		0.3E	1919	2123		0.6E	1207	1512	2.9F
14 Sa		0304	2.8E	29 Su	0238	0637	4.1E	14 Tu	0105	0105	1.4F	29 W		0140	2.4F	14 F		0241	1.6F	29 Sa		0346	2.6F	
	1048	1400	2.0F		1031	1328	2.8F		0401	0803	2.8E		0446	0832	3.7E		0532	0856	2.3E		0705	0959	2.1E	
	1921	2053	0.5F		1841	0.1F	2133		0.3F	1509	2.3F		1909	2111	0.8E		1216	1527	2.5F		1247	1551	2.8F	
15 Su		0040	1.7F	30 M	0028	0743	4.3E	15 W	0203	0203	1.5F	30 Th		0248	2.5F	15 Sa		0329	2.0F	30 Su		0433	2.8F	
	0347	0745	3.0E		1131	1431	3.0F		0451	0849	2.9E		0553	0928	3.5E		0628	0936	2.3E		0804	1045	1.8E	
	1137	1454	2.2F		2001	0.1F	2205		0.0	1230	1545		2.5F	1248	1548		3.1F	1248	1556		2.6F	1323	1627	2.7F
				31 Tu	0138	0845	2.6F					31 F		0347	2.6F					31 O		2301	2.8E	
					1226	1526	3.2F						0030	0654	1018	3.2E					0009	2252	1.7E	
					2115	0.2E					1329		1628	3.2F					2009		2252	1.7E		

Time meridian 135° W. 0000 is midnight. 1200 is noon. Times are not adjusted for Daylight Saving Time.
NOTE—See detailed explanation on page 129.

Unimak Pass, Aleutian Islands, 2012

F—Flood, Dir. 280° True E—Ebb, Dir. 118° True

October				November				December																													
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum																							
	h m	h m	knots		h m	h m	knots		h m	h m	knots		h m	h m	knots																						
1	M	0216	0517	2.9F	16	Tu	0145	0448	3.5F	1	Th	0314	0620	3.0F	16	F	0311	0613	4.0F	1	Sa	0331	0642	3.0F	16	Su	0346	0647	4.6E								
		0900	1130	1.4E			0838	1035	1.1E			1120	1240	0.3E			1052	1204	0.4E			2022															
		1356	1702	2.6F			1247	1617	2.7F			1400	1734	1.8F			1322	1722	2.7F			2022															
		2009	2339	3.0E			1912	2301	4.1E			2021					2018					2022															
2	Tu	0257	0559	2.9F	17	W	0233	0536	3.8F	2	F	0354	0701	2.9F	17	Sa	0402	0703	3.9F	2	Su	0409	0721	3.0F	17	M	0430	0733	3.7F								
		0957	1214	1.1E			0938	1124	0.9E			0701	1322	0.2E			1142	1302	0.5E			2100															
		1427	1736	2.3F			1322	1657	2.8F			2056					1427	1816	2.6F			2100															
		2039					1952	2351	4.4E			2133					2114					2144															
3	W	0338	0640	2.8F	18	Th	0323	0625	3.9F	3	Sa	0435	0744	2.8F	18	Su	0451	0753	3.7F	3	M	0445	0800	2.9F	18	Tu	0511	0820	3.5F								
		1055	1255	0.8E			1040	1216	0.7E			2133					1226	1358	0.6E			2144															
		1455	1811	2.1F			1400	1741	2.8F			2133					1540	1915	2.3F			2144															
		2110					2037					2133					2216					2144															

Time meridian 135° W. 0000 is midnight. 1200 is noon. Times are not adjusted for Daylight Saving Time.
 NOTE—See detailed explanation on page 129.

Akutan Pass, Aleutian Islands, 2012

F—Flood, Dir. 301° True E—Ebb, Dir. 103° True

July				August				September																
Slack	Maximum			Slack	Maximum			Slack	Maximum			Slack	Maximum			Slack	Maximum							
	h	m	knots		h	m	knots		h	m	knots		h	m	knots		h	m	knots					
1 Su	0247	0542	4.4E	16 M	0339	0644	3.0E	1 W	0442	0747	4.2E	16 Th	0452	0803	3.6E	1 Sa	0034	0323	5.9F	16 Su	0619	0907	3.2E	
	0959	1313	6.4F		1033	1421	5.6F		1136	1447	7.2F		1125	1436	6.3F		0641	0945	3.5E		1211	1509	6.3F	
	1743	1944	1.0E		1835	2023	0.9E		1851	2148	2.4E		1855	2119	1.9E		1250	1546	6.3F		1831	2107	3.1E	
	2148				2225								2342				1925	2240	2.9E					
2 M	0345	0641	4.6E	17 Tu	0422	0731	3.4E	2 Th	0542	0850	4.2E	17 F	0538	0846	3.7E	2 Su	0734	1028	3.1E	17 M	0707	0946	3.0E	
	1056	1409	7.1F		1114	1447	6.1F		1225	1531	7.3F		1205	1508	6.6F		1329	1622	6.0F		1247	1549	6.4F	
	1830	2054	1.5E		1908	2112	1.3E		1930	2235	2.7E		1916	2149	2.1E		1958	2305	2.8E		1856	2132	3.7E	
	2303				2322								●											
3 Tu	0442	0739	4.7E	18 W	0505	0816	3.7E	3 F	0640	0946	4.0E	18 Sa	0624	0926	3.7E	3 M	0827	1108	2.7E	18 Tu	0757	1027	2.7E	
	1149	1500	7.5F		1153	1513	6.5F		1311	1613	7.2F		1242	1544	6.7F		1404	1658	5.5F		1322	1631	6.4F	
	1915	2156	2.0E		●	1940	2155		1.6E	2007	2317		2.9E	1935	2212		2.4E	2031	2326		2.7E	1927	2206	4.2E
4 W	0540	0838	4.6E	19 Th	0548	0900	3.9E	4 Sa	0737	1037	3.6E	19 Su	0711	1006	3.5E	4 Tu	0921	1148	2.2E	19 W	0850	1111	2.4E	
	1239	1548	7.7F		1231	1543	6.8F		1353	1653	6.7F		1317	1621	6.8F		1435	1733	5.1F		1359	1715	6.3F	
	1958	2251	2.4E		2010	2234	1.9E		2044	2354	2.8E		1955	2229	2.8E		2103	2347	2.6E		2004	2248	4.5E	
5 Th	0638	0937	4.4E	20 F	0632	0942	3.9E	5 Su	0834	1124	3.2E	20 M	0801	1045	3.2E	5 W	1018	1230	1.7E	20 Th	0948	1200	2.0E	
	1326	1634	7.7F		1309	1618	7.0F		1432	1731	6.2F		1351	1701	6.7F		1501	1811	4.6F		1440	1803	6.0F	
	2041	2341	2.6E		2036	2307	2.1E		2119				2018	2252	3.3E		2136				2048	2335	4.6E	
6 F	0737	1036	4.0E	21 Sa	0718	1024	3.8E	6 M	0932	1208	2.6E	21 Tu	0854	1126	2.8E	6 Th	1120	1317	1.3E	21 F	1052	1258	1.6E	
	1412	1718	7.3F		1345	1654	7.0F		1506	1809	5.6F		1424	1743	6.6F		1528	1851	4.2F		1527	1853	5.5F	
	2123				2058	2335	2.3E		2154				2046	2325	3.8E		2212				2138			
7 Sa	0838	1132	3.5E	22 Su	0808	1105	3.5E	7 Tu	1032	1252	2.0E	22 W	0952	1211	2.3E	7 F	1230	1411	0.9E	22 Sa	1203	1407	1.3E	
	1455	1801	6.8F		2118	2355	2.5E		1534	1846	5.0F		1458	1827	6.3F		1600	1934	3.7F		●	1625	1949	5.0F
	2203								2229				2122				2252				2238			
8 Su	0941	1225	2.9E	23 M	0901	1147	3.1E	8 W	1138	1339	1.4E	23 Th	1058	1302	1.7E	8 Sa	1348	1513	0.6E	23 Su	1317	1527	1.2E	
	1535	1843	6.1F		1453	1813	6.7F		1557	1926	4.4F		1534	1915	5.9F		1644	2023	3.3F		1740	2050	4.5F	
	2242				2141				2304				2205				2342				2349			
9 M	1047	1316	2.2E	24 Tu	1000	1231	2.5E	9 Th	1254	1432	0.8E	24 F	1215	1404	1.2E	9 Su	1501	1620	0.5E	24 M	1427	1650	1.3E	
	1611	1924	5.4F		1526	1856	6.4F		1619	2008	3.9F		1617	2007	5.3F		1749	2118	2.9F		1907	2158	4.2F	
	2320				2208				2343				2256											
10 Tu	1159	1407	1.5E	25 W	1108	1321	1.9E	10 F	1423	1533	0.4E	25 Sa	1341	1523	0.8E	10 M	1557	1728	0.6E	25 Tu	1526	1809	1.7E	
	1640	2005	4.7F		1558	1941	6.0F		1649	2055	3.4F		1716	2105	4.8F		1915	2219	2.8F		2028	2312	4.3F	
	2358				2243								2359											
11 W	1318	1503	0.9E	26 Th	1226	1419	1.3E	11 Sa	1642	*		26 Su	1505	1654	0.7E	11 Tu	1638	1829	1.0E	26 W	1614	1916	2.2E	
	1705	2048	4.0F		1634	2031	5.5F		2148				1847	2210	4.4F		2036	2323	3.0F		2136			
					2327																			
12 Th	1447	1604	0.5E	27 F	1357	1530	0.7E	12 Su	1650	1754	0.3E	27 M	1609	1823	1.1E	12 W	1656	1801	1.4E	27 Th	1656	2011	2.7E	
	1732	2135	3.5F		1719	2127	5.0F		1913	2248	2.8F		2027	2321	4.3F		2138				2138			
13 F	1710	1910	3.8F	28 Sa	1515	0827	5.2F	13 M	1729	1901	0.7E	28 Tu	1657	1938	1.7E	13 Th	1734	1958	1.8E	28 F	1732	2054	2.9E	
	2048				2327				2053	2350	3.0F		2146				2227				2325			
14 Sa	1819	2054	3.0F	29 Su	1640	1825	0.7E	14 Tu	1801	1957	1.1E	29 W	1738	2038	2.3E	14 F	1753	2028	2.2E	29 Sa	1732	2054	2.9E	
	1938	2324	3.0F		2014	2334	4.5F		2204				2251				2310				2325			
15 Su	1938	2324	3.0F	30 M	1640	1825	0.7E	15 W	1801	1957	1.1E	30 Th	1738	2038	2.3E	15 Sa	1753	2028	2.2E	30 Su	1732	2054	2.9E	
	2054	2354	2.8E		2014	2334	4.5F		2204				2251				2310				2325			
16 M	2054	2354	2.8E	31 Tu	2014	2334	4.5F	16 Th	2043	2348	1.5E	31 F	2043	2348	1.5E	16 Su	2043	2348	1.5E	31 W	2043	2348	1.5E	
	2148				2036	2307	2.1E		2119				2119				2136				2136			

Time meridian 135° W. 0000 is midnight. 1200 is noon. Times are not adjusted for Daylight Saving Time.
 * Current weak and variable.

Kvichak Bay (off Naknek River ent.), Alaska, 2012

F—Flood, Dir. 055° True E—Ebb, Dir. 240° True

January				February				March													
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum							
h	m	h	m	h	m	h	m	h	m	h	m	h	m	h	m						
1				16				1				16									
Su	0342	0552	2.5F	M	0324	0530	2.8F	W	0442	0650	2.6F	Th	0429	0648	3.5F	Th	0407	0614	2.6F		
	0921	1258	2.1E	●	1544	1743	2.4F		1031	1457	2.0E		1022	1329	2.5E		0950	1313	2.1E		
	1557	1755	2.3F		2034				1718	1900	1.8F		1713	1906	2.4F		1650	1831	1.8F		
	2108								2159				2159				2128				
2				17				2				17									
M	0429	0641	2.6F	Tu	0408	0620	3.1F	Th	0527	0736	2.7F	F	0521	0741	3.5F	F	0452	0701	2.7F		
	1016	1433	2.0E		0949	1247	2.2E		1118	1453	2.0E		1116	1427	2.6E		1035	1355	2.1E		
	1652	1843	2.1F		1638	1834	2.3F		1809	1949	1.7F		1808	2000	2.3F		1739	1920	1.8F		
	2151				2120				2243				2256				2215				
3				18				3				18									
Tu	0516	0728	2.6F	W	0454	0711	3.3F	F	0613	0823	2.8F	Sa	0615	0835	3.5F	Sa	0539	0748	2.8F		
	1109	1535	2.1E		1045	1344	2.2E		1206	1535	2.0E		1210	1526	2.7E		1121	1438	2.1E		
	1746	1932	1.9F		1734	1925	2.3F		1901	2039	1.7F		1904	2055	2.3F		1828	2009	1.8F		
	2234				2210				2330				2355				2303				
4				19				4				19									
W	0602	0814	2.7F	Th	0543	0803	3.5F	Sa	0659	0911	2.9F	Su	0710	0928	3.4F	Su	0626	0836	2.8F		
	1159	1630	2.1E		1140	1442	2.4E		1252	1618	2.1E		1304	1626	2.7E		1206	1522	2.2E		
	1840	2021	1.7F		1829	2019	2.2F		1952	2129	1.6F		1958	2151	2.3F		1916	2059	1.8F		
	2318				2303												2354				
5				20				5				20									
Th	0647	0900	2.8F	F	0633	0856	3.6F	Su	0746	0959	2.9F	M	0806	1022	3.2F	M	0715	0925	2.7F		
	1248	1723	2.1E		1234	1541	2.5E		1338	1702	2.2E		1356	1727	2.7E		1251	1606	2.2E		
	1934	2110	1.6F		1925	2113	2.2F		2042	2219	1.6F		2053	2247	2.3F		2004	2149	1.9F		
6				21				6				21									
F	0003	0340	2.5E	Sa	0000	0328	3.2E	M	0110	0433	2.3E	Tu	0157	0524	2.7E	Tu	0047	0402	2.3E		
	0732	0947	2.9F		0726	0949	3.6F		0834	1047	2.9F		0902	1115	3.0F		0805	1014	2.7F		
	1335	1813	2.2E		1328	1640	2.6E		1423	1745	2.2E		1448	1829	2.8E		1336	1650	2.3E		
	2027	2200	1.5F		2021	2208	2.1F		2131	2310	1.7F		●	2146	2344	2.2F		2050	2239	2.1F	
7				22				7				22									
Sa	0050	0424	2.4E	Su	0059	0427	3.0E	Tu	0203	0523	2.3E	W	0258	0628	2.5E	W	0141	0454	2.3E		
	0818	1034	2.9F		0820	1042	3.6F		0923	1135	2.9F		0957	1208	2.8F		0856	1103	2.6F		
	1421	1902	2.2E		1421	1740	2.7E		1507	1828	2.3E		1537	1931	2.7E		1420	1734	2.4E		
	2119	2251	1.4F		●	2116	2304	2.1F		●	2219				2136	2330	2.3F		●	2210	
8				23				8				23									
Su	0138	0509	2.3E	M	0201	0527	2.9E	W	0257	0614	2.2E	Th	0358	0733	2.4E	Th	0237	0547	2.3E		
	0904	1121	3.0F		0914	1135	3.5F		1013	1224	2.8F		1052	1259	2.6F		0948	1152	2.6F		
	1506	1948	2.3E		1513	1840	2.8E		1550	1910	2.4E		1625	2026	2.7E		1504	1819	2.5E		
	2210	2341	1.4F		2211				2305				2329				●	2221			
9				24				9				24									
M	0229	0556	2.2E	Tu	0303	0628	2.7E	Th	0353	0705	2.2E	F	0455	0845	2.3E	F	0333	0641	2.5F		
	0951	1208	3.0F		1010	1228	3.3F		1103	1312	2.7F		1146	1348	2.4F		1040	1242	2.5F		
	1550	2025	2.3E		1603	1939	2.9E		1632	1951	2.5E		1711	2109	2.6E		1548	1904	2.6E		
	2259				2304				2350								2306				
10				25				10				25									
Tu	0322	0643	1.5F	W	0405	0729	2.6E	F	0449	0758	2.2E	Sa	0550	1012	2.2E	Sa	0428	0736	2.4E		
	1039	1255	2.9F		1105	1320	3.1F		1154	1401	2.7E		1239	1436	2.2F		1133	1332	2.5F		
	1632	2005	2.4E		1652	2036	2.9E		1714	2033	2.6E		1755	2144	2.6E		1633	1950	2.8E		
	2346				2356												2352				
11				26				11				26									
W	0416	0732	2.1E	Th	0507	0831	2.4E	Sa	0034	0231	2.4F	Su	0106	0311	2.3F	Su	0524	0831	3.0F		
	1128	1342	2.9F		1200	1411	2.9F		0545	0851	2.2E		0642	1111	2.2E		1226	1423	2.5F		
	1713	2040	2.5E		1740	2128	2.9E		1246	1450	2.6F		1330	1523	2.0F		1720	2039	2.9E		
									1756	2116	2.8E		1837	2218	2.5E						
12				27				12				27									
Th	0031	0211	1.8F	F	0047	0248	2.3F	Su	0118	0322	2.7F	M	0152	0357	2.4F	M	0039	0254	3.2F		
	0511	0822	2.0E		0607	0932	2.3E		0641	0945	2.3E		0731	1203	2.1E		0619	0926	2.6E		
	1217	1429	2.8F		1254	1501	2.6F		1338	1539	2.5F		1421	1609	1.9F		1319	1514	2.5F		
	1753	2117	2.5E		1825	2214	2.9E		1839	2201	2.9E		1919	2255	2.4E		1810	2130	3.0E		
13				28				13				28									
F	0115	0301	2.0F	Sa	0136	0340	2.3F	M	0204	0413	3.0F	Tu	0237	0442	2.5F	Tu	0128	0346	3.4F		
	0607	0912	2.0E		0704	1034	2.2E		0737	1040	2.3E		0818	1249	2.1E		0714	1022	2.7E		
	1308	1517	2.7F		1348	1550	2.4F		1431	1629	2.5F		1511	1656	1.8F		1412	1607	2.5F		
	1832	2155	2.7E		1909	2255	2.8E		1925	2248	3.1E		2001	2333	2.4E		1902	2223	3.1E		
14				29				14				29									
Sa	0158	0350	2.2F	Su	0224	0430	2.4F	Tu	0250	0504	3.2F	W	0322	0528	2.6F	W	0218	0439	3.5F		
	0703	1004	2.0E		0759	1136	2.1E		0832	1135	2.4E		0904	1235	2.0E		0808	1118	2.8E		
	1359	1605	2.6F		1441	1637	2.2F		1525	1721	2.4F		1601	1743	1.8F		1505	1700	2.5F		
	1911	2234	2.8E		1952	2334	2.7E		●	2013	2338	3.1E		●	2044			1956	2318	3.1E	
15				30				15				30									
Su	0240	0440	2.5F	M	0311	0517	2.5F	W	0338	0556	3.4F	Th	0311	0531	3.6F	Th	0311	0531	3.6F		
	0758	1057	2.0E		0851	1303	2.0E		0927	1232	2.5E		0902	1215	2.8E		0911	1234	2.2E		
	1451	1653	2.5F		1533	1725	2.1F		1619	1813	2.4F		1559	1754	2.5F		1624	1804	1.7F		
	1952	2315	2.9E		●	2034			2105				2053				●	2102			

Kvichak Bay (off Naknek River ent.), Alaska, 2012

F—Flood, Dir. 055° True E—Ebb, Dir. 240° True

April				May				June																					
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum															
	h	m	knots		h	m	knots		h	m	knots		h	m	knots														
1 Su		0506	0715	2.7F	16 M		0538	0749	3.0F	1 Tu		0527	0731	2.4F	16 W		0615	0816	2.4F	1 F		0648	0840	2.1F	16 Sa		0744	0926	1.6F
		1037	1354	2.3E			1113	1449	3.1E			1034	1352	2.6E			1129	1518	3.0E			1117	1441	3.0E			1225	1611	2.6E
		1756	1941	1.9F			1817	2026	2.6F			1806	2003	2.4F			1842	2104	2.8F			1856	2116	3.2F			1948	2208	2.8F
		2242					2348					2317																	
2 M		0151	0803	2.6F	17 Tu		0636	0843	2.7F	2 W		0619	0820	2.3F	17 Th		0037	0456	2.4E	2 Sa		0047	0343	2.2E	17 Su		0157	0627	2.4E
		1120	1435	2.3E			1204	1547	3.0E			1115	1433	2.6E			0713	0908	2.0F			0743	0932	2.1F			0838	1015	1.5F
		1841	2030	2.1F			1909	2123	2.6F			1848	2052	2.6F			1217	1609	2.8E			1205	1529	3.1E			1311	1654	2.4E
		2334															1932	2156	2.8F			1941	2207	3.5F			2034	2252	2.8F
3 Tu		0646	0851	2.5F	18 W		0049	0452	2.5E	3 Th		0011	0309	2.0E	18 F		0133	0557	2.5E	3 Su		0140	0439	2.3E	18 M		0243	0719	2.4E
		1203	1517	2.4E			0734	0937	2.4F			0713	0909	2.2F			0810	0959	1.8F			0838	1024	2.1F			0932	1105	1.3F
		1925	2120	2.3F			1254	1646	2.8E			1158	1516	2.8E			1304	1656	2.6E			1257	1622	3.2E			1358	1737	2.3E
							2001	2218	2.6F			1930	2142	2.9F			2020	2243	2.7F			2029	2259	3.7F			2120	2337	2.9F
4 W		0028	0333	2.2E	19 Th		0148	0612	2.5E	4 F		0105	0404	2.2E	19 Sa		0226	0654	2.5E	4 M		0233	0536	2.5E	19 Tu		0328	0808	2.5E
		0738	0941	2.5F			0831	1029	2.1F			0807	1000	2.2F			0906	1049	1.6F			0932	1118	2.1F			1024	1154	1.3F
		1246	1600	2.5E			1342	1741	2.7E			1243	1602	2.9E			1350	1739	2.4E			1354	1718	3.2E			1446	1820	2.1E
		2009	2210	2.5F			2050	2310	2.6F			2014	2233	3.2F			2107	2328	2.7F			2120	2351	3.9F			2205		
5 Th		0123	0427	2.2E	20 F		0244	0713	2.5E	5 Sa		0159	0500	2.3E	20 Su		0314	0747	2.5E	5 Tu		0326	0634	2.7E	20 W		0410	0022	2.9F
		0831	1031	2.4F			0927	1120	1.8F			0901	1051	2.1F			1000	1138	1.4F			1027	1213	2.1F			1113	1244	1.3F
		1330	1645	2.6E			1430	1830	2.5E			1331	1652	3.0E			1436	1820	2.3E			1455	1817	3.1E			1536	1904	2.0E
		2053	2301	2.8F			2139	2358	2.6F			2100	2324	3.5F			2153					2213					2252		
6 F		0218	0523	2.3E	21 Sa		0336	0809	2.5E	6 Su		0254	0557	2.5E	21 M		0010	0010	2.8F	6 W		0044	0044	3.9F	21 Th		0107	0107	2.9F
		0925	1121	2.3F			1022	1209	1.7F			0956	1144	2.2F			0400	0837	2.5E			0419	0731	3.0E			0452	0940	2.5E
		1416	1731	2.7E			1516	1909	2.3E			1424	1745	3.1E			1052	1226	1.3F			1121	1309	2.2F			1202	1333	1.3F
		2138	2351	3.0F			2226					2148					1523	1900	2.1E			1558	1918	3.1E			1627	1949	1.9E
7 Sa		0313	0618	2.4E	22 Su		0042	0042	2.6F	7 M		0016	0016	3.7F	22 Tu		0054	0054	2.8F	7 Th		0137	0137	3.9F	22 F		0153	0153	2.8F
		1018	1212	2.3F			0424	0901	2.5E			0347	0654	2.7E			0442	0926	2.5E			0510	0828	3.1E			0532	1019	2.4E
		1503	1820	2.8E			1114	1257	1.5F			1050	1238	2.2F			1142	1314	1.3F			1215	1405	2.3F			1248	1421	1.4F
		2224					1601	1944	2.2E			1520	1840	3.1E			1609	1941	2.0E			1702	2020	2.9E			1719	2035	1.9E
8 Su		0043	0337	3.3F	23 M		0125	0125	2.6F	8 Tu		0108	0108	3.8F	23 W		0137	0137	2.8F	8 F		0231	0231	3.8F	23 Sa		0238	0238	2.8F
		0408	0714	2.6E			0509	0951	2.5E			0441	0751	2.9E			0523	1012	2.5E			0602	0925	3.3E			0611	0949	2.4E
		1112	1304	2.3F			1205	1343	1.4F			1143	1332	2.3F			1231	1402	1.3F			1308	1502	2.4F			1332	1510	1.6F
		1554	1912	3.0E			1646	2021	2.1E			1619	1938	3.1E			1657	2022	1.9E			1807	2122	2.8E			1812	2122	1.8E
9 M		0135	0357	3.5F	24 Tu		0208	0208	2.6F	9 W		0201	0201	3.9F	24 Th		0222	0222	2.8F	9 Sa		0324	0324	3.6F	24 Su		0325	0325	2.7F
		0502	0811	2.7E			0552	1039	2.4E			0534	0847	3.1E			0604	1055	2.5E			0652	1021	3.4E			0649	1019	2.5E
		1205	1357	2.3F			1254	1430	1.4F			1237	1427	2.4F			1318	1450	1.4F			1401	1600	2.6F			1415	1558	1.8F
		1647	2006	3.0E			1730	2059	2.0E			1721	2038	3.1E			1746	2104	1.8E			1912	2226	2.7E			1906	2209	1.8E
10 Tu		0002	0227	3.6F	25 W		0042	0252	2.7F	10 Th		0027	0255	3.9F	25 F		0307	0307	2.8F	10 Su		0417	0417	3.4F	25 M		0411	0411	2.6F
		0556	0907	2.9E			0633	1123	2.4E			0626	0944	3.2E			0643	1035	2.4E			0742	1116	3.4E			0726	1052	2.6E
		1258	1450	2.4F			1342	1516	1.4F			1330	1523	2.5F			1403	1537	1.5F			1453	1658	2.6F			1457	1646	2.0F
		1743	2102	3.1E			1815	2138	1.9E			1823	2140	3.0E			1836	2148	1.8E			2016	2331	2.5E			1959	2258	1.8E
11 W		0055	0320	3.7F	26 Th		0127	0337	2.7F	11 F		0123	0348	3.8F	26 Sa		0353	0353	2.7F	11 M		0510	0510	3.1F	26 Tu		0458	0458	2.4F
		0650	1003	3.0E			0714	1200	2.3E			0718	1040	3.3E			0722	1054	2.4E			0831	1210	3.4E			0803	1127	2.7E
		1352	1545	2.5F			1428	1603	1.5F			1424	1620	2.5F			1447	1625	1.6F			1544	1755	2.7F			1538	1734	2.3F
		1841	2200	3.1E			1902	2219	1.9E			1927	2242	2.9E			1927	2233	1.8E			2119					2053	2348	1.8E
12 Th		0149	0413	3.7F	27 F		0212	0422	2.7F	12 Sa		0221	0442	3.6F	27 Su		0439	0439	2.6F	12 Tu		0039	0039	2.4E	27 W		0546	0546	2.3F
		0743	1100	3.1E			0754	1126	2.3E			0809	1137	3.4E			0800	1127	2.5E			0356	0603	2.7F			0840	1204	2.8E
		1445	1640	2.5F			1513	1650	1.6F			1516	1717	2.6F			1529	1712</											

Kvichak Bay (off Naknek River ent.), Alaska, 2012

F—Flood, Dir. 055° True E—Ebb, Dir. 240° True

July				August				September																			
Slack	Maximum		knots	Slack	Maximum		knots	Slack	Maximum		knots	Slack	Maximum		knots												
h m	h m	h m		h m	h m	h m		h m	h m	h m		h m	h m	h m													
1 Su	0026	0323	2.2E	16 M	0118	0554	2.3E	1 W	0148	0500	2.7E	16 Th	0204	0534	2.2E	1 Sa	0305	0637	2.8E	16 Su	0243	0601	2.4E				
	0719	0907	2.1F		0806	0942	1.5F		0845	1035	2.2F		0911	1051	1.7F		1008	1210	2.5F		1001	1200	2.4F				
	1140	1507	3.2E		1236	1613	2.4E		1329	1652	3.0E		1350	1712	2.2E		1530	1857	2.6E		1517	1828	2.2E				
	1916	2143	3.6F		2001	2216	2.9F		2045	2306	3.5F		2107	2316	2.7F		2226				2225						
2 M	0119	0420	2.4E	17 Tu	0204	0644	2.3E	2 Th	0240	0557	2.8E	17 F	0248	0614	2.3E	2 Su		0032	2.7F	17 M		0021	2.3F				
	0814	1000	2.1F		0858	1032	1.4F		0940	1131	2.3F		0958	1141	1.8F		0355	0733	2.8E		0327	0644	2.5E				
	1236	1603	3.2E		1325	1658	2.3E		1432	1754	2.9E		1444	1803	2.1E		1100	1305	2.5F		1046	1250	2.7F				
	2007	2235	3.7F		2048	2302	2.9F		2141				2157				1630	2004	2.5E		1611	1921	2.3E				
3 Tu	0212	0517	2.6E	18 W	0249	0732	2.3E	3 F		0000	3.4F	18 Sa		0004	2.7F	3 M		0124	2.5F	18 Tu		0111	2.3F				
	0909	1055	2.1F		0949	1122	1.4F		0332	0655	2.9E		0331	0655	2.3E		0444	0825	2.7E		0411	0729	2.6E				
	1337	1701	3.1E		1415	1744	2.2E		1033	1228	2.4F		1045	1231	2.0F		1150	1359	2.5F		1131	1340	2.9F				
	2100	2328	3.8F		2135	2349	2.9F		1535	1856	2.7E		1538	1854	2.1E		1727	2120	2.4E		1704	2013	2.3E				
4 W	0304	0615	2.8E	19 Th	0332	0816	2.3E	4 Sa		0053	3.2F	19 Su		0052	2.6F	4 Tu		0016	0215	2.3F	19 W		0009	0201	2.2F		
	1003	1151	2.2F		1038	1212	1.5F		0422	0751	3.0E		0413	0735	2.4E		0531	0913	2.7E		0456	0815	2.7E				
	1440	1802	3.0E		1508	1832	2.1E		1126	1324	2.4F		1130	1321	2.1F		1240	1449	2.6F		1216	1431	3.1F				
	2155				2223				1638	1959	2.6E		1633	1945	2.1E		1821	2240	2.3E		1757	2105	2.4E				
5 Th		0021	3.8F	20 F		0036	2.8F	5 Su		0146	3.0F	20 M		0141	2.5F	5 W		0109	0304	2.1F	20 Th		0100	0251	2.2F		
	0356	0712	2.9E		0414	0809	2.3E		0512	0846	3.0E		0455	0816	2.5E		0617	0957	2.6E		0544	0903	2.8E				
	1058	1247	2.3F		1126	1302	1.6F		1218	1421	2.5F		1214	1411	2.4F		1328	1537	2.6F		1303	1521	3.3F				
	1544	1903	2.9E		1601	1920	2.0E		1740	2102	2.5E		1727	2036	2.1E		1912	2338	2.3E		1849	2158	2.6E				
	2251				2312																						
6 F		0114	3.6F	21 Sa		0123	2.7F	6 M		0030	0238	2.8F	21 Tu		0030	0229	2.4F	6 Th		0201	0351	2.0F	21 F		0151	0342	2.3F
	0447	0809	3.1E		0455	0829	2.4E		0600	0938	3.0E		0536	0856	2.6E		0702	1038	2.5E		0634	0953	2.9E				
	1151	1344	2.4F		1211	1352	1.7F		1309	1515	2.5F		1258	1500	2.6F		1415	1623	2.6F		1352	1612	3.4F				
	1649	2006	2.8E		1655	2009	2.0E		1839	2205	2.4E		1821	2127	2.2E		2000				1941	2251	2.7E				
	2347																										
7 Sa		0208	3.5F	22 Su		0002	2.7F	7 Tu		0125	0328	2.6F	22 W		0121	0318	2.3F	7 F			0029	2.2E	22 Sa		0243	0434	2.3F
	0537	0905	3.2E		0535	0903	2.4E		0647	1027	2.9E		0617	0938	2.7E		0746	1119	2.4E		0727	1046	3.0E				
	1244	1442	2.5F		1256	1441	1.9F		1359	1608	2.6F		1342	1550	2.8F		1501	1709	2.6F		1442	1704	3.5F				
	1753	2109	2.6E		1750	2059	1.9E		1937	2311	2.3E		1914	2219	2.2E		2046				2033	2344	2.8E				
8 Su		0044	3.3F	23 M		0052	2.6F	8 W		0219	0418	2.3F	23 Th		0213	0407	2.3F	8 Sa			0115	2.2E	23 Su		0335	0527	2.4F
	0627	1000	3.2E		0614	0939	2.5E		0732	1113	2.9E		0701	1022	2.8E		0830	1200	2.3E		0823	1142	3.0E				
	1336	1539	2.5F		1339	1529	2.1F		1447	1658	2.6F		1427	1639	3.0F		1547	1755	2.6F		1535	1756	3.5F				
	1856	2213	2.5E		1844	2148	1.9E		2031				2007	2311	2.3E		2131				2125						
9 M		0141	3.0F	24 Tu		0142	2.4F	9 Th			0031	2.2E	24 F		0304	0457	2.3F	9 Su			0108	2.2E	24 M		0427	0621	2.9E
	0715	1053	3.2E		0652	1016	2.6E		0313	0506	2.2F		0747	1109	3.0E		0431	0614	1.8F		0922	1240	2.9E				
	1427	1635	2.6F		1421	1618	2.4F		0817	1157	2.8E		1513	1730	3.2F		0916	1242	2.3E		1630	1849	3.4F				
	1958	2318	2.4E		1938	2238	1.9E		1535	1746	2.6F		2059				1634	1841	2.7F		2217						
10 Tu		0238	2.7F	25 W		0233	2.3F	10 F			0142	2.2E	25 Sa			0003	2.4E	10 M			0144	2.2E	25 Tu		0519	0716	2.5F
	0802	1144	3.2E		0730	1054	2.8E		0406	0555	2.0F		0356	0548	2.3F		0520	0702	1.8F		1022	1340	2.9E				
	1517	1729	2.7F		1503	1707	2.7F		0901	1239	2.7E		0836	1159	3.0E		1003	1326	2.2E		1727	1943	3.3F				
	2058				2031	2329	2.0E		1622	1832	2.7F		1602	1821	3.4F		1721	1928	2.7F		2309						
11 W		0027	2.3E	26 Th		0324	2.3F	11 Sa			0238	2.1E	26 Su			0057	2.5E	11 Tu			0225	2.2E	26 W		0612	0811	2.6F
	0334	0535	2.4F		0811	1135	2.9E		0458	0643	1.9F		0448	0640	2.3F		0609	0751	1.8F		1123	1443	2.8E				
	0848	1232	3.1E		1546	1756	2.9F		0946	1321	2.6E		0929	1252	3.1E		1051	1412	2.2E		1825	2037	3.1F				
	1606	1821	2.7F		2124				1708	1919	2.7F		1653	1913	3.4F		1809	2016	2.7F								
	2155								2300				2244				2346										
12 Th		0201	2.2E	27 F		0021	2.1E	12 Su			0330	2.1E	27 M			0152	2.6E	12 W			0307	2.2E	27 Th		0002	0327	2.9E
	0430	0624	2.2F		0417	0610	2.2F		0550	0732	1.8F		0541	0733	2.3F		0657	0840	1.9F		0705	0907	2.6F				
	0934	1318	2.9E		0854	1219	3.0E		1031	1404	2.5E		1026	1348	3.0E		1142	1500	2.2E		1225	1547	2.7E				
	1654	1911	2.7F		1630	1846	3.2F		1755	2005	2.8F		1746	2005	3.4F		1858	2105	2.6F		1923	2131	2.8F				
	2250				2217				2347				2337														
13 F		0310	2.2E	28 Sa		0115	2.1E	13 M			0420	2.1E	28 Tu			0248	2.7E	13 Th			0351	2.3E	28 F		0054	0424	2.9E
	0525	0714	2.0F		0509	0700																					

Kvichak Bay (off Naknek River ent.), Alaska, 2012

F—Flood, Dir. 055° True E—Ebb, Dir. 240° True

October				November				December																											
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum																					
h	m	h	m	knots	h	m	h	m	knots	h	m	h	m	knots	h	m	h	m	knots																
1 M			0011	2.1F	16 Tu			0239	0557	2.7E	1 Th			0125	1.4F	16 F			0106	2.1F	1 Sa			0012	0144	1.3F	16 Su			0430	0746	3.0E			
		0325	0710	2.6E			1003	1221	3.2F			0426	0804	2.1E			0348	0707	3.0E			0440	0809	1.9E		0430		0746	3.0E						
		1031	1246	2.6F			1548	1855	2.4E			1136	1350	2.7E			1104	1336	3.8F			1150	1403	2.7F		1135		1403	3.8F						
		1620	2049	2.5E			2254					1736	2218	2.5E			1707	2019	2.9E			1747	2238	2.5E		1733		2052	3.2E						
2 Tu			0102	1.9F	17 W			0327	0646	2.8E	2 F			0035	0212	1.4F	17 Sa			0013	0201	2.2F	2 Su			0059	0231	1.3F	17 M			0040	0234	2.5F	
		0413	0758	2.5E			1049	1311	3.4F			0512	0844	2.0E		0449		0806	3.0E		0529	0851		1.8E		0535	0849	2.9E							
		1120	1334	2.6F			1641	1949	2.6E			1221	1434	2.7F		1158		1428	3.9F		1236	1448		2.7F		1233	1457	3.7F							
		1712	2145	2.5E			2346					1817	2305	2.5E		1758		2114	3.1E		1826	2318		2.5E		1824	2147	3.4E							
3 W			0002	1.8F	18 Th			0419	0737	2.9E	3 Sa			0123	0258	1.4F	18 Su			0105	0256	2.4F	3 M			0144	0318	1.4F	18 Tu			0133	0331	2.6F	
		0500	0841	2.4E			1137	1402	3.6F			0559	0924	1.9E		0551		0906	2.9E		0620	0934		1.8E		0641	0953	2.8E							
		1208	1420	2.6F			1732	2042	2.7E			1307	1518	2.7F		1254		1521	3.8F		1323	1533		2.7F		1331	1550	3.5F							
		1800	2237	2.4E								1857	2347	2.4E		1849		2209	3.3E		1904	2246		2.4E		1914	2242	3.4E							
4 Th			0053	0238	1.7F	19 F			0037	0226	2.2F	4 Su			0210	0345	1.5F	19 M			0157	0352	2.5F	4 Tu			0228	0406	1.6F	19 W			0225	0429	2.7F
		0545	0921	2.2E			0514	0831	2.9E		0646		1005	1.9E		0655	1008		2.9E		0711	1019	1.7E			0746	1058	2.6E							
		1255	1505	2.6F			1227	1454	3.7F		1353		1603	2.7F		1351	1614		3.7F		1411	1619	2.6F			1430	1644	3.2F							
		1845	2326	2.4E			1824	2136	2.9E		1936		2322	2.4E		1940	2304		3.4E		1942	2314	2.5E			2004	2337	3.5E							
5 F			0143	0325	1.6F	20 Sa			0129	0319	2.3F	5 M			0255	0432	1.6F	20 Tu			0250	0449	2.7F	5 W			0311	0453	1.8F	20 Th			0317	0526	2.9F
		0630	1001	2.2E			0611	0928	3.0E		0735		1048	1.8E		0800	1112		2.8E		0803	1106	1.7E			0850	1205	2.5E							
		1341	1549	2.6F			1320	1546	3.7F		1440		1648	2.6F		1450	1708		3.4F		1500	1705	2.5F			1529	1737	2.9F							
		1928					1915	2230	3.0E		2016		2347	2.4E		2031	2359		3.4E		2019	2347	2.5E			2054									
6 Sa			0011	2.3E	21 Su			0221	0413	2.4F	6 Tu			0339	0520	1.7F	21 W			0342	0546	2.8F	6 Th			0352	0541	2.0F	21 F			0408	0624	2.9F	
		0232	0412	1.6F			0711	1026	2.9E			0825	1133	1.8E		0856		1154	1.7E		0953	1316		2.4E											
		0715	1041	2.1E			1415	1639	3.7F			1528	1735	2.6F		1551		1752	2.3F		1628	1830		2.6F											
		1426	1634	2.6F			2007	2324	3.1E			2055				2121					2143														
7 Su			0000	2.3E	22 M			0313	0508	2.5F	7 W			0423	0607	1.9F	22 Th			0434	0644	2.9F	7 F			0434	0628	2.3F	22 Sa			0459	0720	3.0F	
		0319	0459	1.7F			0812	1127	2.9E			0916	1220	1.8E		1008		1325	2.5E		0948	1244		1.7E		1054	1453	2.4E							
		0801	1122	2.0E			1511	1732	3.5F			1617	1822	2.5F		1649		1856	2.8F		1642	1840		2.2F		1726	1923	2.3F							
		1512	1720	2.6F			2058					2135				2212					2134					2231									
8 M			0023	2.3E	23 Tu			0405	0604	2.6F	8 Th			0506	0655	2.1F	23 F			0525	0741	2.9F	8 Sa			0514	0716	2.5F	23 Su			0549	0814	3.0F	
		0405	0546	1.7F			0914	1229	2.8E			1009	1309	1.8E		1041		1441	2.5E		1041	1335		1.8E		1152	1607	2.4E							
		0849	1205	2.0E			1609	1826	3.3F			1709	1910	2.4F		1748		1950	2.5F		1735	1929		2.1F		1824	2015	2.0F							
		1559	1807	2.6F			2149					2215				2302					2212					2319									
9 Tu			0100	2.3E	24 W			0115	0326	3.2E	9 F			0548	0744	2.3F	24 Sa			0616	0838	2.9F	9 Su			0555	0805	2.8F	24 M			0639	0905	2.9F	
		0451	0634	1.8F			0457	0700	2.7F			1102	1400	1.9E		1212		1621	2.5E		1133	1427		1.9E		1247	1708	2.5E							
		0938	1251	2.0E			1017	1333	2.7E			1801	1959	2.2F		1847		2043	2.2F		1828	2018		2.0F		1921	2106	1.7F							
		1648	1854	2.6F			2241					2255				2351					2253					2253									
10 W			0139	2.3E	25 Th			0211	0326	3.2E	10 Sa			0630	0833	2.6F	25 Su			0707	0933	3.0E	10 M			0636	0854	3.1F	25 Tu			0007	0355	2.7E	
		0537	0723	1.9F			0549	0757	2.8F			1155	1453	1.9E		1310		1729	2.5E		1225	1520		2.0E		0727	0952	2.9F							
		1029	1339	2.0E			1807	2014	2.8F			1855	2048	2.1F		1945		2136	1.9F		1922	2108		1.9F		1338	1804	2.5E							
		1738	1942	2.5F			2332					2336									2338					2016	2157	1.5F							
11 Th			0219	2.4E	26 F			0307	0316	3.1E	11 Su			0712	0922	2.8F	26 M			0040	0430	2.8E	11 Tu			0304	3.0E	26 W			0054	0441	2.5E		
		0622	0812	2.1F			0641	0854	2.8F			1248	1547	2.0E		0756		1024	2.9F		0719	0944		3.4F		0814	1037		2.9F						
		1121	1429	2.0E			1222	1554	2.5E			1948	2138	2.0F		1405		1828	2.6E		1317	1615		2.2E		1426	1857		2.5E						
		1829	2031	2.4F			1907	2108	2.5F							2043		2228	1.6F		2015	2200		1.9F		2111	2247		1.4F						
12 F			0301	2.4E	27 Sa			0023	0403	3.0E	12 M			0019	0340	2.8E	27 Tu			0128	0518	2.6E	12 W			0028	0354	3.1E	27 Th			0142	0525	2.3E	
		0706	0901	2.3F			0733	0950	2.8F			0754	1011	3.1F		0844		1111	2.9F		0805	1034		3.6F		0901	1121	2.8F							
		1215	1521	2.0E			1323	1735	2.5E			1341	1641	2.2E		1456		1924	2.6E		1409	1709		2.4E		1511	1948	2.5E							
		1921	2120	2.3F			2005	2202	2.2F			2042	2228	2.0F		2138		2319	1.4F		2109	2253		2.0F		2203	2336	1.3F							
13 Sa			0025	0343	2.5E	28 Su			0114	0459	2.8E	13 Tu			0105	0427	2.9E	28 W			0216	0603	2.4E	13 Th			0123	0447	3.1E	28 F			0231	0609	2.2E
		0750	0951	2.5F			0824	1045	2.8F		0838		1102	3.3F		0932	1154		2.8F		0854	1126	3.8F			0948	1204	2.8F							
		1308	1614	2.1E			1421	1844	2.6E		1433		1735	2.3E		1543	2016		2.6E		1500	1805	2.6E			1554	2036	2.5E							
		2015	2210	2.2F			2103	2256	1.9F		2136		2320	2.0F		2231					2202	2346	2.1F			2253									
14 Su			0108	0426	2.5E	29 M			0203	0552	2.7E	14 W			0155	0517	2.9E	29 Th			0304	0008	1.3F	14 F			0223	0544	3.1E	29 Sa		</			

Tokyo Wan Entrance (N. of Kannon Saki), Japan, 2012

F—Flood, Dir. 313° True E—Ebb, Dir. 133° True

January				February				March															
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum									
	h	m	knots		h	m	knots		h	m	knots		h	m	knots								
1 Su	0329	0720	1.1F	16 M	0020	0.7E	1 W	0047	0.2E	16 Th	0244	0422	0.1E	1 Th	0021	0.3E							
	1021	1349	0.8E		0346	0720		1.1F	0328		0756	0.7F	0533		0827	0.5F	0258	0719	0.6F				
	1754	2006	0.5F		1009	1325		1.0E	1030		1430	0.9E	1044		1605	1.0E	0938	1249	0.9E	16 F	0547	0809	0.4F
	2231				1735	2013		0.8F	1845		2117	0.7F	1919		2211	0.8F	1742	2036	0.8F		1006	1533	0.8E
			2311													1845	2139	0.8F					
2 M	0407	0758	0.9F	17 Tu	0129	0.3E	2 Th	0443	0.0	17 F	0359	0541	0.3E	2 F	0410	0.0	17 Sa	0323	0529	0.3E			
	1054	1523	0.8E		0442	0805		0.9F	1116		1636	0.9E	0722		0934	0.4F		0817	0.5F	0732	0923	0.3F	
	1849	2102	0.6F		1047	1507		1.0E	1947		2232	0.8F	1157		1724	1.1E		1025	1500	0.8E	1131	1708	0.9E
					1842	2118		0.8F					2028					1855	2146	0.8F	1957	2318	0.9F
3 Tu	0029	0345	0.1E	18 W	0429	0.2E	3 F	0418	0556	0.2E	18 Sa	0014	1.0F	3 Sa	0333	0535	0.3E	18 Su	0357	0617	0.6E		
	0509	0842	0.8F		0602	0858		0.7F	0727	0952		0.4F	0436		0636	0.5E	0721		0928	0.4F	0852	1104	0.3F
	1135	1630	1.0E		1136	1637		1.1E	1222	1740		1.1E	0852		1105	0.4F	1137		1710	0.9E	1417	1807	1.1E
	1943	2208	0.6F		1948	2241		0.9F	2044				1403		1821	1.3E	2003		2311	0.9F	2059		
4 W	0344	0517	0.2E	19 Th	0548	0.3E	4 Sa	0014	0.9F	19 Su	0132	1.2F	4 Su	0407	0625	0.5E	19 M	0051	1.0F				
	0634	0932	0.7F		0359	0730		0.6F	0450		0648	0.4E		0508	0722	0.7E		0847	1053	0.4F	0426	0657	0.9E
	1226	1723	1.1E		1244	1740		1.3E	0855		1109	0.4F		1002	1259	0.5F		1342	1810	1.1E	0950	1257	0.6F
	2034	2333	0.8F		2051				1359		1831	1.3E		1535	1910	1.5E		2104			1543	1854	1.2E
5 Th	0433	0617	0.3E	20 F	0034	1.1F	5 Su	0132	1.2F	20 M	0216	1.4F	5 M	0041	1.1F	20 Tu	0140	1.2F					
	0756	1030	0.6F		0451	0647		0.5E	0521		0732	0.7E		0538	0801		0.9E	0440	0707	0.8E	0454	0733	1.1E
	1329	1810	1.3E		0853	1117		0.5F	1005		1240	0.5F		1056	1405		0.7F	0949	1228	0.6F	1035	1354	0.9F
	2122				1413	1833		1.5E	1524		1915	1.5E		1635	1953		1.6E	1523	1858	1.4E	1638	1936	1.3E
6 F	0511	0706	0.5E	21 Sa	0149	1.4F	6 M	0219	1.5F	21 Tu	0252	1.6F	6 Tu	0140	1.3F	21 W	0217	1.3F					
	0910	1137	0.5F		0532	0736		0.7E	0552		0811	0.9E		0606	0836		1.1E	0511	0744	1.1E	0521	0806	1.3E
	1437	1852	1.5E		1006	1253		0.5F	1100		1354	0.6F		1141	1451		0.9F	1037	1341	0.8F	1114	1435	1.1F
	2206				1531	1921		1.7E	1625		1956	1.6E		1723	2031		1.6E	1626	1941	1.5E	1723	2014	1.4E
7 Sa	0202	1.3F	22 Su	0236	1.6F	7 Tu	0257	1.6F	22 W	0324	1.6F	7 W	0223	1.5F	22 Th	0248	1.3F						
	0547	0750		0.6E	0608		0820	0.8E		0622	0847		1.0E	0632		0908	1.2E	0540	0819	1.3E	0546	0836	1.4E
	1016	1254		0.5F	1108		1408	0.6F		1145	1446		0.8F	1219		1529	1.1F	1119	1431	1.1F	1119	1511	1.2F
	1536	1931		1.6E	1631		2004	1.8E		1714	2034		1.7E	1805		2105	1.5E	1717	2021	1.6E	1803	2047	1.3E
8 Su	0244	1.5F	23 M	0316	1.7F	8 W	0332	1.7F	23 Th	0353	1.5F	8 Th	0301	1.6F	23 F	0317	1.3F						
	0620	0830		0.7E	0641		0900	0.9E		0650	0919		1.2E	0655		0936	1.3E	0608	0852	1.4E	0609	0903	1.5E
	1113	1401		0.5F	1200		1501	0.8F		1223	1528		1.0F	1253		1604	1.1F	1156	1513	1.3F	1221	1543	1.3F
	1626	2008		1.7E	1721		2043	1.7E		1759	2110		1.7E	1842		2135	1.4E	1802	2059	1.6E	1838	2117	1.2E
9 M	0320	1.7F	24 Tu	0351	1.8F	9 Th	0405	1.7F	24 F	0419	1.4F	9 F	0335	1.5F	24 Sa	0342	1.2F						
	0652	0907		0.8E	0711		0935	1.0E		0716	0950		1.2E	0716		1001	1.3E	0635	0922	1.5E	0629	0927	1.5E
	1201	1453		0.6F	1244		1543	0.9F		1259	1607		1.1F	1324		1635	1.1F	1233	1553	1.4F	1249	1613	1.3F
	1710	2043		1.7E	1804		2118	1.7E		1841	2144		1.6E	1916		2201	1.2E	1845	2135	1.5E	1911	2143	1.1E
10 Tu	0005	0355	1.7F	25 W	0422	1.7F	10 F	0436	1.6F	25 Sa	0442	1.3F	10 Sa	0408	1.4F	25 Su	0405	1.1F					
	0722	0941	0.9E		0737	1007		1.1E	0740		1019	1.3E		0735	1023		1.3E	0659	0951	1.6E	0647	0949	1.5E
	1243	1537	0.7F		1324	1621		0.9F	1335		1646	1.1F		1353	1705		1.1F	1309	1632	1.5F	1316	1642	1.3F
	1752	2117	1.7E		1844	2150		1.5E	1923		2217	1.4E		1948	2224		1.1E	1927	2209	1.3E	1942	2207	0.9E
11 W	0041	0427	1.7F	26 Th	0451	1.6F	11 Sa	0506	1.5F	26 Su	0505	1.2F	11 Su	0439	1.3F	26 M	0428	1.0F					
	0750	1012	1.0E		0800	1035		1.1E	0804		1047	1.3E		0752	1044		1.3E	0723	1020	1.5E	0705	1010	1.5E
	1322	1617	0.8F		1401	1656		0.9F	1414		1725	1.2F		1423	1736		1.1F	1347	1711	1.4F	1341	1711	1.3F
	1833	2151	1.6E		1920	2218		1.3E	2006		2251	1.2E		2020	2247		0.9E	2010	2241	1.1E	2014	2231	0.8E
12 Th	0116	0459	1.7F	27 F	0517	1.5F	12 Su	0538	1.3F	27 M	0529	1.1F	12 M	0511	1.1F	27 Tu	0452	0.9F					
	0817	1043	1.0E		0821	1100		1.1E	0827		1117	1.3E		0811	1107		1.3E	0747	1049	1.5E	0725	1032	1.4E
	1401	1658	0.8F		1437	1730		0.9F	1458		1808	1.1F		1457	1811		1.0F	1428	1752	1.4F	1411	1744	1.2F
	1915	2224	1.5E		1955	2243		1.1E	2053		2325	0.9E		2056	2313		0.7E	2056	2315	0.8E	2048	2257	0.7E
13 F	0150	0531	1.6F	28 Sa	0542	1.3F	13 M	0611	1.1F	28 Tu	0557	0.9F	13 Tu	0544	0.9F	28 W	0521	0.8F					
	0842	1114	1.0E		0840	1124		1.1E	0853		1151	1.2E		0835	1133		1.2E	0812	1119	1.4E	0749	1059	1.4E
	1443	1740	0.8F		1514	1805		0.8F	1550		1855	1.1F		1538	1850		0.9F	1516	1837	1.2F	1447	1823	1.1F
	2000	2259	1.3E		2030	2308		0.9E	2147					2141	2342		0.5E	2148	2352	0.5E	2130	2329	0.5E
14 Sa	0225	0605	1.5F	29 Su	0608	1.2F	14 Tu	0648	0.6E	29 W	0632	0.8F	14 W	0623	0.7F	29 Th	0600	0.6F					
	0908	1148	1.0E		0901	1150		1.0E	0922		1231	1.1E		0903	1205		1.1E	0841	1154	1.2E	0818	1130	1.2E
	1532	1826	0.9F		1556	1843		0.8F	1653		1948	1.0F		1633	1938		0.9F	1616	1928	1.1F	1535	1909	1.1F
	2051	2336	1.0E		2111	2334		0.7E	2303					2242				2302			2225		
15 Su	0303	0641	1.3F	30 M	0637	1.1F	15 W	0053	0.3E	15 Th	0042	0.2E	15 Th	0042	0.2E	30 F	0011	0.3E					
	0936	1229	1.0E		0925	1221		1.0E	0359		0733	0.7F		0351	0710		0.5F	0351	0710	0.5F	0311	0653	0.5F
	1630	1916	0.9F		1646	1926		0.7F	0958		1336	1.0E		0917	1240								

Tokyo Wan Entrance (N. of Kannon Saki), Japan, 2012

F—Flood, Dir. 313° True E—Ebb, Dir. 133° True

October				November				December															
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum									
	h	m	knots		h	m	knots		h	m	knots		h	m	knots								
1 M	0005	0331	1.4F	16 Tu	0631	0906	1.3E	1 Th	0035	0416	1.5F	16 F	0050	0433	1.8F	1 Sa	0041	0431	1.6F	16 Su	0120	0502	1.8F
	0630	0906	1.2E		0631	0906	1.3E		0735	0948	0.8E		0800	1017	0.9E		0759	1008	0.7E		0829	1050	0.8E
	1208	1528	1.2F		1205	1516	1.1F		1237	1547	0.7F		1320	1616	0.7F		1305	1602	0.5F		1408	1653	0.7F
	1812	2114	1.6E		1757	2107	1.8E		1811	2133	1.6E		1829	2154	1.7E		1811	2141	1.6E		1902	2221	1.6E
2 Tu	0035	0403	1.4F	17 W	0025	0400	1.7F	2 F	0102	0445	1.5F	17 Sa	0131	0514	1.8F	2 Su	0110	0502	1.5F	17 M	0159	0539	1.7F
	0705	0935	1.1E		0715	0943	1.2E		0805	1015	0.7E		0842	1057	0.7E		0828	1037	0.7E		0903	1130	0.8E
	1235	1554	1.1F		1245	1553	1.0F		1305	1615	0.6F		1409	1659	0.6F		1343	1639	0.5F		1459	1737	0.7F
	1833	2137	1.6E		1824	2138	1.8E		1834	2156	1.5E		1904	2228	1.6E		1843	2209	1.5E		1943	2255	1.3E
3 W	0104	0433	1.4F	18 Th	0104	0441	1.7F	3 Sa	0129	0516	1.4F	18 Su	0212	0554	1.6F	3 M	0140	0534	1.5F	18 Tu	0237	0614	1.5F
	0738	1001	0.9E		0758	1019	1.0E		0837	1042	0.6E		0924	1140	0.6E		0857	1109	0.7E		0934	1212	0.7E
	1257	1618	1.0F		1323	1629	0.9F		1335	1647	0.6F		1507	1744	0.5F		1430	1721	0.5F		1554	1822	0.6F
	1852	2159	1.5E		1852	2208	1.7E		1859	2222	1.4E		1942	2303	1.3E		1921	2240	1.3E		2028	2329	1.0E
4 Th	0131	0503	1.3F	19 F	0143	0522	1.6F	4 Su	0159	0550	1.4F	19 M	0257	0635	1.4F	4 Tu	0214	0609	1.4F	19 W	0314	0649	1.3F
	0809	1025	0.8E		0842	1056	0.8E		0911	1114	0.6E		1007	1236	0.5E		0929	1146	0.7E		1005	1306	0.7E
	1317	1642	0.8F		1402	1706	0.7F		1419	1729	0.5F		1615	1834	0.5F		1530	1810	0.5F		1653	1910	0.6F
	1911	2221	1.4E		1921	2240	1.5E		1932	2252	1.3E		2027	2340	1.0E		2007	2317	1.2E		2118		
5 F	0158	0534	1.3F	20 Sa	0227	0604	1.5F	5 M	0235	0629	1.3F	20 Tu	0345	0717	1.3F	5 W	0255	0649	1.4F	20 Th	0354	0726	1.2F
	0842	1050	0.7E		0930	1136	0.5E		0951	1154	0.5E		1052	1426	0.5E		1005	1235	0.7E		1037	1428	0.7E
	1339	1710	0.7F		1450	1749	0.6F		1530	1821	0.4F		1727	1929	0.4F		1639	1905	0.5F		1752	2002	0.5F
	1934	2245	1.4E		1953	2313	1.3E		2014	2329	1.1E		2123				2104				2223		
6 Sa	0230	0609	1.2F	21 Su	0316	0650	1.3F	6 Tu	0323	0714	1.2F	21 W	0441	0802	1.1F	6 Th	0347	0733	1.3F	21 F	0440	0805	1.0F
	0919	1119	0.5E		1025	1230	0.3E		1038	1255	0.4E		1142	1547	0.6E		1046	1354	0.7E		1113	1542	0.8E
	1409	1747	0.6F		1604	1839	0.4F		1706	1922	0.4F		1834	2030	0.4F		1748	2004	0.6F		1850	2100	0.5F
	2002	2314	1.2E		2033	2352	1.0E		2109				2242				2216				2223		
7 Su	0311	0651	1.1F	22 M	0416	0739	1.1F	7 W	0429	0805	0.9E	22 Th	0543	0850	1.0F	7 F	0454	0822	1.1F	22 Sa	0538	0848	0.8F
	1006	1157	0.4E		1137	1517	0.3E		1137	1538	0.5E		1237	1640	0.8E		1134	1542	0.8E		1157	1639	1.0E
	1502	1835	0.5F		1737	1939	0.3F		1828	2028	0.4F		1934	2140	0.5F		1851	2109	0.7F		1946	2208	0.6F
	2038	2349	1.1E		2126				2226				2226				2216				2246		
8 M	0407	0741	1.0F	23 Tu	0525	0834	1.0F	8 Th	0546	0901	1.1F	23 F	0123	0445	0.4E	8 Sa	0000	0348	0.4E	23 Su	0316	0511	0.2E
	1110	1259	0.2E		1311	1632	0.5E		1245	1645	0.8E		1331	1724	1.1E		0610	0915	1.0F		0644	0937	0.7F
	1706	1936	0.4F		1859	2047	0.3F		1932	2139	0.5F		2027	2305	0.6F		1229	1648	1.1E		1249	1726	1.2E
	2127				2249								2027	2305	0.6F		1950	2221	0.8F		2037	2341	0.7F
9 Tu	0037	088E		24 W	0406	066E		9 F	0026	0440	0.6E	24 Sa	0320	0544	0.5E	9 Su	0230	0519	0.5E	24 M	0419	0608	0.3E
	0523	0839	1.0F		0637	0936	0.9F		0702	1001	1.0F		0748	1038	0.8F		0724	1013	0.9F		0753	1032	0.6F
	1253	1638	0.4E		1414	1721	0.7E		1350	1733	1.1E		1420	1804	1.3E		1330	1740	1.4E		1349	1810	1.3E
	1852	2047	0.3F		2006	2211	0.4F		2027	2257	0.7F		2114				2044	2344	1.0F		2124		
10 W	0346	066E		25 Th	0141	0519	0.7E	10 Sa	0244	0548	0.8E	25 Su	0419	0633	0.6E	10 M	0358	0621	0.7E	25 Tu	0503	0657	0.5E
	0641	0943	1.0F		0744	1044	0.9F		0810	1104	1.0F		0845	1138	0.7F		0834	1116	0.8F		0858	1135	0.5F
	1422	1730	0.6E		1456	1802	1.0E		1443	1815	1.3E		1503	1841	1.5E		1429	1826	1.6E		1447	1849	1.5E
	2005	2205	0.4F		2059	2354	0.6F		2116				2156				2136				2207		
11 Th	0047	0519	0.8E	26 F	0323	0612	0.8E	11 Su	0400	0641	0.9E	26 M	0137	1.1F		11 Tu	0106	1.3F		26 W	0203	1.2F	
	0752	1054	1.0F		0843	1155	0.9F		0911	1208	1.0F		0505	0717	0.7E		0456	0714	0.8E		0540	0740	0.6E
	1511	1813	0.9E		1532	1839	1.3E		1529	1855	1.6E		1541	1917	1.6E		1524	1910	1.8E		1536	1926	1.6E
	2101	2332	0.6F		2145				2201				2235				2225				2246		
12 F	0257	0616	1.0E	27 Sa	0110	0.9F		12 M	0126	1.3F		27 Tu	0220	1.3F		12 W	0208	1.6F		27 Th	0241	1.4F	
	0853	1205	1.1F		0421	0658	0.9E		0457	0729	1.1E		0546	0757	0.7E		0546	0802	0.9E		0614	0820	0.7E
	1550	1851	1.2E		0935	1254	0.9F		1007	1309	1.0F		1027	1330	0.7F		1039	1333	0.8F		1054	1349	0.5F
	2147				1604	1914	1.5E		1609	1934	1.8E		1616	1949	1.7E		1613	1952	1.9E		1619	2000	1.6E
13 Sa	0051	0.9F		28 Su	0158	1.2F		13 Tu	0220	1.6F		28 W	0257	1.5F		13 Th	0259	1.8F		28 F	0315	1.5F	
	0406	0703	1.2E		0508	0738	1.0E		0546	0813	1.1E		0623	0834	0.8E		0631	0847	0.9E		0646	0856	0.7E
	0949	1306	1.2F		1021	1340	1.0F		1059	1402	1.0F		1111	1415	0.7F		1135	1432	0.8F		1143	1438	0.6F
	1625	1927	1.5E		1634	1947	1.6E		1646	2011	1.9E		1647	2020	1.7E		1658	2031	1.9E		1657	2032	1.6E
14 Su	0149	1.2F		29 M	0237	1.4F		14 W	0307	1.8F		29 Th	0330	1.5F		14 F	0343	1.9F		29 Sa	0347	1.6F	
	0459	0747	1.3E		0549	0815	1.0E		0633	0856	1.1E		0658	0907	0.8E		0713	0930	0.9E		0715	0928	0.8E
	1038	1355	1.2F		1101	1417	1.0F		1147	1449	0.9F		1152	1453	0.6F		1227	1523	0.8F		1225	1519	0.6F
	1658	2002	1.7E		1702	2017	1.7E		1721	2046	1.9E		1716	2047	1.7E		1740	2110	1.9E		1732	2102	1.6E
15 M	0236	1.5F		30 Tu	0313	1.5F		15 Th	0351	1.9F		30 F	0402	1.6F		15 Sa	0424	1.9F		30 Su	0416	1.6F	
	0547	0827	1.																				

Tomogashima Suido, Japan, 2012

F–Flood, Dir. Northward E–Ebb, Dir. Southward

January				February				March									
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum			
h	m	h	m	h	m	h	m	h	m	h	m	h	m	h	m		
1				16				1				1					
Su	0254	0545	1.8E	M	0326	0606	1.6E	W	0528	0804	1.1E	Th	0559	0837	1.1E		
○	0852	1222	2.1F	●	0910	1227	1.7F	○	1054	1329	1.1F	●	1127	1345	0.9F		
	1523	1831	2.2E		1514	1834	2.3E		1551	1951	2.4E		1555	2007	2.4E		
	2201				2206				2316				2329				
2				17				2				2					
M	0417	0704	1.5E	Tu	0453	0732	1.3E	Th	0655	0930	1.2E	F	0717	0952	1.3E		
	1004	1312	1.8F		1026	1319	1.4F		1212	1427	0.9F		1239	1446	0.8F		
	1603	1933	2.3E		1555	1940	2.4E		1642	2102	2.6E		1657	2120	2.6E		
	2259				2306												
3				18				3				3					
Tu	0548	0835	1.3E	W	0624	0903	1.2E	F	0805	1034	1.5E	Sa	0817	1048	1.6E		
	1119	1404	1.4F		1144	1413	1.1F		1319	1524	0.8F		1337	1546	0.9F		
	1645	2038	2.5E		1639	2047	2.6E		1740	2204	2.8E		1807	2220	2.9E		
	2353																
4				19				4				4					
W	0715	0952	1.4E	Th	0744	1015	1.4E	Sa	0900	1125	1.7E	Su	0906	1134	1.8E		
	1231	1456	1.2F		1256	1507	0.9F		1415	1622	0.8F		1425	1643	1.0F		
	1728	2136	2.8E		1728	2148	2.8E		1843	2256	3.1E		1916	2311	3.1E		
5				20				5				5					
Th	0044	0415	2.9F	F	0056	0433	3.1F	Su	0159	0547	3.3F	M	0213	0558	3.1F		
	0826	1054	1.6E		0847	1111	1.6E		0946	1208	1.9E		0948	1213	2.0E		
	1337	1547	0.9F		1359	1602	0.8F		1501	1716	0.9F		1504	1736	1.1F		
	1812	2229	3.0E		1820	2241	3.0E		1944	2343	3.2E		2018	2357	3.2E		
6				21				6				6					
F	0132	0515	3.2F	Sa	0145	0533	3.3F	M	0245	0638	3.3F	Tu	0259	0645	3.1F		
	0923	1145	1.7E		0938	1159	1.8E		1026	1246	2.0E		1024	1249	2.1E		
	1436	1638	0.8F		1452	1655	0.7F		1538	1805	1.0F		1536	1823	1.3F		
	1858	2315	3.2E		1915	2328	3.2E		2041				2112				
7				22				7				7					
Sa	0217	0611	3.4F	Su	0231	0626	3.4F	Tu	0327	0721	3.2F	W	0341	0724	2.9F		
	1011	1230	1.8E		1022	1240	1.9E		1100	1321	2.0E		1055	1322	2.2E		
	1527	1726	0.7F		1535	1745	0.7F		1609	1849	1.2F		●	1606	1905	1.6F	
	1943	2358	3.3E		2008				2132				2203				
8				23				8				8					
Su	0300	0701	3.5F	M	0314	0713	3.4F	W	0407	0757	3.0F	Th	0420	0757	2.6F		
	1054	1310	1.9E		1100	1317	1.9E		1130	1353	2.1E		1121	1353	2.3E		
	1609	1811	0.6F		●	1611	1830	0.8F		●	1639	1930	1.4F		1636	1944	1.8F
	2029				●	2100			2222				2251				
9				24				9				9					
M	0340	0744	3.4F	Tu	0354	0753	3.3F	Th	0446	0829	2.7F	F	0458	0827	2.3F		
○	1132	1347	1.9E		1134	1351	2.0E		1157	1424	2.2E		1145	1423	2.4E		
	1643	1853	0.7F		1642	1913	1.0F		1710	2012	1.6F		1709	2027	2.0F		
	2117				2150				2312				2340				
10				25				10				10					
Tu	0420	0823	3.3F	W	0433	0828	3.1F	F	0524	0900	2.5F	Sa	0536	0855	2.0F		
	1206	1421	1.9E		1204	1424	2.0E		1221	1456	2.3E		1207	1456	2.5E		
	1715	1937	0.8F		1712	1956	1.2F		1745	2100	1.8F		1746	2114	2.2F		
	2208				2241												
11				26				11				11					
W	0459	0858	3.1F	Th	0512	0901	2.8F	Sa	0604	0932	2.2F	Su	0617	0929	1.7F		
	1236	1455	1.9E		1231	1457	2.1E		1245	1531	2.4E		1231	1531	2.6E		
	1748	2026	1.0F		1746	2044	1.4F		1827	2153	2.0F		1829	2208	2.3F		
	2302				2335												
12				27				12				12					
Th	0539	0933	2.9F	F	0552	0934	2.6F	Su	0648	1010	1.9F	M	0702	1010	1.5F		
	1305	1530	2.0E		1257	1531	2.2E		1312	1609	2.5E		1259	1611	2.6E		
	1826	2122	1.2F		1826	2138	1.6F		1915	2251	2.1F		1920	2307	2.4F		
13				28				13				13					
F	0000	0320	2.8E	Sa	0031	0334	2.6E	M	0202	0439	1.9E	Tu	0230	0458	1.6E		
	0622	1010	2.6F		0635	1011	2.3F		0739	1055	1.6F		0759	1101	1.2F		
	1334	1608	2.1E		1324	1608	2.3E		1343	1653	2.5E		1333	1657	2.5E		
	1912	2222	1.4F		1912	2236	1.8F		2012	2352	2.3F		2020				
14				29				14				14					
Sa	0103	0407	2.4E	Su	0133	0423	2.2E	Tu	0311	0540	1.5E	W	0341	0605	1.3E		
	0709	1052	2.4F		0723	1053	2.0F		0842	1148	1.3F		0912	1200	1.0F		
	1405	1649	2.2E		1354	1651	2.3E		1419	1745	2.4E		1416	1754	2.4E		
	2005	2323	1.7F		2007	2337	2.0F		2117				2128				
15				30				15				15					
Su	0211	0500	2.0E	M	0241	0519	1.7E	W	0432	0701	1.2E	Th	0409	0634	1.2E		
	0804	1137	2.0F		0821	1141	1.7F	○	1003	1245	1.0F	●	0951	1218	0.8F		
	1438	1737	2.3E		1428	1740	2.4E		1503	1850	2.4E		1420	1808	2.4E		
	2104				2109				2224				2142				
				31				1				1					
				Tu	0359	0631	1.3E	W	0528	0804	1.1E	Th	0502	0735	1.1E		
				○	0933	1234	1.4F	○	1054	1329	1.1F	●	1039	1302	0.8F		
					1506	1840	2.4E		1551	1951	2.4E		1508	1906	2.3E		
					2213				2316				2238				
				</													

Tomogashima Suido, Japan, 2012

F—Flood, Dir. Northward E—Ebb, Dir. Southward

April				May				June															
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum									
	h	m	knots		h	m	knots		h	m	knots		h	m	knots								
1 Su	0640	0932	1.7E	16 M	0637	0937	1.9E	1 Tu	0630	0939	2.2E	16 W	0620	0941	2.4E	1 F	0114	0352	1.5F	16 Sa	0132	0356	1.2F
	1230	1451	1.1F		1236	1511	1.4F		1239	1528	1.8F		1242	1543	2.1F		0649	1030	2.8E		0639	1036	2.9E
	1720	2113	2.3E		1800	2134	2.3E		1838	2153	2.2E		1912	2211	2.0E		1329	1655	2.8F		1337	1713	3.1F
																	2049	2325	2.0E		2115	2342	1.9E
2 M	0014	0339	2.7F	17 Tu	0029	0345	2.5F	2 W	0043	0348	2.2F	17 Th	0058	0350	1.9F	2 Sa	0212	0438	1.2F	17 Su	0230	0443	1.0F
	0731	1021	2.0E		0724	1023	2.2E		0714	1025	2.4E		0702	1026	2.6E		0725	1112	3.0E		0717	1119	3.1E
	1315	1551	1.4F		1317	1608	1.8F		1320	1623	2.2F		1323	1639	2.5F		1410	1749	3.1F		1419	1807	3.3F
	1843	2217	2.5E		1918	2234	2.4E		1951	2251	2.3E		2021	2307	2.1E		2145				2207		
3 Tu	0113	0433	2.6F	18 W	0127	0435	2.3F	3 Th	0141	0436	2.0F	18 F	0155	0436	1.6F	3 Su	0305	0520	1.0F	18 M	0323	0527	0.8F
	0815	1104	2.2E		0805	1104	2.5E		0753	1105	2.7E		0739	1108	2.9E		0757	1152	3.1E		0752	1200	3.3E
	1354	1646	1.8F		1356	1701	2.2F		1358	1717	2.5F		1403	1732	2.9F		1449	1840	3.3F		1459	1857	3.4F
	1953	2310	2.7E		2024	2325	2.6E		2053	2341	2.4E		2120	2357	2.2E		2235				2253		
4 W	0205	0522	2.4F	19 Th	0219	0522	2.1F	4 F	0233	0520	1.7F	19 Sa	0248	0519	1.3F	4 M	0354	0559	0.7F	19 Tu	0409	0607	0.6F
	0853	1141	2.4E		0840	1141	2.7E		0826	1143	2.9E		0810	1146	3.0E		0825	1229	3.2E		0826	1239	3.3E
	1429	1736	2.1F		1431	1751	2.5F		1435	1805	2.8F		1441	1822	3.1F		1527	1926	3.4F		1538	1942	3.5F
	2053	2357	2.8E		2121				2147				2212				2320				2335		
5 Th	0254	0605	2.2F	20 F	0307	0602	1.8F	5 Sa	0321	0559	1.4F	20 Su	0337	0556	1.0F	5 Tu	0438	0634	0.6F	20 W	0449	0646	0.6F
	0924	1216	2.6E		0910	1216	2.8E		0853	1218	3.0E		0837	1222	3.1E		0853	1306	3.2E		0903	1317	3.3E
	1503	1822	2.4F		1505	1836	2.7F		1510	1851	3.0F		1517	1908	3.3F		1605	2009	3.4F		1617	2023	3.4F
	2146				2212				2237				2300				2320				●		
6 F	0338	0642	1.9F	21 Sa	0351	0636	1.4F	6 Su	0406	0631	1.1F	21 M	0422	0629	0.8F	6 W	0517	0710	0.5F	21 Th	0525	0727	0.6F
	0951	1248	2.7E		0934	1249	2.9E		0916	1252	3.0E		0900	1258	3.2E		0926	1343	3.2E		0947	1355	3.2E
	1535	1904	2.6F		1538	1918	2.9F		1545	1935	3.2F		1553	1952	3.3F		1643	2050	3.4F		1656	2102	3.3F
	2235				2300				2324				2345										
7 Sa	0419	0712	1.6F	22 Su	0432	0705	1.2F	7 M	0447	0659	0.8F	22 Tu	0503	0701	0.6F	7 Th	0556	0755	0.5F	22 F	0602	0818	0.7F
	1013	1320	2.8E		0954	1322	3.0E		0936	1326	3.1E		0923	1333	3.2E		1011	1422	3.1E		1041	1435	3.1E
	1607	1944	2.8F		1613	2000	3.0F		1621	2017	3.2F		1631	2034	3.3F		1724	2131	3.2F		1737	2141	3.1F
	2322				2347																		
8 Su	0457	0738	1.3F	23 M	0512	0732	0.9F	8 Tu	0528	0731	0.7F	23 W	0544	0738	0.5F	8 F	0639	0853	0.6F	23 Sa	0643	0919	0.8F
	1033	1352	2.9E		1014	1355	3.0E		0958	1401	3.1E		0955	1410	3.1E		1107	1504	3.0E		1141	1518	2.9E
	1642	2026	2.9F		1649	2043	3.1F		1659	2100	3.2F		1711	2117	3.3F		1808	2214	3.1F		1822	2221	2.9F
9 M	0536	0806	1.1F	24 Tu	0553	0805	0.8F	9 W	0611	0811	0.6F	24 Th	0628	0828	0.5F	9 Sa	0729	1003	0.7F	24 Su	0732	1024	1.0F
	1053	1426	2.9E		1037	1431	3.0E		1030	1439	3.0E		1040	1450	3.0E		1212	1550	2.7E		1246	1606	2.5E
	1721	2112	2.9F		1729	2130	3.1F		1741	2147	3.2F		1754	2202	3.2F		1857	2259	2.9F		1911	2305	2.7F
10 Tu	0619	0843	0.9F	25 W	0639	0850	0.6F	10 Th	0701	0908	0.5F	25 F	0719	0936	0.5F	10 Su	0825	1111	1.0F	25 M	0827	1128	1.3F
	1119	1503	2.9E		1111	1511	2.9E		1117	1522	2.9E		1140	1535	2.8E		1324	1643	2.4E		1357	1700	2.2E
	1804	2203	2.9F		1815	2221	3.0F		1828	2237	3.1F		1842	2250	3.0F		1953	2347	2.7F		2008	2352	2.4F
11 W	0711	0935	0.7F	26 Th	0738	0955	0.5F	11 F	0803	1023	0.5F	26 Sa	0818	1049	0.7F	11 M	0924	1215	1.3F	26 Tu	0926	1229	1.6F
	1155	1545	2.8E		1159	1556	2.7E		1219	1610	2.6E		1250	1626	2.5E		1441	1746	2.0E		1514	1807	1.8E
	1854	2259	2.9F		1907	2316	3.0F		1922	2329	3.0F		1937	2340	2.9F		2057				2113		
12 Th	0818	1045	0.6F	27 F	0851	1111	0.6F	12 Sa	0912	1136	0.7F	27 Su	0921	1157	0.9F	12 Tu	0921	1157	0.9F	27 W	0926	1229	1.6F
	1245	1634	2.6E		1302	1649	2.5E		1332	1706	2.3E		1406	1726	2.2E		1605	1905	1.7E		1640	1930	1.5E
	1953	2358	2.9F		2008				2024				2041				2208				2226		
13 F	0940	1157	0.6F	28 Sa	0353	0626	1.4E	13 Su	0358	0640	1.6E	28 M	0356	0647	1.8E	13 W	0433	0755	2.2E	28 Th	0424	0759	2.4E
	1348	1734	2.3E		1004	1222	0.7F		1015	1243	1.0F		1019	1300	1.3F		1115	1416	2.0F		1120	1431	2.3F
	2101				1417	1754	2.2E		1453	1817	2.0E		1529	1840	1.9E		1735	2033	1.6E		1811	2058	1.4E
					2118				2135				2151				2320				2340		
14 Sa	0443	0726	1.4E	29 Su	0448	0740	1.6E	14 M	0447	0748	1.8E	29 Tu	0441	0752	2.0E	14 Th	0516	0855	2.5E	29 F	0507	0900	2.6E
	1052	1305	0.8F		1104	1327	1.0F		1109	1345	1.3F		1112	1401	1.7F		1205	1516	2.4F		1212	1532	2.6F
	1506	1851	2.1E		1542	1917	2.0E		1620	1942	1.9E		1658	2007	1.7E		1901	2148	1.6E		1934	2210	1.5E
	2215				2231				2247				2303										
15 Su	0543	0840	1.6E	30 M	0541	0846	1.8E	15 Tu	0535	0849	2.1E	30 W	0526	0851	2.3E	15 F	0029	0307	1.5F	30 Sa	0049	0314	1.2F
	1148	1410	1.0F		1154	1429	1.4F		1157	1445	1.7F		1200	1500	2.1F		0558	0948	2.7E		0551	0956	2.8E
	1632	2019	2.1E		1712	2043	2.																

Tomogashima Suido, Japan, 2012

F–Flood, Dir. Northward E–Ebb, Dir. Southward

July				August				September																		
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum												
h	m	h	m	h	m	h	m	h	m	h	m	h	m	h	m											
1 Su	0153	0405	1.0F	16 M	0212	0418	0.8F	1 W	0021	1.9E	16 Th	0317	0549	1.1F	1 Sa	0102	2.3E	16 Su	0347	0703	2.1F					
	0635	1045	3.0E		0641	1057	3.1E		0759	1156		3.3E	0830	1210		3.2E	0952		1304	3.1E	0525	0823	2.5F			
	1347	1731	3.2F		1359	1749	3.3F		1457	1852		3.3F	1511	1859		3.1F	1605		1937	2.5F	1128	1422	2.7E	1243	1517	2.2E
	2135	2358	1.8E		2151				2239	0058		2.0E	2238	0101		2.1E	2259		0134	2.4E	2308	0205	2.5E	2329	0237	2.7E
2 M	0249	0453	0.8F	17 Tu	0305	0509	0.8F	2 Th	0350	0617	1.0F	17 F	0349	0635	1.3F	2 Su	0418	0729	1.9F	17 M	0418	0742	2.3F			
	0717	1129	3.2E		0732	1142	3.2E		0852	1237	3.3E		0923	1251	3.2E		1040	1343	3.0E		1128	1422	2.7E	1106	1357	2.7E
	1431	1825	3.4F		1444	1841	3.4F		1539	1934	3.2F		1552	1937	2.9F		1643	2007	2.2F		1643	2007	2.2F	1655	2001	1.8F
	2223				2234	0052	1.9E		2313	0133	2.0E		2308	0134	2.2E		2323	0205	2.5E		2308	0205	2.6E	2308	0237	2.7E
3 Tu	0338	0539	0.7F	18 W	0347	0557	0.7F	3 F	0422	0700	1.1F	18 Sa	0419	0716	1.5F	3 M	0450	0810	2.1F	18 Tu	0452	0823	2.5F			
	0759	1211	3.3E		0822	1223	3.3E		0942	1317	3.3E		1012	1330	3.1E		1128	1422	2.7E		1128	1422	2.7E	1153	1436	2.5E
	1512	1913	3.4F		1525	1926	3.4F		1618	2010	3.0F		1631	2010	2.6F		1721	2035	1.9F		1721	2035	1.9F	1733	2029	1.5F
	2305	0121	1.9E		2312	0129	1.9E		2343	0205	2.1E		2335	0205	2.3E		2346	0237	2.5E		2346	0237	2.5E	2346	0237	2.5E
4 W	0420	0622	0.6F	19 Th	0423	0641	0.8F	4 Sa	0452	0741	1.3F	19 Su	0450	0756	1.7F	4 Tu	0525	0854	2.3F	19 W	0529	0909	2.6F			
	0842	1250	3.3E		0911	1303	3.3E		1032	1356	3.1E		1101	1409	3.0E		1217	1503	2.5E		1217	1503	2.5E	1243	1517	2.2E
	1552	1955	3.4F		1605	2005	3.3F		1657	2042	2.8F		1709	2040	2.4F		1800	2106	1.7F		1800	2106	1.7F	1814	2103	1.3F
	2343	0158	1.9E		2346	0203	2.0E		2343	0205	2.1E		2359	0237	2.4E		2359	0237	2.4E		2359	0237	2.4E	2359	0237	2.4E
5 Th	0454	0704	0.7F	20 F	0454	0724	0.9F	5 Su	0524	0826	1.5F	20 M	0524	0840	1.9F	5 W	0606	0945	2.4F	20 Th	0612	1001	2.7F			
	0929	1329	3.3F		1000	1342	3.2E		1122	1435	2.9E		1150	1449	2.7F		1310	1547	2.1E		1310	1547	2.1E	1336	1603	1.9E
	1630	2034	3.3F		1644	2040	3.1F		1735	2113	2.5F		1747	2111	2.1F		1844	2145	1.4F		1844	2145	1.4F	1901	2148	1.1F
	0017	0233	1.9E		0016	0236	2.0E		0035	0311	2.3E		0023	0311	2.5E		0036	0349	2.6E		0036	0349	2.6E	0024	0354	2.7E
6 F	0528	0749	0.8F	21 Sa	0526	0809	1.1F	6 M	0602	0916	1.7F	21 Tu	0603	0930	2.1F	6 Th	0654	1042	2.5F	21 F	0702	1059	2.7F			
	1019	1408	3.2E		1052	1422	3.1E		1216	1517	2.6E		1243	1531	2.4E		1409	1636	1.8E		1409	1636	1.8E	1434	1656	1.6E
	1710	2110	3.1F		1723	2113	2.8F		1817	2148	2.2F		1829	2146	1.8F		1936	2235	1.2F		1936	2235	1.2F	2002	2247	0.9F
	0048	0308	1.9E		0044	0310	2.1E		0101	0347	2.4E		0049	0347	2.5E		0109	0433	2.6E		0109	0433	2.6E	0105	0441	2.6E
7 Sa	0603	0841	0.9F	22 Su	0602	0900	1.3F	7 Tu	0645	1011	1.9F	22 W	0648	1026	2.2F	7 F	0750	1142	2.6F	22 Sa	0801	1159	2.7F			
	1114	1449	3.0E		1146	1503	2.8E		1313	1603	2.3E		1341	1619	2.0E		1514	1737	1.4E		1514	1737	1.4E	1539	1802	1.3E
	1751	2146	2.9F		1804	2148	2.6F		1902	2228	1.9F		1917	2230	1.5F		2045	2335	1.0F		2045	2335	1.0F	2122	2353	0.8F
	0118	0344	2.0E		0111	0346	2.2E		0130	0427	2.4E		0119	0429	2.5E		0151	0526	2.5E		0151	0526	2.5E	0156	0539	2.4E
8 Su	0644	0940	1.1F	23 M	0644	0956	1.5F	8 W	0737	1111	2.1F	23 Th	0742	1126	2.3F	8 Sa	0855	1245	2.6F	23 Su	0909	1300	2.7F			
	1214	1533	2.7E		1245	1547	2.5E		1417	1655	1.9E		1446	1715	1.6E		1628	1857	1.2E		1628	1857	1.2E	1650	1927	1.2E
	1835	2226	2.7F		1848	2228	2.3F		1956	2315	1.6F		2017	2322	1.3F		2210				2210			2245		
	0149	0424	2.1E		0141	0425	2.3E		0203	0513	2.4E		0155	0518	2.5E		0244	0638	0.8F		0244	0638	0.8F	0301	0101	0.8F
9 M	0733	1041	1.4F	24 Tu	0734	1056	1.7F	9 Th	0836	1212	2.3F	24 F	0844	1228	2.5F	9 Su	1006	1347	2.7F	24 M	1022	1401	2.8F			
	1318	1622	2.3E		1348	1638	2.1E		1530	1800	1.4E		1600	1827	1.3E		1746	2029	1.2E		1746	2029	1.2E	1759	2049	1.4E
	1925	2309	2.4F		1940	2312	2.0F		2103				2133				2330				2330			2352		
	0222	0508	2.2E		0212	0510	2.3E		0241	0008	1.3F		0239	0618	2.4E		0349	0755	2.3E		0349	0755	2.3E	0418	0819	2.2E
10 Tu	0829	1143	1.6F	25 W	0831	1157	2.0F	10 F	0941	1314	2.4F	25 Sa	0953	1331	2.6F	10 M	1115	1449	2.8F	25 Tu	1131	1501	2.8F			
	1429	1718	1.9E		1459	1738	1.7E		1653	1927	1.2E		1723	2000	1.1E		1856	2140	1.5E		1856	2140	1.5E	1900	2150	1.7E
	2023	2356	2.1F		2041				2224				2258				2330				2330			2352		
	0257	0559	2.2E		0248	0603	2.3E		0326	0717	2.4E		0332	0734	2.4E		0435	0852	2.5E		0435	0852	2.5E	0445	0830	1.1F
11 W	0929	1244	1.9F	26 Th	0934	1259	2.2F	11 Sa	1047	1417	2.6F	26 Su	1100	1434	2.8F	11 Tu	1218	1549	2.9F	26 W	1233	1559	2.8F			
	1547	1829	1.5E		1620	1856	1.3E		1821	2059	1.2E		1843	2123	1.3E		1952	2233	1.8E		1952	2233	1.8E	1951	2237	2.0E
	2132				2155				2345				2425				2516				2516			2552		
	0335	0659	2.3E		0329	0706	2.4E		0419	0833	2.5E		0435	0852	2.5E		0505	0913	2.5E		0505	0913	2.5E	0542	0934	2.4E
12 Th	1029	1345	2.2F	27 F	1037	1401	2.5F	12 Su	1150	1521	2.8F	27 M	1204	1536	2.9F	12 W	1316	1646	2.9F	27 Th	1329	1652	2.7F			
	1716	1959	1.3E		1750	2029	1.2E		1935	2209	1.4E		1947	2223	1.6E		2039	2316	2.0E		2039	2316	2.0E	2034	2319	2.3E
	2248				2315				2345				2425				2516				2516			2552		
	0417	0806	2.5E		0414	0817	2.5E		0520	0940	2.7E		0548	0958	2.7E		0736	1109	2.9E		0736	1109	2.9E	0808	1124	2.8E
13 F	1127	1447	2.5F	28 Sa	1137	1504	2.7F	13 M	1247	1623	3.0F	28 Tu	1301	1637	3.0F	13 Th	1407	1738	2.8F	28 F	1421	1741	2.5F			
	1845	2124	1.3E		1914	2148	1.3E		2034	2302	1.7E		2039	2311	1.8E		2118	2355	2.2E		2118	2355	2.2E	2110	2356	2.5E
	0003	0232	1.2F		0029	0245	1.0F		0151	0402	0.9F		0202	0424	1.1F		0243	0536	1.6F		0243	0536	1.6F	0243	0551	2.0F
	0502	0910	2.7E		0505	0923	2.7E		0627	1036	2.9E		0701	1053	2.9E		0836	1155	3.0E		0836	1155</				

Tomogashima Suido, Japan, 2012

F–Flood, Dir. Northward E–Ebb, Dir. Southward

October				November				December															
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum									
	h	m	knots		h	m	knots		h	m	knots		h	m	knots								
1 M	0348	0716	2.5F	16 Tu	0351	0730	2.8F	1 Th	0433	0828	3.1F	16 F	0443	0845	3.3F	1 Sa	0455	0900	3.3F	16 Su	0508	0913	3.3F
	1045	1331	2.7E		1110	1345	2.4E		1218	1439	2.0E		1237	1453	1.8E		1251	1505	1.8E		1259	1515	1.8E
	1629	1927	1.6F		1642	1919	1.2F		1737	1947	0.7F		1754	1953	0.6F		1808	2010	0.6F		1816	2034	0.7F
	2230				2212				2218				2214				2227				2254		
2 Tu	0420	0756	2.7F	17 W	0425	0811	2.9F	2 F	0512	0912	3.1F	17 Sa	0523	0929	3.2F	2 Su	0536	0943	3.2F	17 M	0550	0953	3.1F
	1131	1411	2.5E		1155	1425	2.2E		1302	1521	1.8E		1319	1535	1.7E		1329	1546	1.8E		1333	1554	1.8E
	1708	1953	1.4F		1722	1947	1.0F		1822	2029	0.6F		1840	2047	0.5F		1854	2112	0.6F		1901	2138	0.8F
	2251				2233				2252				2300				2324				2356		
3 W	0456	0838	2.8E	18 Th	0503	0855	3.0F	3 Sa	0555	1000	3.1F	18 Su	0608	1016	3.1F	3 M	0622	1028	3.1F	18 Tu	0636	1036	2.9F
	1218	1450	2.2E		1242	1505	2.0E		1348	1605	1.7E		1401	1619	1.7E		1407	1630	1.8E		1408	1636	1.9E
	1747	2023	1.1F		1803	2023	0.8F		1915	2130	0.6F		1935	2157	0.6F		1948	2223	0.7F		1953	2244	1.0F
	2313				2258				2339				2359										
4 Th	0535	0925	2.8F	19 F	0544	0943	3.0F	4 Su	0644	1053	3.0F	19 M	0658	1105	3.0F	4 Tu	0713	1115	2.9F	19 W	0728	1122	2.7F
	1307	1533	1.9E		1330	1549	1.8E		1435	1656	1.6E		1444	1709	1.7E		1447	1719	1.8E		1445	1724	2.0E
	1831	2103	0.9F		1852	2111	0.7F		2021	2245	0.6F		2039	2310	0.7F		2047	2331	1.0F		2051	2348	1.3F
	2341				2334																		
5 F	0620	1019	2.8E	20 Sa	0631	1036	3.0F	5 M	0741	1146	2.9F	20 Tu	0756	1157	2.8F	5 W	0812	1205	2.7F	20 Th	0827	1211	2.4F
	1400	1621	1.7E		1421	1639	1.6E		1525	1755	1.5E		1529	1807	1.7E		1528	1814	1.9E		1523	1819	2.1E
	1925	2159	0.8F		1953	2218	0.6F		2132	2356	0.7F		2143				2147				2150		
													2143										
6 Sa	0713	1116	2.8F	21 Su	0726	1133	2.9F	6 Tu	0846	1241	2.8F	21 W	0903	1249	2.6F	6 Th	0919	1255	2.4F	21 F	0935	1300	2.1F
	1457	1717	1.4E		1514	1738	1.4E		1616	1903	1.6E		1616	1912	1.8E		1611	1917	2.0E		1604	1921	2.2E
	2036	2307	0.7F		2110	2332	0.6F		2235				2240				2243				2247		
7 Su	0814	1216	2.8F	22 M	0830	1229	2.8F	7 W	0958	1335	2.6F	22 Th	1015	1341	2.4F	7 F	1031	1346	2.1F	22 Sa	1049	1351	1.8F
	1559	1828	1.3E		1611	1849	1.4E		1707	2012	1.8E		1703	2016	2.1E		1655	2020	2.3E		1647	2024	2.4E
	2158				2223				2328				2331				2335				2340		
8 M	0925	1315	2.8F	23 Tu	0941	1326	2.7F	8 Th	1110	1428	2.4F	23 F	1125	1433	2.2F	8 Sa	1142	1437	1.8F	23 Su	1200	1442	1.5F
	1703	1950	1.4E		1708	2004	1.6E		1757	2111	2.1E		1748	2113	2.3E		1739	2117	2.5E		1730	2122	2.7E
	2309				2322																		
9 Tu	0329	0718	2.1E	24 W	0405	0744	2.0E	9 F	0612	0926	2.0E	24 Sa	0647	0946	1.9E	9 Su	0720	1006	1.7E	24 M	0750	1027	1.6E
	1038	1413	2.7F		1054	1422	2.6F		1216	1520	2.2F		1231	1523	1.9F		1248	1527	1.5F		1307	1533	1.2F
	1804	2101	1.7E		1803	2107	1.9E		1842	2200	2.4E		1832	2202	2.6E		1821	2207	2.8E		1814	2214	2.9E
10 W	0455	0843	2.2E	25 Th	0535	0905	2.1E	10 Sa	0730	1029	2.1E	25 Su	0800	1047	2.0E	10 M	0829	1104	1.9E	25 Tu	0854	1122	1.8E
	1146	1510	2.7F		1201	1516	2.5F		1316	1609	1.9F		1331	1611	1.6F		1348	1615	1.3F		1407	1622	1.0F
	1858	2155	2.0E		1852	2158	2.2E		1923	2243	2.7E		1911	2247	2.9E		1901	2252	3.0E		1856	2300	3.1E
11 Th	0621	0953	2.4E	26 F	0657	1011	2.3E	11 Su	0835	1122	2.3E	26 M	0902	1138	2.1E	11 Tu	0927	1155	1.9E	26 W	0948	1210	1.9E
	1247	1604	2.5F		1302	1607	2.3F		1411	1655	1.6F		1427	1656	1.3F		1444	1700	1.0F		1502	1709	0.8F
	1945	2240	2.3E		1935	2241	2.5E		1959	2323	2.9E		1947	2327	3.0E		1937	2334	3.1E		1936	2343	3.2E
12 F	0735	1050	2.6E	27 Sa	0806	1105	2.4E	12 M	0932	1209	2.3E	27 Tu	0956	1225	2.1E	12 W	1018	1240	2.0E	27 Th	1035	1253	1.9E
	1343	1654	2.4F		1357	1655	2.0F		1502	1736	1.3F		1518	1737	1.0F		1535	1741	0.8F		1550	1753	0.7F
	2024	2320	2.5E		2013	2321	2.7E		2030				2017				2010				2015		
13 Sa	0838	1139	2.7E	28 Su	0905	1154	2.5E	13 Tu	1023	1253	2.2E	28 W	1045	1308	2.0E	13 Th	1103	1321	1.9E	28 F	1117	1332	1.9E
	1434	1740	2.1F		1447	1738	1.7F		1549	1812	1.1F		1605	1813	0.8F		1620	1820	0.6F		1630	1834	0.6F
	2059	2356	2.7E		2045	2357	2.8E		2056				2044				2042				2056		
14 Su	0933	1223	2.7E	29 M	0958	1238	2.4E	14 W	1110	1334	2.1E	29 Th	1129	1348	2.0E	14 F	1145	1400	1.9E	29 Sa	1154	1409	1.9E
	1520	1819	1.8F		1534	1815	1.4F		1632	1843	0.8F		1647	1847	0.6F		1659	1858	0.6F		1706	1915	0.7F
	2128				2111				2118				2110				2117				2140		
15 M	1023	1305	2.6E	30 Tu	1047	1319	2.3E	15 Th	1154	1414	2.0E	30 F	1211	1427	1.9E	15 Sa	1223	1437	1.8E	30 Su	1229	1445	1.9E
	1603	1852	1.5F		1617	1846	1.1F		1713	1915	0.7F		1727	1923	0								

Naruto, Japan, 2012

F–Flood, Dir. Northward E–Ebb, Dir. Southward

January				February				March															
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum									
	h	m	knots		h	m	knots		h	m	knots		h	m	knots								
1 Su	0238	0534	6.3E	16 M	0202	0503	7.3E	1 W	0420	0708	5.5E	16 Th	0443	0738	6.1E	1 Th	0320	0614	5.7E	16 F	0423	0725	6.3E
	0824	1133	6.8F		0805	1103	7.2F		1012	1243	4.5F		1100	1320	4.3F		0927	1147	4.3F		1057	1317	4.3F
○	1442	1806	7.3E	○	1404	1725	7.8E		1513	1857	6.5E		1538	1924	6.7E	○	1411	1756	6.3E	○	1537	1914	6.4E
	2124				2039	2353	7.7F		2208				2233				2105				2216		
2 M		0033	6.7F	17 Tu	0326	0621	6.6E	2 Th	0539	0829	5.6E	17 F	0612	0911	6.5E	2 F	0443	0740	5.7E	17 Sa	0549	0854	6.7E
	0359	0647	5.8E		0923	1210	6.0F		1148	1406	4.0F		1241	1501	4.5F		1106	1317	3.8F		1225	1457	5.0F
	0939	1238	5.8F		1457	1830	7.4E		1620	2003	6.4E		1715	2049	6.9E		1529	1914	6.1E		1724	2044	6.7E
	1534	1903	7.0E		2143				2308				2352				2217				2343		
	2220																						
3 Tu	0142	0804	6.9F	18 W	0458	0750	6.3E	3 F	0641	0936	6.2E	18 Sa	0718	1019	7.2E	3 Sa	0554	0854	6.2E	18 Su	0653	0958	7.4E
	1104	1349	5.2F		1101	1334	5.1F		1302	1517	4.3F		1344	1611	5.4F		1222	1441	4.3F		1319	1601	6.1F
	1628	2000	6.9E		1603	1943	7.2E		1728	2102	6.8E		1834	2158	7.5E		1657	2028	6.5E		1840	2152	7.4E
	2312				2253												2327						
4 W	0246	0913	7.3F	19 Th	0622	0916	6.6E	4 Sa	0004	0348	8.1F	19 Su	0058	0436	8.8F	4 Su	0647	0948	6.9E	19 M	0741	1044	7.9E
	0623	0913	6.1E		1224	1456	4.8F		0727	1025	6.9E		0807	1108	7.8E		1308	1539	5.4F		1358	1647	7.1F
	1224	1456	4.8F		1717	2054	7.4E		1348	1608	5.1F		1426	1701	6.4F		1805	2127	7.2E		1934	2244	8.0E
	1721	2052	7.0E						1825	2152	7.3E		1933	2251	8.0E								
	2359																						
5 Th	0337	1009	7.9F	20 F	0001	0346	8.6F	5 Su	0052	0431	8.7F	20 M	0151	0521	9.2F	5 M	0026	0401	8.4F	20 Tu	0144	0504	8.7F
	0715	1009	6.6E		0728	1025	7.2E		0805	1103	7.5E		0847	1147	8.3E		0729	1029	7.6E		0818	1121	8.3E
	1327	1551	5.0F		1348	1610	5.3F		1421	1649	5.9F		1459	1741	7.1F		1342	1623	6.5F		1429	1724	7.8F
	1809	2138	7.2E		1826	2157	7.7E		1913	2235	8.0E		2020	2335	8.5E		1859	2216	8.0E		2017	2325	8.4E
6 F	0040	0420	8.4F	21 Sa	0101	0442	9.1F	6 M	0136	0509	9.3F	21 Tu	0236	0559	9.4F	6 Tu	0117	0443	9.0F	21 W	0228	0540	8.8F
	0756	1053	7.1E		0819	1118	7.7E		0838	1136	8.1E		0920	1220	8.6E		0804	1104	8.2E		0849	1152	8.5E
	1413	1634	5.3F		1439	1704	5.9F		1449	1724	6.8F		1529	1816	7.7F		1411	1700	7.5F		1457	1756	8.3F
	1851	2217	7.6E		1925	2251	8.2E		1956	2316	8.6E		2101				1944	2259	8.8E		2055		
7 Sa	0118	0456	8.9F	22 Su	0153	0529	9.5F	7 Tu	0217	0545	9.7F	22 W	0315	0632	9.4F	7 W	0202	0521	9.4F	22 Th	0305	0611	8.7F
	0832	1129	7.6E		0902	1201	8.2E		0910	1208	8.6E		0949	1249	8.8E		0837	1136	8.8E		0916	1219	8.7E
	1448	1710	5.7F		1518	1748	6.5F		1517	1759	7.6F		1556	1847	8.1F		1441	1736	8.4F		1522	1825	8.7F
	1929	2254	8.0E		2016	2338	8.5E		2038	2355	9.2E		2139				2027	2340	9.4E		2129		
8 Su	0154	0530	9.4F	23 M	0239	0610	9.8F	8 W	0259	0620	10.0F	23 Th	0352	0703	9.3F	8 Th	0245	0557	9.7F	23 F	0339	0639	8.6F
	0904	1201	8.0E		0940	1239	8.5E		0942	1240	9.1E		1016	1318	8.9E		0909	1209	9.2E		0940	1244	8.7E
	1518	1744	6.3F		1553	1828	7.1F		1547	1835	8.3F		1623	1919	8.4F		1511	1812	9.1F		1546	1853	8.9F
	2008	2331	8.5E	●	2102				2121				2216				2110				2201		
9 M	0232	0604	9.8F	24 Tu		0020	8.8E	9 Th	0340	0035	9.6E	24 F	0427	0734	9.0F	9 F	0328	0634	9.7F	24 Sa	0411	0706	8.3F
	0935	1234	8.5E		0322	0647	9.8F		1014	1314	9.3E		1042	1347	8.8E		0941	1243	9.5E		1003	1310	8.7E
	1548	1819	6.9F		1014	1314	8.8E		1619	1913	8.8F		1652	1951	8.6F		1545	1850	9.7F		1611	1922	9.1F
	2047				1625	1905	7.5F		2205				2253				2154				2235		
					2146																		
10 Tu	0009	0640	8.9E	25 W	0402	0723	9.7F	10 F	0423	0735	10.0F	25 Sa	0502	0805	8.7E	10 Sa	0410	0711	9.5F	25 Su	0443	0735	8.6E
	1008	1306	8.8E		1047	1347	8.8E		1048	1349	9.4E		1109	1416	8.7E		1014	1318	9.6E		1027	1336	8.6E
	1618	1855	7.4F		1658	1942	7.8F		1654	1953	9.1F		1722	2025	8.6F		1621	1930	9.9F		1639	1953	9.1F
	2129				2229				2251				2333				2240				2310		
11 W	0048	0716	10.2F	26 Th	0141	0759	9.5F	11 Sa	0507	0814	9.6F	26 Su	0539	0837	8.1F	11 Su	0454	0751	9.1F	26 M	0518	0805	7.6F
	1042	1341	9.0E		1118	1422	8.8E		1123	1427	9.3E		1137	1447	8.4E		1049	1356	9.5E		1053	1405	8.4E
	1652	1934	7.9F		1731	2020	7.9F		1733	2035	9.2F		1755	2101	8.4F		1700	2013	9.9F		1709	2026	9.0F
	2214				2313				2341								2329				2348		
12 Th	0130	0755	10.1F	27 F	0522	0835	9.1F	12 Su	0554	0855	8.9F	27 M	0016	0316	7.8E	12 M	0542	0833	8.4F	27 Tu	0557	0839	7.0F
	1118	1418	9.1E		1151	1457	8.6E		1159	1508	9.0E		1207	1522	8.0E		1125	1437	9.1E		1122	1438	8.1E
	1729	2015	8.1F		1807	2100	7.9F		1816	2123	9.0F		1831	2142	8.1F		1743	2059	9.5F		1744	2104	8.7F
	2302				2359																		
13 F	0215	0836	9.7F	28 Sa	0604	0912	8.4F	13 M	0037	0339	8.4E	28 Tu	0106	0402	7.1E	13 Tu	0023	0323	8.5E	28 W	0033	0331	7.5E
	1155	1459	9.0E		1224	1534	8.3E		0646	0941	7.9F		0706	0952	6.5F		0635	0919	7.4F		0642	0918	6.3F
	1808	2100	8.2F		1846	2142	7.7F		1239	1554	8.5E		1240	1602	7.4E		1205	1524	8.5E		1155	1517	7.6E
	2354								1904	2217	8.6F		1913	2230	7.7F		1832	2153	8.9F		1824	2149	8.3F
14 Sa																							

Naruto, Japan, 2012

F–Flood, Dir. Northward E–Ebb, Dir. Southward

April				May				June																				
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum														
h	m	h	m	h	m	h	m	h	m	h	m	h	m	h	m													
1 Su	0457 1128 1631 2249	0803 1359 1953	6.5E 4.9F 6.4E	16 M	0612 1241 1832	0922 1537 2135	7.6F 6.8F 7.2E	1 Tu	0459 1123 1722 2327	0810 1422 2028	7.3E 6.7F 7.1E	16 W	0006 0612 1238 1907	0314 0926 1553 2203	7.0F 7.8E 7.8F 7.3E	1 F	0010 0548 1214 1906	0302 0908 1540 2204	6.7F 8.1E 8.7F 7.8E	16 Sa	0139 0645 1309 2012	0414 1005 1641 2308	5.8F 7.6E 8.6F 7.4E					
2 M	0556 1217 1746 2358	0901 1503 2059	7.6F 7.1E 6.0F 7.2E	17 Tu	0034 0701 1321 1925	0353 1009 1624 2227	7.8F 8.0E 7.6F 7.8E	2 W	0551 1209 1824	0901 1517 2129	7.8E 7.7F 7.8E	17 Th	0107 0654 1314 1952	0405 1008 1633 2249	7.0F 8.0E 8.3F 7.6E	2 Sa	0115 0636 1300 1959	0358 0956 1630 2257	6.8F 8.5E 9.4F 8.3E	17 Su	0224 0719 1341 2046	0453 1040 1714 2343	5.8F 7.7E 8.9F 7.7E					
3 Tu	0643 1256 1842	0947 1551 2153	8.0F 7.7E 7.2F 8.0E	18 W	0129 0740 1353 2007	0437 1047 1701 2309	8.0F 8.2E 8.2F 8.1E	3 Th	0032 0636 1249 1917	0337 0946 1605 2220	7.7F 8.3E 8.6F 8.4E	18 F	0157 0729 1345 2029	0445 1042 1707 2327	6.9F 8.1E 8.7F 7.9E	3 Su	0211 0721 1345 2047	0447 1042 1716 2345	6.9F 8.8E 9.9F 8.6E	18 M	0301 0750 1411 2116	0526 1111 1744 2308	5.9F 8.0E 9.3F 7.7E					
4 W	0056 0723 1330 1931	0411 1025 1632 2240	8.5F 8.3E 8.2F 8.7E	19 Th	0214 0811 1422 2043	0514 1118 1733 2345	7.9F 8.4E 8.7F 8.3E	4 F	0128 0716 1328 2005	0424 1026 1648 2307	7.9F 8.7E 9.4F 8.9E	19 Sa	0238 0758 1412 2102	0519 1111 1737 2302	6.8F 8.1E 9.0F	4 M	0300 0805 1429 2132	0534 1126 1801 2303	7.1F 9.1E 10.3F	19 Tu	0332 0820 1441 2146	0557 1141 1814 2308	8.0E 6.1F 8.2E 9.6F					
5 Th	0145 0758 1403 2016	0453 1101 1711 2323	8.8F 8.8E 9.1F 9.3E	20 F	0252 0838 1447 2116	0546 1145 1801	7.8F 8.5E 9.0F	5 Sa	0218 0754 1407 2051	0507 1106 1730 2352	8.0F 9.1E 10.0F 9.2E	20 Su	0313 0823 1438 2132	0548 1138 1805	8.0E 6.7F 8.2E 9.3F	5 Tu	0347 0849 1514 2217	0619 1211 1845 2303	7.2F 9.2E 10.4F	20 W	0400 0852 1514 2216	0627 1213 1845	6.4F 8.5E 9.8F					
6 F	0231 0832 1437 2059	0532 1136 1749	9.0F 9.3E 9.7F	21 Sa	0325 0901 1510 2146	0613 1210 1828	8.4E 7.7F 8.5E 9.2F	6 Su	0305 0831 1447 2136	0549 1145 1812	8.0F 9.4E 10.4F	21 M	0344 0847 1504 2202	0617 1205 1833	6.6F 8.3E 9.5F	6 W	0432 0935 1600 2303	0704 1257 1930	7.2F 9.1E 10.3F	21 Th	0430 0928 1550 2249	0700 1248 1919	6.8F 8.7E 10.0F					
7 Sa	0315 0905 1513 2143	0610 1212 1829	9.6E 9.5E 10.2F	22 Su	0356 0923 1535 2217	0640 1235 1855	7.5F 8.5E 9.4F	7 M	0351 0910 1529 2223	0631 1226 1855	7.9F 9.4E 10.5F	22 Tu	0416 0914 1534 2234	0645 1233 1903	6.6F 8.5E 9.7F	7 Th	0519 1025 1648 2349	0751 1345 2016	7.2F 8.9E 10.0F	22 F	0503 1009 1629 2324	0736 1327 1956	7.1F 8.8E 9.9F					
8 Su	0359 0940 1551 2229	0649 1249 1910	9.8F 9.6E 10.4F	23 M	0428 0947 1602 2250	0708 1301 1925	7.3F 8.5E 9.5F	8 Tu	0437 0951 1612 2311	0714 1309 1940	7.7F 9.3E 10.4F	23 W	0448 0946 1607 2308	0717 1305 1937	6.7F 8.5E 9.7F	8 F	0608 1118 1738	0841 1437 2105	8.7E 7.0F 9.5F	23 Sa	0539 1053 1712	0816 1410 2036	7.3F 8.7E 9.7F					
9 M	0444 1017 1633 2318	0730 1329 1954	8.4F 9.5E 10.2F	24 Tu	0502 1015 1633 2327	0738 1331 1958	7.0F 8.4E 9.4F	9 W	0527 1035 1659	0801 1356 2028	7.3F 8.9E 10.0F	24 Th	0525 1023 1645 2347	0753 1342 2015	6.6F 8.4E 9.6F	9 Sa	0700 1219 1833	0936 1534 2158	6.8F 7.8E 8.8F	24 Su	0618 1144 1759	0859 1457 2120	7.4F 8.4E 9.2F					
10 Tu	0533 1056 1717	0814 1413 2041	7.8F 9.0E 9.8F	25 W	0541 1046 1708	0813 1405 2036	8.1E 8.2E 9.2F	10 Th	0622 1126 1751	0852 1448 2121	6.7F 8.3E 9.4F	25 F	0605 1105 1727	0835 1425 2057	6.6F 8.2E 9.4F	10 Su	0757 1330 1934	1038 1639 2256	6.6F 7.1E 8.0F	25 M	0702 1241 1852	0948 1551 2207	7.4F 7.9E 8.6F					
11 W	0628 1141 1808	0903 1502 2135	6.9F 8.4E 9.2F	26 Th	0625 1124 1749	0853 1445 2119	6.2F 7.8E 8.9F	11 F	0724 1228 1850	0952 1549 2222	6.1F 7.6E 8.6F	26 Sa	0651 1156 1816	0922 1514 2144	6.4F 7.8E 8.9F	11 M	0858 1453 2045	1149 1753	6.5F 6.5E	26 Tu	0751 1347 1952	1044 1652 2301	7.4F 7.3E 7.7F					
12 Th	0734 1235 1908	1002 1602 2241	5.9F 7.5E 8.4F	27 F	0717 1210 1838	0942 1535 2211	5.7F 7.3E 8.4F	12 Sa	0835 1347 2000	1106 1705 2333	5.7F 6.8E 7.9F	27 Su	0741 1256 1912	1016 1612 2238	6.3F 7.3E 8.3F	12 Tu	0830 1320 1921	1003 1305 1913	7.2F 6.7F 6.2E	27 W	0845 1505 2103	1148 1805	7.4F 6.8E					
13 F	0858 1352 2023	1121 1722	5.0F 6.6E	28 Sa	0818 1311 1938	1042 1637 2312	5.3F 6.7E 7.9F	13 Su	0949 1525 2123	1233 1832	5.7F 6.3E	28 M	0837 1411 2018	1119 1722 2340	6.3F 6.9E 7.7F	13 W	0418 1058 1739 2328	0741 1416 2029	7.4E 7.1F 6.3E	28 Th	0943 1631 2227	1300 1926	7.5F 6.5E					
14 Sa	0351 1032 1540 2154	0700 1304 1859	7.7F 6.8E 4.9F 6.3E	29 Su	0253 0925 1433 2051	0602 1155 1754	6.9E 5.2F 6.4E	14 M	0418 1058 1658 2250	0054 0734 1356 1956	7.3F 7.4E 6.3F 6.4E	29 Tu	0303 0935 1535 2135	0617 1229 1839	7.5E 6.6F 6.7E	14 Th	0514 1149 1841	0837 1515 2133	7.4E 7.7F 6.7E	29 F	0404 1045 1752 2355	0734 1415 2046	7.5E 8.0F 6.7E					
15 Su	0510 1147 1720 2323	0820 1435 2028	7.1E 5.8F 6.6E	30 M	0359 1029 1604 2211	0709 1314 1916	6.9E 5.7F 6.5E	15 Tu	0520 1153 1811	0835 1502 2107	7.6E 7.1F 6.9E	30 W	0400 1031 1656 2255	0718 1340 1956	7.5E 7.2F 6.9E	15 F	0040 0604 1232 1931	0326 0925 1602 2226	5.9F 7.5E 8.1F 7.0E	30 Sa	0505 1145 1900	0837 1522 2155	7.7E 8.6F 7.2E					
												31 Th	0456 1124 1807	0159 0816 2105	6.8F 7.7E 7.3E													

Time meridian 135° E. 0000 is midnight. 1200 is noon. Times are not adjusted for Daylight Saving Time.

Naruto, Japan, 2012

F–Flood, Dir. Northward E–Ebb, Dir. Southward

July				August				September																
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum										
	h	m	knots		h	m	knots		h	m	knots		h	m	knots									
1 Su	0111	0341	5.7F	16 M	0207	0429	5.2F	1 W	0253	0526	6.6F	16 Th	0236	0513	6.7F	16 Su	0251	0553	9.0F					
	0605	0935	8.0E		0646	1011	7.4E		0755	1117	8.5E		0747	1105	8.3E		0853	1202	9.5E					
	1241	1619	9.2F		1311	1650	8.7F		1419	1749	9.7F		1405	1731	9.4F		1509	1814	9.4F					
	1957	2253	7.7E		2024	2322	7.5E		2118				2054	2353	8.5E		●	2118						
2 M	0211	0438	6.0F	17 Tu	0242	0505	5.6F	2 Th	0329	0607	7.2F	17 F	0302	0546	7.5F	2 Su	0404	0703	8.7F	17 M	0323	0629	9.6F	
	0701	1029	8.4E		0725	1048	7.8E		0844	1202	8.9E		0826	1141	8.9E		1003	1310	9.1E		0934	1241	9.8E	
	1333	1709	9.7F		1347	1723	9.1F		1504	1829	9.8F		1444	1805	9.7F		1615	1919	9.1F		1550	1850	9.4F	
	2045	2342	8.2E		2055	2353	7.9E		2153				2123				2226				2151			
3 Tu	0259	0528	6.5F	18 W	0310	0537	6.2F	3 F	0403	0646	7.8F	18 Sa	0329	0618	8.2F	3 M	0434	0736	8.9F	18 Tu	0357	0708	10.0F	
	0753	1118	8.7E		0801	1123	8.2E		0929	1244	9.1E		0947	1258	9.4E		1041	1346	8.9E		1018	1323	9.7E	
	1421	1755	10.0F		1423	1754	9.5F		1547	1906	9.8F		●	1523	1838	9.9F		1651	1952	8.7F		1633	1928	9.1F
	2129				2124				2227				2153				2254				2224			
4 W	0342	0613	6.9F	19 Th	0336	0608	6.8F	4 Sa	0436	0724	8.1F	19 Su	0358	0653	8.8F	4 Tu	0505	0811	8.9F	19 W	0435	0749	10.0F	
	0842	1205	9.0E		0838	1158	8.7E		1013	1325	9.1E		0947	1258	9.6E		1121	1424	8.5E		1105	1407	9.4E	
	1508	1838	10.2F		●	1459	1826	9.9F		1628	1942	9.6F		1604	1914	9.9F		1729	2025	8.2F		1718	2008	8.5F
	2209				2153				2259				2225				2323				2300			
5 Th	0422	0657	7.3F	20 F	0403	0641	7.4F	5 Su	0510	0802	8.3F	20 M	0431	0731	9.2F	5 W	0539	0847	8.7F	20 Th	0516	0833	9.8F	
	0930	1251	9.1E		0917	1234	9.1E		1057	1406	8.9E		1030	1339	9.6E		1204	1504	8.0E		1156	1456	8.8E	
	1553	1920	10.1F		1536	1900	10.0F		1708	2019	9.2F		1646	1951	9.6F		1810	2100	7.5F		1808	2053	7.7F	
	2249				2224				2332				2258				2354				2339			
6 F	0502	0740	7.5F	21 Sa	0433	0716	7.9F	6 M	0546	0842	8.3F	21 Tu	0507	0811	9.4F	6 Th	0615	0928	8.4F	21 F	0603	0923	9.3F	
	1019	1336	9.0E		0958	1313	9.3E		1143	1449	8.4E		1117	1423	9.3E		1252	1550	7.3E		1254	1553	7.9E	
	1638	2002	9.9F		1617	1936	10.0F		1750	2057	8.6F		1730	2031	9.1F		1856	2141	6.6F		1906	2143	6.7F	
	2328				2257								2333											
7 Sa	0543	0825	7.6F	22 Su	0506	0754	8.3F	7 Tu	0625	0924	8.1F	22 W	0547	0855	9.3F	7 F	0657	1015	7.9F	22 Sa	0657	1023	8.6F	
	1110	1423	8.7E		1042	1355	9.2E		1233	1535	7.8E		1208	1511	8.7E		1349	1645	6.6E		1405	1705	7.0E	
	1724	2044	9.5F		1659	2014	9.8F		1835	2137	7.8F		1818	2113	8.2F		1953	2229	5.6F		2022	2249	5.4F	
					2331																			
8 Su	0007	0313	8.7E	23 M	0543	0835	8.5F	8 W	0042	0356	8.1E	23 Th	0011	0323	8.7E	8 Sa	0107	0436	6.9E	23 Su	0121	0455	7.1E	
	0626	0912	7.6F		1130	1440	9.0E		0707	1011	7.8F		0632	0945	8.9F		0745	1112	7.4F		0804	1140	7.9F	
	1204	1513	8.2E		1744	2055	9.3F		1329	1627	7.0E		1308	1607	7.9E		1459	1755	5.9E		1533	1835	6.4E	
	1812	2129	8.8F						1926	2222	6.9F		1914	2202	7.1F		●	2110	2332	4.5F		●	2202	
9 M	0048	0358	8.4E	24 Tu	0008	0314	8.9E	9 Th	0120	0441	7.5E	24 F	0052	0413	8.1E	9 Su	0159	0539	6.2E	24 M	0249	0627	6.4E	
	0712	1003	7.4F		0623	0921	8.4F		0754	1106	7.4F		0724	1044	8.3F		0846	1224	7.0F		0930	1317	7.5F	
	1304	1608	7.5E		1224	1529	8.4E		1437	1730	6.2E		1420	1717	6.9E		1618	1918	5.8E		1704	2010	6.6E	
	1904	2217	8.0F		1833	2139	8.5F		2029	2315	5.7F		●	2025	2302	5.8F		2245				2340		
10 Tu	0132	0447	8.0E	25 W	0047	0358	8.6E	10 F	0204	0535	6.9E	25 Sa	0141	0515	7.3E	10 M	0317	0657	5.9E	25 Tu	0442	0805	6.5E	
	0803	1059	7.2F		0709	1012	8.2F		0848	1212	7.0F		0829	1159	7.8F		0958	1345	7.1F		1103	1446	7.7F	
	1412	1710	6.7E		1326	1627	7.7E		1557	1847	5.6E		1552	1847	6.1E		1731	2034	6.1E		1817	2123	7.2E	
	2004	2310	7.0F		1929	2229	7.5F		●	2153			2204											
11 W	0219	0540	7.5E	26 Th	0129	0448	8.1E	11 Sa	0026	0640	6.4E	26 Su	0027	0638	6.7E	11 Tu	0003	0226	4.3F	26 W	0045	0329	6.0F	
	0857	1205	7.0F		0801	1112	7.9F		0259	0640	6.4E		0252	0638	6.7E		0446	0813	6.2E		0609	0922	7.2E	
	1531	1822	6.1E		1440	1736	6.8E		0950	1329	7.0F		0948	1335	7.6F		1109	1453	7.5F		1221	1551	8.2F	
	●	2116			●	2039	2328	6.4F		1719	2011	5.7E		1728	2027	6.2E		1827	2130	6.8E		1911	2216	7.8E
12 Th	0311	0640	7.1E	27 F	0218	0548	7.5E	12 Su	0152	0749	6.3E	27 M	0215	0445	4.4F	12 W	0052	0326	5.3F	27 Th	0130	0422	7.0F	
	0956	1317	7.0F		0902	1226	7.7F		0410	0749	6.3E		0431	0810	6.7E		0556	0913	6.9E		0711	1020	7.8E	
	1654	1941	5.8E		1610	1902	6.2E		1054	1441	7.3F		1114	1503	8.0F		1210	1544	8.1F		1321	1640	8.5F	
	2242				2209				1825	2123	6.1E		1844	2145	6.9E		1910	2211	7.4E		1953	2257	8.2E	
13 F	0409	0741	6.9E	28 Sa	0319	0659	7.2E	13 M	0049	0308	4.3F	28 Tu	0110	0339	5.2F	13 Th	0126	0409	6.4F	28 F	0205	0503	7.8F	
	1054	1428	7.3F		1012	1352	7.8F		0522	0853	6.6E		0602	0928	7.3E		0648	1002	7.7E		0759	1106	8.4E	
	1807	2057	6.0E		1741	2034	6.3E		1153	1537	7.9F		1229	1608	8.5F		1301	1626	8.6F		1410	1720	8.6F	
					2352				1914	2214	6.8E		1939	2240	7.6E		1945	2246	8.0E		2028	2331	8.5E	
14 Sa	0009	0242	4.8F	29 Su	0435	0817	7.2E	14 Tu	0138	0401	5.0F	29 W	0158	0435	6.3F	14 F	0154	0445	7.4F	29 Sa	0236	0539	8.4F	
	0508	0839	6.9E		1126	1511	8.3F		0620	0944	7.1E		0709	1027	7.9E		0731	1044	8.4E		0840	1146	8.7E</	

Naruto, Japan, 2012

F—Flood, Dir. Northward E—Ebb, Dir. Southward

October				November				December																						
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum																
h	m	h	m	knots	h	m	h	m	knots	h	m	h	m	h	m	knots														
1 M		0029	0641	8.8E	16 Tu	0251	0608	10.1F	1 Th	0352	0717	9.5F	16 F	0350	0718	10.5F	1 Sa	0357	0727	9.7F	16 Su	0427	0754	10.2F						
	0330	0641	9.1F	0923		1227	9.6E	1043		1342	8.4E	1048		1348	9.1E	1058		1358	8.3E	1125		1426	8.9E	1741	2018	7.4F				
	0951	1254	8.8E	1538		1827	8.6F	1655		1930	6.9F	1704		1938	7.4F	1715		1943	6.6F	1715		1943	6.6F	2256		0214	8.8E			
	1601	1855	8.3F	2116								2205		0121	8.4E	0437		0805	10.2F	0433		0802	9.6F	1133	1434	8.3E	1211	1515	8.7E	
2 Tu		0056	0711	9.3F	17 W	0328	0648	10.4F	2 F	0423	0748	9.5F	17 Sa	0437	0805	10.2F	2 Su	0433	0802	9.6F	17 M	0517	0842	9.8F	18 Tu	0610	0932	9.2F		
	0358	0711	9.3F	1008		1310	9.5E	1117		1417	8.2E	1138		1438	8.8E	1231		1534	8.4E	1253		1559	8.0E	1352		1704	8.0E	1831	2110	7.2F
	1025	1327	8.7E	1623		1908	8.4F	1732		2004	6.7F	1755		2028	7.1F	1751		2022	6.6F	1751		2022	6.6F	2354			0309	8.3E		
	1635	1924	8.0F	2153								2236		0155	8.2E	0527		0856	9.7F	0512		0841	9.4F	1211		1514	8.2E	1300	1607	8.4E
3 W		0124	0741	9.3F	18 Th	0409	0731	10.4F	3 Sa	0457	0824	9.3F	18 Su	0527	0856	9.7F	3 M	0512	0841	9.4F	18 Tu	0610	0932	9.2F	19 W	0708	1028	8.4F		
	0426	0741	9.3F	1055		1356	9.3E	1156		1457	8.0E	1231		1534	8.4E	1211		1514	8.2E	1253		1559	8.0E	1352		1704	8.0E	1831	2110	7.2F
	1100	1401	8.5E	1710		1951	7.9F	1814		2043	6.3F	1853		2124	6.6F	1832		2105	6.6F	1832		2105	6.6F	2340			0257	7.9E		
	1635	1924	8.0F	2153								2313		0233	7.9E	0623		0952	9.0F	0648		1013	8.5F	1253		1559	8.0E	1352	1704	8.0E
4 Th		0154	0815	9.1F	19 F	0453	0817	10.1F	4 Su	0535	0905	9.0F	19 M	0623	0952	9.0F	4 Tu	0648	1013	8.5F	19 W	0708	1028	8.4F	20 Th	0814	1130	7.5F		
	0457	0815	9.1F	1146		1447	8.8E	1240		1542	7.6E	1329		1635	7.9E	1253		1559	8.0E	1352		1704	8.0E	1447		1805	7.7E	1831	2110	7.2F
	1139	1438	8.1E	1802		2038	7.2F	1902		2128	5.9F	1957		2230	6.2F	1918		2153	6.5F	1918		2153	6.5F	2023		2313	6.9F	2023	2313	6.9F
	1749	2029	7.0F	2316								2358		0319	7.4E	0623		0952	9.0F	0648		1013	8.5F	1253		1559	8.0E	1352	1704	8.0E
5 F		0227	0852	8.9F	20 Sa	0541	0908	9.6F	5 M	0621	0952	8.5F	20 Tu	0728	1057	8.3F	5 W	0648	1013	8.5F	20 Th	0814	1130	7.5F	21 F	0932	1241	6.7F		
	0531	0852	8.9F	1221		1520	7.6E	1329		1634	7.3E	1432		1744	7.6E	1340		1649	7.8E	1430		1744	7.6E	1547		1909	7.5E	1831	2110	7.2F
	1221	1520	7.6E	1902		2133	6.4F	1957		2223	5.5F	2107		2349	6.0F	2008		2250	6.5F	2008		2250	6.5F	2124			0217	0520	6.9E	
	1833	2108	6.4F	2345								2358		0319	7.4E	0621		0952	8.5F	0648		1013	8.5F	1253		1559	8.0E	1352	1704	8.0E
6 Sa		0305	0935	8.4F	21 Su	0637	1007	8.8F	6 Tu	0715	1047	8.0F	21 W	0845	1213	7.5F	6 Th	0747	1108	7.8F	21 F	0932	1241	6.7F	22 Sa	1058	1356	6.1F		
	0610	0935	8.4F	1310		1610	7.1E	1425		1734	7.0E	1539		1855	7.5E	1430		1744	7.6E	1547		1909	7.5E	1647		2011	7.4E	1831	2110	7.2F
	1310	1610	7.1E	2016		2242	5.5F	2058		2329	5.4F	2217				2102		2354	6.6F	2102		2354	6.6F	2227			0143	7.2F		
	1927	2154	5.6F	2305								2320		0115	6.4F	0419		0718	6.5E	0857		1211	7.2F	1524		1843	7.5E	1647	2011	7.4E
7 Su		0025	0351	7.0E	22 M	0746	1121	8.0F	7 W	0821	1152	7.5F	22 Th	0912	1333	7.1F	7 F	0857	1211	7.2F	22 Sa	1058	1356	6.1F	23 Su	1218	1505	5.9F		
	0656	1026	7.9F	1409		1711	6.6E	1525		1838	7.0E	1644		2001	7.6E	1644		2001	7.6E	1647		2011	7.4E	1831		2110	7.2F	1911	2232	7.7E
	1409	1711	6.6E	2033		2253	4.8F	2143				2159				2320				2324				2324			0250	7.6F		
	2033	2253	4.8F	2305								2320		0115	6.4F	0419		0718	6.5E	0857		1211	7.2F	1524		1843	7.5E	1647	2011	7.4E
8 M		0120	0450	6.4E	23 Tu	0253	0614	6.4E	8 Th	0335	0644	6.3E	23 F	0541	0836	6.7E	8 Sa	0421	0719	6.6E	23 Su	0619	0911	6.6E	24 M	0716	1011	7.0E		
	0753	1129	7.4F	0911		1250	7.5F	0937		1303	7.2F	1135		1444	6.9F	1016		1319	6.7F	1218		1505	5.9F	1447		1805	7.7E	1831	2110	7.2F
	1517	1824	6.3E	1626		1938	7.1E	2255				1742		2059	7.8E	1619		1941	7.6E	1742		2106	7.5E	2253			0250	7.6F		
	2151			2305								2255		0153	6.5F	0541		0836	6.7E	1619		1941	7.6E	1742		2106	7.5E	2253		0250
9 Tu		0011	0608	6.0E	24 W	0440	0748	6.5E	9 F	0455	0759	6.7E	24 Sa	0645	0941	7.2E	9 Su	0536	0832	6.9E	24 M	0716	1011	7.0E	25 Tu	0801	1058	7.3E		
	0238	0608	6.0E	0911		1250	7.5F	1054		1410	7.2F	1245		1542	6.9F	1135		1427	6.5F	1324		1600	5.8F	1447		1805	7.7E	1831	2110	7.2F
	0904	1245	7.2F	1628		1936	6.5E	1735		2047	7.4E	1719		2032	7.6E	1831		2146	7.9E	1714		2037	7.9E	1714		2037	7.9E	1831	2110	7.2F
	1628	1936	6.5E	2303								2342				2345				2345				2345			0014	0517	8.8F	
10 W		0135	0729	6.2E	25 Th	0602	0905	7.0E	10 Sa	0601	0902	7.3E	25 Su	0735	1033	7.6E	10 M	0640	0936	7.4E	25 Tu	0801	1058	7.3E	26 W	0910	1209	7.9E		
	0411	0729	6.2E	1203		1523	7.6F	1204		1508	7.3F	1341		1629	6.8F	1135		1427	6.5F	1245		1528	6.5F	1415		1645	5.8F	1547	1909	7.5E
	1023	1359	7.3F	1831		2141	7.9E	1806		2119	8.0E	1911		2226	8.1E	1805		2129	8.2E	1805		2129	8.2E	1911		2232	7.7E	2015	2336	8.1E
	1728	2036	6.9E	2355								2342				2345				2345				2345			0057	0430	8.5F	
11 Th		0241	0838	6.8E	26 F	0702	1004	7.6E	11 Su	0625	0941	8.3F	26 M	0818	1116	7.8E	11 Tu	0735	1032	7.9E	26 W	0910	1209	7.9E	27 Th	1058	1356	6.1F		
	0528	0838	6.8E	1306		1614	7.8F	1303		1558	7.5F	1428		1707	6.7F	1345		1622	6.6F	1447		1805	7.7E	1547		1909	7.5E	1647	2011	7.4E
	1134	1500	7.6F	1915		2224	8.2E	1849		2201	8.5E	1945		2300	8.1E	1854		2217	8.6E	1854		2217	8.6E	1945		2305	7.9E	2015	2336	8.1E
	1817	2123	7.5E	2305								2342				2345				2345				2345			0133	0506	8.9F	
12 F		0035	0331	6.9F	27 Sa	0750	1052	8.1E	12 M	0744	1045	8.5E	27 Tu	0854	1152	8.0E	12 W	0825	1123	8.4E	27 Th	0910	1209	7.9E	28 F	1058	1356	6.1F		
	0625	0933	7.6E	1357		1656	7.8F	1355		1643	7.7F	1506		1741	6.6F	1437		1711	6.9F	1437		1711	6.9F	1547		1909	7.5E	1647	2011	7.4E
	1234	1549	8.0F	1951		2259	8.4E	1928		2242	8.9E	2013		2329	8.2E	1941		2304	9.0E	1941		2304	9.0E	2015		2336	8.1E	2015	2336	8.1E
	1858	2203	8.1E	2305								2342				2345				2345				2345			0205	0538	9.2F	
13 Sa		0109	0413																											

Akashi Kaikyo, Japan, 2012

F—Flood, Dir. Westward E—Ebb, Dir. Eastward

January				February				March								
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum		
h	m	h	m	h	m	h	m	h	m	h	m	h	m	h	m	
1				16				1				1				
Su	0435	0722	2.2E	M	0406	0650	3.1E	W	0637	0911	1.5E	Th	0653	0929	2.0E	
	1004	1321	3.2F		1006	1303	3.3F		1203	1441	1.1F		1328	1527	1.0F	
	1623	1956	3.6E		1557	1914	4.0E		1653	2100	2.9E		1721	2117	3.2E	
	2333				2257								2321			
2		0242	2.8F	17		0210	3.7F	2		0403	3.4F	17		0425	4.4F	
M	0606	0840	1.7E	Tu	0535	0814	2.4E	Th	0802	1036	1.6E	F	0821	1106	2.2E	
	1111	1424	2.3F		1126	1415	2.2F		1412	1617	0.8F		1504	1657	1.3F	
	1710	2055	3.5E		1645	2023	3.7E		1810	2210	2.9E		1904	2236	3.4E	
3		0354	3.2F	18		0333	4.0F	3		0507	3.9F	18		0532	5.0F	
Tu	0737	0958	1.6E	W	0715	0945	2.1E	F	0902	1147	2.0E	Sa	0924	1216	2.7E	
	1247	1541	1.6F		1324	1544	1.5F		1529	1728	1.1F		1558	1759	2.1F	
	1805	2155	3.4E		1748	2138	3.6E		1929	2308	3.2E		2026	2339	3.9E	
4		0458	3.8F	19		0447	4.7F	4		0556	4.6F	19		0623	5.7F	
W	0847	1112	1.8E	Th	0839	1109	2.3E	Sa	0947	1232	2.5E	Su	1011	1251	3.2E	
	1435	1656	1.4F		1509	1703	1.5F		1609	1813	1.6F		1636	1845	2.8F	
	1905	2249	3.4E		1904	2246	3.8E		2027	2353	3.8E		2125			
5		0547	4.4F	20		0546	5.5F	5		0633	5.4F	20		0027	4.5E	
Th	0937	1211	2.2E	F	0941	1212	2.7E	Su	1021	1257	2.9E	M	0401	0704	6.1F	
	1547	1753	1.5F		1611	1803	1.9F		1639	1846	2.2F		1048	1317	3.6E	
	2000	2335	3.6E		2015	2343	4.3E		2109				1709	1923	3.5F	
6		0626	5.0F	21		0634	6.2F	6		0029	4.4E	21		0107	4.8E	
F	1015	1251	2.6E	Sa	1029	1254	3.1E	M	0351	0705	6.0F	Tu	0441	0740	6.2F	
	1631	1833	1.7F		1655	1850	2.4F		1052	1318	3.3E		1118	1344	3.9E	
	2044				2113				1704	1916	2.8F		1737	1959	3.9F	
7		0012	4.0E	22		0031	4.7E	7		0103	5.1E	22		0143	4.9E	
Sa	0330	0657	5.6F	Su	0405	0716	6.6F	Tu	0429	0738	6.5F	W	0515	0813	6.1F	
	1047	1317	2.9E		1108	1328	3.4E		1121	1343	3.8E		1144	1412	4.2E	
	1703	1905	2.0F		1731	1931	2.9F		1730	1948	3.4F		● 1803	2033	4.2F	
	2118				2200				2221				2329			
8		0045	4.4E	23		0113	5.0E	8		0139	5.6E	23		0219	4.8E	
Su	0404	0727	6.1F	M	0447	0754	6.8F	W	0505	0811	6.8F	Th	0546	0846	5.8F	
	1116	1339	3.2E		1143	1400	3.7E		1149	1413	4.2E		1206	1442	4.4E	
	1731	1934	2.3F		● 1803	2010	3.2F		● 1758	2023	3.9F		1827	2107	4.4F	
	2149				2243				2301							
9		0117	4.8E	24		0153	5.1E	9		0216	5.8E	24		0255	4.5E	
M	0439	0758	6.5F	Tu	0524	0831	6.7F	Th	0544	0848	6.8F	F	0616	0918	5.3F	
	1146	1405	3.5E		1214	1434	3.9E		1218	1447	4.6E		1229	1514	4.5E	
	1759	2005	2.6F		1834	2048	3.4F		1829	2103	4.4F		1853	2143	4.4F	
	2223				2326				2347							
10		0153	5.3E	25		0232	5.0E	10		0257	5.8E	25		0332	4.1E	
Tu	0515	0832	6.8F	W	0559	0908	6.4F	F	0625	0926	6.5F	Sa	0649	0952	4.7F	
	1217	1435	3.8E		1244	1510	4.0E		1249	1525	4.9E		1253	1547	4.5E	
	1829	2041	3.0F		1906	2127	3.5F		1905	2146	4.7F		1923	2221	4.4F	
	2301															
11		0231	5.5E	26		0312	4.7E	11		0341	5.5E	26		0411	3.6E	
W	0555	0909	6.9F	Th	0635	0946	6.0F	Sa	0710	1007	5.9F	Su	0728	1025	4.0F	
	1251	1512	4.0E		1313	1547	4.1E		1321	1605	5.1E		1320	1622	4.4E	
	1905	2121	3.3F		1939	2209	3.6F		1945	2232	4.9F		1957	2300	4.3F	
	2347															
12		0312	5.6E	27		0354	4.2E	12		0429	4.9E	27		0454	3.1E	
Th	0639	0949	6.7F	F	0712	1023	5.4F	Su	0759	1051	5.0F	M	0811	1101	3.2F	
	1326	1552	4.3E		1342	1628	4.2E		1354	1649	5.0E		1351	1700	4.1E	
	1944	2205	3.5F		2015	2253	3.5F		2029	2324	4.8F		2037	2345	4.1F	
13		0358	5.3E	28		0440	3.6E	13		0523	4.1E	28		0545	2.6E	
F	0725	1032	6.3F	Sa	0753	1102	4.7F	M	0853	1138	3.9F	Tu	0902	1141	2.4F	
	1402	1636	4.4E		1413	1710	4.2E		1430	1738	4.6E		1425	1744	3.6E	
	2026	2254	3.6F		2054	2342	3.5F		2118				2121			
14		0447	4.8E	29		0530	3.0E	14		0023	4.6F	29		0036	3.8F	
Sa	0814	1118	5.5F	Su	0836	1142	3.8F	Tu	0352	0626	3.1E	W	0412	0651	2.0E	
	1439	1723	4.4E		1445	1756	4.0E		0955	1232	2.7F		1004	1230	1.6F	
	2112	2349	3.7F		2136				1511	1835	4.1E		1504	1840	3.0E	
15		0543	4.0E	30		0035	3.3F	15		0135	4.2F	30		0106	4.6F	
Su	0907	1207	4.5F	M	0351	0631	2.3E	W	0515	0749	2.3E	Th	0453	0730	2.4E	
	1517	1815	4.3E		0926	1226	2.8F		1120	1346	1.6F		1121	1328	1.3F	
	2201				1520	1847	3.6E		● 1602	1948	3.5E		● 1539	1925	3.2E	
					2223				2324				2255			
				31		0137	3.2F	31		0747	1.7E	31		0208	3.6F	
				Tu	0506	0747	1.7E	Sa	1029	1320	1.9F			0554	0859	2.0E
					● 1600	1949	3.2E		● 1600	1949	3.2E			1243	1450	0.8F
					2317				2317					1647	2045	2.5E
														2351		

Time meridian 135° E. 0000 is midnight. 1200 is noon. Times are not adjusted for Daylight Saving Time.
 If three consecutive entries are marked (E) the middle one is not a true maximum but an intermediate value to show the current pattern.

Akashi Kaikyo, Japan, 2012

F—Flood, Dir. Westward E—Ebb, Dir. Eastward

April				May				June																	
Slack	Maximum		knots	Slack	Maximum		knots	Slack	Maximum		knots														
h m	h m	h m	knots	h m	h m	h m	knots	h m	h m	h m	knots														
1 Su	0713	1015	2.2E	16 M	0119	0438	4.1F	1 Tu	0024	0348	3.8F	16 W	0155	0456	3.3F	1 F	0229	0509	3.0F	16 Sa	0348	0606	2.1E		
	1403	1617	1.3F		0805	1108	3.3E		0711	1015	3.1E		0756	1108	3.9E		0744	1105	4.3E		0828	1152	4.0E		
	1831	2203	2.9E		1451	1730	3.0F		1359	1640	2.6F		1450	1752	4.2F		1440	1753	5.3F		1517	1842	5.0F		
					2026	2313	3.2E		1929	2229	3.2E		2114	2345	2.9E		2126	2356	3.4E		2227				
2 M	0110	0436	4.1F	17 Tu	0231	0535	4.3F	2 W	0141	0449	4.0F	17 Th	0304	0548	3.3F	2 Sa	0338	0600	3.1F	17 Su	0437	0646	2.1F		
	0814	1109	2.7E		0853	1151	3.8E		0800	1101	3.6E		0838	1148	4.2E		0826	1149	4.8E		0904	1230	5.3E		
	1450	1715	2.1F		1532	1817	4.0F		1441	1731	3.7F		1526	1833	5.0F		1519	1836	6.3F		1546	1913	5.7F		
	1950	2302	3.5E		2125				2036	2324	3.7E		2203				2216				2259				
3 Tu	0217	0529	4.6F	18 W		0005	3.6E	3 Th	0247	0539	4.2F	18 F		0032	3.1E	3 Su		0041	3.8E	18 M	0513	0718	2.1F		
	0859	1146	3.3E		0328	0619	4.4F		0840	1140	4.3E		0359	0631	3.1F		0904	1230	5.3E		0933	1256	4.3E		
	1525	1758	3.2F		0930	1224	4.2E		1516	1813	4.9F		0911	1221	4.4E		1555	1917	7.1F		1612	1940	6.0F		
	2047	2348	4.2E		1605	1854	4.7F		2130				1553	1906	5.5F		2300				2327				
4 W	0310	0611	5.1F	19 Th	0413	0656	4.3F	4 F		0011	4.2E	19 Sa	0443	0706	2.9F	4 M	0522	0727	3.2F	19 Tu	0542	0746	2.1F		
	0933	1216	4.0E		0958	1252	4.5E		0343	0622	4.3F		0937	1250	4.5E		0941	1311	5.6E		0959	1324	4.5E		
	1554	1835	4.3F		1630	1926	5.3F		0912	1216	4.9E		1615	1934	5.8F		1633	1957	7.5F		1640	2007	6.2F		
	2135				2250				1546	1852	6.0F		2314				2342				2354				
5 Th		0029	4.8E	20 F		0120	3.8E	5 Sa		0052	4.5E	20 Su		0138	3.3E	5 Tu		0201	4.2E	20 W		0215	3.3E		
	0356	0648	5.4F		0450	0728	4.0F		0433	0703	4.3F		0519	0736	2.7F		0607	0809	3.1F		0610	0813	2.2F		
	1001	1246	4.7E		1019	1317	4.6E		0940	1252	5.4E		0959	1317	4.5E		1019	1353	5.6E		1025	1356	4.7E		
	1620	1911	5.3F		1649	1955	5.6F		1616	1931	6.9F		1634	2001	6.0F		1713	2038	7.5F		●	1712	2038	6.4F	
	2218				2323				2301				2341								●				
6 F		0107	5.2E	21 Sa		0151	3.8E	6 Su		0132	4.7E	21 M		0205	3.3E	6 W		0025	0242	4.1E	21 Th		0023	0243	3.5E
	0439	0724	5.5F		0523	0757	3.7F		0520	0742	4.1F		0551	0804	2.5F		0650	0852	3.0F		0640	0845	2.4F		
	1026	1318	5.3E		1037	1343	4.7E		1009	1329	5.7E		1019	1343	4.5E		1103	1436	5.5E		1058	1431	4.9E		
	1646	1947	6.2F		●	1706	2023	5.7F		1647	2010	7.4F		●	1656	2028	6.1F		1759	2122	7.2F		1749	2112	6.4F
	2302				2353				2345																
7 Sa		0146	5.4E	22 Su		0220	3.7E	7 M		0212	4.7E	22 Tu		0232	3.4E	7 Th		0108	0327	4.0E	22 F		0057	0317	3.6E
	0522	0802	5.2F		0553	0825	3.2F		0607	0823	3.7F		0622	0832	2.3F		0735	0937	2.9F		0714	0922	2.5F		
	1050	1353	5.7E		1055	1409	4.7E		1041	1408	5.8E		1043	1413	4.6E		1154	1523	5.1E		1139	1510	5.0E		
	1714	2026	6.7F		1725	2050	5.8F		1724	2052	7.4F		1725	2057	6.1F		1849	2208	6.7F		1832	2151	6.4F		
	2347																								
8 Su		0226	5.3E	23 M		0250	3.6E	8 Tu		0255	4.5E	23 W		0302	3.4E	8 F		0153	0415	3.8E	23 Sa		0133	0356	3.8E
	0607	0841	4.7F		0626	0854	2.9F		0655	0905	3.3F		0656	0904	2.2F		0823	1027	2.7F		0754	1004	2.7F		
	1118	1430	5.8E		1117	1437	4.6E		1118	1450	5.6E		1114	1447	4.6E		1253	1613	4.6E		1228	1553	4.9E		
	1748	2108	7.0F		1751	2120	5.7F		1808	2136	7.2F		1802	2132	6.1F		1941	2257	6.1F		1918	2234	6.2F		
9 M		0035	5.0E	24 Tu		0322	3.5E	9 W		0341	4.2E	24 Th		0338	3.4E	9 Sa		0239	0510	3.7E	24 Su		0212	0441	3.9E
	0656	0922	4.1F		0704	0925	2.5F		0747	0951	2.9F		0736	0941	2.2F		0914	1123	2.5F		0837	1051	2.7F		
	1151	1510	5.6E		1145	1509	4.5E		1204	1536	5.2E		1152	1526	4.5E		1401	1710	3.9E		1325	1641	4.6E		
	1829	2153	6.8F		1825	2155	5.6F		1859	2224	6.7F		1846	2212	6.0F		2034	2349	5.4F		2008	2320	5.7F		
10 Tu		0126	4.5E	25 W		0359	3.4E	10 Th		0432	3.8E	25 F		0419	3.4E	10 Su		0325	0613	3.6E	25 M		0252	0529	4.0E
	0749	1007	3.4F		0748	1001	2.2F		0841	1042	2.4F		0820	1023	2.1F		1008	1230	2.4F		0923	1145	2.8F		
	1229	1555	5.2E		1220	1547	4.2E		1259	1629	4.5E		1239	1611	4.3E		1516	1817	3.2E		1430	1735	4.0E		
	1918	2241	6.4F		1908	2235	5.4F		1957	2317	6.0F		1936	2257	5.7F		2129				2059				
11 W		0221	4.4E	26 Th		0442	3.2E	11 F		0533	3.4E	26 Sa		0508	3.3E	11 M		0412	0720	3.6E	26 Tu		0333	0623	3.9E
	0847	1057	2.6F		0837	1043	1.9F		0940	1141	2.0F		0909	1112	2.0F		1107	1347	2.5F		1013	1248	2.8F		
	1317	1645	4.6E		1302	1631	3.9E		1407	1729	3.8E		1335	1701	4.0E		1641	1936	2.6E		1543	1840	3.3E		
	2015	2336	5.7F		1958	2321	5.1F		2057				2029	2347	5.3F		2228				2155				
12 Th		0322	5.0E	27 F		0534	2.9E	12 Sa		0617	5.2F	27 Su		0604	3.2E	12 Tu		0502	0824	3.7E	27 W		0416	0722	3.8E
	0953	1156	1.9F		0932	1133	1.6F		0401	0648	3.1E		1002	1211	1.9F		1208	1505	2.8F		1108	1405	3.0F		
	1415	1746	3.8E		1353	1723	3.5E		1045	1257	1.8F		1441	1800	3.5E		1817	2055	2.2E		●	1710	1959	2.6E	
	2117				2054				1529	1846	3.1E		2125				2340				2304				
13 F		0429	4.9F	28 Sa		0640	4.6F	13 Su		0125	4.4F	28 M		0044	4.7F	13 W		0555	0924	2.9F	28 Th		0503	0827	3.7E
	1111	1315	1.4F		1035	1237	1.3F		0502	0808	3.1E		0417	0709	3.2E		1308	1618	3.3F		1209	1525	3.5F		
	1534	1																							

Akashi Kaikyo, Japan, 2012

F–Flood, Dir. Westward E–Ebb, Dir. Eastward

July				August				September															
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum									
h m		h m		h m		h m		h m		h m		h m		h m									
knots		knots		knots		knots		knots		knots		knots		knots									
1 Su	0342	0545	2.1F	16 M	0424	0629	1.7F	1 W	0508	0711	3.0F	16 Th	0452	0708	2.7F	1 Sa	0543	0815	4.6F	16 Su	0503	0748	5.0F
	0754	1129	4.5E		0841	1205	3.8E		0943	1254	5.1E		0942	1253	4.7E		1117	1403	4.9E		1048	1343	5.5E
	1502	1822	6.2F		1522	1850	5.4F		1631	1935	6.8F		1615	1924	6.1F		1736	2029	5.8F		1712	2005	5.9F
	2213				2238				2323				2304				2348				2314		
2 M	0437	0634	3.2E	17 Tu	0457	0701	2.0F	2 Th	0541	0750	3.5F	17 F	0515	0736	3.3F	2 Su	0608	0851	4.8F	17 M	0529	0825	5.7F
	0846	1217	4.9E		0918	1239	4.1E		1028	1335	5.3E		1015	1325	5.2E		1156	1440	4.7E		1130	1422	5.6E
	1548	1905	6.8F		1557	1919	5.8F		1710	2012	6.8F		1650	1955	6.4F		1808	2103	5.3F		1753	2041	5.6F
	2257				2306				2354				2330				2380				2339		
3 Tu	0114	0352	3.5E	18 W	0522	0728	2.3F	3 F	0612	0829	3.8F	18 Sa	0539	0808	3.9F	3 M	0634	0927	4.9F	18 Tu	0559	0904	6.1F
	0520	0717	2.8F		0949	1309	4.6E		1111	1415	5.3E		1051	1400	5.6E		1237	1518	4.3E		1308	1548	4.9E
	0933	1301	5.5E		1629	1947	6.2F		1747	2050	6.6F		1726	2029	6.5F		1842	2137	4.7F		1837	2121	5.1F
	1631	1946	7.2F		2333				1901	2205	5.5F		2356				2003	2250	3.2F		2022	2249	3.4F
4 W	0151	0350	3.8E	19 Th	0547	0755	2.6F	4 Sa	0624	0908	4.0F	19 Su	0607	0844	4.5F	4 Tu	0703	1005	4.9F	19 W	0636	0947	6.2F
	0559	0759	3.0F		1019	1341	5.0E		1157	1455	5.0E		1132	1438	5.7E		1321	1558	3.8E		1308	1548	4.9E
	1017	1343	5.5E		1702	2018	6.5F		1823	2127	6.2F		1805	2105	6.3F		1920	2212	4.0F		1927	2203	4.3F
	1712	2026	7.2F		2333				1901	2205	5.5F		2356				2003	2250	3.2F		2022	2249	3.4F
5 Th	0014	0229	3.9E	20 F	0001	0222	3.7E	5 Su	0053	0326	4.4E	20 M	0024	0303	5.0E	5 W	0103	0405	4.5E	20 Th	0042	0354	5.4E
	0636	0841	3.2F		0613	0827	3.0F		0717	0950	4.1F		0639	0924	4.9F		0737	1045	4.7F		0721	1035	6.1F
	1104	1426	5.4E		1053	1416	5.3E		1245	1537	4.6E		1220	1519	5.5E		1407	1641	3.3E		1404	1637	4.3E
	1755	2107	7.0F		1739	2052	6.7F		1901	2205	5.5F		1847	2144	5.9F		2003	2250	3.2F		2022	2249	3.4F
6 F	0051	0310	4.0E	21 Sa	0031	0254	4.0E	6 M	0123	0406	4.4E	21 Tu	0054	0341	5.2E	6 Th	0134	0444	4.2E	21 F	0121	0441	4.9E
	0714	0924	3.3F		0644	0903	3.3F		0752	1034	4.0F		0717	1008	5.1F		0817	1129	4.4F		0811	1127	5.6F
	1154	1510	5.1E		1134	1454	5.4E		1336	1623	4.0E		1313	1605	5.1E		1457	1731	2.8E		1504	1734	3.5E
	1838	2149	6.6F		1818	2129	6.6F		1941	2245	4.8F		1935	2226	5.1F		2053	2330	2.5F		2124	2341	2.5F
7 Sa	0128	0353	4.0E	22 Su	0103	0331	4.3E	7 Tu	0153	0448	4.4E	22 W	0127	0423	5.1E	7 F	0210	0528	3.7E	22 Sa	0207	0535	4.3E
	0754	1010	3.3F		0719	0944	3.6F		0831	1121	3.9F		0759	1056	5.1F		0901	1218	4.0F		0909	1229	4.9F
	1250	1556	4.7E		1223	1536	5.3E		1432	1712	3.3E		1412	1654	4.4E		1553	1834	2.3E		1613	1845	2.8E
	1922	2233	6.0F		1902	2209	6.3F		2025	2326	3.9F		2026	2311	4.1F		2152				2239		
8 Su	0205	0441	4.1E	23 M	0137	0411	4.5E	8 W	0226	0533	4.2E	23 Th	0202	0509	4.9E	8 Sa	0251	0622	3.1E	23 Su	0305	0644	3.5E
	0837	1100	3.2F		0759	1029	3.8F		0913	1213	3.8F		0846	1150	4.9F		0953	1320	3.6F		1018	1348	4.3F
	1350	1647	4.0E		1319	1623	4.9E		1532	1811	2.6E		1516	1752	3.5E		1702	1957	1.9E		1735	2022	2.3E
	2007	2318	5.3F		1948	2252	5.7F		2114				2124				2311				2221		
9 M	0241	0531	4.1E	24 Tu	0211	0455	4.6E	9 Th	0302	0611	3.0F	24 F	0241	0601	3.0F	9 Su	0344	0741	1.0F	24 M	0020	0226	1.1F
	0923	1157	3.1F		0841	1119	3.9F		0959	1312	3.5F		0940	1254	4.4F		1056	1436	3.3F		0433	0817	3.0E
	1455	1745	3.3E		1421	1714	4.3E		1641	1923	2.0E		1631	1904	2.6E		1827	2125	1.8E		1141	1517	4.1F
	2054				2038	2338	4.7F		2215				2237				2125				1904	2159	2.4E
10 Tu	0319	0627	4.0E	25 W	0247	0542	4.5E	10 F	0342	0726	3.3E	25 Sa	0329	0707	3.7E	10 M	0106	0315	0.7F	25 Tu	0157	0408	1.5F
	1011	1300	3.1F		0928	1217	3.9F		1052	1422	3.3F		1045	1416	4.1F		1212	1555	3.4F		0627	0950	3.1E
	1608	1853	2.5E		1529	1813	3.4E		1807	2046	1.6E		1802	2039	2.1E		1946	2243	2.0E		1312	1636	4.3F
	2147				2134				2342				2182				2316				2017	2314	2.8E
11 W	0359	0726	3.8E	26 Th	0326	0636	4.2E	11 Sa	0436	0839	2.9E	26 Su	0026	0238	1.1F	11 Tu	0233	0442	1.1F	26 W	0258	0520	2.4F
	1103	1411	3.1F		1020	1326	3.8F		1156	1538	3.3F		1206	1545	4.1F		1327	1700	3.9F		0800	1102	3.5E
	1734	2011	1.9E		1649	1928	2.6E		1935	2211	1.6E		1937	2219	2.1E		2044	2340	2.5E		1428	1736	4.8F
	2251				2242				2207				2224				2158				2110		
12 Th	0445	0828	3.5E	27 F	0410	0741	3.8E	12 Su	0150	0359	0.8F	27 M	0223	0419	1.2F	12 W	0318	0537	1.7F	27 Th	0342	0611	3.4F
	1201	1524	3.3F		1122	1448	3.8F		1305	1649	3.7F		1333	1700	4.7F		1428	1747	4.6F		0906	1156	4.0E
	1907	2131	1.7E		1825	2059	2.1E		2043	2329	2.0E		2052	2340	2.5E		2126				1526	1823	5.1F
	2205				2207				2207				2224				2158				2150		
13 F	0023	0317	1.6F	28 Sa	0024	0258	1.5F	13 M	0314	0518	1.1F	28 Tu	0328	0531	1.9F	13 Th	0014	0302	3.0E	28 F	0032	0320	3.9E
	0541	0931	3.3E		0508	0859	3.5E		0722	1056	3.0E		0755	1112	3.8E		0852	1159	4.0E		0417	0651	4.3F
	1300	1635	3.7F		1234	1610	4.3F		1408	1743	4.3F		1445	1757	5.3F		1516	1825	5.2F		0957	1239	4.3E
	2026	2251	1.8E		2000	2229	2.1E		2131				2144				2158				1613	1900	5.3F
14 Sa	0217	0439	1.3F	29 Su	0228	0428	1.3F	14 Tu	0358	0607	1.6F	29 W	0411	0622	2.8F	14 F	0037	0330	3.6E	29 Sa	0100	0430	4.6E
	0648	1032	3.3E		0625	1015																	

Akashi Kaikyo, Japan, 2012

F-Flood, Dir. Westward E-Ebb, Dir. Eastward

October				November				December															
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum									
1 M	0530 1153 1757 2038 2325	0831 1424 2038	4.8E 4.2E 4.2F	16 Tu	0454 1129 1747 2020 2255	0806 1406 2020	6.7F 5.2E 4.6F	1 Th	0539 1248 1859 2334	0911 1513 2117	5.9F 3.5E 2.4F	16 F	0547 1257 1923 2341	0914 1518 2129	7.4F 4.3E 3.1F	1 Sa	0550 1304 1924 2343	0921 1527 2129	6.0F 3.4E 2.1F	16 Su	0629 1330 1957	0946 1551 2203	7.0F 4.0E 3.0F
2 Tu	0551 1228 1829 2347	0904 1459 2110	4.8E 3.9E 3.7F	17 W	0526 1214 1834 2326	0847 1448 2100	7.0F 5.0E 4.1F	2 F	0612 1323 1939	0944 1549 2152	5.7F 3.3E 2.2F	17 Sa	0637 1346 2015	1001 1607 2217	7.0F 4.0E 2.7F	2 Su	0630 1340 2004	0957 1605 2209	5.9F 3.4E 2.1F	17 M	0721 1415 2046	1033 1641 2256	6.5F 3.9E 2.9F
3 W	0616 1304 1906	0937 1534 2143	4.7E 5.5F 3.1F	18 Th	0605 1303 1926	0929 1532 2144	7.0F 4.6E 3.5F	3 Sa	0653 1402 2025	1022 1629 2231	5.5F 3.2E 1.9F	18 Su	0733 1437 2111	1052 1702 2313	6.4F 3.6E 2.4F	3 M	0717 1420 2049	1039 1648 2254	5.7F 3.4E 2.1F	18 Tu	0812 1459 2137	1123 1739 2357	5.8F 3.8E 2.8F
4 Th	0648 1343 1949	1012 1613 2218	5.3F 3.9E 2.6F	19 F	0653 1355 2022	1017 1622 2232	6.7F 4.1E 2.9F	4 Su	0740 1447 2116	1105 1717 2318	5.2F 3.0E 1.7F	19 M	0832 1531 2211	1148 1808	5.6F 3.4E	4 Tu	0806 1503 2138	1125 1739 2347	5.4F 3.4E 2.0F	19 W	0906 1545 2232	1218 1843	4.9F 3.8E
5 F	0728 1427 2039	1051 1657 2258	5.0F 3.0E 2.1F	20 Sa	0747 1452 2123	1109 1718 2327	6.1F 3.5E 2.2F	5 M	0832 1536 2213	1155 1817	4.8F 2.8E	20 Tu	0933 1628 2317	1251 1926	3.6E 3.3E	5 W	0858 1548 2230	1216 1837	4.9F 3.4E	20 Th	0406 1003 1632 2332	0659 1317 1948	2.9E 4.0F 3.8E
6 Sa	0813 1516 2135	1136 1751 2345	4.6F 2.6E 1.5F	21 Su	0848 1555 2232	1209 1829	5.3F 3.0E	6 Tu	0929 1632 2319	1253 1931	4.3F 2.7E	21 W	1040 1728	1401 2039	4.1F 3.4E	6 Th	0955 1636 2329	1313 1941	4.2F 3.4E	21 F	0537 1111 1723	0820 1424 2051	2.4E 3.1F 3.7E
7 Su	0906 1613 2244	1231 1904	4.1F 2.3E	22 M	0956 1705 2354	1321 1959	4.6F 2.7E	7 W	1033 1732	1401 2044	3.9F 2.8E	22 Th	1157 1828	1515 2143	3.5F 3.6E	7 F	1100 1727	1419 2045	3.5F 3.5E	22 Sa	0712 1239 1821	0940 1539 2152	2.1E 2.4F 3.7E
8 M	1007 1722	1339 2031	3.7F 2.1E	23 Tu	1114 1819	1442 2124	4.1F 2.8E	8 Th	1146 1833	1513 2145	3.6F 3.1E	23 F	1232 1924	1625 2239	3.2F 3.9E	8 Sa	1220 1820	1531 2145	3.0F 3.7E	23 Su	0831 1417 1919	1056 1651 2248	2.2E 2.1F 3.8E
9 Tu	1119 1837	1457 2147	3.5F 2.3E	24 W	1240 1928	1600 2232	4.0F 3.2E	9 F	1304 1927	1618 2235	3.6F 3.5E	24 Sa	1442 2013	1725 2325	3.1F 4.1E	9 Su	1351 1912	1638 2238	2.7F 4.1E	24 M	1535 2012	1751 2336	2.0F 3.9E
10 W	1238 1942	1608 2246	3.7F 2.7E	25 Th	1400 2022	1705 2323	4.1F 3.7E	10 Sa	1417 2011	1713 2317	3.7F 4.1E	25 Su	1545 2053	1813 2305	3.0F 4.9F	10 M	1510 1959	1735 2326	2.8F 4.6E	25 Tu	1629 2056	1836 2305	2.8E 2.1F
11 Th	1349 2031	1705 2327	4.2F 3.3E	26 F	1506 2105	1756	4.2F	11 Su	1518 2047	1800 2355	3.9F 4.7E	26 M	1635 2125	1853	2.8F	11 Tu	1611 2041	1823	2.9F	26 W	1708 2130	1912	2.1F
12 F	1447 2108	1750 2358	4.6F 3.9E	27 Sa	1558 2138	1837	4.1F	12 M	1611 2117	1841 2317	3.9F	27 Tu	1715 2150	1927	2.7F	12 W	1701 2121	1907	3.1F	27 Th	1738 2158	1941	2.2F
13 Sa	1536 2138	1829	4.9F	28 Su	1641 2203	1913	3.9F	13 Tu	1659 2147	1922	3.9F	28 W	1748 2213	1957	2.4F	13 Th	1745 2200	1949	3.2F	28 F	1803 2224	2008	2.2F
14 Su	1620 2203	1905	5.0F	29 M	1718 2224	1945	3.6F	14 W	1746 2219	2002	3.7F	29 Th	1818 2238	2026	2.3F	14 F	1828 2244	2031	3.2F	29 Sa	1829 2254	2036	2.4F
15 M	1702 2228	1941	4.9F	30 Tu	1752 2243	2016	3.2F	15 Th	1833 2257	2044	3.4F	30 F	1849 2307	2056	2.2F	15 Sa	1911 2333	2116	3.1F	30 Su	1859 2330	2109	2.6F
				31 W	0515 1216 1824 2306	0841 1441 2046	4.7E 3.6E 2.8F												31 M	0615 1315 1934	0935 1539 2147	4.8E 3.8E 2.7F	

Time meridian 135° E. 0000 is midnight. 1200 is noon. Times are not adjusted for Daylight Saving Time. If three consecutive entries are marked (E) the middle one is not a true maximum but an intermediate value to show the current pattern.

Kurushima Kaikyo, Japan, 2012

F–Flood, Dir. Southward E–Ebb, Dir. Northward

January				February				March																			
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum													
	h	m	knots		h	m	knots		h	m	knots		h	m	knots												
1 Su O		0101	4.4F	16 M O		0051	6.0F	1 W O		0151	3.6F	16 Th O		0229	5.3F	16 F O		0551	0204	5.3F							
	0412	0719	3.6E		0359	0709	5.3E		0522	0811	2.1E		0611	0909	3.4E		0421	0711	2.5E	0551	0850	3.3E					
	1012	1311	4.3F		1013	1311	5.5F		1054	1350	2.6F		1207	1449	2.9F		1010	1303	2.8F	1149	1426	2.7F	1149	1426	2.7F		
	1619	1947	4.4E		1616	1935	5.5E		1643	2028	3.4E		1736	2118	4.5E		1548	1921	3.4E	1714	2059	4.2E	1714	2059	4.2E		
2 M O	0154	3.8F	17 Tu O	0149	5.5F	2 Th O	0303	3.1F	17 F O	0033	0359	4.9F	2 Sa O	0159	3.3F	17 Su O	0011	0335	4.6F	17 Sa O	0011	0335	4.6F				
	0518	0817		2.7E	0509		0815	4.4E		0655	0938	1.6E		0747	1040		3.2E	0541	0836		1.8E	0726	1022	3.1E	0726	1022	3.1E
	1102	1359		3.3F	1115		1409	4.4F		1217	1507	1.8F		1343	1625		2.6F	1130	1413		1.8F	1325	1610	2.5F	1325	1610	2.5F
	1704	2042		3.9E	1709		2036	5.1E		1754	2149	3.1E		1906	2245		4.6E	1656	2048		2.8E	1856	2232	4.1E	1856	2232	4.1E
3 Tu O	0000	0301	3.4F	18 W O	0300	5.2F	3 F O	0112	0439	3.2F	18 Sa O	0158	0530	5.3F	3 Sa O	0009	0334	3.0F	18 Su O	0141	0512	4.8F	18 Su O	0141	0512	4.8F	
	0641	0928	2.1E		0633	0933		3.8E	0829	1115		1.9E	0907	1202		3.8E	0729	1027		2.0E	0845	1142		3.7E	0845	1142	3.7E
	1206	1502	2.5F		1232	1522		3.5F	1410	1655		1.7F	1508	1753		3.2F	1329	1610		1.6F	1447	1741		3.3F	1447	1741	3.3F
	1800	2145	3.7E		1815	2147		4.9E	1930	2313		3.3E	2033				1849	2232		2.9E	2029	2352		4.8E	2029	2352	4.8E
4 W O	0106	0422	3.3F	19 Th O	0100	0424	5.4F	4 Sa O	0228	0559	4.0F	19 Su O	0003	5.2E	4 Su O	0141	0516	3.7F	19 M O	0300	0621	5.5F	19 M O	0300	0621	5.5F	
	0807	1047	2.0E		0802	1057	3.8E		0933	1229	2.9E		0313	0639		6.2F	0850	1152		2.9E	0941	1242		4.7E	0941	1242	4.7E
	1330	1623	3.2F		1400	1647	3.2F		1534	1817	2.5F		1608	1857		4.3F	1501	1748		2.5F	1545	1843		4.6F	1545	1843	4.6F
	1909	2252	3.7E		1929	2302	5.2E		2051				2141				2028	2352		3.8E	2136				2136		
5 Th O	0212	0537	3.8F	20 F O	0215	0544	6.0F	5 Su O	0021	4.1E	20 M O	0106	6.1E	5 M O	0256	0623	5.0F	20 Tu O	0054	5.7E	20 Tu O	0054	5.7E				
	0915	1200	2.4E		0918	1213	4.3E		0329	0654		5.2F	0414		0731	7.1F	0943		1249	4.2E		0400	0711	6.2F	0400	0711	6.2F
	1454	1742	2.3F		1519	1804	3.6F		1020	1322		4.0E	1053		1353	5.7E	1556		1846	3.9F		1025	1329	5.6E	1025	1329	5.6E
	2018	2354	4.1E		2041				1627	1911		3.6F	1654		1945	5.4F	2132					1629	1929	5.8F	1629	1929	5.8F
6 F O	0310	0635	4.7F	21 Sa O	0011	5.8E	6 M O	0114	5.0E	21 Tu O	0157	6.9E	6 Tu O	0050	5.1E	21 W O	0448	0752	6.7F	21 W O	0448	0752	6.7F				
	1006	1259	3.2E		0323	0649		7.0F	0419		0738	6.4F		0503	0813		7.6F	1026	1332		5.5E	1100	1407	6.3E	1100	1407	6.3E
	1559	1842	2.9F		1019	1317		5.1E	1059		1404	5.1E		1131	1434		6.4E	1638	1930		5.3F	1707	2008	6.7F	1707	2008	6.7F
	2117				1621	1905		4.4F	1709		1954	4.7F		1733	2026		6.4F	2221				2312			2312		
7 Sa O		0047	4.6E	22 Su O	0112	6.6E	7 Tu O	0158	6.0E	22 W O	0240	7.4E	7 W O	0136	6.3E	22 Th O	0528	0827	6.9F	22 Th O	0528	0827	6.9F				
	0359	0720	5.6F		0421	0741		7.8F	0502		0817	7.5F		0545	0850		7.9F	0441	0752		7.5F	1131	1440	6.8E	1131	1440	6.8E
	1047	1346	4.0E		1109	1408		5.8E	1135		1440	6.1E		1204	1509		6.8E	1104	1410		6.7E	1714	2010	6.7F	1714	2010	6.7F
	1649	1930	3.6F		1711	1955		5.3F	1745		2033	5.7F		1808	2103		7.0F	1714	2010		6.7F	2304			2304		
8 Su O	0133	5.2E	23 M O	0204	7.3E	8 W O	0237	6.9E	23 Th O	0318	7.4E	8 Th O	0218	7.4E	23 F O	0603	0857	6.9F	23 F O	0603	0857	6.9F					
	0441	0759		6.5F	0512		0827	8.4F		0542	0854		8.3F	0623		0923	7.8F	0523		0830	8.3F	1158	1510	7.0E	1158	1510	7.0E
	1123	1426		4.9E	1151		1452	6.4E		1209	1514		6.9E	1232		1540	7.0E	1139		1445	7.5E	1812	2114	7.5F	1812	2114	7.5F
	1730	2011		4.3F	1753		2039	6.0F		1819	2109		6.7F	1841		2137	7.3F	1749		2047	7.8F	0258	8.2E	0024	0331	6.6E	0024
9 M O	0213	5.8E	24 Tu O	0250	7.7E	9 Th O	0315	7.6E	24 F O	0352	7.1E	9 F O	0258	8.2E	24 Sa O	0633	0925	6.6F	24 Sa O	0633	0925	6.6F					
	0519	0836		7.3F	0557		0907	8.6F		0621	0929		8.8F	0655		0953	7.4F	0604		0907	8.8F	1222	1536	6.9E	1222	1536	6.9E
	1158	1502		5.6E	1228		1531	6.8E		1242	1547		7.4E	1258		1608	7.0E	1213		1519	8.1E	1841	2144	7.5F	1841	2144	7.5F
	1807	2049		5.0F	1831		2119	6.5F		1852	2145		7.4F	1911		2209	7.3F	1823		2124	8.7F	0054	0358	6.1E	0054	0358	6.1E
10 Tu O	0251	6.3E	25 W O	0332	7.7E	10 F O	0335	7.9E	25 Sa O	0423	6.6E	10 Sa O	0336	8.6E	25 Su O	0054	0358	6.1E	25 Su O	0054	0358	6.1E					
	0557	0912		7.9F	0638		0944	8.5F		0700	1005		8.8F	0725		1021	6.9F	0644		0943	8.8F	0700	0952	6.2F	0700	0952	6.2F
	1231	1536		6.1E	1301		1606	6.9E		1315	1621		7.6E	1321		1635	6.7E	1246		1553	8.3E	1244	1559	6.7E	1244	1559	6.7E
	1842	2126		5.5F	1906		2157	6.8F		1926	2222		7.8F	1941		2239	6.9F	1858		2201	9.1F	1909	2212	7.2F	1909	2212	7.2F
11 W O	0009	0328	6.8E	26 Th O	0410	7.4E	11 Sa O	0431	7.9E	26 Su O	0451	5.8E	11 Su O	0415	8.4E	26 M O	0123	0423	5.6E	26 M O	0123	0423	5.6E				
	0634	0947	8.3F		0715	1018		8.0F	0739		1041	8.5F		0752	1047		6.3F	0723	1020		8.3F	0726	1017	5.8F	0726	1017	5.8F
	1305	1610	6.5E		1331	1639		6.8E	1348		1655	7.5E		1344	1659		6.3E	1319	1628		8.2E	1307	1622	6.3E	1307	1622	6.3E
	1917	2202	6.0F		1941	2232		6.7F	2001		2300	7.9F		2011	2309		6.4F	1934	2239		9.0F	1935	2240	6.7F	1935	2240	6.7F
12 Th O	0048	0405	7.0E	27 F O	0446	6.8E	12 Su O	0512	7.5E	27 M O	0517	5.0E	12 M O	0448	7.8E	27 Tu O	0150	0448	5.0E	27 Tu O	0150	0448	5.0E				
	0712	1023	8.4F		0749	1050		7.3F	0820		1119	7.8F		0819	1115		5.5F	0804	1057		7.5F	0752	1044	5.2F	0752	1044	5.2F
	1339	1645	6.7E		1359	1710		6.5E	1422		1732	7.2E		1408	1724		5.8E	1353	1705		7.7E	1331	1646	5.8E	1331	1646	5.8E
	1952	2240	6.3F		2015	2307		6.4F	2040		2341	7.6F		2041	2341		5.7F	2013	2320		8.5F	2003	2309	6.2F	2003	2309	6.2F
13 F O	0129	0444	7.0E	28 Sa O	0520	5.9E	13 M O	0556	6.7E	28 Tu O	0546	4.2E	13 Tu O	0234	6.8E	28 W O	0221	0515	4.4E	28 W O	0221	0515	4.4E				
	0752	1101	8.1F		0822	1120																					

Kurushima Kaikyō, Japan, 2012

F–Flood, Dir. Southward E–Ebb, Dir. Northward

July				August				September							
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum	
h	m	h	m	h	m	h	m	h	m	h	m	h	m	h	m
1	0259	0550	4.2F	16	0048	0048	2.8E	1	0142	0142	5.7E	16	0151	0151	4.7E
Su	0833	1158	6.1E	M	0347	0630	2.6F	W	0446	0733	5.2F	Th	0455	0742	4.4F
	1508	1832	7.2F		0905	1237	4.3E		1017	1341	7.2E		1028	1346	5.5E
	2158				1548	1911	5.1F		1649	2005	8.4F		1649	2003	6.8F
2		0057	5.5E	17	0138	0138	3.7E	2	0229	0229	6.5E	2	0226	0226	5.7E
M	0404	0651	4.8F	Tu	0439	0720	3.3F	Th	0530	0819	6.2F	F	0530	0819	5.4F
	0932	1256	6.9E		0958	1325	4.8E	○	1107	1429	7.8E		1108	1424	6.4E
	1605	1927	8.3F		1632	1950	6.0F		1737	2047	8.8F		1728	2038	7.7F
3		0153	6.2E	18	0217	0217	4.5E	3	0007	0310	7.1E	3	0258	0258	6.6E
Tu	0458	0743	5.5F	W	0520	0802	4.0F	F	0610	0900	6.9F	Sa	0603	0853	6.4F
	1025	1349	7.6E		1042	1405	5.4E		1153	1513	8.1E		1145	1500	7.1E
	1657	2015	9.0F		1710	2026	6.8F		1819	2126	8.8F	●	1805	2112	8.3F
4		0241	6.8E	19	0252	0252	5.3E	4	0042	0347	7.3E	4	0023	0329	7.1E
W	0545	0830	6.1F	Th	0556	0838	4.7F	Sa	0647	0939	7.3F	Su	0634	0928	7.2F
○	1114	1437	8.1E	●	1121	1441	6.0E		1236	1553	8.0E		1222	1535	7.6E
	1745	2100	9.4F		1746	2059	7.4F		1859	2201	8.5F		1841	2147	8.5F
5	0023	0325	7.1E	20	0018	0323	5.9E	5	0114	0421	7.3E	5	0054	0401	7.5E
Th	0628	0913	6.6F	F	0629	0913	5.4F	Su	0722	1016	7.4F	M	0706	1003	7.7F
	1200	1523	8.2E		1158	1516	6.4E		1317	1631	7.5E		1300	1611	7.8E
	1830	2141	9.4F		1821	2132	7.9F		1935	2235	7.9F		1919	2221	8.4F
6	0103	0406	7.2E	21	0048	0354	6.3E	6	0143	0453	7.0E	6	0126	0433	7.5E
F	0708	0955	6.8F	Sa	0701	0947	5.9F	M	0757	1052	7.1F	Tu	0740	1039	7.9F
	1245	1606	8.0E		1234	1550	6.8E		1356	1706	6.6E		1340	1649	7.5E
	1913	2221	8.9F		1856	2206	8.1F		2010	2307	7.0F		1958	2257	7.8F
7	0141	0445	7.0E	22	0120	0426	6.6E	7	0211	0525	6.6E	7	0159	0508	7.3E
Sa	0747	1035	6.7F	Su	0733	1022	6.3F	Tu	0832	1127	6.6F	W	0816	1117	7.8F
	1329	1648	7.5E		1311	1625	6.9E		1435	1741	5.6E		1423	1730	6.9E
	1954	2259	8.2F		1932	2241	8.0F		2042	2338	6.0F		2039	2335	7.0F
8	0216	0523	6.7E	23	0152	0459	6.7E	8	0239	0557	5.9E	8	0233	0546	6.9E
Su	0826	1116	6.4F	M	0807	1059	6.5F	W	0908	1204	5.8F	Th	0856	1200	7.3F
	1414	1730	6.6E		1352	1704	6.7E		1516	1817	4.4E		1512	1817	5.9E
	2035	2336	7.2F		2011	2317	7.6F		2115				2124		
9	0250	0602	6.1E	24	0226	0535	6.6E	9	0307	0011	5.0F	9	0312	0017	5.8F
M	0906	1157	5.9F	Tu	0843	1138	6.5F	Th	0947	0630	5.2E	F	0942	0630	6.2E
	1501	1814	5.5E		1436	1747	6.3E		1602	1858	3.3E	○	1611	1914	4.8E
	2115				2054	2357	6.9F		2151				2218		
10	0324	0641	6.0F	25	0303	0614	6.3E	10	0340	0046	3.8F	10	0358	0106	4.5F
Tu	0949	1241	5.2F	W	0925	1223	6.3F	F	1034	0711	4.3E	Sa	1039	0725	5.3E
	1552	1900	4.3E		1528	1836	5.6E	○	1701	1331	3.9F		1726	1350	5.6F
	2157				2142				2238	1952	2.3E		2327	2026	3.8E
11	0400	0725	4.9E	26	0345	0701	5.8E	11	0422	0130	2.7F	11	0459	0210	3.3F
W	1037	1331	4.4F	Th	1013	1315	5.8F	Sa	1132	0806	3.5E	Su	1152	0837	4.6E
○	1653	1954	3.2E	○	1630	1935	4.7E		1829	1436	3.1F		1859	1512	5.0F
	2243				2238				2352	2113	1.6E		2156	2156	3.3E
12	0441	0817	4.2E	27	0433	0758	5.3E	12	0527	0239	1.8F	12	0624	0339	2.7F
Th	1133	1433	3.7F	F	1111	1419	5.3F	Su	1248	0925	2.9E	M	1317	1005	4.4E
	1811	2101	2.3E		1747	2049	3.9E		2011	1613	2.9F		2028	1647	5.1F
	2342				2349				2255	1701	1.7E		2282	2324	3.7E
13	0534	0919	3.8E	28	0534	0907	4.9E	13	0707	0446	2.5E	13	0758	0516	3.0F
F	1239	1552	3.4F	Sa	1220	1539	5.2F	M	1411	1056	3.0E	Tu	1439	1129	5.0E
	1942	2222	1.9E		1918	2214	3.6E		2121	1744	3.5F		2135	1806	5.9F
14	0103	0354	2.0F	29	0116	0404	3.1F	14	0319	0016	2.5E	14	0337	0033	4.6E
Sa	0642	1030	3.6E	Su	0650	1024	4.9E	Tu	0838	0603	2.1F	W	0913	0628	4.2F
	1351	1717	3.6F		1338	1706	5.6F		1517	1209	3.6E		1546	1237	5.9E
	2101	2343	2.2E		2042	2338	4.0E		2208	1842	4.6F		2225	1904	6.8F
15	0235	0522	2.0F	30	0243	0529	3.4F	15	0415	0110	3.6E	15	0428	0126	5.6E
Su	0758	1139	3.8E	M	0809	1140	5.5E	W	0940	0659	3.2F	Th	1012	0721	5.4F
	1456	1823	4.3F		1452	1819	6.5F		1607	1303	4.5E		1639	1332	6.9E
	2158				2149				2246	1926	5.7F		2306	1950	7.6F
16				31	0352	0638	4.2F	16	0510	0209	6.4E	16	0510	0209	6.4E
				Tu	0918	1245	6.3E		1101	0805	6.6F	○	1101	0805	6.6F
					1555	1917	7.6F		1725	2030	8.0F		1725	2030	8.0F
					2243				2342				2342		
16	0530	0829	7.5F	17	0604	0905	8.4F	17	0621	0920	7.8F	17	0621	0920	7.8F
Su	1128	1440	7.7E	M	1207	1517	8.2E	Su	1224	1536	7.6E	M	1224	1536	7.6E
●	1745	2048	8.2F		1824	2124	8.4F		1841	2137	7.7F		1841	2137	7.7F
2352															
17	0025	0333	8.1E	18	0063	0941	8.9F	18	0064	0953	7.9F	18	0064	0953	7.9F
○	0638	0941	8.9F	Tu	1246	1555	8.3E	Tu	1301	1610	7.1E	Tu	1301	1610	7.1E
	1903	2159	8.2F		1903	2159	8.2F		1913	2207	7.2F		1913	2207	7.2F
19	0057	0407	8.1E	19	0073	1018	9.1F	19	0072	1026	7.5F	19	0072	1026	7.5F
W	0713	1018	9.1F	W	1327	1634	7.9E	W	1335	1641	6.3E	W	1335	1641	6.3E
	1943	2236	7.6F		1943	2236	7.6F		1943	2236	6.5F		1943	2236	6.5F
20	0131	0442	7.8E	20	0131	0442	7.8E	20	0132	0447	6.7E	20	0132	0447	6.7E
Th	0750	1058	8.8F	Th	1411	1716	7.1E	Th	0757	1057	7.0F	Th	0757	1057	7.0F
	2025	2315	6.7F		2025	2315	6.7F		1408	1710	5.4E		1408	1710	5.4E
									2011	2304	5.7F		2011	2304	5.7F
21	0206	0521	7.2E	21	0206	0521	7.2E	21	0157	0514	6.1E	21	0157	0514	6.1E
F	0832	1141	8.1F	F	1459	1803	6.0E	F	0829	1129	6.2F	F	0829	1129	6.2F
	2110	2357	5.5F		2110	2357	5.5F		1441	1739	4.5E		1441	1739	4.5E
									2040	2333	4.9F		2040	2333	4.9F
22	0246														

Kurushima Kaikyo, Japan, 2012

F—Flood, Dir. Southward E—Ebb, Dir. Northward

October				November				December																
	Slack		Maximum			Slack		Maximum			Slack		Maximum											
	h	m	h	m		h	m	h	m		h	m	h	m	h	m								
1 M		0252	7.2E		16 Tu	0534	0842	9.2F			1 Sa	0639	0951	6.9F										
	0554	0859	7.9F	1151		1458	8.2E	0632	0946	10.0F		1311	1613	4.9E	16 Su	0035	0357	8.3E						
	1210	1517	6.9E	1806		2100	7.9F	1306	1610	7.6E		1919	2200	4.5F		0705	1017	9.6F						
1820	2111	6.7F	2354	1806	2100	7.9F	1917	2202	6.8F	1952	2233	4.4F	1340	1643		7.2E								
2 Tu	0007	0322	7.2E	17 W	0611	0921	9.7F	2 F	0027	0346	6.1E	17 Sa	0047	0407	8.2E	2 Su	0039	0357	5.6E	17 M	0121	0442	7.9E	
	0626	0930	7.9F		1233	1539	8.2E		0659	1008	7.0F		0716	1029	9.6F		0708	1022	6.8F		0750	1059	8.9F	
	1244	1548	6.4E		1848	2138	7.7F		1325	1624	4.9E		1352	1655	7.1E		1340	1643	4.9E		1421	1727	6.8E	
1850	2140	6.3F			1929	2214	4.7F	2001	2245	6.3F	2047	2330	5.6F	2029	2310	4.3F	2030	2316	6.3F					
3 W	0032	0348	6.9E	18 Th	0650	1001	9.8F	3 Sa	0054	0411	5.7E	18 Su	0130	0452	7.6E	3 M	0112	0428	5.3E	18 Tu	0208	0529	7.1E	
	0656	1000	7.6F		1316	1621	7.9E		0727	1037	6.5F		0801	1113	8.8F		0740	1055	6.6F		0836	1142	7.9F	
	1314	1616	5.8E		1929	2217	7.2F		1354	1652	4.5E		1438	1742	6.3E		1412	1716	4.8E		1503	1811	6.2E	
1918	2207	5.8F			2001	2245	4.3F	2047	2330	5.6F	2047	2330	5.6F	2029	2310	4.3F	2115							
4 Th	0056	0413	6.5E	19 F	0730	1042	9.4F	4 Su	0124	0440	5.2E	19 M	0217	0541	6.7E	4 Tu	0150	0505	5.0E	19 W		0002	5.8F	
	0725	1030	7.0F		1401	1705	7.1E		0757	1110	6.0F		0850	1200	7.6F		0816	1132	6.3F		0300	0620	6.1E	
	1344	1642	5.4E		2013	2258	6.4F		1427	1726	4.2E		1528	1834	5.5E		1449	1756	4.7E		0923	1227	6.6F	
1946	2235	5.2F			2038	2321	3.8F	2038	2321	3.8F	2138			2111	2353	4.1F	1546	1859	5.6E					
5 F	0121	0437	5.9E	20 Sa	0814	1126	8.5F	5 M	0159	0514	4.6E	20 Tu	0311	0637	5.7E	5 W	0235	0550	4.6E	20 Th	0359	0715	5.0E	
	0753	1059	6.4F		1449	1753	6.1E		0832	1148	5.5F		0944	1253	6.4F		0859	1215	5.8F		1015	1316	5.4F	
	1413	1710	4.5E		2059	2342	5.4F		1507	1809	3.8E		1622	1931	4.8E		1533	1844	4.5E		1632	1951	5.0E	
2015	2304	4.6F			2153			2125			2235			2159			2258							
6 Sa	0148	0504	5.2E	21 Su	0903	1215	7.3F	6 Tu	0244	0601	3.9E	21 W	0419	0744	4.7E	6 Th	0332	0647	4.1E	21 F	0509	0819	3.9E	
	0824	1132	5.6F		1544	1848	5.0E		0917	1235	4.9F		1046	1353	5.1F		0953	1306	5.2F		1113	1411	4.2F	
	1447	1741	3.8E		2153	1558	1908		3.4E	1558	1908		3.4E	1722	2035		4.4E	1625	1942		4.4E	1723	2050	4.5E
2049	2338	3.8F			2224			2224			2339			2256			2359							
7 Su	0219	0536	4.5E	22 M	1000	1312	6.1F	7 W	0345	0707	3.3E	22 Th	0542	0859	4.0E	7 F	0444	0758	3.7E	22 Sa	0633	0931	3.2E	
	0859	1210	4.8F		1649	1955	4.2E		1017	1335	4.3F		1157	1505	4.2F		1058	1409	4.6F		1222	1518	3.2F	
	1529	1825	3.1E		2257	1704	2023		3.3E	1704	2023		3.3E	1826	2142		4.3E	1726	2047		4.4E	1822	2153	4.3E
2135			2257			2337			2337															
8 M		0020	3.0F	23 Tu	0429	0804	4.5E	8 Th	0513	0836	3.0E	23 F	0049	0354	3.9F	8 Sa	0000	0257	3.9F	23 Su	0107	0423	4.1F	
	0300	0621	3.6E		1110	1424	4.9F		1134	1453	3.9F		0713	1017	3.8E		0609	0918	3.7E		0759	1047	2.9E	
	0945	1259	4.0F		1805	2112	3.8E		1819	2140	3.7E		1316	1622	3.8F		1214	1523	4.3F		1340	1635	2.8F	
1627	1932	2.5E			2243			2243			2339			1833	2155	4.7E	1925	2259	4.3E					
2243			2257			2337			2337															
9 Tu	0120	0437	2.2F	24 W	0604	0930	4.1E	9 F	0053	0347	3.1F	24 Sa	0156	0511	4.5F	9 Su	0106	0416	4.6F	24 M	0214	0537	4.5F	
	0400	0734	2.8E		1233	1552	4.4F		0651	1003	3.4E		0831	1129	3.9E		0733	1035	4.1E		0911	1159	3.1E	
	1050	1410	3.4F		1922	2228	4.0E		1259	1616	4.2F		1430	1730	3.8F		1335	1639	4.3F		1456	1746	2.8F	
1752	2108	2.4E			2228			1930	2247	4.4E	2025	2345	5.0E	1938	2259	5.3E	2027	2359	4.6E					
10 W	0017	0254	1.8F	25 Th	0739	1053	4.3E	10 Sa	0159	0504	4.2F	25 Su	0255	0612	5.3F	10 M	0209	0526	5.7F	25 Tu	0313	0636	5.1F	
	0544	0920	2.5E		1357	1712	4.6F		0811	1116	4.3E		0934	1231	4.3E		0844	1145	4.9E		1008	1259	3.5E	
	1219	1547	3.4F		2025	2333	4.6E		1417	1727	4.8F		1532	1825	4.1F		1449	1747	4.8F		1558	1843	3.2F	
1922	2236	3.0E			2225			2030	2344	5.4E	2114			2038	2357	6.1E	2121							
11 Th	0148	0440	2.5F	26 F	0853	1201	4.9E	11 Su	0253	0604	5.7F	26 M	0344	0701	6.1F	11 Tu	0306	0626	7.0F	26 W	0403	0722	5.7F	
	0734	1051	3.2E		1506	1813	5.0F		0912	1217	5.4E		1024	1322	4.7E		0945	1246	5.8E		1052	1348	4.0E	
	1348	1712	4.1F		2116	1521	1823		5.7F	2120	1623		1911	4.3F	2131		1553	1845	5.4F		1647	1929	3.6F	
2029	2341	4.1E			2116			2120			2156			2131			2207							
12 F	0251	0551	3.8F	27 Sa	0951	1257	5.5E	12 M	0341	0653	7.2F	27 Tu	0428	0742	6.6F	12 W	0359	0718	8.3F	27 Th	0445	0801	6.2F	
	0847	1157	4.4E		1602	1900	5.4F		1004	1309	6.5E		1107	1405	4.9E		1038	1340	6.6E		1129	1428	4.4E	
	1458	1812	5.3F		2158	1615	1912		6.4F	1615	1912		6.4F	1705	1950		4.5F	1647	1935		6.0F	1728	2008	4.0F
2120			2158			2205			2205			2233			2220			2248						
13 Sa	0338	0641	5.4F	28 Su	1039	1343	5.9E	13 Tu	0425	0739	8.5F	28 W	0505	0818	6.9F	13 Th	0448	0805	9.2F	28 F	0521	0835	6.6F	
	0941	1249	5.7E		1647	1940	5.6F		1052	1357	7.3E		1143	1442	5.0E		1127	1429	7.2E		1200	1502	4.8E	
	1553	1900	6.3F		2233	1704	1957		6.9F	1742	2025		4.6F	1742	2025		4.6F	1736	2022		6.4F	1803	2043	4.3F
2203			2233			2247			2247			2307			2220			2248						
14 Su	0419	0723	6.9F	29 M	1120	1423	6.0E	14 W	0508	0822	9.4F	29 Th	0539	0851	7.0F	14 F	0535	0851	9.8F	29 Sa	0554	0906	6.9F	
	1026	1335	6.8E		1726	2015	5.7F		1137	1442	7.8E		1215	1515	5.0E		1213	1515	7.5E		1228	1533	5.2E	
	1641	1942	7.2F		2305	1750	2039		7.1F	1816	2057		4.6F	1816	2057		4.6F	1821	2106		6.7F	1836	2117	4.7F
2242			2305			2327			2327			2338			2351			2358						
15 M	0457	0803	8.2F	30 Tu	1556	1458	5.9E	15 Th	0550	0243	8.4E	30 F	0610	0922	7.0F	15 Sa	0620	0934	9.9F	30 Su	0625	0937	7.1F	
	1109	1417	7.7E		2334	1222	1526		7.9E	1222	1526		7.9E	1243	1545		5.0E	1257	1600		7.5E	1256	1601	5.4E
	1724	2022	7.7F		2334	1834	2120		7.1F	1847	2129		4.6F	1847	2129		4.6F	1905	2149		6.8F	1907	2149	4.9F
2319			2334			2334			2334			2351			2351			2358						
15 M	0152	0458	7.4E	31 W	0601	0909	7.5F	31 M	0601	0909	7.5F	<												

Kanmon Kaikyo (Hayatomo Seto), Japan, 2012

F—Flood, Dir. Westward E—Ebb, Dir. Eastward

January				February				March																			
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum													
h	m	h	m	h	m	h	m	h	m	h	m	h	m	h	m												
1 Su		0201	2.7F	16 M		0145	5.2F	1 W		0045	3.2F	16 Th		0103	5.5F	1 Th		0244	4.3F	16 F		0037	0402	6.1F			
	0441	0803	4.8E		0448	0748	5.7E		0747	1008	1.3E		0849	1119	1.9E		0712	0923	1.3E		0850	1115	2.1E				
	1121	1423	4.8F		1110	1359	6.0F		1209	1440	1.9F		1331	1538	1.9F		1118	1343	2.0F		1341	1515	1.0F				
2 M		0333	2.3F	17 Tu		0303	4.9F	2 Th		0201	0543	3.8F	17 F		0227	0551	6.0F	2 F		0046	0429	4.1F	17 Sa		0202	0535	6.3F
	0615	0924	3.2E		0622	0913	4.0E		1009	1210	1.4E	1031		1307	2.8E	0932	1128		1.1E	1008	1253	3.2E					
	1217	1516	3.4F		1216	1500	4.4F		1415	1612	0.9F	1534		1717	1.5F	1323	1453		0.6F	1545	1712	1.0F					
3 Tu		0513	2.9F	18 W		0432	5.1F	3 F		0309	0651	5.1F	18 Sa		0341	0658	6.9F	3 Sa		0204	0606	5.0F	18 Su		0320	0640	6.8F
	0822	1107	2.2E		0820	1109	2.8E		1111	1325	2.5E	1125		1416	4.0E	1036	1253		2.3E	1053	1358	4.5E					
	1338	1625	2.3F		1346	1613	3.2F		1605	1757	1.2F	1640		1829	2.6F	1548	1717		0.6F	1635	1827	2.5F					
4 W		0628	4.1F	19 Th		0557	6.0F	4 Sa		0015	068E	19 Su		0055	7.2E	4 Su		0315	0657	6.0F	19 M		0050	067E			
	1011	1244	2.4E		1011	1305	3.1E		0403	0735	6.2F		0441	0743	7.4F		1110	1344	3.7E	0423		0723	7.1F				
	1514	1737	2.0F		1524	1730	2.8F		1146	1413	3.8E		1159	1503	4.9E		1629	1830	2.3F	1124		1442	5.5E				
5 Th		0006	6.7E	20 F		0702	7.1F	5 Su		0105	7.5E	20 M		0138	7.5E	5 M		0035	7.0E	20 Tu		0137	6.8E				
	0403	0720	5.5F		1123	1418	4.0E		0447	0807	7.0F		0529	0817	7.7F		0412	0730	6.8F		0511	0755	7.2F				
	1116	1349	3.3E		1635	1834	3.3F		1212	1451	4.7E		1224	1538	5.4E		1134	1421	4.7E		1147	1514	5.9E				
6 F		0051	7.4E	21 Sa		0048	7.9E	6 M		0142	8.0E	21 Tu		0211	7.6E	6 Tu		0118	7.7E	21 W		0211	6.8E				
	0441	0759	6.5F		0450	0750	7.8F		0526	0831	7.5F		0608	0846	7.8F		0458	0755	7.4F		0549	0822	7.2F				
	1158	1435	4.2E		1211	1510	4.7E		1235	1523	5.3E		1246	1600	5.5E		1154	1448	5.3E		1205	1529	6.0E				
7 Sa		0127	7.9E	22 Su		0134	8.1E	7 Tu		0214	8.3E	22 W		0243	7.6E	7 W		0153	8.1E	22 Th		0240	6.7E				
	0515	0831	7.2F		0537	0829	8.2F		0602	0854	7.9F		0642	0915	7.9F		0538	0819	8.0F		0620	0848	7.3F				
	1230	1512	4.9E		1246	1550	5.1E		1256	1548	5.5E		1306	1548	5.7E		1213	1455	5.7E		1222	1503	6.2E				
8 Su		0158	8.1E	23 M		0212	8.2E	8 W		0246	8.5E	23 Th		0317	7.5E	8 Th		0226	8.3E	23 F		0311	6.5E				
	0547	0858	7.6F		0620	0905	8.4F		0637	0919	8.3F		0713	0946	8.0F		0615	0847	8.4F		0648	0916	7.4F				
	1258	1547	5.3E		1315	1619	5.3E		1317	1559	5.7E		1327	1558	6.2E		1232	1458	6.2E		1239	1515	6.6E				
9 M		0227	8.3E	24 Tu		0251	8.2E	9 Th		0319	8.7E	24 F		0354	7.4E	9 F		0301	8.2E	24 Sa		0346	6.3E				
	0620	0923	7.8F		0659	0939	8.4F		0713	0950	8.7F		0742	1018	8.0F		0651	0919	8.7F		0715	0946	7.4F				
	1324	1618	5.5E		1342	1635	5.5E		1340	1609	6.1E		1349	1622	6.6E		1254	1518	6.9E		1259	1536	7.0E				
10 Tu		0259	8.4E	25 W		0330	8.2E	10 F		0357	8.7E	25 Sa		0434	7.1E	10 Sa		0341	7.9E	25 Su		0428	6.1E				
	0654	0949	8.0F		0735	1015	8.4F		0749	1025	8.9F		0811	1051	7.8F		0729	0956	8.8F		0742	1016	7.2F				
	1351	1647	5.6E		1410	1650	5.9E		1405	1633	6.6E		1411	1651	6.9E		1319	1547	7.6E		1320	1602	7.3E				
11 W		0333	8.6E	26 Th		0411	8.1E	11 Sa		0440	8.4E	26 Su		0517	6.5E	11 Su		0426	7.3E	26 M		0515	5.7E				
	0729	1020	8.4F		0809	1053	8.4F		0828	1105	8.8F		0841	1123	7.2F		0807	1035	8.4F		0813	1047	6.7F				
	1419	1710	5.7E		1438	1717	6.2E		1433	1706	7.2E		1433	1721	7.1E		1347	1623	8.1E		1342	1630	7.7E				
12 Th		0412	8.8E	27 F		0453	7.8E	12 Su		0529	7.6E	27 M		0604	5.6E	12 M		0524	6.3E	27 Tu		0605	5.1E				
	0808	1056	8.6F		0842	1130	8.1F		0909	1147	8.2F		0911	1155	6.3F		0848	1118	7.6F		0846	1120	5.9F				
	1448	1731	6.0E		1505	1751	6.4E		1502	1747	7.7E		1453	1752	7.3E		1416	1705	8.3E		1404	1702	7.9E				
13 F		0456	8.8E	28 Sa		0538	7.2E	13 M		0022	7.3F	28 Tu		0045	5.7F	13 Tu		0011	8.3F	28 W		0020	6.7F				
	0848	1136	8.7F		0916	1206	7.4F		0343	0627	6.3E		0406	0656	4.3E		0351	0644	5.0E		0357	0655	4.2E				
	1519	1801	6.3E		1531	1826	6.5E		0952	1232	7.0F		0944	1227	5.1F		0933	1203	6.2F		0923	1153	4.8F				
14 Sa		0545	8.3E	29 Su		0025	5.2F	14 Tu		0128	6.6F	29 W		0138	4.9F	14 W		0118	7.5F	29 Th		0109	6.2F				
	0931	1220	8.3F		0328	0626	6.1E		0454	0741	4.5E		0516	0758	2.7E		0509	0800	3.7E		0503	0749	3.1E				
	1551	1840	6.7E		0949	1241	6.4F		1041	1322	5.4F		1022	1301	3.6F		1024	1253	4.5F		1006	1231	3.5F				
15 Su		0040	5.8F	30 M		0118	4.3F	15 W		0244	5.8F	30 Th		0232	6.6F	15 Th		0232	6.6F	30 F		0205	5.6F				
	0337	0641	7.3E		0422	0719	4.6E		0634	0913	2.8E		0656	0922	2.4E		0656	0922	2.4E		0635	0858	2.1E				
	1018	1307	7.4F		1024	1315	5.0F		1145	1419	3.5F		1136	1350	2.5F		1136	1350	2.5F		1110	1317	2.0F				
16 Mo		0040	5.8F	31 Tu		0223	3.5F	16 Su		0241	7.1E	31 Sa		0219	6.8E	16 O		0219	6.8E	31 O		0318	5.1F				
	0337	0641	7.3E		0538	0825	2.8E		1641	2041	7.1E		1554	2019	6.8E		1554	2019	6.8E		0813	1037	1.9E				
	1018	1307	7.4F		1105	1352	3.4F														1301	1426	0.8F				

Time meridian 135° E. 0000 is midnight. 1200 is noon. Times are not adjusted for Daylight Saving Time.
 If three consecutive entries are marked (F) or (E) the middle one is not a true maximum but an intermediate value to show the current pattern.

Kanmon Kaikyo (Hayatomo Seto), Japan, 2012

F—Flood, Dir. Westward E—Ebb, Dir. Eastward

April				May				June																																	
Slack	Maximum		knots	Slack	Maximum		knots	Slack	Maximum		knots																														
h m	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m																														
1 Su	0107	0455	5.2F	16 M	0247	0604	6.4F	1 Tu	0135	0454	5.9F	16 W	0313	0605	5.1F	1 F	0317	0552	5.5F	16 Sa	0432	0648	3.3F																		
	0925	1204	2.8E		0957	1317	5.2E		0843	1153	4.7E		0918	1303	6.3E		0842	1159	7.6E		0904	1310	7.3E		1659	2003	6.5F		2352				0244	4.3E							
	1504	1633	0.7F		1613	1819	2.8F		1505	1722	3.0F		1620	1854	4.6F		1557	1845	7.0F		1659	2003	6.5F																		
	1759	2250	6.0E		2054				1953	2322	6.2E		2202																												
2 M	0223	0600	5.9F	17 Tu	0353	0649	6.3F	2 W	0247	0548	6.2F	17 Th	0413	0647	4.9F	2 Sa	0418	0640	5.7F	17 Su	0513	0727	3.7F																		
	1006	1259	4.0E		1030	1403	6.0E		0919	1228	5.7E		0947	1335	6.8E		0921	1234	8.3E		0942	1337	7.6E																		
	1553	1759	2.4F		1647	1907	4.6F		1547	1819	5.1F		1653	1937	6.0F		1642	1932	8.3F		1730	2038	7.1F																		
	2012				2212				2121				2302																												
3 Tu	0330	0641	6.6F	18 W	0445	0724	6.3F	3 Th	0349	0631	6.6F	18 F	0458	0721	4.9F	3 Su	0511	0725	6.0F	18 M	0546	0802	4.3F																		
	1035	1335	5.0E		1054	1434	6.4E		0950	1248	6.7E		1011	1350	7.1E		0959	1311	8.8E		1022	1403	7.8E																		
	1625	1848	4.7F		1716	1947	6.1F		1625	1904	7.1F		1723	2014	6.9F		1725	2018	9.0F		1759	2109	7.4F																		
	2138				2308				2228				2349																												
4 W	0424	0713	7.2F	19 Th	0524	0753	6.2F	4 F	0442	0710	7.0F	19 Sa	0533	0753	5.1F	4 M	0558	0808	6.2F	19 Tu	0618	0835	4.9F																		
	1057	1351	5.8E		1113	1438	6.6E		1018	1309	7.5E		1035	1359	7.3E		1039	1350	9.0E		1100	1430	7.8E																		
	1656	1926	6.8F		1743	2022	7.3F		1702	1945	8.6F		1750	2048	7.5F		1810	2104	9.3F		1828	2137	7.5F																		
	2240				2352				2324																																
5 Th	0509	0744	7.7F	20 F	0556	0820	6.3F	5 Sa	0528	0748	7.3F	20 Su	0603	0823	5.3F	5 Tu	0643	0852	6.2F	20 W	0652	0909	5.3F																		
	1118	1355	6.5E		1130	1428	6.8E		1046	1336	8.3E		1101	1415	7.5E		1121	1434	8.9E		1138	1500	7.8E																		
	1727	2003	8.4F		1810	2055	7.9F		1740	2026	9.5F		1816	2120	7.7F		1856	2151	9.3F		1859	2205	7.6F																		
	2332																																								
6 F	0550	0816	8.1F	21 Sa	0624	0848	6.4F	6 Su	0611	0827	7.3F	21 M	0633	0854	5.6F	6 W	0729	0937	6.1F	21 Th	0728	0944	5.5F																		
	1140	1412	7.2E		1149	1440	7.1E		1117	1408	8.8E		1130	1437	7.6E		1205	1524	8.7E		1216	1535	8.0E																		
	1801	2041	9.5F		1835	2129	8.1F		1820	2111	9.8F		1843	2152	7.7F		1944	2242	9.1F		1932	2235	7.8F																		
7 Sa	0020	0247	7.2E	22 Su	0105	0411	5.5E	7 M	0108	0429	5.6E	22 Tu	0137	0444	5.3E	7 Th	0253	0557	5.4E	22 F	0233	0534	5.7E																		
	0629	0851	8.3F		0651	0917	6.5F		0653	0908	7.1F		0705	0927	5.6F		0817	1024	5.7F		0807	1021	5.5F																		
	1204	1438	8.0E		1211	1500	7.4E		1150	1446	9.0E		1200	1505	7.7E		1252	1620	8.5E		1253	1613	8.2E																		
	1837	2122	10.0F		1902	2203	8.0F		1904	2159	9.7F		1912	2225	7.6F		2034	2334	8.9F		2009	2310	8.0F																		
8 Su	0108	0333	6.6E	23 M	0141	0448	5.4E	8 Tu	0202	0524	5.4E	23 W	0213	0520	5.4E	8 F	0341	0640	5.6E	23 Sa	0305	0605	5.8E																		
	0709	0929	8.1F		0721	0948	6.4F		0738	0952	6.6F		0741	1001	5.5F		0908	1114	5.0F		0848	1101	5.3F																		
	1232	1511	8.5E		1235	1525	7.7E		1227	1530	8.9E		1231	1539	7.9E		1342	1720	8.2E		1332	1656	8.4E																		
	1918	2208	9.9F		1930	2239	7.8F		1952	2255	9.4F		1946	2300	7.6F		2123				2048	2348	8.2F																		
9 M	0159	0439	5.9E	24 Tu	0218	0528	5.3E	9 W	0301	0612	5.2E	24 Th	0252	0557	5.4E	9 Sa	0426	0724	5.7E	24 Su	0339	0636	5.9E																		
	0750	1010	7.6F		0754	1021	6.0F		0826	1038	5.8F		0822	1038	5.1F		1004	1206	4.2F		0933	1145	4.9F																		
	1303	1550	8.7E		1301	1556	7.9E		1306	1623	8.6E		1303	1619	8.1E		1435	1821	7.7E		1417	1742	8.3E																		
	2005	2302	9.4F		2003	2318	7.6F		2045	2354	9.0F		2023	2338	7.7F		2214				2131																				
10 Tu	0256	0609	5.3E	25 W	0300	0609	5.1E	10 Th	0403	0659	5.0E	25 F	0333	0634	5.3E	10 Su	0510	0813	5.7E	25 M	0413	0710	6.1E																		
	0834	1055	6.6F		0831	1055	5.3F		0919	1128	4.8F		0906	1118	4.5F		1105	1305	3.3F		1022	1235	4.5F																		
	1336	1636	8.6E		1327	1631	8.1E		1348	1727	8.1E		1336	1705	8.2E		1535	1924	6.8E		1509	1835	7.9E																		
	2056				2041				2141				2106								2217																				
11 W	0403	0706	4.6E	26 Th	0349	0651	4.6E	11 F	0504	0751	4.7E	26 Sa	0417	0714	5																										

Kanmon Kaikyo (Hayatomo Seto), Japan, 2012

F—Flood, Dir. Westward E—Ebb, Dir. Eastward

July				August				September																		
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum												
h	m	h	m	knots	h	m	h	m	knots	h	m	h	m	knots												
1 Su	0403	0616	4.2F	16 M	0459	0703	2.6F	1 W	0027	0331	4.9E	16 Th	0023	0309	5.2E	1 Sa	0047	0346	5.8E	16 Su	0013	0245	6.3E			
	0834	1213	8.4E		0859	1315	7.6E		1017	1351	8.3E		1038	1404	8.1E		0637	0858	7.6F		0611	0843	8.3F			
	1628	1927	7.9F		1707	2021	6.9F		1758	2043	8.5F		1748	2043	7.7F		1218	1458	7.5E		1829	2059	8.7F	1207	1444	7.9E
	2336																1854	2126	8.3F		●				1829	2059
2 M		0247	4.4E	17 Tu	0024	0300	4.5E	2 Th	0057	0408	5.2E	17 F	0042	0335	5.5E	2 Su	0109	0339	6.2E	17 M	0033	0259	7.0E			
	0502	0709	4.7F		0532	0742	3.7F		0622	0829	6.2F		0610	0831	6.3F		0710	0936	8.0F		0643	0918	9.0F			
	0926	1301	8.6E		0954	1351	7.9E		1116	1431	8.3E		1128	1433	8.2E		1301	1535	7.3E		1250	1519	7.6E			
	1717	2013	8.5F		1740	2050	7.3F		1839	2118	8.6F		1820	2105	8.1F		1925	2159	8.3F		1904	2133	8.9F			
3 Tu	0029	0338	4.9E	18 W	0051	0334	5.1E	3 F	0124	0434	5.5E	18 Sa	0101	0347	5.7E	3 M	0131	0402	6.7E	18 Tu	0055	0324	7.7E			
	0550	0756	5.3F		0603	0818	4.8F		0659	0911	6.9F		0640	0904	7.3F		0743	1017	7.9F		0720	0959	9.2F			
	1017	1348	8.7E		1044	1422	8.0E		1211	1511	8.2E		1211	1504	8.3E		1342	1616	6.8E		1335	1600	7.1E			
	1804	2055	8.8F		1811	2114	7.5F		1917	2154	8.7F		1853	2132	8.5F		1955	2232	8.0F		1941	2211	8.7F			
4 W	0112	0421	5.1E	19 Th	0114	0405	5.5E	4 Sa	0152	0440	5.8E	19 Su	0121	0352	6.0E	4 Tu	0153	0431	7.0E	19 W	0121	0357	8.3E			
	0634	0841	5.9F		0634	0851	5.6F		0736	0953	7.2F		0713	0940	7.9F		0818	1059	7.4F		0801	1045	9.0F			
	1109	1434	8.7E		1129	1451	8.1E		1301	1552	8.0E		1254	1538	8.3E		1423	1701	6.2E		1425	1650	6.2E			
	1850	2138	8.9F		●	1843	2138		7.8F	1953	2231		8.6F	1927	2204		8.8F	2025	2306		7.5F	2020	2251	8.0F		
5 Th	0151	0458	5.4E	20 F	0138	0434	5.6E	5 Su	0219	0500	6.2E	20 M	0143	0410	6.6E	5 W	0216	0504	7.3E	20 Th	0150	0436	8.6E			
	0716	0924	6.2F		0707	0925	6.2F		0815	1036	7.1E		0749	1018	8.1F		0856	1146	6.8F		0847	1140	8.4F			
	1201	1521	8.6E		1212	1523	8.2E		1348	1636	7.7E		1337	1616	8.1E		1508	1753	5.3E		1523	1801	5.0E			
	1934	2221	8.9F		1915	2205	8.1F		2027	2310	8.3F		2003	2240	8.9F		2056	2340	6.5F		2103	2335	6.8F			
6 F	0228	0531	5.6E	21 Sa	0202	0456	5.8E	6 M	0247	0532	6.6E	21 Tu	0208	0440	7.3E	6 Th	0237	0537	7.4E	21 F	0221	0523	8.6E			
	0800	1010	6.3F		0743	1001	6.5F		0856	1123	6.6F		0829	1103	7.9F		0936	1236	6.0F		0941	1245	7.7F			
	1254	1610	8.4E		1253	1558	8.4E		1434	1723	7.0E		1424	1701	7.5E		1559	1849	4.1E		1635	1926	3.8E			
	2017	2305	8.8F		1950	2237	8.5F		2101	2348	7.8F		2041	2320	8.5F		2129				2152					
7 Sa	0304	0605	6.0E	22 Su	0228	0512	6.0E	7 Tu	0313	0609	6.8E	22 W	0235	0517	7.9E	7 F		0012	5.3F	22 Sa		0023	5.2F			
	0845	1056	6.0F		0821	1040	6.6F		0940	1212	5.8F		0914	1154	7.5F		0256	0613	7.4E		0254	0619	8.2E			
	1347	1700	8.1E		1336	1637	8.5E		1522	1814	6.0E		1517	1754	6.3E		1023	1330	5.2F		1045	1356	7.0F			
	2059	2350	8.5F		2027	2313	8.7F		2135				2122				1710	1949	2.7E		1813	2045	2.6E			
8 Su	0338	0641	6.2E	23 M	0255	0536	6.5E	8 W		0024	6.8F	23 Th		0003	7.6F	8 Sa		0045	3.8F	23 Su		0119	3.3F			
	0933	1146	5.4F		0902	1124	6.5F		0337	0646	6.9E		0305	0601	8.2E		0314	0656	7.2E		0329	0736	7.3E			
	1439	1753	7.6E		1422	1721	8.2E		1027	1308	4.9F		1006	1255	6.9F		1119	1435	4.5F		1200	1518	6.4F			
	2140				2106	2354	8.5F		1616	1910	4.6E		1622	1902	4.8E		1904	2106	1.3E		2005	2227	2.1E			
9 M		0034	7.9F	24 Tu	0324	0610	7.0E	9 Th		0059	5.4F	24 F		0050	6.1F	9 Su		0123	2.1F	24 M		0042	1.5F			
	0412	0720	6.4E		0947	1214	6.2F		0358	0724	6.8E		0336	0653	8.1E		0331	0754	6.6E		0417	0921	6.6E			
	1024	1240	4.6F		1514	1812	7.5E		1120	1411	4.1F		1108	1406	6.2F		1228	1611	4.3F		1322	1653	6.4F			
	1533	1848	6.6E		2149				1729	2014	2.9E		1750	2028	3.0E		2116	2300	1.0E		2131					
10 Tu		0117	6.8F	25 W		0038	7.9F	10 F		0135	3.8F	25 Sa		0143	4.2F	10 M		0049	0.6F	25 Tu		0011	3.0E			
	0443	0801	6.4E		0354	0652	7.4E		0417	0808	6.6E		0411	0759	7.7E		0349	0927	6.0E		0258	0425	0.9F			
	1121	1343	3.7E		1039	1312	5.7F		1225	1533	3.6F		1222	1530	5.8F		1345	1750	5.0F		0557	1108	6.5E			
	1635	1948	5.2E		1617	1912	6.1E		2338				1930	2141	1.3E		1958	2220	1.8E		2223	1442	1807	6.9F		
11 W		0200	5.4F	26 Th		0125	6.7F	11 Sa		0216	2.1F	26 Su		0251	2.4F	11 Tu		0034	2.1E	26 W		0124	4.4E			
	0512	0846	6.3E		0427	0741	7.6E		0438	0906	6.4E		0457	0924	7.2E		0405	0451	0.1F		0407	0558	2.2F			
	1227	1502	3.1F		1140	1422	5.3F		1339	1718	3.9F		1344	1706	6.0F		0533	1115	6.2E		0810	1220	6.8E			
	1755	2059	3.5E		1737	2026	4.4E		2157	2342	1.0E		2155				1456	1844	5.9F		1550	1856	7.3F			
12 Th		0247	3.8F	27 F		0220	5.1F	12 Su		0134	0.8F	27 M		0023	2.2E	12 W		0128	3.5E	27 Th		0215	5.5E			
	0541	0936	6.2E		0504	0839	7.7E		0516	1033	6.3E		0241	0429	1.5F		0427	0617	1.7F		0446	0653	4.0F			
	1341	1636	3.1F		1251	1544	5.2F		1450	1835	5.0F		0612	1107	7.0E		0803	1220	6.9E		0943	1314	7.0E			
	1951	2232	2.2E		1926	2203	2.8E		2303				1502	1824	6.8F		1554	1919	6.8F		1643	1932	7.5F			
13 F	0100	0347	2.4F	28 Sa	0048	0326	3.6F	13 M		0109	2.1E	28 Tu		0143	3.6E	13 Th		0205	4.7E	28 F		0253	6.2E			
	0613	1035	6.3E		0550	0947	7.6E		0402	0536	0.7F		0410	0558	2.2F		0450	0702	3.6F		0518	0735	5.8F			
	1451	1801	4.0F		1406	1713	5.7F		0651	1156	6.7E		0753	1222	7.4E		0930	1305	7.5E		1047	1354	7.0E			
	2154				2128				1548	1923	6.1F		1608	1916	7.5F		1640	1944	7.3F		1726	2001	7.5F			
14 Sa		0017	1.9E	29 Su		0014	2.5E	14 Tu		0200	3.4E	29 W		0237	4.7E	14 F		0234	5.4E	29 Sa		0318				

Kanmon Kaikyo (Hayatomo Seto), Japan, 2012

F—Flood, Dir. Westward E—Ebb, Dir. Eastward

October				November				December															
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum									
	h	m	knots		h	m	knots		h	m	knots		h	m	knots								
1 M	0021	0258	6.9E	16 Tu	0618	0901	9.7F	1 Th	0018	0314	7.9E	16 F	0004	0307	9.4E	1 Sa	0019	0331	8.1E	16 Su	0033	0354	9.0E
	0645	0923	8.3F		1246	1511	6.5E		0719	1026	8.0F		0727	1025	9.6F		0732	1045	7.8F		0808	1103	9.2F
	1257	1530	6.2E		1844	2107	8.3F		1405	1709	5.3E		1431	1742	5.2E		1433	1734	5.6E		1510	1811	5.6E
	1859	2128	7.6F						1939	2207	6.1F		1959	2214	6.3F		2005	2224	5.3F		2040	2249	5.8F
2 Tu	0040	0319	7.3E	17 W	0008	0250	8.8E	2 F	0045	0344	8.1E	17 Sa	0043	0356	9.1E	2 Su	0051	0408	8.2E	17 M	0124	0450	8.6E
	0715	1001	8.2F		0657	0944	9.8F		0750	1104	7.7F		0817	1121	9.2F		0807	1120	7.8F		0858	1154	8.8F
	1334	1611	5.9E		1334	1602	5.9E		1446	1749	5.1E		1530	1831	5.0E		1511	1810	5.5E		1554	1856	5.7E
	1927	2200	7.4F		1924	2146	7.9F		2015	2241	5.5F		2051	2302	5.4F		2047	2302	4.8F		2133	2341	5.1F
3 W	0102	0346	7.6E	18 Th	0038	0326	9.1E	3 Sa	0112	0418	8.2E	18 Su	0126	0454	8.6E	3 M	0123	0449	8.2E	18 Tu	0218	0549	8.0E
	0745	1041	7.9F		0740	1034	9.5F		0826	1145	7.4F		0912	1219	8.7F		0846	1158	7.7F		0947	1246	8.2F
	1413	1700	5.5E		1428	1727	5.1E		1533	1831	4.7E		1629	1923	4.8E		1551	1848	5.3E		1638	1944	5.8E
	1957	2232	6.9F		2007	2229	7.1F		2057	2318	4.6F		2150	2355	4.2F		2133	2342	4.1F		2232		
4 Th	0125	0415	7.8E	19 F	0111	0408	9.1E	4 Su	0138	0459	8.1E	19 M	0212	0602	7.9E	4 Tu	0158	0535	8.1E	19 W	0317	0037	4.1F
	0818	1123	7.4F		0829	1131	8.9F		0907	1228	7.1F		1010	1319	8.0F		0929	1239	7.5F		1038	1339	7.2F
	1456	1753	4.9E		1531	1836	4.6E		1626	1917	4.2E		1728	2022	4.7E		1633	1929	5.1E		1721	2037	5.8E
	2029	2305	6.0F		2055	2316	5.8F		2145	2358	3.5F		2259				2226				2339		
5 F	0148	0447	8.0E	20 Sa	0146	0459	8.7E	5 M	0205	0547	7.8E	20 Tu	0054	0307	3.0F	5 W	0029	0337	3.3F	20 Th	0146	0317	3.1F
	0855	1209	6.8F		0925	1235	8.3F		0955	1315	6.7F		0305	0717	7.0E		0238	0627	7.6E		0428	0806	5.8E
	1547	1843	4.1E		1645	1935	3.9E		1725	2009	3.7E		1111	1423	7.2F		1017	1324	7.0F		1132	1434	6.0F
	2106	2339	4.9F		2151				2247				1825	2130	4.8E		1716	2016	4.9E		1803	2135	5.8E
6 Sa	0210	0524	7.9E	21 Su	0007	0307	4.3F	6 Tu	0044	0347	2.3F	21 W	0209	0512	1.9F	6 Th	0125	0277	2.7F	21 F	0318	0318	2.6F
	0938	1258	6.3F		0223	0605	7.9E		0237	0647	7.2E		0421	0846	6.0E		0335	0729	6.7E		0559	0931	4.4E
	1652	1935	3.1E		1028	1343	7.6F		1050	1408	6.1F		1217	1534	6.3F		1112	1417	6.4F		1234	1536	4.6F
	2149				1805	2042	3.4E		1828	2115	3.4E		1920	2242	5.2E		1800	2110	5.1E		1844	2237	6.0E
7 Su	0015	0305	3.5F	22 M	0105	0277	2.7F	7 W	0144	0322	1.3F	22 Th	0401	0617	1.8F	7 F	0238	0501	2.4F	22 Sa	0457	0753	3.4E
	0231	0609	7.6E		0305	0730	7.0E		0322	0802	6.3E		0617	1020	5.2E		0501	0846	5.7E		0753	1102	3.4E
	1030	1352	5.7F		1138	1458	6.9F		1154	1513	5.7F		1329	1642	5.6F		1215	1518	5.6F		1352	1642	3.5F
	1818	2039	2.2E		1924	2208	3.3E		1926	2231	3.7E		2010	2348	5.9E		1845	2207	5.6E		1926	2337	6.4E
8 M	0058	0217	2.1F	23 Tu	0049	0223	1.3F	8 Th	0315	0501	1.0F	23 F	0534	0814	2.9F	8 Sa	0409	0655	3.0F	23 Su	0613	0939	4.2F
	0253	0710	6.9E		0405	0913	6.2E		0501	0934	5.6E		0814	1142	4.8E		0655	1012	4.9E		0939	1235	3.2E
	1132	1500	5.1F		1253	1623	6.5F		1305	1626	5.5F		1445	1740	5.1F		1329	1624	5.1F		1517	1744	3.0F
	1951	2209	1.9E		2033	2335	4.1E		2016	2333	4.7E		2052				1931	2258	6.4E		2007		
9 Tu	0035	0158	0.7F	24 W	0243	0422	1.1F	9 F	0500	0722	2.2F	24 Sa	0043	0247	6.6E	9 Su	0527	0839	4.5F	24 M	0029	0411	6.9E
	0318	0838	6.0E		0613	1053	6.0E		0722	1059	5.6E		0400	0636	4.5F		0839	1135	4.7E		0709	1057	5.5F
	1245	1634	5.1F		1411	1732	6.5F		1418	1725	5.7F		0944	1259	4.8E		1446	1725	5.1F		1054	1347	3.7E
	2103	2341	2.7E		2125				2055				1551	1826	4.8F		2015	2341	7.4E		1622	1834	3.1F
10 W	0303	0359	0.2F	25 Th	0044	0536	5.3E	10 Sa	0015	0333	5.7E	25 Su	0124	0439	7.2E	10 M	0626	0337	6.3F	25 Tu	0106	0451	7.4E
	0455	1027	5.8E		0347	0553	2.6F		0333	0604	4.2F		0439	0723	5.9F		0959	1256	4.8E		0752	1145	4.3E
	1400	1745	5.7F		0822	1208	6.0E		0859	1205	5.9E		1050	1405	5.0E		1553	1817	5.3F		1435	1706	3.6F
	2147				1523	1823	6.5F		1524	1811	6.2F		1642	1905	4.8F		2057				1916	2131	3.6F
11 Th	0040	0347	4.0E	26 F	0136	0436	6.3E	11 Su	0039	0410	6.7E	26 M	0756	0511	7.5E	11 Tu	0136	0422	7.7E	26 W	0772	0524	7.7E
	0347	0546	1.8F		0427	0648	4.4F		0410	0650	6.3F		0802	1082	7.0F		0715	0827	7.2F		0827	1221	4.8E
	0745	1143	6.3E		0948	1313	6.1E		1009	1259	6.1E		1139	1452	5.1E		1103	1413	5.0E		1509	1739	4.3F
	1507	1827	6.3F		1620	1902	6.4F		1618	1851	6.6F		1720	1939	5.0F		1647	1904	5.7F		1952	2212	4.3F
12 F	0119	0415	5.1E	27 Sa	0214	0696	6.9E	12 M	0057	0446	7.7E	27 Tu	0776	0541	7.7E	12 W	0896	0505	8.9E	27 Th	0202	0553	8.0E
	0415	0636	3.9F		0500	0730	6.0F		0729	1105	8.0F		0836	1219	7.6F		0759	1158	8.8F		0858	1251	5.2E
	0918	1236	6.9E		1049	1411	6.1E		1105	1350	6.1E		1525	1752	5.2E		1514	1735	5.3E		1539	1809	5.0F
	1602	1859	7.0F		1704	1934	6.4F		1705	1929	7.1F		2011	2247	5.3F		1948	2219	6.2F		2026	2252	5.0F
13 Sa	0142	0444	6.0E	28 Su	0233	0716	7.1E	13 Tu	0121	0522	8.5E	28 W	0799	0211	7.9E	13 Th	0936	0548	9.3E	28 F	0229	0621	8.0E
	0714	1022	6.0F		0530	0807	7.2F		0809	1155	9.2F		0908	1253	7.9F		0842	1248	9.4F		0926	1318	7.7F
	1317	1648	7.5F		1137	1457	5.9E		1443	1748	7.3F		1555	1822	5.3E		1603	1820	6.5F		1608	1839	5.6F
	2258				1739	2003	6.5F		2255				2043	2316	5.7F		2032	2302	6.5F		2059	2331	5.6F
14 Su	0147	0513	6.7E	29 M	0220	0726	7.2E	14 W	0151	0600	9.1E	29 Th	0806	0635	8.0E	14 F	0955	0633	9.4E	29 Sa	0257	0649	8.1E
	0748	1113	7.3E		0558	0841	8.0F		0850	1245	9.7F		0940	1325	7.9F		0926	1336	9.5F		0953	1344	7.7F
	1354	1728	8.0F		1217	1529	5.7E		1552	1830	5.6E		1625	1852	5.5E		1647	1904	5.4E		1638	1912	5.9F
	2319				1809	2033	6.6F		2328				2046	2347	5.8F		2116	2346	6.6F		2133	2346	6.6F
15 M	0157	0544	7.4E	30 Tu	0229	0756	7.5E	15 Th	0226	0641	9.4E	30 F	0806	0702	8.0E	15 Sa	0926	0720	9.2E	30 Su	0327	0719	8.1E
	0823	1200	9.0F		0625	0915	8.2F		0935	1336	9.8F		1011	1358	7.9F		1013	1423	9.4F		1020	1412	7.8F
	1430	1806	7.0E		1253	1558	5.5E		1652	1913	5.4E		1659	1926	5.6E		1728	1950	5.5E		1708	1948	5.9F
	2342				1837	2103	6.6F		2353				2129	2419	5.7F								

Changjiang Entrance, China, 2012

F—Flood, Dir. 305° True E—Ebb, Dir. 125° True

January				February				March																								
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum																		
h	m	h	m	h	m	h	m	h	m	h	m	h	m	h	m																	
1 Su		0228	1.8F	16 M		0212	2.5F	1 W		0005	0319	1.7F	16 Th		0033	0357	2.2F	1 Th		0224	2.0F	16 F		0004	0334	2.2F						
	0542	0846	1.5E		0534	0843	2.1E		0700	0957	1.1E	0752		1100	1.4E	0607	0908		1.3E	0673	1044		1.5E	0731	1044	1.5E	1412	1627	0.7F	1857	2236	1.2E
	1136	1437	1.8F		1135	1427	2.2F		1301	1535	0.8F	1416		1635	0.8F	1218	1443		0.8F	1218	1443		0.8F	1218	1443	0.8F	1218	1443	0.8F	1218	1443	0.8F
2 M		0027	1.6F	17 Tu		0011	0314	2.3F	2 Th		0105	0436	1.5F	17 F		0155	0533	2.1F	2 F		0000	0332	1.6F	17 Sa		0131	0512	1.9F				
	0650	0948	1.2E		0647	0952	1.7E	0830		1132	1.0E	0928	1244		1.6E	0728	1034	1.1E		0904	1225	1.6E	0904		1225	1.6E	0904	1225	1.6E	0904	1225	1.6E
	1240	1535	1.3F		1249	1533	1.6F	1451		1712	0.6F	1606	1824		0.8F	1403	1615	0.5F		1552	1817	0.8F	1552		1817	0.8F	1552	1817	0.8F	1552	1817	0.8F
3 Tu		0121	0434	1.5F	18 W		0113	0429	2.2F	3 F		0223	0606	1.7F	18 Sa		0324	0658	2.4F	3 Sa		0120	0510	1.6F	18 Su		0308	0640	2.1F			
	0811	1108	1.1E	0815		1121	1.5E	0955	1306		1.3E	1042	1401	2.0E		0902	1220	1.2E	1017		1339	2.0E	0902	1220		1.2E	1017	1339	2.0E	1017	1339	2.0E
	1406	1650	0.9F	1425		1657	1.1F	1629	1850		0.7F	1714	1940	1.2F		1554	1812	0.6F	1653		1928	1.3F	1554	1812		0.6F	1653	1928	1.3F	1653	1928	1.3F
4 W		0223	0548	1.7F	19 Th		0226	0553	2.3F	4 Sa		0340	0717	2.1F	19 Su		0437	0759	2.8F	4 Su		0256	0637	1.9F	19 M		0424	0740	2.5F			
	0929	1232	1.2E	0942		1254	1.7E	1056	1410		1.8E	1136	1455	2.5E		1014	1335	1.7E	1109		1430	2.4E	1014	1335		1.7E	1109	1430	2.4E	1109	1430	2.4E
	1539	1812	0.9F	1604		1828	1.1F	1726	1953		1.1F	1800	2031	1.8F		1654	1923	1.1F	1734		2014	1.9F	1654	1923		1.1F	1734	2014	1.9F	1734	2014	1.9F
5 Th		0024	1.5E	20 F		0045	1.8E	5 Su		0154	1.7E	20 M		0249	2.3E	5 M		0411	0736	2.5F	20 Tu		0519	0825	2.8F							
	0324	0654	2.0F		0340	0708	2.7F		0441	0808	2.6F		0533	0845	3.2F		0411	0736	2.5F	0519		0825	2.8F	0411	0736	2.5F	0519	0825	2.8F			
	1033	1341	1.6E		1053	1409	2.2E		1142	1457	2.3E		1218	1537	2.9E		1105	1426	2.3E	1148		1510	2.8E	1105	1426	2.3E	1148	1510	2.8E	1148	1510	2.8E
6 F		0126	1.7E	21 Sa		0157	2.1E	6 M		0245	2.2E	21 Tu		0335	2.7E	6 Tu		0508	0821	3.0F	21 W		0604	0901	3.1F							
	0419	0747	2.4F		0445	0808	3.2F		0531	0849	3.2F		0619	0924	3.5F		0508	0821	3.0F	0604		0901	3.1F	0508	0821	3.0F	0604	0901	3.1F			
	1123	1433	2.0E		1148	1506	2.7E		1220	1537	2.8E		1253	1613	3.2E		1146	1508	2.9E	1221		1543	3.0E	1146	1508	2.9E	1221	1543	3.0E	1221	1543	3.0E
7 Sa		0218	2.0E	22 Su		0254	2.5E	7 Tu		0330	2.7E	22 W		0414	3.0E	7 W		0556	0900	3.5F	22 Th		0643	0935	3.2F							
	0507	0830	2.9F		0540	0857	3.6F		0616	0926	3.7F		0659	0959	3.7F		0556	0900	3.5F	0643		0935	3.2F	0556	0900	3.5F	0643	0935	3.2F			
	1205	1518	2.5E		1234	1552	3.1E		1256	1614	3.3E		1325	1645	3.4E		1223	1546	3.4E	1251		1614	3.2E	1223	1546	3.4E	1251	1614	3.2E	1251	1614	3.2E
8 Su		0304	2.3E	23 M		0343	2.8E	8 W		0412	3.1E	23 Th		0450	3.2E	8 Th		0629	0934	3.3E	23 F		0718	1006	3.3F							
	0551	0909	3.3F		0628	0939	3.9F		0657	1001	4.0F		0736	1032	3.7F		0640	0937	3.9F	0718		1006	3.3F	0640	0937	3.9F	0718	1006	3.3F			
	1243	1557	2.8E		1314	1633	3.4E		1330	1650	3.6E		1354	1714	3.5E		1258	1622	3.7E	1319		1642	3.3E	1258	1622	3.7E	1319	1642	3.3E	1319	1642	3.3E
9 M		0345	2.7E	24 Tu		0426	3.1E	9 Th		0452	3.4E	24 F		0523	3.3E	9 F		0723	1014	4.0F	24 Sa		0752	1037	3.2F							
	0631	0945	3.7F		0711	1017	4.1F		0737	1036	4.2F		0811	1103	3.6F		0723	1014	4.0F	0752		1037	3.2F	0723	1014	4.0F	0752	1037	3.2F			
	1319	1635	3.2E		1351	1709	3.5E		1403	1724	3.8E		1422	1742	3.4E		1333	1657	3.9E	1347		1709	3.3E	1333	1657	3.9E	1347	1709	3.3E	1347	1709	3.3E
10 Tu		0059	0425	2.9E	25 W		0138	0505	3.2E	10 F		0206	0531	3.6E	25 Sa		0235	0554	3.2E	10 Sa		0153	0516	3.9E								
	0710	1020	3.9F	0751		1054	4.0F	0817	1112		4.1F	0844	1134	3.3F		0805	1051	3.9F	0825		1107	3.0F	0805	1051	3.9F	0825	1107	3.0F				
	1354	1711	3.4E	1424		1743	3.5E	1436	1759		3.8E	1449	1808	3.2E		1407	1732	3.9E	1414		1735	3.1E	1407	1732	3.9E	1414	1735	3.1E	1414	1735	3.1E	
11 W		0137	0504	3.1E	26 Th		0217	0542	3.2E	11 Sa		0247	0610	3.5E	26 Su		0310	0625	3.0E	11 Su		0236	0557	3.8E								
	0749	1055	4.1F	0828		1128	3.8F	0858	1150		3.8F	0918	1205	2.9F		0847	1129	3.6F	0858		1138	2.6F	0847	1129	3.6F	0858	1138	2.6F				
	1428	1746	3.5E	1455		1814	3.4E	1510	1833		3.7E	1515	1834	2.9E		1441	1808	3.7E	1440		1802	2.9E	1441	1808	3.7E	1440	1802	2.9E	1440	1802	2.9E	
12 Th		0216	0542	3.1E	27 F		0256	0616	3.0E	12 Su		0332	0651	3.3E	27 M		0346	0657	2.7E	12 M		0321	0638	3.5E								
	0828	1132	4.0F	0904		1202	3.5F	0941	1229		3.4F	0952	1236	2.4F		0931	1210	3.1F	0933		1209	2.2F	0931	1210	3.1F	0933	1209	2.2F				
	1502	1822	3.5E	1525		1843	3.1E	1544	1909		3.3E	1541	1901	2.6E		1516	1843	3.3E	1508		1829	2.6E	1516	1843	3.3E	1508	1829	2.6E	1508	1829	2.6E	
13 F		0258	0622	3.1E	28 Sa		0024	2.8F	13 M		0056	3.3F	28 Tu		0058	2.7F	13 Tu		0409	0722	3.1E	28 W		0400	0709	2.5E						
	0908	1209	3.8F	0334		0650	2.7E	0420		0735	2.8E	0424		0732	2.2E	1019		1253	2.4F	1010	1243		1.8F	1019	1253	2.4F	1010	1243	1.8F			
	1537	1858	3.3E	1554		1912	2.8E	1620		1946	2.9E	1609		1930	2.2E	1553		1922	2.8E	1536	1859		2.2E	1553	1922	2.8E	1536	1859	2.2E	1536	1859	2.2E
14 Sa		0035	2.8F	29 Su		0100	2.6F	14 Tu		0144	3.0F	29 W		0136	2.4F	14 W		0122	3.3F	29 Th		0441	0748	2.7F								
	0343	0703	2.8E		0414	0725	2.3E		0516	0825	2.3E		0509	0812	1.8E		0503	0812	2.5E		0555	0923	1.4F	0503	0812	2.5E	0555	0923	1.4F			
	0951	1250	3.4F		1017	1310	2.5F		1121	1401	2.0F		1114	1349	1.4F		1114	1344	1.7F		1609	1934	1.8E	1114	1344	1.7F	1609	1934	1.8E	1609	1934	1.8E
15 Su		0120	2.7F	30 M		0138	2.3F	15 W		0242	2.6F	30 Th		0219	2.7F	15 Th		0608	0915	1.9E	30 F		0533	0839	1.6E							
	0434	0749	2.5E		0458	0804	1.9E		0624	0929	1.8E		0639	0948	1.7E		0608	0915	1.9E	1155		1417	0.9F	0608	0915	1.9E	1155	1417	0.9F			
	1039	1335	2.8F		1057	1348	1.9F		1233	1504	1.3F		1237	1505	1.3F		1227	1449	1.1F	1653		2021	1.4E	1227	1449	1.1F	1653	2021	1.4E	1653	2	

Changjiang Entrance, China, 2012

F—Flood, Dir. 305° True E—Ebb, Dir. 125° True

April				May				June																													
Slack	Maximum		knots	Slack	Maximum		knots	Slack	Maximum		knots	Slack	Maximum		knots																						
h m	h m	h m		h m	h m	h m		h m	h m	h m		h m	h m	h m																							
1 Su	0034 0803 1459 2001	0417 1126 1724 2323	1.7F 1.4E 0.8F 1.1E	16 M	0242 0933 1611 2205	0605 1259 1857 2205	1.9F 1.9E 1.5F 2.0F	1 Tu	0131 0819 1505 2057	0456 1148 1752 2057	2.0F 1.9E 1.6F 2.0F	16 F	0322 0928 1601 2238	0622 1302 1909 2238	1.4E 2.0F 2.5E 3.0F	1 Sa	0452 1015 1637 2327	0729 1342 1955 2327	1.4F 1.9E 2.5F 2.9F																		
2 M	0210 0918 1603 2133	0547 1245 1841 2133	1.9F 1.8E 1.3F 2.1E	17 Tu	0359 1026 1653 2258	0708 1351 1944 2258	2.0F 2.2E 2.7E 2.0F	2 W	0258 0921 1558 2205	0608 1251 1851 2205	1.5E 2.2F 2.3E 2.2F	17 Th	0426 1017 1642 2312	0716 1345 1947 2312	1.8F 2.1E 2.4F 2.1E	2 Sa	0453 1025 1652 2334	0731 1358 2001 2334	2.2F 2.7E 3.0E 3.6F	17 Su	0543 1102 1719	0816 1427 2036	1.5F 2.1E 2.9F														
3 Tu	0335 1016 1649 2235	0654 1342 1933 2235	2.3F 2.3E 2.0F 2.2E	18 W	0457 1107 1728 2339	0754 1432 2022 2339	2.3F 2.5E 2.5F 2.9F	3 Th	0411 1014 1643 2301	0707 1345 1941 2301	2.5F 2.7E 2.9F 2.7E	18 F	0518 1058 1718 2352	0801 1425 2024 2352	1.9F 2.3E 2.8F 2.5E	3 Su	0552 1117 1740	0825 1451 2050	2.4F 3.0E 4.0F	18 M	0626 1145 1758	0857 1509 2114	1.8F 2.3E 3.2F														
4 W	0440 1102 1727 2325	0745 1429 2015 2325	2.8F 2.8E 2.7F 2.9E	19 Th	0543 1142 1759	0833 1506 2055	2.5F 2.7E 2.9F	4 F	0512 1102 1726 2351	0220 0758 1433 2026	2.7E 2.8F 3.1E 3.6F	19 Sa	0602 1136 1752	0840 1501 2059	2.0F 2.5E 3.1F	4 M	0645 1206 1827	0914 1540 2136	2.5F 3.0E 4.3F	19 Tu	0704 1224 1835	0935 1548 2149	1.9F 2.5E 3.4F														
5 Th	0534 1143 1804	0829 1510 2054	3.2F 3.3E 3.4F	20 F	0623 1214 1828	0907 1538 2126	2.6F 2.9E 3.3F	5 Sa	0605 1146 1807	0845 1518 2109	3.0F 3.4E 4.2F	20 Su	0641 1211 1824	0917 1536 2133	2.2F 2.6E 3.4F	5 Tu	0734 1254 1912	1001 1627 2222	2.6F 3.3E 4.4F	20 W	0740 1301 1912	1010 1610 2224	2.1F 2.7E 3.6F														
6 F	0622 1222 1840	0910 1550 2133	3.5F 3.6E 4.0F	21 Sa	0659 1244 1856	0940 1608 2156	2.7F 3.0E 3.5F	6 Su	0655 1229 1848	0929 1601 2151	3.1F 3.5E 4.5F	21 M	0719 1245 1857	0951 1610 2206	2.2F 2.7E 3.5F	6 W	0821 1341 1958	1047 1712 2307	2.6F 3.2E 4.3F	21 Th	0815 1338 1949	1045 1703 2259	2.2F 2.7E 3.7F														
7 Sa	0708 1300 1916	0950 1628 2211	3.6F 3.8E 4.4F	22 Su	0734 1313 1924	1012 1637 2227	2.7F 3.0E 3.6F	7 M	0742 1312 1929	1013 1643 2235	3.0F 3.5E 4.6F	22 Tu	0754 1319 1930	1025 1643 2240	2.2F 2.7E 3.6F	7 Th	0906 1428 2043	1133 1757 2352	2.5F 3.0E 4.0F	22 F	0850 1415 2026	1120 1740 2334	2.2F 2.7E 3.6F														
8 Su	0752 1337 1953	1030 1706 2251	3.5F 3.8E 4.5F	23 M	0808 1343 1953	1044 1706 2258	2.5F 2.9E 3.6F	8 Tu	0829 1354 2011	1058 1725 2319	2.8F 3.4E 4.4F	23 W	0830 1352 2003	1100 1717 2314	2.1F 2.7E 3.5F	8 F	0951 1516 2128	1220 1842 2128	2.3F 2.7E	23 Sa	0926 1454 2104	1157 1818 2104	2.3F 2.7E														
9 M	0837 1415 2031	1111 1744 2333	3.2F 3.6E 4.4F	24 Tu	0843 1413 2023	1116 1736 2331	2.3F 2.8E 3.5F	9 W	0917 1438 2055	1144 1808 2055	2.5F 3.1E	24 Th	0907 1427 2038	1135 1751 2350	2.0F 2.5E 3.4F	9 Sa	1037 1608 2215	1309 1928 2215	2.0F 2.3E	24 Su	1004 1537 2146	1237 1858 2146	2.2F 2.5E														
10 Tu	0924 1454 2111	1154 1823 2111	2.7F 3.2E	25 W	0919 1443 2054	1149 1806 2054	2.9E 2.0F 2.5E	10 Th	0348 1006 1525 2140	0702 1232 1853 2140	4.0F 3.2E 2.7E	25 F	0327 0945 1504 2115	0640 1213 1828 2115	2.8E 1.9F 2.3E	10 Su	1125 1704 2306	1401 2019 2306	1.8F 1.9E	25 M	1044 1625 2232	1322 1943 2232	2.2F 2.3E														
11 W	1013 1535 2154	1241 1904 2154	2.2F 2.7E	26 Th	0958 1516 2129	1226 1839 2129	1.7F 2.2E	11 F	1100 1617 2230	1326 1942 2230	1.7F 2.2E	26 Sa	1027 1546 2157	1256 1908 2157	1.7F 2.1E	11 M	1216 1809	1459 2117	1.6F 1.5E	26 Tu	1129 1723 2326	1413 2036 2326	2.1F 2.0E														
12 Th	1110 1622 2244	1335 1951 2244	1.6F 2.1E	27 F	1042 1554 2209	1309 1917 2209	1.4F 1.9E	12 Sa	1201 1721 2328	1429 2040 2328	1.4F 1.7E	27 Su	1114 1637 2245	1345 1956 2245	1.6F 1.9E	12 Tu	1311 1923	1604 2225	1.5F 1.3E	27 W	1219 1832	1513 2140	2.1F 1.8E														
13 F	1221 1724 2345	1443 2052 2345	1.1F 1.5E	28 Sa	1137 1644 2258	1402 2006 2258	1.1F 1.5E	13 Su	1308 1842	1542 2154	1.2F 1.3E	28 M	1207 1741 2345	1444 2055 2345	1.5F 1.6E	13 W	1407 2039	1712 2340	1.6F 1.3E	28 Th	1317 1950	1622 2258	2.2F 1.7E														
14 Sa	1350 1857	1613 2220	0.9F 1.2E	29 Su	1246 1756	1513 2114	1.0F 1.3E	14 M	1416 2012	1702 2318	1.3F 1.2E	29 Tu	1307 1859	1553 2209	1.6F 1.5E	14 Th	1502 2146	1815 2146	1.8F	29 F	1421 2111	1735 2111	2.4F														
15 Su	1513 2046	1749 2359	1.0F 1.2E	30 M	1400 1930	1637 2243	1.1F 1.3E	15 Tu	1514 2129	1811 2129	1.6F	30 W	1408 2021	1705 2331	1.9F 1.6E	15 F	1552 2241	1909 2241	2.2F	30 Sa	1525 2222	1844 2222	2.8F														
								15 Th	0202 0834 1514 2129	0515 1202 1811 2129	1.7F 1.8E 1.6F	31 Th	0224 0828 1507 2135	0524 1200 1811 2135	2.0F 2.2E 2.4F																						

Time meridian 120° E. 0000 is midnight. 1200 is noon. Times are not adjusted for Daylight Saving Time.

Changjiang Entrance, China, 2012

F—Flood, Dir. 305° True E—Ebb, Dir. 125° True

July				August				September															
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum									
h	m	h	m	knots	h	m	h	m	knots	h	m	h	m	knots	h	m	h	m	knots				
1 Su	0442	0713	1.7F	16 M	0526	0756	1.2F	1 W	0006	0325	3.0E	16 Th	0001	0317	2.7E	1 Sa	0101	0423	3.5E	16 Su	0034	0358	3.5E
	0957	1333	2.4E		1034	1359	1.8E		0628	0858	2.2F		0622	0857	2.0F		0717	0958	3.2F		0650	0936	3.5F
	1626	1945	3.3F		1650	2015	2.6F		1149	1519	2.8E		1149	1511	2.5E		1307	1631	3.3E		1248	1612	3.5E
	2323				2348				1804	2115	3.9F		1758	2108	3.4F		1918	2211	3.7F		1900	2151	3.8F
2 M	0545	0813	1.9F	17 Tu	0610	0841	1.5F	2 Th	0049	0410	3.3E	17 F	0036	0354	3.1E	2 Su	0133	0455	3.5E	17 M	0108	0433	3.7E
	1058	1433	2.8E		1124	1447	2.1E		0709	0940	2.6F		0653	0930	2.5F		0747	1031	3.4F		0723	1011	3.9F
	1722	2038	3.8F		1736	2055	3.0F		1237	1606	3.1E		1228	1553	2.9E		1344	1707	3.3E		1329	1653	3.7E
3 Tu	0016	0335	3.1E	18 W	0027	0342	2.6E	3 F	0128	0449	3.5E	18 Sa	0109	0429	3.4E	3 M	0202	0525	3.4E	18 Tu	0141	0508	3.8E
	0638	0905	2.2F		0647	0918	1.9F		0746	1019	2.9F		0725	1003	3.0F		0817	1104	3.4F		0757	1047	4.1F
	1153	1527	2.9E		1206	1530	2.5E		1321	1649	3.3E		1307	1632	3.3E		1420	1740	3.2E		1410	1733	3.7E
4 W	0104	0424	3.4E	19 Th	0104	0419	3.0E	4 Sa	0204	0525	3.6E	19 Su	0141	0503	3.6E	4 Tu	0230	0553	3.2E	19 W	0215	0543	3.7E
	0724	0952	2.5F		0721	0953	2.2F		0820	1057	3.0F		0756	1036	3.3F		0845	1136	3.3F		0832	1126	4.1F
	1244	1616	3.1E		1245	1611	2.8E		1402	1728	3.3E		1345	1711	3.4E		1457	1813	3.0E		1454	1814	3.5E
5 Th	0148	0508	3.6E	20 F	0138	0455	3.2E	5 Su	0238	0559	3.5E	20 M	0213	0537	3.7E	5 W	0258	0621	3.0E	20 Th	0250	0619	3.3E
	0807	1036	2.6F		0754	1027	2.5F		0853	1133	3.0F		0828	1112	3.5F		0914	1210	3.1F		0909	1208	3.8F
	1331	1702	3.2E		1323	1649	3.0E		1443	1805	3.1E		1426	1749	3.4E		1534	1846	2.7E		1542	1858	3.1E
6 F	0230	0549	3.6E	21 Sa	0211	0530	3.4E	6 M	0309	0630	3.3E	21 Tu	0246	0611	3.6E	6 Th	0326	0648	2.6E	21 F	0328	0658	2.9E
	0847	1118	2.7F		0826	1101	2.7F		0925	1209	3.0F		0902	1149	3.5F		0944	1245	2.8F		0950	1254	3.4F
	1417	1745	3.1E		1401	1727	3.1E		1523	1841	2.8E		1508	1829	3.3E		1614	1921	2.3E		1635	1947	2.6E
7 Sa	0309	0627	3.4E	22 Su	0244	0604	3.4E	7 Tu	0340	0700	2.9E	22 W	0319	0645	3.3E	7 F	0356	0719	2.2E	22 Sa	0410	0742	2.3E
	0926	1200	2.6F		0900	1136	2.8F		0957	1246	2.7F		0938	1230	3.4F		1016	1324	2.4F		1037	1350	2.9F
	1503	1826	2.9E		1441	1805	3.0E		1605	1917	2.5E		1555	1912	3.0E		1659	2002	1.8E		1737	2047	2.1E
8 Su	0015	036F	23 M	0317	0638	3.3E	8 W	0410	0731	2.5E	23 Th	0355	0722	2.9E	8 Sa	0429	0755	1.7E	23 Su	0504	0838	1.8E	
	0346	0704		3.2E	0934	1214		2.9F	1030	1325		2.5F	1018	1316		3.1F	1055	1412		2.0F	1136	1501	2.3F
	1004	1241		2.5F	1523	1845		2.9E	1649	1955		2.0E	1648	2000		2.5E	1757	2057		1.4E	1856	2208	1.7E
9 M	0055	031F	24 Tu	0029	034F	9 Th	0441	0804	2.1E	24 F	0434	0804	2.5E	9 Su	0008	0234	0.8F	24 M	0130	0350	0.8F		
	0422	0741		2.8E	1011		1256	2.8F	1106		1409	2.1F	1103		1411	2.7F	0513		0845	1.3E	0626	1002	1.4E
	1042	1325		2.3F	1610		1928	2.7E	1740		2041	1.6E	1751		2059	2.0E	1148		1520	1.6F	1257	1634	2.0F
10 Tu	0137	025F	25 W	0111	029F	10 F	0517	0843	1.7E	25 Sa	0523	0858	2.0E	10 M	0149	0405	0.5F	25 Tu	0311	0538	0.9F		
	0457	0818		2.4E	1051		1343	2.7F	1150		1504	1.8F	1201		1521	2.3F	0629		1006	1.0E	0820	1146	1.4E
	1122	1411		2.0F	1704		2016	2.3E	1845		2143	1.2E	1911		2219	1.6E	1306		1655	1.5F	1432	1804	2.2F
11 W	0223	019F	26 Th	0159	023F	11 Sa	0048	0322	0.9F	26 Su	0132	0356	1.0F	11 Tu	0334	0556	0.6F	26 W	0418	0656	1.4F		
	0535	0858		2.0E	0508		0835	2.5E	0605		0939	1.3E	0633		1014	1.6E	0823		1148	1.1E	0950	1308	1.7E
	1206	1504		1.8F	1138		1439	2.5F	1247		1618	1.6F	1316		1650	2.2F	1438		1820	1.8F	1553	1911	2.5F
12 Th	0023	0316	1.4F	27 F	0013	0258	1.8F	12 Su	0230	0454	0.6F	27 M	0320	0541	0.9F	12 W	0113	016E	27 Th	0159	024E		
	0618	0945	1.7E		0556	0928	2.1E		0721	1059	1.1E		0814	1151	1.5E		0433	0706		1.1F	0504	0747	1.9F
	1256	1607	1.7F		1235	1547	2.3F		1402	1745	1.6F		1444	1819	2.4F		0948	1306		1.5E	1050	1408	2.2E
13 F	0139	0424	1.0F	28 Sa	0138	0414	1.3F	13 M	0407	0631	0.7F	28 Tu	0438	0705	1.2F	13 Th	0203	022E	28 F	0243	028E		
	0713	1046	1.5E		0700	1038	1.9E		0857	1225	1.3E		0947	1316	1.8E		0513	0751		1.7F	0541	0827	2.5F
	1355	1718	1.7F		1343	1708	2.3F		1520	1859	2.0F		1603	1927	2.8F		1043	1402		2.0E	1136	1455	2.6E
14 Sa	0001	012E	29 Su	0006	017E	14 Tu	0507	0736	1.1F	29 W	0529	0802	1.8F	14 F	0245	027E	29 Sa	0320	031E				
	0310	0544		0.9F	0821		1201	1.8E	1011		1334	1.6E	1054		1419	2.3E		0546	0828	2.3F	0614	0901	3.0F
	1458	1829		1.9F	1500		1828	2.6F	1623		1951	2.5F	1704		2018	3.2F		1128	1449	2.6E	1215	1535	3.0E
15 Su	0116	015E	30 M	0129	020E	15 W	0548	0820	1.5F	30 Th	0610	0846	2.3F	15 Sa	0000	0322	3.2E	30 Su	0029	0352	3.2E		
	0429	0659		0.9F	0944		1319	2.0E	1105		1426	2.0E	1145		1510	2.7E	0618		0902	2.9F	0644	0933	3.3F
	0934	1302		1.5E	1611		1935	3.0F	1714		2032	3.0F	1755		2100	3.5F	1209		1531	3.1E	1250	1611	3.2E
16 M	0116	015E	31 Tu	0234	025E		0541	0808	1.7F	31 F	0027	0348	3.3E		1819	2116	3.7F		1900	2147	3.3F		
	0429	0659		0.9F	0944		1319	2.0E	1053		1424	2.4E	0645		0923	2.8F							
	1558	1928		2.2F	1712		2029	3.5F	1712		2029	3.5F	1228		1553	3.1E							

Time meridian 120° E. 0000 is midnight. 1200 is noon. Times are not adjusted for Daylight Saving Time.

Changjiang Entrance, China, 2012

F—Flood, Dir. 305° True E—Ebb, Dir. 125° True

October				November				December																			
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum													
	h	m	knots		h	m	knots		h	m	knots		h	m	knots												
1 M	0058	0422	3.3E	16 Tu	0034	0403	3.7E	1 Th	0126	0449	2.9E	16 F	0130	0501	3.5E	1 Sa	0138	0502	2.7E	16 Su	0206	0536	3.3E				
	0712	1005	3.6F		0651	0947	4.3F		0738	1044	3.7F		0747	1055	4.6F		0750	1101	3.6F		0821	1129	4.3F				
	1325	1644	3.3E		1313	1636	3.8E		1414	1728	3.1E		1434	1752	3.8E		1435	1748	3.0E		1508	1825	3.6E				
	1936	2219	3.2F		1928	2206	3.5F		2028	2301	2.4F		2052	2319	2.7F		2051	2321	2.1F		2127	2356	2.6F				
2 Tu	0127	0451	3.3E	17 W	0111	0441	3.7E	2 F	0156	0519	2.8E	17 Sa	0214	0544	3.3E	2 Su	0212	0536	2.6E	17 M	0254	0621	3.0E				
	0740	1036	3.7F		0728	1027	4.5F		0808	1116	3.5F		0831	1140	4.3F		0823	1135	3.5F		0906	1214	3.9F				
	1358	1716	3.2E		1357	1718	3.9E		1449	1802	2.9E		1521	1837	3.4E		1509	1823	2.8E		1551	1909	3.3E				
	2010	2250	3.0F		2012	2247	3.2F		2104	2335	2.1F		2140				2127	2357	2.0F		2211						
3 W	0155	0518	3.1E	18 Th	0149	0519	3.6E	3 Sa	0227	0550	2.5E	18 Su		0007	2.3F	3 M	0248	0611	2.4E	18 Tu		0043	2.3F				
	0808	1107	3.6F		0806	1108	4.4F		0840	1150	3.3F		0917	1228	3.8F		0859	1211	3.2F		0344	0707	2.6E				
	1433	1748	3.1E		1443	1801	3.7E		1525	1837	2.6E		1610	1926	3.0E		1545	1859	2.7E		0953	1300	3.3F				
	2044	2322	2.6F		2058	2329	2.8F		2142				2232				2206				1634	1952	2.9E				
4 Th	0223	0546	2.9E	19 F	0228	0558	3.3E	4 Su		0011	1.8F	19 M		0059	1.9F	4 Tu		0036	1.8F	19 W		0133	2.1F				
	0837	1139	3.4F		0846	1151	4.1F		0300	0623	2.3E		0352	0718	2.4E		0327	0648	2.2E		0439	0755	2.2E				
	1508	1820	2.8E		1531	1847	3.3E		0913	1227	2.9F		1006	1320	3.2F		0937	1250	2.9F		1042	1348	2.7F				
	2119	2354	2.2F		2147				1605	1915	2.3E		1702	2018	2.6E		1623	1939	2.4E		1717	2038	2.5E				
5 F	0252	0614	2.6E	20 Sa		0015	2.3F	5 M		0052	1.5F	20 Tu		0158	1.6F	5 W		0120	1.7F	20 Th		0228	1.8F				
	0906	1213	3.0F		0310	0640	2.8E		0338	0700	1.9E		0454	0815	1.9E		0413	0731	1.9E		0541	0851	1.7E				
	1546	1855	2.4E		0930	1239	3.6F		0952	1310	2.5F		1102	1418	2.5F		1021	1335	2.6F		1137	1441	2.1F				
	2157				1623	1937	2.8E		1649	2001	2.0E		1758	2118	2.2E		1704	2024	2.2E		1803	2129	2.1E				
6 Sa		0029	1.8F	21 Su		0107	1.8F	6 Tu		0142	1.2F	21 W		0034	0309	1.4F	6 Th		0213	1.6F	21 F		0332	1.6F			
	0322	0645	2.2E		0357	0728	2.3E		1038	1402	2.2F		0612	0926	1.5E	0511		0825	1.6E	0655		0957	1.4E				
	0938	1250	2.7F		1019	1335	3.0F		1741	2057	1.7E		1210	1527	2.0F	1114		1428	2.2F	1244		1544	1.5F				
	1628	1935	2.0E		1723	2036	2.3E						1900	2226	1.9E	1753		2116	2.0E	1856		2227	1.8E				
7 Su		0110	1.3F	22 M		0212	1.3F	7 W		0019	0248	1.0F	22 Th		0143	0429	1.4F	7 F		0032	0317	1.6F	22 Sa		0444	1.6F	
	0356	0721	1.8E		0459	0827	1.7E		0534	0851	1.3E	0744		1050	1.3E	0624	0933		1.4E	0817	1116	1.2E					
	1016	1335	2.2F		1119	1443	2.4F		1141	1509	1.9F	1333		1645	1.7F	1223	1533		1.9F	1407	1658	1.2F					
	1719	2025	1.6E		1832	2149	1.9E		1844	2207	1.6E	2005		2334	1.9E	1849	2219		2.0E	1956	2332	1.6E					
8 M		0203	0.9F	23 Tu		0112	0338	1.0F	8 Th		0132	0409	1.1F	23 F		0247	0545	1.6F	8 Sa		0134	0429	1.7F	23 Su		0555	1.8F
	0442	0808	1.4E		0627	0950	1.3E	0705		1016	1.2E	0908	1211		1.4E	0748	1056	1.5E		0933	1235	1.3E					
	1105	1435	1.8F		1238	1607	2.0F	1303		1627	1.8F	1458	1758		1.6F	1347	1648	1.7F		1533	1814	1.1F					
	1824	2135	1.3E		1950	2314	1.8E	1951		2320	1.8E	2106				1953	2326	2.0E		2101							
9 Tu	0105	0324	0.6F	24 W	0236	0515	1.1F	9 F	0238	0527	1.4F	24 Sa		0035	2.0E	9 Su	0235	0541	2.1F	24 M		0035	1.6E				
	0557	0923	1.0E		0815	1128	1.3E		0834	1144	1.4E		0340	0645	2.0F		0908	1219	1.7E		0336	0656	2.0F				
	1217	1559	1.6F		1411	1734	1.9F		1431	1742	1.9F		1012	1317	1.7E		1513	1802	1.8F		1033	1340	1.6E				
	1944	2305	1.4E		2102				2055				1609	1858	1.7F		2057				1643	1917	1.2F				
10 W	0237	0507	0.7F	25 Th		0028	2.0E	10 Sa		0025	2.1E	25 Su		0126	2.1E	10 M		0032	2.2E	25 Tu		0130	1.8E				
	0747	1104	1.0E		0340	0630	1.5F		0332	0629	2.0F		0424	0732	2.4F		0333	0644	2.7F		0425	0746	2.4F				
	1351	1727	1.7F		0939	1248	1.6E		0944	1257	1.9E		1100	1409	2.0E		1014	1330	2.2E		1120	1430	2.0E				
	2057				1533	1842	2.1F		1547	1844	2.2F		1704	1946	1.8F		1628	1906	2.0F		1736	2008	1.4F				
11 Th		0022	1.7E	26 F		0124	2.2E	11 Su		0119	2.5E	26 M		0209	2.3E	11 Tu		0132	2.5E	26 W		0217	2.0E				
	0341	0622	1.2F		0427	0721	2.0F		0418	0719	2.7F		0502	0811	2.8F		0427	0738	3.3F		0509	0828	2.8F				
	0916	1230	1.4E		1037	1347	2.0E		1039	1356	2.5E		1140	1452	2.4E		1112	1430	2.8E		1201	1513	2.4E				
	1515	1834	2.1F		1635	1933	2.3F		1648	1936	2.5F		1750	2027	2.0F		1729	2002	2.2F		1818	2050	1.7F				
12 F		0119	2.2E	27 Sa		0208	2.5E	12 M		0207	2.9E	27 Tu		0246	2.5E	12 W		0226	2.9E	27 Th		0259	2.3E				
	0426	0713	1.9F		0505	0802	2.5F		0501	0803	3.4F		0537	0847	3.1F		0516	0828	3.9F		0549	0906	3.2F				
	1016	1332	2.0E		1121	1434	2.4E		1128	1448	3.0E		1216	1530	2.7E		1203	1523	3.3E		1238	1551	2.7E				
	1619	1925	2.6F		1724	2014	2.5F		1742	2022	2.8F		1830	2104	2.1F		1823	2053	2.5F		1856	2127	1.9F				
13 Sa		0204	2.6E	28 Su		0246	2.7E	13 Tu		0253	3.2E	28 W		0322	2.6E	13 Th		0316	3.2E	28 F		0338	2.5E				
	0504	0754	2.6F		0539	0836	3.0F		0543	0846	4.0F		0611	0921	3.4F		0604	0915	4.3F		0626	0941	3.5F				
	1104	1423	2.6E		1158	1514	2.7E		1215	1536	3.5E		1251	1605	2.9E		1252	1611	3.6E		1313	1626	2.9E				
	1712	2008	3.0F		1806	2050	2.6F		1831	2107	3.0F		1906	2139	2.2F		1912	2140	2.7F		1930	2201	2.1F				
14 Su		0245	3.1E	29 M		0319	2.9E	14 W		0005	0336	3.5E	29 Th		0031	0355	2.7E	14 F		0032	0404	3.3E	29 Sa		0051	0414	2.7E
	0540	0832	3.3F		0609	0909	3.3F		0624	0928	4.4F	0644		0954	3.6F	0650	1001		4.6F	0702	1014	3.6F					
	1148	1509	3.1E		1233	1550	3.0E		1301	1622	3.8E	1326		1640	3.0E	1339	1657		3.8E	1347	1701	3.1E					
	1759	2048	3.3F		1844	2124	2.7F		1919	2150	3.0F	1942		2213	2.2F	1958	2226		2.7F	2003	2234	2.3F					
15 M		0324	3.5E	30 Tu		0350	3.0E	15 Th		0047	0419	3.5E	30 F		0105	0429	2.8E	15 Sa		0119	0450	3.4E	30 Su		0126	0450	2.8E
	0615	0910	3.9F		0639	0940	3.6F		0705	1011	4.6F	0716		1027	3.7F	0736	1045		4.6F	0737	1047	3.7F					
	1230	1553	3.6E		1306	1623	3.1E		1347	1707	3.9E	1400		1714	3.1E	1424	1742		3.8E	1419	1734	3.2E					
	1844	2127	3.5F		1919	2156	2.7F		2005	2234	2.9F	2016		2247	2.2F	2043	2311		2.7F	2035	2307	2.4F					
				31 W		0055	0420	3.0E																			

Wusong Kou, China, 2012

F–Flood, Dir. 290° True E–Ebb, Dir. 110° True

April				May				June																							
Slack	Maximum		knots	Slack	Maximum		knots	Slack	Maximum		knots	Slack	Maximum		knots																
h m	h m	h m		h m	h m	h m		h m	h m	h m		h m	h m	h m																	
1 Su	0246 0944 1714 2249	0622 1343 1946	0.6E 1.5F 1.4E 1.0F	16 M	0511 1117 1822	0806 1530 2057	1.7F 1.8E 1.8F	1 Tu	0405 1007 1722 2313	0125 0711 1410 2005	0.9E 1.7F 1.7E 1.9F	16 W	0554 1126 1816	0831 1530 2104	1.4E 1.6F 1.6E 2.2F	1 F	0619 1127 1822	0848 1536 2115	1.8E 2.2F 1.8E 3.2F	16 Sa	0029 0718 1226 1851	0421 0941 1611 2154	1.8E 1.5F 1.4E 2.6F								
2 M	0438 1103 1820 2357	0204 0758 1510 2054	0.7E 1.6F 1.7E 1.6F	17 Tu	0019 0629 1214 1909	0405 0911 1628 2144	1.4E 2.0F 2.0E 2.3F	2 W	0536 1111 1818	0259 0824 1523 2101	1.3E 2.1F 1.9E 2.5F	17 Th	0023 0656 1216 1858	0417 0925 1622 2147	1.7E 1.9F 1.7E 2.6F	2 Sa	0021 0724 1223 1914	0445 0945 1648 2205	2.4E 2.5F 1.9E 3.8F	17 Su	0111 0806 1313 1934	0511 1026 1703 2235	2.2E 1.8F 1.5E 2.9F								
3 Tu	0609 1202 1909	0905 1619 2142	2.2F 2.1E 2.3F	18 W	0058 0726 1257 1947	0500 0959 1716 2222	1.8E 2.4F 2.2E 2.8F	3 Th	0005 0647 1206 1906	0414 0921 1629 2148	1.8E 2.6F 2.3E 3.3F	18 F	0101 0746 1259 1936	0506 1010 1707 2225	2.1E 2.1F 1.8E 3.0F	3 Su	0110 0820 1315 2003	0544 1036 1749 2252	2.9E 2.9F 2.0E 4.3F	18 M	0150 0847 1354 2015	0556 1105 1751 2312	2.5E 2.0F 1.7E 3.2F								
4 W	0042 0714 1248 1950	0450 0955 1716 2222	1.7E 2.8F 2.4E 3.2F	19 Th	0130 0811 1332 2020	0545 1039 1756 2256	2.2E 2.8F 2.3E 3.3F	4 F	0049 0744 1253 1950	0516 1010 1728 2231	2.4E 3.1F 2.3E 4.0F	19 Sa	0135 0828 1337 2011	0547 1048 1747 2259	2.4E 2.4F 1.9E 3.3F	4 M	0157 0910 1404 2050	0636 1123 1842 2337	3.3E 3.2F 2.2E 4.6F	19 Tu	0227 0925 1432 2055	0638 1141 1836 2348	2.8E 2.3F 1.8E 3.5F								
5 Th	0119 0806 1328 2029	0545 1038 1805 2300	2.3E 3.5F 2.8E 3.9F	20 F	0200 0850 1406 2050	0623 1114 1830 2327	2.6E 3.0F 2.3E 3.6F	5 Sa	0131 0835 1337 2032	0608 1055 1819 2312	3.0E 3.5F 2.5E 4.5F	20 Su	0209 0905 1413 2044	0625 1124 1824 2332	2.7E 2.5F 1.9E 3.5F	5 Tu	0243 0957 1451 2135	0724 1208 1930 2335	3.6E 3.3F 2.3E	20 W	0302 1002 1507 2133	0718 1216 1918	3.0E 2.5F 1.9E								
6 F	0156 0852 1407 2105	0633 1118 1850 2337	2.9E 4.0F 3.0E 4.5F	21 Sa	0230 0925 1438 2119	0656 1147 1901 2357	2.8E 3.1F 2.3E 3.8F	6 Su	0212 0922 1421 2113	0655 1138 1904 2352	3.5E 3.7F 2.6E 4.9F	21 M	0242 0941 1448 2117	0701 1157 1900	2.9E 2.6F 2.0E	6 W	0329 1042 1539 2220	0809 1252 2014 2335	3.7E 3.2F 2.3E	21 Th	0337 1037 1542 2211	0757 1251 1959 2335	3.1E 2.6F 2.0E								
7 Sa	0233 0936 1445 2142	0716 1157 1930 2335	3.4E 4.2F 3.1E	22 Su	0301 0959 1510 2147	0727 1218 1930 2335	3.0E 3.1F 2.3E	7 M	0255 1007 1504 2153	0739 1220 1947	3.8E 3.7F 2.6E	22 Tu	0317 1016 1523 2150	0736 1231 1935 2335	3.7F 3.0E 2.0E	7 Th	0416 1127 1628 2304	0851 1337 2057 2335	3.6E 3.0F 2.2E	22 F	0411 1113 1618 2250	0835 1326 2038	3.1E 2.7F 2.0E								
8 Su	0313 1019 1524 2218	0014 0757 1236 2009	4.9F 3.7E 4.2F 3.0E	23 M	0334 1032 1542 2214	0027 0757 1249 1958	3.9F 3.1E 2.2E	8 Tu	0340 1052 1550 2233	0033 0821 1303 2027	4.9F 3.8E 3.5F 2.4E	23 W	0352 1051 1558 2223	0037 0810 1305 2010	3.7F 3.1E 2.5F 1.9E	8 F	0503 1211 1720 2350	0933 1423 2140	3.4E 2.8F 2.0E	23 Sa	0445 1149 1657 2329	0911 1404 2116	3.0E 2.7F 1.9E								
9 M	0355 1102 1605 2254	0052 0837 1317 2045	4.9F 3.8E 3.9F 2.7E	24 Tu	0408 1105 1616 2243	0057 0827 1321 2026	3.8F 3.1E 2.0E	9 W	0428 1138 1638 2315	0116 0902 1347 2107	4.6F 3.7E 3.1F 2.2E	24 Th	0427 1128 1635 2258	0111 0845 1341 2044	3.6F 3.0E 2.4F 1.8E	9 Sa	0550 1257 1816	0235 1014 2223	3.6F 3.0E 1.7E	24 Su	0522 1227 1741	0947 1445 2155	2.8E 2.6F 1.8E								
10 Tu	0440 1146 1650 2331	0131 0916 1359 2121	4.7F 3.6E 3.3E 2.3E	25 W	0443 1140 1650 2313	0129 0858 1355 2055	3.5F 2.9E 2.4F 1.8E	10 Th	0518 1226 1732 2359	0200 0944 1436 2147	4.1F 3.3E 2.6F 1.8E	25 F	0504 1206 1715 2336	0148 0921 1420 2119	3.4F 2.8E 2.2F 1.6E	10 Su	0038 0639 1343 1918	0324 1056 1604 2311	3.0F 2.5E 2.1F 1.5E	25 M	0012 0601 1307 1832	0256 1023 1530 2236	3.2F 2.6E 2.5F 1.7E								
11 W	0530 1234 1739	0214 0956 1446 2157	4.2F 3.2E 2.6F 1.9E	26 Th	0520 1219 1728 2346	0203 0931 1433 2124	3.2F 2.6E 2.0F 1.5E	11 F	0610 1318 1833	0249 1029 2233	3.5F 2.9E 1.5E	26 Sa	0543 1248 1802	0228 0958 2156	3.1F 2.6E 1.4E	11 M	0130 0729 1432 2026	0417 1140 1702	2.4F 2.1E 1.9F	26 Tu	0059 0645 1350 1930	0344 1100 1622 2323	2.8F 2.3E 2.4F 1.6E								
12 Th	0012 0624 1330 1837	0301 1040 1541 2238	3.5F 2.7E 1.9F 1.4E	27 F	0602 1303 1815	0241 1006 2156	2.8F 2.3E 1.2E	12 Sa	0048 0706 1416 1946	0343 1119 1633 2330	2.8F 2.4E 1.7F 1.1E	27 Su	0018 0626 1335 1858	0314 1037 1557 2239	2.8F 2.3E 1.9F 1.3E	12 Tu	0232 0823 1524 2136	0005 0517 1227 1806	1.3E 1.8F 1.8E 1.8F	27 W	0156 0736 1439 2036	0440 1139 1722	2.3F 2.0E 2.3F								
13 F	0058 0725 1438 1954	0357 1134 1651 2337	2.7F 2.2E 1.4F 1.0E	28 Sa	0024 0649 1357 1915	0328 1048 1617 2239	2.4F 2.0E 1.4F 1.0E	13 Su	0149 0807 1521 2113	0447 1218 1747	2.2F 2.0E 1.5F	28 M	0108 0716 1427 2005	0408 1121 1658 2337	2.4F 2.1E 1.8F 1.1E	13 W	0347 0924 1618 2243	0109 0627 1320 1913	1.2E 1.5F 1.5E 1.8F	28 Th	0307 0835 1534 2147	0546 1227 1830	1.9F 1.7E 2.3F								
14 Sa	0159 0838 1601 2140	0509 1248 1822	2.0F 1.8E 1.1F	29 Su	0113 0746 1504 2036	0428 1143 1732 2348	2.0F 1.8E 1.2F 0.8E	14 M	0306 0915 1626 2236	0045 0602 1325 1904	1.0E 1.7F 1.7E 1.5F	29 Tu	0213 0813 1525 2118	0512 1213 1806	2.0F 1.9E 1.9F	14 Th	0507 1029 1712 2340	0218 0740 1418 2015	1.3E 1.3F 1.4E 2.0F	29 F	0432 0943 1636 2257	0703 1329 1941	1.7F 1.5E 2.5F								
15 Su	0329 1001 1721 2320	0640 1415 1952	1.7F 1.7E 1.3F	30 M	0227 0854 1617 2204	0545 1253 1855	1.7F 1.6E 1.4F	15 Tu	0435 1024 1725 2338	0207 0721 1431 2011	1.1E 1.6F 1.6E 1.8F	30 W	0334 0917 1626 2228	0051 0626 1313 1916	1.2E 1.9F 1.8E 2.2F	15 F	0620 1131 1804	0324 0846 1516	1.5E 1.4F 1.3E 2.2F	30 Sa	0557 1056 1742	0819 1449 2047	1.7F 1.5E 2.9F								
								31 Th	0502 1024 1725 2328	0215 0742 1420 2019	1.4E 1.9F 1.7E 2.6F																				

Time meridian 120° E. 0000 is midnight. 1200 is noon. Times are not adjusted for Daylight Saving Time.

Wusong Kou, China, 2012

F—Flood, Dir. 290° True E—Ebb, Dir. 110° True

July				August				September																					
Slack	Maximum		knots	Slack	Maximum		knots	Slack	Maximum		knots	Slack	Maximum		knots														
	h	m	h	m	h	m	h	m	h	m	h	m	h	m	h	m													
1 Su	0001	0420	2.3E	16 M	0048	0437	1.9E	1 W	0139	0610	3.0E	16 Th	0145	0555	2.6E	1 Sa	0239	0718	3.2E	16 Su	0217	0653	3.1E						
	0710	0927	2.0F		0746	1008	1.4F		0850	1105	2.7F		0843	1105	2.4F		0941	1202	3.7F		0916	1143	4.0F	1435	1914	3.0E			
	1204	1615	1.5E		1255	1627	1.3E		1351	1820	2.0E		1356	1802	1.9E		1454	1933	2.7E		1454	1933	2.7E	●	2130	2358	4.3F		
	1845	2146	3.4F		1904	2215	2.6F		2029	2316	4.0F		2024	2312	3.5F		2146												
2 M	0057	0525	2.7E	17 Tu	0132	0530	2.3E	2 Th	0222	0659	3.3E	17 F	0217	0640	2.9E	2 Su		0016	4.2F	17 M	0249	0732	3.2E						
	0809	1024	2.4F		0830	1050	1.8F		0932	1146	3.2F		0917	1137	3.0F		0312	0753	3.1E		0950	1217	4.4F	0950	1217	4.4F			
	1303	1727	1.7E		1339	1725	1.5E		1433	1910	2.3E		1428	1851	2.3E		1013	1236	3.9F		1509	1954	3.3E	1528	2007	2.8E	2211		
	1943	2239	3.9F		1954	2256	3.0F		2117	2358	4.3F		●	2106	2347		4.0F	2223											
3 Tu	0147	0622	3.1E	18 W	0209	0617	2.6E	3 F	0301	0742	3.4E	18 Sa	0248	0721	3.2E	3 M		0050	4.1F	18 Tu		0034	4.4F						
	0901	1113	2.8E		0908	1126	2.2F		1009	1225	3.5F		0949	1209	3.5F		0345	0822	3.0E		1042	1308	3.9F	1042	1308	3.9F			
	1355	1827	2.0E		1416	1818	1.8E		1512	1953	2.5E		1459	1934	2.6E		1603	2038	2.8E		1640	2105	2.7E	1640	2105	2.7E			
	2036	2326	4.3F		2039	2332	3.5F		2200				2146				2258				0124	3.7F	2251						
4 W	0234	0712	3.4E	19 Th	0244	0701	2.9E	4 Sa		0037	4.4F	19 Su		0021	4.3F	4 Tu		0124	3.7F	19 W		0112	4.2F						
	0947	1159	3.1F		0943	1200	2.6F		0338	0819	3.4E		0319	0759	3.3E		0417	0848	2.7E		0400	0845	2.9E	1109	1340	3.7F			
	1442	1919	2.2E		1450	1906	2.0E		1044	1301	3.6F		1022	1243	3.9F		1109	1340	3.7F		1057	1329	4.5F	1640	2105	2.7E			
	●	2125			●	2120			1552	2030	2.6E		1533	2014	2.8E		1640	2105	2.7E		1628	2111	3.3E	2332					
5 Th		0011	4.5F	20 F		0007	3.8F	5 Su		0114	4.2F	20 M		0056	4.3F	5 W		0157	3.3F	20 Th		0151	3.7F						
	0318	0757	3.6E		0316	0742	3.1E		0415	0853	3.2E		0352	0835	3.3E		0451	0911	2.4E		0439	0919	2.5E	0451	0911	2.4E			
	1030	1241	3.3F		1017	1233	3.0F		1117	1337	3.6F		1055	1317	4.1F		1136	1412	3.4F		1133	1409	4.2F	1136	1412	3.4F			
	1528	2005	2.3E		1523	1949	2.2E		1631	2105	2.6E		1610	2052	2.9E		1718	2132	2.5E		1715	2149	3.0E	1718	2132	2.5E			
6 F		0053	4.5F	21 Sa		0042	4.0F	6 M		0150	3.8F	21 Tu		0133	4.2F	6 Th		0231	2.7F	21 F		0235	3.0F						
	0400	0839	3.5E		0348	0820	3.2E		0451	0923	2.9E		0426	0909	3.1E		0525	0932	2.0E		0523	0953	2.1E	0525	0932	2.0E			
	1110	1322	3.3F		1051	1307	3.2F		1149	1413	3.4F		1128	1354	4.0F		1203	1445	2.9F		1210	1453	3.6F	1203	1445	2.9F			
	1613	2047	2.3E		1557	2029	2.3E		1713	2136	2.4E		1650	2129	2.9E		1800	2201	2.2E		1808	2232	2.6E	1800	2201	2.2E			
7 Sa		0134	4.2F	22 Su		0117	4.1F	7 Tu		0227	3.3F	22 W		0212	3.8F	7 F		0307	2.0F	22 Sa		0325	2.2F						
	0442	0917	3.3E		0420	0856	3.2E		0527	0949	2.5E		0504	0942	2.7E		0601	0956	1.6E		0613	1030	1.6E	0601	0956	1.6E			
	1148	1403	3.2F		1124	1342	3.3F		1219	1449	3.0F		1202	1433	3.8F		1232	1522	2.4F		1253	1545	2.9F	1232	1522	2.4F			
	1658	2126	2.3E		1634	2108	2.4E		1756	2206	2.2E		1736	2207	2.7E		1847	2237	1.8E		1911	2324	2.2E	1847	2237	1.8E			
8 Su		0215	3.8F	23 M		0155	3.9F	8 W		0304	2.7F	23 Th		0255	3.1F	8 Sa		0349	1.4F	23 Su		0429	1.5F						
	0523	0952	3.0E		0455	0931	3.0E		0604	1012	2.1E		0545	1014	2.3E		0643	1026	1.3E		0720	1121	1.1E	0643	1026	1.3E			
	1226	1444	2.9F		1159	1420	3.3F		1249	1527	2.6F		1239	1518	3.4F		1306	1607	1.9F		1348	1654	2.2F	1306	1607	1.9F			
	1747	2203	2.1E		1716	2145	2.3E		1843	2238	1.9E		1829	2248	2.3E		1944	2325	1.5E		2029			2029					
9 M	0020	0257	3.2F	24 Tu	0001	0235	3.6F	9 Th	0117	0345	2.0F	24 F	0123	0344	2.4F	9 Su	0233	0449	0.9F	24 M		0037	1.8E						
	0604	1025	2.6E		0532	1004	2.7E		0643	1038	1.7E		0632	1047	1.8E		0742	1114	0.9E		0346	0600	1.1F	0742	1114	0.9E			
	1303	1527	2.6F		1235	1501	3.2F		1322	1609	2.2F		1321	1610	2.8F		1353	1713	1.5F		0902	1247	0.8E	1353	1713	1.5F			
	1838	2240	1.9E		1803	2223	2.2E		1936	2317	1.6E		1932	2339	2.0E		2100				1510	1827	1.9F	2100					
10 Tu	0104	0341	2.6F	25 W	0046	0319	3.1F	10 F	0207	0433	1.4F	25 Sa	0228	0446	1.6F	10 M		0039	1.3E	25 Tu		0210	1.8E						
	0646	1056	2.2E		0614	1037	2.4E		0728	1110	1.3E		0732	1131	1.3E		0409	0628	0.6F		0521	0744	1.2F	0409	0628	0.6F			
	1340	1614	2.3F		1313	1548	3.0F		1400	1702	1.8F		1413	1717	2.3F		1511	1852	1.3F		1100	1435	0.9E	1511	1852	1.3F			
	1933	2320	1.6E		1857	2305	2.0E		●	2039			2050				2229				1654	2001	2.0F	2229					
11 W	0154	0430	2.0F	26 Th	0139	0410	2.5F	11 Sa		0012	1.3E	26 Su		0052	1.7E	11 Tu		0212	1.3E	26 W		0332	2.0E						
	0731	1129	1.8E		0702	1111	2.0E		0318	0539	0.9F		0357	0611	1.1F		0547	0819	0.8F		0630	0858	1.7F	0547	0819	0.8F			
	1421	1706	2.0F		1357	1643	2.7F		0828	1203	1.0E		0856	1245	1.0E		1114	1420	0.7E		1213	1558	1.4E	1114	1420	0.7E			
	●	2034			●	2001	2358		1.8E	1452	1812		1.5F	1526	1845		2.1F	1655	2025		1.6F	1818	2110	2.4F	1655	2025	1.6F		
12 Th		0008	1.4E	27 F		0244	0512	1.8F	12 Su		0130	1.2E	27 M		0225	1.8E	12 W		0331	1.7E	27 Th		0435	2.3E					
	0255	0528	1.4F		0759	1153	1.6E	0455		0715	0.7F	0537		0753	1.1F	0648		0920	1.3F	0720		0948	2.3F	0648	0920	1.3F			
	0823	1209	1.4E		1449	1749	2.4F	1001		1323	0.8E	1045		1431	1.0E	1218		1542	1.1E	1257		1659	1.9E	1218	1542	1.1E			
	1507	1807	1.8F		2115			1605		1942	1.5F	1659		2016	2.2F	1817		2125	2.2F	1920		2201	2.9F	1817	2125	2.2F			
13 F		0111	1.3E	28 Sa		0110	1.7E	13 M		0256	1.4E	28 Tu		0352	2.1E	13 Th		0432	2.1E	28 F		0527	2.6E						
	0412	0640	1.0F		0410	0631	1.4F		0625	0851	0.8F		0653	0913	1.5F		0731	1001	2.0F		0801	1028	2.9F	0731	1001	2.0F			
	0928	1305	1.1E		0911	1257	1.3E		1137	1449	0.9E		1209	1604	1.3E		1259	1647	1.6E		1331	1749	2.3E	1259	1647	1.6E			
	1602	1917	1.7F		1555	1908	2.3F		1729	2100	1.8F		1824	2126	2.7F		1917	2209	2.8F		2009	2243	3.3F	1917	2209	2.8F			
14																													

Wusong Kou, China, 2012

F–Flood, Dir. 290° True E–Ebb, Dir. 110° True

October				November				December															
Slack	Maximum			Slack	Maximum			Slack	Maximum			Slack	Maximum										
	h	m	knots		h	m	knots		h	m	knots		h	m	knots								
1 M	0245	0719	2.7E	16 Tu	0221	0704	2.9E	1 Th	0325	0740	2.2E	16 F	0325	0804	2.4E	1 Sa	0345	0751	1.9E	16 Su	0404	0837	2.3E
	0937	1209	4.0F		0917	1152	4.8F		0959	1245	3.8F		1011	1254	4.8F		1009	1300	3.7F		1044	1328	4.5F
	1505	1939	3.0E		1448	1933	3.6E		1552	2011	3.0E		1601	2040	3.8E		1613	2028	3.0E		1638	2112	3.6E
	2203				2156				2252				2314				2313				2348		
2 Tu		0026	3.7F	17 W	0259	0744	2.8E	2 F	0359	0808	2.0E	17 Sa	0412	0846	2.2E	2 Su	0420	0825	1.8E	17 M	0453	0921	2.2E
	0316	0747	2.6E		0954	1229	4.9F		1028	1316	3.6F		1053	1338	4.4F		1044	1335	3.5F		1129	1412	4.1F
	1005	1239	4.0F		1528	2013	3.7E		1627	2042	2.9E		1649	2123	3.5E		1648	2103	2.8E		1723	2154	3.3E
	1538	2008	3.0E		2239				2326								2349						
3 W		0058	3.4F	18 Th	0339	0822	2.7E	3 Sa	0434	0837	1.8E	18 Su	0503	0928	2.0E	3 M	0458	0900	1.7E	18 Tu	0546	1005	2.0E
	0348	0812	2.4E		1030	1309	4.8F		1058	1349	3.3F		1137	1424	3.8F		1120	1412	3.2F		1216	1459	3.4F
	1032	1310	3.9F		1612	2054	3.6E		1704	2114	2.6E		1740	2208	3.1E		1724	2138	2.6E		1810	2236	2.8E
	1612	2036	2.9E		2323																		
4 Th		0130	3.0F	19 F	0422	0859	2.3E	4 Su	0512	0907	1.5E	19 M	0601	1015	1.6E	4 Tu	0540	0936	1.5E	19 W	0645	1051	1.7E
	0421	0836	2.2E		1109	1350	4.3F		1131	1426	2.9F		1226	1516	3.1F		1159	1453	2.8F		1307	1549	2.7F
	1058	1340	3.6F		1700	2135	3.3E		1744	2150	2.3E		1834	2257	2.6E		1803	2215	2.3E		1858	2318	2.3E
	1648	2103	2.7E																				
	2343																						
5 F		0202	2.6F	20 Sa	0509	0938	2.0E	5 M	0604	1015	1.6E	20 Tu	0712	1111	1.3E	5 W	0630	1017	1.3E	20 Th	0752	1143	1.4E
	0455	0859	1.9E		1149	1436	3.7F		1208	1510	2.4F		1324	1616	2.4E		1245	1541	2.4F		1405	1645	2.0F
	1125	1412	3.1F		1753	2219	2.8E		1829	2231	2.0E		1934	2353	2.2E		1847	2256	2.1E		1950		
	1727	2133	2.4E																				
6 Sa		0020	2.0F	21 Su	0606	1021	1.5E	6 Tu	0654	1025	1.0E	21 W	0839	1221	1.1E	6 Th	0731	1109	1.1E	21 F	0906	1245	1.3E
	0531	0925	1.6E		1235	1529	3.0F		1255	1604	2.0F		1437	1727	1.9F		1342	1638	2.0F		1517	1752	1.5F
	1154	1448	2.6F		1853	2312	2.4E		1922	2323	1.7E		2042				1939	2343	1.8E		2050		
	1810	2208	2.1E																				
7 Su		0104	1.5F	22 M	0721	1118	1.1E	7 W	0812	1132	0.8E	22 Th	0905	1247	1.6F	7 F	0843	1218	1.1E	22 Sa	0964	1307	1.3E
	0614	0956	1.2E		1335	1636	2.3F		1403	1716	1.6F		1605	1847	1.6F		1458	1748	1.7F		1624	1910	1.2F
	1228	1531	2.1F		2005				2027				2155				2040				2200		
	1901	2253	1.7E																				
8 M		0201	1.0F	23 Tu	0824	1243	0.9E	8 Th	0942	1304	0.8E	23 F	1029	1455	1.4E	8 Sa	1057	1442	1.3E	23 Su	1127	1510	1.5E
	0714	1042	0.9E		1459	1802	1.8F		1537	1840	1.6F		1729	2004	1.6F		1627	1906	1.7F		1803	2026	1.2F
	1314	1631	1.6F		2128				2140				2303				2150				2311		
	2006	2356	1.4E																				
9 Tu		0322	0.8F	24 W	0924	1343	1.8F	9 F	1054	1433	1.2E	24 Sa	1209	1557	1.7E	9 Su	1245	1606	1.6E	9 M	1307	1611	1.8E
	0850	1200	0.6E		1638	1932	1.8F		1709	1957	1.8F		1837	2105	1.8F		1750	2019	1.9F		1908	2128	1.4F
	1430	1801	1.4F		2248				2247				2358				2258						
	2128																						
10 W		0450	0.9F	25 Th	1050	1454	1.5E	10 Sa	1249	1649	2.1E	25 Su	1359	1754	2.0F	10 M	1459	1859	2.2F	10 Tu	1552	1943	2.5F
	1037	1347	0.7E		1801	2043	2.0F		1822	2058	2.2F		1930	2154	2.0F		1859	2121	2.2F		1958	2217	1.7F
	1618	1936	1.5F		2350				2344														
	2245																						
11 Th		0556	1.5F	26 F	1239	1633	1.9E	11 Su	1423	1817	2.3E	26 M	1504	1897	2.3F	11 Tu	1557	1951	2.2F	11 W	1649	2043	2.5F
	1144	1514	1.1E		1903	2136	2.4F		1921	2148	2.8F		2014	2235	2.3F		1957	2214	2.7F		2039	2258	2.0F
	1747	2045	2.0F																				
	2344																						
12 F		0644	2.2F	27 Sa	1312	1722	2.3E	12 M	1423	1817	2.3E	27 Tu	1504	1897	2.3F	12 W	1557	1951	2.2F	12 Th	1649	2043	2.5F
	1226	1620	1.6E		1951	2219	2.7F		2012	2233	3.2F		2053	2312	2.5F		2048	2302	3.0F		2116	2334	2.3F
	1852	2135	2.6F																				
13 Sa		0029	2.3E	28 Su	0759	1037	3.3F	13 Tu	0807	1050	4.3F	28 W	0830	1121	3.6F	13 Th	0827	1116	4.5F	13 F	0922	1214	3.7F
	0726	1002	2.9F		1343	1803	2.6E		1351	1829	3.3E		1430	1846	2.9E		1422	1900	3.6E		1527	1941	3.1E
	1302	1716	2.2E		2033	2257	3.0F		2059	2316	3.6F		2129	2347	2.6F		2135	2348	3.3F		2225		
	1944	2218	3.2F																				
14 Su		0108	2.6E	29 M	0831	1111	3.7F	14 W	0849	1131	4.8F	29 Th	0903	1154	3.7F	14 F	0914	1200	4.8F	14 Sa	0922	1214	3.7F
	0804	1039	3.7F		1414	1839	2.9E		1432	1914	3.7E		1504	1920	3.0E		1507	1946	3.8E		1527	1941	3.1E
	1336	1806	2.8E		2110	2331	3.1F		2144	2358	3.7F		2204				2220				2225		
	2030	2257	3.7F																				
15 M		0145	2.8E	30 Tu	0902	1143	3.9F	15 Th	0929	1212	4.9F	30 F	0936	1227	3.7F	15 Sa	0959	1244	4.8F	15 Su	0959	1247	3.8F
	0841	1115	4.3F		1445	1911	3.0E		1516	1958	3.8E		1538	1954	3.1E		1553	2030	3.8E		1559	2017</	

Basilan Strait (off Zamboanga), Philippines, 2012

F—Flood, Dir. 270° True E—Ebb, Dir. 090° True

January					February					March																																												
Slack		Maximum			Slack		Maximum			Slack		Maximum			Slack		Maximum																																					
	h	m	h	m	knots		h	m	h	m	knots		h	m	h	m	knots		h	m	h	m	knots																															
1 Su		0004	1.2F			16 M		0003	1.7F			1 W		0122	0.4F			16 Th		0052	0.247	0.5F																																
		0225	0608	2.6E				0233	0558	2.8E				0311	0632	1.1E					0515	0721	0.4E			0244	0543	1.1E																										
		0942	1233	1.8F				0916	1217	2.5F				0931	1245	1.3F						0917	1319	1.4F			0831	1142	1.4F																									
2 M		1527	1904	2.4E			1516	1857	3.3E				1541	2013	2.5E				1623	2124	3.3E			1435	1900	2.7E	17 Sa		0228	0509	0.8F					0228	0509	0.8F						0850	1031	0.2E								
		0308	0653	1.7E			0335	0650	1.7E			0222	0337	0.1F					0251	0526	0.8F			0351	0631	0.3E				1214	1528	0.7F						1214	1528	0.7F														
		1018	1317	1.5F			0950	1305	2.0F			0506	0754	0.3E					0932	1018	0.1E			0847	1231	0.8F				1745	2255	3.2E																						
3 Tu		1611	2015	2.4E			1606	2014	3.3E			0332	0558	0.6F					0348	0635	1.5F			0300	0532	0.5F	18 Su		0324	0609	1.4F					0959	1203	0.7E																
		0423	0800	1.0E			0527	0809	0.8E			0915	1054	0.2E					0959	1203	0.7E			0930	1024	0.0				0916	1154	1.1E																						
		1105	1417	1.2F			1036	1413	1.6F			1229	1558	0.8F					1406	1716	1.4F			1118	1504	0.5F				1434	1720	1.2F																						
4 W		1707	2141	2.6E			1712	2150	3.5E			1823	2330	3.2E					1945					1720	2255	2.9E	19 M		0001	3.6E						0427	0713	2.2F																
		0251	0446	0.5F			0249	0515	1.0F			0406	0648	1.3F					0016	4.3E				0337	0621	1.2F				0400	0643	2.0F																						
		0701	0948	0.6E			0827	1016	0.4E			1005	1214	0.7E					0427	0713	2.2F			0935	1155	0.7E				0938	1235	2.0E																						
5 Th		1218	1535	1.1F			1101	1547	1.5F			1422	1724	1.2F					1520	1822	2.1F			1416	1704	1.0F	20 Tu		0046	4.0E						1022	1251	1.4E																
		1814	2257	3.1E			1832	2315	4.1E			1948							2056					1920	2357	3.6E				1530	1820	2.0F																						
		0340	0607	1.0F			0349	0633	1.7F			0435	0023	4.0E					0103	4.8E				0405	0650	1.9F				0046	4.0E																							
6 F		0904	1124	0.7E			0958	1154	0.7E			1031	1255	1.2E					0459	0743	2.6F			0952	1233	1.5E	21 W		0120	4.2E						1043	1327	2.2E																
		1340	1649	1.5F			1348	1713	1.8F			1519	1819	1.8F					1609	1909	2.7F			1512	1805	1.8F				0428	0711	2.4F																						
		1920	2355	3.7E			1950					2050							2150					2034						1611	1903	2.6F																						
7 Sa		0417	0656	1.6F			0435	0722	2.3F			0503	0748	2.5F					0526	0809	3.0F			0431	0716	2.5F	22 Th		0452	0734	3.0F					1103	1357	2.9E																
		1005	1224	0.9E			1041	1253	1.2E			1054	1328	1.8E					1650	1948	3.2F			1012	1304	2.4E				1019	1334	3.6E																						
		1443	1746	1.6F			1504	1817	2.3F			1601	1902	2.5F					2233					1554	1850	2.6F				1646	1938	3.1F																						
8 Su		2017					2055				2139								2333					2129			23 F		0150	4.2E						0212	5.1E																	
		0039	4.3E				0109	5.3E			0138	5.2E							0241	5.0E				0116	4.8E				0513	0757	3.0F																							
		0449	0734	2.1F			0513	0759	2.8F			0530	0815	3.0F					0551	0833	3.2F			0456	0741	3.0F				1040	1401	4.2E																						
9 M		1045	1307	1.3E			1111	1336	1.7E			1116	1358	2.5E					1123	1426	3.5E			1032	1334	3.3E	24 Sa		0217	4.1E						1726	2023	3.4F																
		1529	1832	2.0F			1600	1908	2.8F			1640	1941	3.1F					1726	2023	3.4F			1633	1930	3.3F				1718	2010	3.4F																						
		2105					2149					2223							2311					2216					2302																									
10 Tu		0118	4.9E				0151	5.7E				0211	5.6E						0241	5.0E				0150	5.1E		25 Su		0217	4.1E						0612	0856	3.3F																
		0520	0806	2.6F			0547	0832	3.1F			0556	0840	3.3F					0612	0856	3.3F			0521	0806	3.4F				0533	0818	3.2F																						
		1117	1342	1.6E			1137	1412	2.3E			1138	1429	3.1E					1144	1453	3.9E			1055	1405	4.1E				1101	1426	4.6E																						
11 W		1608	1911	2.4F			1646	1951	3.2F			1718	2018	3.5F					1801	2055	3.5F			1711	2008	3.9F	26 M		1749	2039	3.5F					1801	2055	3.5F																
		2148					2235					2304							2344					2259					2333																									
		0153	5.3E				0227	5.8E				0243	5.7E						0308	4.7E				0222	5.1E				0242	4.0E																								
12 Th		0550	0836	2.9F			0618	0901	3.2F			0621	0906	3.6F					0633	0917	3.3F			0545	0832	3.7F	27 Tu		0552	0839	3.2F					1204	1520	4.2E																
		1144	1414	2.0E			1201	1445	2.7E			1201	1500	3.7E					1204	1520	4.2E			1120	1437	4.9E				1122	1451	4.9E																						
		1644	1948	2.8F			1728	2030	3.4F			1758	2055	3.7F					1835	2125	3.4F			1751	2046	4.1F				1819	2108	3.5F																						
13 F		2228					2316				2344								0015	0333	4.3E			0255	4.9E		28 W	</																										

Basilan Strait (off Zamboanga), Philippines, 2012

F—Flood, Dir. 270° True E—Ebb, Dir. 090° True

April				May				June							
Slack	Maximum		knots	Slack	Maximum		knots	Slack	Maximum		knots				
1 Su	h m	h m	0.6F	16 M	h m	h m	1.3F	1 Tu	h m	h m	1.2F	16 Sa	h m	h m	1.6F
	0135	0405	0.2E		0232	0515	1.6E		0111	0357	1.5E		0215	0518	3.9E
	0729	0928	0.4F		0806	1121	1.1F		0653	1013	0.8F		0752	1208	1.8F
	1130	1418	2.6E		1439	1707	2.8E		1342	1559	2.0E		1618	1856	2.1E
	1622	2159			1925	2328			1806	2220			2056	2344	
2 M	0238	0522	1.1F	17 Tu	0312	0555	1.7F	2 W	0205	0454	1.7F	17 Th	0241	0531	1.8F
	0825	1114	1.0E		0839	1204	2.5E		0740	1112	2.5E		0807	1202	3.5E
	1406	1636	0.9F		1527	1807	1.7F		1444	1719	1.6F		1554	1831	1.9F
	1846	2316	3.1E		2041				1951	2325	2.8E		2118		
3 Tu	0315	0559	1.8F	18 W	0342	0626	2.1F	3 Th	0246	0536	2.2F	18 F	0314	0606	2.1F
	0852	1157	2.0E		0906	1237	3.4E		0818	1157	3.7E		0842	1237	4.1E
	1501	1744	1.7F		1604	1849	2.4F		1531	1816	2.5F		1627	1908	2.3F
	2015				2134				2104				2204		
4 W	0345	0630	2.4F	19 Th	0407	0652	2.5F	4 F	0321	0613	2.8F	19 Sa	0344	0637	2.3F
	0917	1232	3.1E		0931	1306	4.1E		0854	1237	4.8E		0914	1308	4.7E
	1543	1833	2.6F		1637	1924	2.8F		1614	1903	3.2F		1657	1942	2.7F
	2117				2216				2202				2242		
5 Th	0412	0658	2.9F	20 F	0429	0717	2.7F	5 Sa	0354	0649	3.2F	20 Su	0412	0707	2.6F
	0943	1305	4.1E		0956	1334	4.6E		0930	1315	5.7E		0944	1338	5.0E
	1623	1916	3.4F		1707	1955	3.1F		1656	1947	3.7F		1727	2013	2.9F
	2208				2251				2251				2315		
6 F	0439	0727	3.4F	21 Sa	0451	0741	2.9F	6 Su	0425	0724	3.5F	21 M	0439	0735	2.7F
	1010	1339	5.1E		1020	1400	5.0E		1006	1354	6.3E		1014	1407	5.3E
	1703	1956	4.0F		1737	2024	3.3F		1739	2029	4.0F		1757	2043	3.0F
	2254				2322				2337				2347		
7 Sa	0505	0756	3.7F	22 Su	0513	0804	3.0F	7 M	0457	0759	3.7F	22 Tu	0506	0803	2.8F
	1040	1413	5.8E		1044	1426	5.2E		1043	1433	6.6E		1042	1437	5.4E
	1744	2036	4.2F		1806	2053	3.3F		1822	2110	3.9F		1829	2113	3.0F
	2338				2352										
8 Su	0532	0826	3.9F	23 M	0535	0828	3.0F	8 Tu	0020	0254	2.7E	23 W	0018	0254	2.2E
	1111	1449	6.2E		1108	1453	5.3E		0529	0835	3.7E		0532	0831	2.8F
	1826	2116	4.1F		1836	2121	3.1F		1121	1513	6.5E		1111	1507	5.3E
									1907	2152	3.6F		1901	2145	2.9F
9 M	0019	0308	3.5E	24 Tu	0022	0309	2.7E	9 W	0102	0332	2.4E	24 Th	0050	0324	2.0E
	0559	0857	3.8F		0557	0852	2.9F		0603	0912	3.5F		0600	0901	2.7F
	1143	1526	6.3E		1133	1521	5.2E		1159	1554	6.1E		1141	1538	5.2E
	1911	2157	3.7F		1909	2152	2.9F		1954	2236	3.0F		1937	2218	2.7F
10 Tu	0101	0343	2.9E	25 W	0052	0335	2.4E	10 Th	0143	0411	2.0E	25 F	0123	0356	1.9E
	0626	0929	3.6F		0620	0917	2.7F		0640	0950	3.0F		0630	0932	2.5F
	1217	1605	5.9E		1159	1550	4.9E		1238	1637	5.4E		1213	1613	4.9E
	2000	2240	3.0F		1946	2225	2.5F		2045	2322	2.4F		2015	2255	2.4F
11 W	0143	0419	2.3E	26 Th	0124	0404	2.0E	11 F	0227	0455	1.6E	26 Sa	0200	0433	1.7E
	0654	1003	3.1F		0644	0944	2.4F		0724	1033	2.4F		0708	1008	2.2F
	1253	1648	5.3E		1226	1624	4.6E		1319	1724	4.5E		1248	1651	4.5E
	2056	2329	2.2F		2029	2303	2.0F		2141				2057	2336	2.1F
12 Th	0229	0457	1.6E	27 F	0201	0436	1.5E	12 Sa	0318	0549	1.2E	27 Su	0241	0517	1.5E
	0726	1040	2.5F		0711	1014	2.0F		0824	1124	1.6F		0758	1052	1.8F
	1332	1737	4.4E		1257	1703	4.1E		1403	1819	3.5E		1327	1735	3.9E
	2207				2122	2351	1.5F		2246				2145		
13 F	0327	0547	0.9E	28 Sa	0248	0518	1.1E	13 Su	0119	0357	1.0E	28 M	0329	0616	1.4E
	0805	1125	1.7F		0748	1052	1.5F		0421	0707	1.0E		0914	1151	1.2F
	1416	1842	3.4E		1332	1753	3.4E		1005	1239	0.9F		1415	1831	3.1E
	2343				2231				1458	1932	2.6E		2239		
14 Sa	0204	0518	1.1F	29 Su	0358	0625	0.7E	14 M	0238	0518	1.1F	29 Tu	0124	0356	1.6F
	0719	1040	0.9E		0856	1151	0.9F		0534	0856	1.3E		0426	0737	1.6E
	0929	1243	0.8F		1420	1906	2.8E		1241	1440	0.5F		1108	1321	0.8F
	1517	2024	2.7E		2355				1633	2107	2.1E		1527	1945	2.5E
15 Su	0127	0405	0.9F	30 M	0231	0518	1.0F	15 Tu	0108	0353	1.2F	30 W	0232	0518	1.5F
	0713	1001	0.7E		0538	0827	0.7E		0639	1025	2.0E		0528	0908	2.1E
	1258	1519	0.5F		1130	1347	0.5F		1423	1633	0.8F		1308	1516	0.8F
	1720	2217	2.6E		1547	2049	2.5E		1843	2232	1.9E		1724	2115	2.0E
								31 Th	0040	0340	1.7F		0628	1024	3.0E
									1427	1653	1.3F		1927	2238	1.9E

Time meridian 120° E. 0000 is midnight. 1200 is noon. Times are not adjusted for Daylight Saving Time.
 If three consecutive entries are marked (F) the middle one is not a true maximum but an intermediate value to show the current pattern.

Basilan Strait (off Zamboanga), Philippines, 2012

F—Flood, Dir. 270° True E—Ebb, Dir. 090° True

July				August				September															
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum									
h	m	h	m	knots	F	E	knots	F	E	knots	F	E	knots	F	E								
1 Su	0135	0455	2.0F	16 M	0230	0535	1.4F	1 W	0342	0649	2.7F	16 Th	0357	0654	2.3F	1 Sa	0514	0810	3.7E	16 Su	0458	0753	3.6F
	0736	1157	4.8E		0804	1231	4.0E		0929	1331	5.6E		0929	1327	4.8E		1059	1426	5.0E		1044	1405	4.8E
	1610	1856	2.4F		1643	1925	1.9F		1727	2013	3.1F		1716	2000	2.8F		1755	2039	3.4F		1726	2012	3.5F
	2211				2233				2317				2258				2326				2258		
2 M		0027	1.3E	17 Tu	0323	0624	1.9F	2 Th	0431	0736	3.2F	17 F	0432	0730	2.9F	2 Su	0549	0843	3.7F	17 M	0535	0829	4.0F
	0241	0556	2.5F		0856	1310	4.6E		1019	1410	5.8E		1012	1358	5.2E		1134	1455	4.7E		1124	1437	4.6E
	0837	1250	5.6E		1712	1956	2.4F		1103	1445	5.7E		1740	2024	3.2F		1816	2102	3.4F		1750	2039	3.8F
	1655	1943	2.9F		2303				2342				2319				2348				2324		
3 Tu		0118	1.6E	18 W	0404	0704	2.3F	3 F	0515	0817	3.5F	18 Sa	0508	0806	3.4F	3 M	0624	0915	3.6F	18 Tu	0615	0906	4.1F
	0337	0649	2.9F		0940	1344	5.0E		1103	1445	5.7E		1051	1428	5.3E		1207	1521	4.3E		1204	1508	4.3E
	0931	1336	6.1E		1740	2025	2.8F		1827	2111	3.5F		1804	2049	3.4F		1837	2124	3.4F		1814	2106	3.8F
	1736	2023	3.3F		2330								2341				2348				2352		
4 W		0201	2.0E	19 Th	0439	0740	2.7F	4 Sa	0006	0301	3.4E	19 Su	0544	0841	3.7F	4 Tu	0659	0946	3.3F	19 W	0657	0945	3.8F
	0426	0736	3.3F		0940	1416	5.4E		1142	1517	5.4E		1129	1458	5.3E		1237	1546	3.8E		1237	1540	3.7E
	1020	1418	6.3E		1807	2052	3.0F		1853	2137	3.4F		1827	2113	3.6F		1857	2147	3.2F		1839	2135	3.7F
	1814	2100	3.5F		2354																		
5 Th		0009	2.4E	20 F	0514	0815	3.0F	5 Su	0030	0333	3.7E	20 M	0623	0916	3.7F	5 W	0735	1016	2.9F	20 Th	0743	1026	3.3F
	0511	0819	3.5F		0514	1446	5.6E		1218	1517	4.9E		1207	1529	4.9E		1306	1611	3.3E		1323	1613	3.0E
	1105	1458	5.6E		1833	2118	3.2F		1917	2202	3.3F		1851	2139	3.7F		1917	2209	2.9F		1904	2206	3.4F
	1850	2135	3.5F																				
6 F		0039	2.6E	21 Sa	0018	0304	2.8E	6 M	0053	0404	3.9E	21 Tu	0029	0346	4.6E	6 Th	0056	0431	4.3E	21 F	0056	0440	5.3E
	0556	0901	3.4F		0550	0849	3.2F		0716	1005	3.1F		0705	0954	3.6F		0814	1049	2.3F		0836	1111	2.5F
	1147	1535	5.9E		1132	1517	5.5E		1252	1615	4.3E		1245	1600	4.4E		1334	1636	2.6E		1406	1649	2.2E
	1923	2207	3.3F		1900	2145	3.3F		1940	2227	3.1F		1915	2207	3.6F		1938	2233	2.5F		1931	2239	2.8F
7 Sa		0107	2.8E	22 Su	0042	0335	3.1E	7 Tu	0117	0435	3.8E	22 W	0057	0422	4.7E	7 F	0121	0503	3.9E	22 Sa	0132	0526	4.6E
	0641	0941	3.2F		0628	0924	3.3F		0758	1040	2.6F		0752	1034	3.1F		0901	1124	1.7F		0943	1207	1.7F
	1226	1610	5.3E		1209	1548	5.2E		1323	1643	3.6E		1324	1632	3.6E		1403	1703	2.0E		1456	1729	1.3E
	1955	2238	3.1F		1926	2212	3.3F		2001	2251	2.8F		1939	2236	3.3F		1959	2259	2.1F		2000	2318	2.1F
8 Su		0135	2.9E	23 M	0107	0408	3.4E	8 W	0142	0508	3.7E	23 Th	0127	0501	4.6E	8 Sa	0148	0541	3.4E	23 Su	0213	0625	3.8E
	0729	1021	2.8F		0711	1002	3.1F		0845	1116	2.0F		0846	1120	2.4F		1004	1211	0.9F		1118	1330	0.9F
	1304	1643	4.5E		1246	1620	4.7E		1353	1710	2.8E		1405	1706	2.7E		1434	1732	1.2E		1621	1831	0.5E
	2024	2308	2.8F		1952	2240	3.2F		2023	2317	2.4F		2004	2308	2.9F		2022	2328	1.5F		2038		
9 M		0203	2.9E	24 Tu	0135	0445	3.6E	9 Th	0209	0545	3.4E	24 F	0202	0548	4.2E	9 Su	0219	0635	2.8E	24 M	0308	0758	1.3F
	0820	1102	2.2F		0800	1044	2.7F		0942	1158	1.3F		0956	1216	1.5F		1159	1332	0.3F		1322	1554	0.8F
	1340	1716	3.7E		1326	1654	4.0E		1423	1738	2.0E		1453	1745	1.7E		1522	1814	0.5E		1926	2112	0.2E
	2051	2338	2.4F		2019	2311	3.0F		2045	2346	1.9F		2030	2345	2.3F		2048				2259		
10 Tu		0232	2.8E	25 W	0206	0527	3.6E	10 F	0240	0631	2.9E	25 Sa	0244	0649	3.7E	10 M	0302	0611	0.9F	25 Tu	0446	1003	3.0E
	0921	1148	1.6F		0859	1132	2.1F		1106	1255	0.6F		1140	1341	0.8F		1435	1647	0.3F		1443	1729	1.3F
	1416	1750	2.8E		1408	1731	3.1E		1454	1811	1.2E		1608	1839	0.7E		2002	2131	0.1E		2038	2319	1.0E
	2119				2048	2346	2.7F		2110				2058				2257				2038	2319	1.0E
11 W		0011	2.0F	26 Th	0242	0618	3.5E	11 Sa	0021	0318	1.4F	26 Su	0340	0037	1.6F	11 Tu	0225	0448	0.8F	26 W	0202	0443	1.0F
	0305	0639	2.7E		1016	1233	1.4F		0318	0740	2.5E		0340	0823	3.2E		0439	1029	2.5E		0659	1128	3.3E
	1040	1244	0.9F		1459	1814	2.1E		1347	1446	0.1F		1356	1617	0.6F		1520	1801	1.0F		1529	1814	1.9F
	1454	1829	1.9E		2118				1552	1909	0.5E		1951	2056	0.1E		2106	2339	0.7E		2109		
12 Th		0049	1.6F	27 F	0027	0227	2.2F	12 Su	0122	029F	2.9E	27 M	0223	010F	1.0F	12 W	0213	0448	0.8F	27 Th	0311	0556	1.8F
	0345	0741	2.5E		0327	0724	3.4E		0417	0934	2.4E		0511	1023	3.4E		0656	1140	3.2E		0827	1220	3.7E
	1234	1406	0.3F		1203	1402	0.8F		1527	1740	0.4F		1515	1800	1.3F		1549	1832	1.6F		1602	1846	2.3F
	1547	1922	1.1E		1618	1915	1.1E		2042	2222	0.2E		2127	2327	0.5E		2130				2135		
13 F		0141	1.3F	28 Sa	0124	1.8F	13 M	0332	0.7F	28 Tu	0127	0439	1.2F	13 Th	0019	1.5E	28 F	0047	2.9E				
	0436	0906	2.5E		0425	0855		3.4E	0557		1114	2.9E	0705		1145	4.0E		0818	1225	3.8E	0356	0645	2.5F
	1438	1614	0.3F		1406	1618		0.7F	1559		1837	1.1F	1601		1847	2.0F		1615	1858	2.2F	0926	1300	4.0E
	1804	2101	0.6E		1910	2109		0.4E	2146				2156					2151			1630	1914	2.7F
14 Sa		0259	1.0F	29 Su	0254	1.4F	14 Tu	0002	0.6E	29 W	0259	0027	1.4E	14 F	0050	2.3E	29 Sa	0118	3.7E				
	0545	1036	2.8E		0546	1035		3.8E	0217		0513	1.0F	0830		1239	4.5E		0915	1301	4.3E	0433	0724	3.0F
	1536	1755	0.7F		1522	1802		1.4F	1626		1												

Basilan Strait (off Zamboanga), Philippines, 2012

F—Flood, Dir. 270° True E—Ebb, Dir. 090° True

October				November				December																					
Slack		Maximum		Slack		Maximum		Slack		Maximum		Slack		Maximum															
h	m	h	m	knots	h	m	h	m	knots	h	m	h	m	knots															
1 M		0539	0829	3.5F	16 Tu		0526	0818	4.0F	1 Th		0629	0914	3.1F	16 F		0647	0934	3.7F	1 Sa		0652	0936	2.9F	16 Su		0723	1008	3.5F
		1124	1429	3.8E			1120	1415	3.7E			1215	1459	2.6E			1244	1515	2.5E			1240	1516	2.1E			1315	1550	2.4E
		1736	2025	3.3F			1711	2006	3.7F			1746	2042	2.9F			1747	2055	3.6F			1754	2053	2.7F			1826	2131	3.3F
		2307					2249					2323					2341					2334							
2 Tu		0610	0859	3.5F	17 W		0607	0858	4.1F	2 F		0701	0944	2.9F	17 Sa		0732	1017	3.4F	2 Su		0725	1007	2.7F	17 M		0803	1046	3.1F
		1155	1455	3.5E			1202	1449	3.4E			1244	1527	2.4E			1326	1555	2.2E			1311	1548	2.0E			1350	1632	2.4E
		1757	2047	3.2F			1739	2037	3.8F			1811	2108	2.8F			1826	2135	3.2F			1825	2125	2.6F			1916	2215	2.8F
		2330					2322					2350																	
3 W		0642	0927	3.3F	18 Th		0651	0938	3.8F	3 Sa		0736	1016	2.6F	18 Su		0820	1101	2.8F	3 M		0800	1041	2.5F	18 Tu		0842	1125	2.7F
		1224	1520	3.2E			1243	1525	3.0E			1316	1556	2.0E			1409	1639	1.9E			1344	1622	1.9E			1426	1717	2.4E
		1818	2110	3.1F			1807	2110	3.7F			1837	2136	2.5F			1911	2218	2.7F			1902	2159	2.3F			2014	2303	2.2F
		2354					2357																						
4 Th		0714	0957	3.0F	19 F		0737	1020	3.3F	4 Su		0815	1052	2.2F	19 M		0911	1150	2.3F	4 Tu		0837	1118	2.3F	19 W		0920	1205	2.3F
		1252	1545	2.8E			1325	1601	2.4E			1351	1628	1.7E			1456	1730	1.6E			1420	1702	1.8E			1504	1808	2.3E
		1840	2134	2.9F			1838	2145	3.3F			1907	2207	2.1F			2008	2307	2.0F			1948	2239	1.9F			2125	2357	1.5F
5 F		0018	0401	4.8E	20 Sa		0033	0426	5.6E	5 M		0047	0450	4.2E	20 Tu		0148	0554	4.0E	5 W		0114	0516	4.0E	20 Th		0225	0615	3.1E
		0750	1028	2.5F			0829	1107	2.6F			0901	1134	1.7F			1007	1246	1.8F			0917	1159	2.0F			1000	1248	1.9F
		1321	1611	2.3E			1410	1641	1.8E			1433	1708	1.3E			1550	1836	1.4E			1501	1751	1.7E			1545	1910	2.2E
		1902	2159	2.5F			1912	2223	2.7F			1945	2243	1.6F			2133					2050	2329	1.4F			2301		
6 Sa		0043	0432	4.3E	21 Su		0112	0513	4.9E	6 Tu		0121	0534	3.6E	21 W		0239	0655	3.0E	6 Th		0156	0602	3.3E	21 F		0316	0707	2.1E
		0832	1103	1.9F			0930	1202	1.9F			0958	1229	1.3F			1109	1352	1.4F			1003	1247	1.7F			1043	1339	1.5F
		1353	1640	1.8E			1504	1729	1.2E			1529	1805	1.0E			1653	2006	1.5E			1548	1856	1.7E			1634	2027	2.3E
		1926	2226	2.1F			1955	2308	2.0F			2046	2334	1.1F			2343					2222							
7 Su		0110	0509	3.8E	22 M		0155	0610	3.9E	7 W		0202	0633	2.9E	22 Th		0352	0816	2.2E	7 F		0252	0702	2.6E	22 Sa		0436	0820	1.3E
		0926	1147	1.3F			1047	1316	1.3F			1109	1344	1.1F			1216	1506	1.3F			1055	1346	1.6F			1135	1441	1.3F
		1431	1713	1.2E			1621	1843	0.7E			1646	1939	0.9E			1758	2142	1.9E			1644	2019	2.0E			1732	2151	2.6E
		1954	2257	1.5F			2108																						
8 M		0140	0556	3.1E	23 Tu		0250	0731	3.0E	8 Th		0306	0800	2.4E	23 F		0552	0948	1.8E	8 Sa		0424	0822	2.0E	23 Su		0651	0955	0.9E
		1047	1255	0.7F			1222	1459	1.0F			1225	1510	1.1F			1318	1611	1.4F			1154	1453	1.6F			1240	1551	1.3F
		1533	1805	0.6E			1808	2054	0.8E			1806	2131	1.4E			1855	2253	2.7E			1745	2143	2.7E			1833	2301	3.1E
		2036	2341	0.9F			2353																						
9 Tu		0219	0713	2.5E	24 W		0218	0618	0.6F	9 F		0112	0315	0.6F	24 Sa		0257	0518	1.1F	9 Su		0157	0412	1.0F	24 M		0334	0557	1.0F
		1243	1502	0.5F			0423	0921	2.6E			0511	0938	2.3E			0745	1103	1.7E			0634	0953	1.6E			0841	1118	0.9E
		1804	2028	0.3E			1343	1628	1.3F			1328	1617	1.5F			1409	1703	1.7F			1255	1600	1.8F			1347	1655	1.5F
		2259					1923	2242	1.5E			1904	2243	2.3E			1941	2342	3.4E			1844	2252	3.6E			1931	2354	3.7E
10 W		0335	0916	2.4E	25 Th		0208	0428	0.8F	10 Sa		0226	0451	1.2F	25 Su		0342	0615	1.6F	10 M		0300	0534	1.6F	25 Tu		0413	0647	1.6F
		1406	1647	0.9E			0638	1050	2.6E			0714	1053	2.4E			0900	1157	1.8E			0823	1111	1.6E			0945	1216	1.1E
		1945	2246	0.9E			1436	1722	1.7F			1415	1706	1.9F			1449	1745	2.0F			1353	1659	2.1F			1443	1747	1.7F
							2008	2338	2.4E			1948	2333	3.3E			2022					1940	2347	4.6E			2022		
11 Th		0153	0409	0.6F	26 F		0309	0543	1.5F	11 Su		0314	0554	2.0F	26 M		0418	0658	2.1F	11 Tu		0350	0633	2.4F	26 W		0445	0725	2.0F
		0607	1048	2.7E			0813	1149	2.7E			0838	1149	2.6E			0953	1239	1.9E			0938	1212	1.7E			1028	1259	1.4E
		1450	1734	1.5F			1514	1800	2.0F			1454	1747	2.4F			1524	1821	2.2F			1443	1750	2.6F			1528	1830	2.1F
		2024	2337	1.8E			2041					2027					2058					2031							
12 F		0250	0526	1.4F	27 Sa		0017	3.3E	12 M		0015	4.4E	27 Tu		0056	4.6E	12 W		0036	5.4E	12 Th		0114	4.6E					
		0750	1144	3.2E			0351	0632		2.1F		0357		0644	2.8F			0450	0733	2.5F			0435	0723	3.0F		0515	0758	2.4F
		1523	1807	2.1F			0916	1232		2.9E		0940		1236	2.7E			1033	1315	2.0E			1034	1302	2.0E		1102	1335	1.7E
		2052					1544	1831		2.4F		1529		1825	2.9F			1556	1853	2.5F			1530	1838	3.0F		1606	1908	2.4F
13 Sa		0331	0617	2.2F	28 Su		0050	4.1E	13 Tu		0055	5.4E	28 W		0128	4.9E	13 Th		0122	6.1E	28 F		0147	5.0E					

Pages 178 through 192 intentionally omitted

EXTRA CURRENTS, 2012

Wrangell Narrows, Alaska

February

	Slack	Maximum	
	h m	h m	knots
1		2346	0.5E
2	2142		

March

	Slack	Maximum	
	h m	h m	knots
31		2343	0.6E

April

	Slack	Maximum	
	h m	h m	knots
1	2125		

August

	Slack	Maximum	
	h m	h m	knots
10		2242	1.1E
11	2011	2359	1.1E

October

	Slack	Maximum	
	h m	h m	knots
9	2005	2136	0.9E
		2234	0.9E
		2346	1.0E

Montague Strait, Alaska

January

	Slack	Maximum	
	h m	h m	knots
30		2140	*

February

	Slack	Maximum	
	h m	h m	knots
29		2159	*

May

	Slack	Maximum	
	h m	h m	knots
13	2043	2256	0.4E

Tesoro Pier, Alaska

February

	Slack	Maximum	
	h m	h m	knots
2		1715	1.4E
		1828	1.5E
3	2019	1913	1.7E
3	2111		
17	2038		
18		1932	2.0E
	2134		

March

	Slack	Maximum	
	h m	h m	knots
2	1943		
3		1855	1.3E
		2036	
16	1905	2328	3.1F
17	2013		
18		1913	1.8E
	2107		
30		2247	2.1F
31	1851	2346	2.3F

April

	Slack	Maximum	
	h m	h m	knots
14		1610	0.7E
		1700	0.8E
		1828	2.8F
15	1935	2357	3.2F
16	2029		

May

	Slack	Maximum	
	h m	h m	knots
13	1738	2038	2.6F
14	1844	2313	2.8F

August

	Slack	Maximum	
	h m	h m	knots
12	2020		
28	1554	1935	2.2E
	2134		
29	1635	2014	2.4E
	2223		

September

	Slack	Maximum	
	h m	h m	knots
10	1950	2208	2.0F
		2251	2.0F
11	1530	1857	1.7E
	2044		
12	1602	1929	1.8E
	2129		
25	2016		

October

	Slack	Maximum	
	h m	h m	knots
8	1806	2018	2.1F
9	1911	2121	2.1F
10	2006	2228	2.4F
22	1730	1957	2.7F
	2349		
24	1947	2340	2.9F
25	2043		
26	1533	1919	2.3E
	2130		

November

	Slack	Maximum	
	h m	h m	knots
21	1805	2041	2.5F
22	1910	2304	2.7F

Knik Arm, Alaska

January

	Slack	Maximum		
	h m	h m	knots	
4	2303			
5		926	3.1E	
		1122	1308	2.9F
		1659	1946	4.6E
		2355		
6	1750	2037	5.1E	

February

	Slack	Maximum		
	h m	h m	knots	
3	1624	1905	4.0E	
	2327			
4		952	3.1E	
		1148	1334	2.9F
		1723	2010	4.6E

March

	Slack	Maximum		
	h m	h m	knots	
2	2155	2332	2.6F	
3		2016	3.1E	
		2053	3.2E	
4	2255			
		926	3.0E	
		1119	1302	2.7F
		1656	1937	4.2E
		2348		
17	2229			

April

	Slack	Maximum	
	h m	h m	knots
2	1625	1900	4.1E
	2312		
15	2159		

May

	Slack	Maximum	
	h m	h m	knots
15	2221		

June

	Slack	Maximum	
	h m	h m	knots
13	2142	2331	3.3F
14	2237		
15	1711	1957	3.5E
	2330		

July

	Slack	Maximum	
	h m	h m	knots
14	2259		
15		2152	3.4E
	2353		

August

	Slack	Maximum		
	h m	h m	knots	
11	2128	2307	2.7F	
12		1938	2.4E	
		2047	2.6E	
	2230			
13		1341	2.7F	
		1452	2.9F	
		1703	1957	3.0E
		2327		

September

	Slack	Maximum	
	h m	h m	knots
10	2202	2335	2.4F
11	2300		
12		2141	3.8E
	2350		

October

	Slack	Maximum	
	h m	h m	knots
9	2131	2305	2.5F

November

	Slack	Maximum	
	h m	h m	knots
23	1548	2017	5.0E
	2233		

December

	Slack	Maximum	
	h m	h m	knots
22	2159		
23	1600	2038	4.6E
	2254		
24	1654	2122	4.9E
	2345		

North Inian Pass

January

	Slack	Maximum	
	h m	h m	knots
18	2204		
19		2059	0.9F
	2301		

February

	Slack	Maximum	
	h m	h m	knots
15	2036	2319	1.3E
16	2153		

March

	Slack	Maximum	
	h m	h m	knots
15	2015	2311	1.3E
16	2128		

April

	Slack	Maximum	
	h m	h m	knots
14	2048		
15		1959	0.7F
	2144		

July

	Slack	Maximum	
	h m	h m	knots
28	2129		
29	1706	1850	1.1F
	2227		

August

	Slack	Maximum	
	h m	h m	knots
26	2119		
27	1648	1838	1.1F
	2218		

September

	Slack	Maximum	
	h m	h m	knots
24	2101	2359	1.8E
25	2200		

October

	Slack	Maximum	
	h m	h m	knots
24	2134		
25	1706	2013	1.0F
	2222		

TABLE 2. — CURRENT DIFFERENCES AND OTHER CONSTANTS AND ROTARY TIDAL CURRENTS

EXPLANATION OF TABLE

In this publication, reference stations are those for which daily predictions are listed in Table 1. Those stations appearing in Table 2 are called subordinate stations. The principal purpose of Table 2 is to present data that will enable one to determine the approximate times of minimum currents (slack waters) and the times and speeds of maximum currents at numerous subordinate stations on the Pacific Coast of North America and Asia. By applying the specific corrections given in Table 2 to the predicted times and speeds of the current at the appropriate reference station, reasonable approximations of the current at the subordinate station may be compiled.

Locations and Depths.—Because the latitude and longitude are listed according to the exactness recorded in the original survey records, the locations of the subordinate stations are presented in varying degrees of accuracy. Since a minute of latitude is nearly equivalent to a mile, a location given to the nearest minute may not indicate the exact position of the station. This should be noted, especially in the case of a narrow stream, where the nearest minute of latitude or longitude may locate a station inland. In such cases, unless the description locates the station elsewhere, reference is made to the current in the center of the channel. In some instances, the charts may not present a convenient name for locating a station. In those cases, the position may be described by a bearing from some prominent place on the chart.

Although current measurements may have been recorded at various depths in the past, the data listed here for most of the subordinate stations are mean values determined to have been representative of the current at each location. For that reason, no specific current meter depths for those stations are given in Table 2. In recent years, however, new data from individual meter depths at a given location have been published and subsequent new data also may be presented in a similar manner.

Since most of the current data in Table 2 came from meters suspended from survey vessels or anchored buoys, the listed depths are those measured downward from the surface. Some later data have come from meters anchored at fixed depths from the bottom. Those meter positions were defined as depths below chart datum. Such defined depths in this and subsequent editions will be accompanied by the small letter “d.”

Minimum Currents.—Between the maximum flood and maximum ebb phases, the current may or may not diminish to a true slack water or zero speed stage. For that reason, the all-inclusive terms, “minimum before flood” and “minimum before ebb” are used in the Table 2 heading rather than “slack water.” Average speeds and directions of the minimums are given where they are known. Dashes are used where the values are unknown or unreliable and should not be interpreted as zero speed values.

Maximum Currents.—Near the coast and in inland tidal waters, the current increases from minimum current (slack water) for a period of about 3 hours until the maximum speed or the strength of the current is reached. The speed then decreases for another period of about 3 hours when minimum current is again reached and the current begins a similar cycle in the opposite direction. The current that flows toward the coast or up a stream is known as the flood current; the opposite flow is known as the ebb current. Table 2 lists the average speeds and directions of the maximum floods and maximum ebbs. The directions are given in degrees, true, reading clockwise from 000° at north to 359° and are the directions toward which the current flow.

Differences and speed Ratios.—Table 2 contains mean time differences by which the reader can compile approximate times for the minimum and maximum current phases at the subordinate stations. Time differences for those phases should be applied to the corresponding phases at the reference station. It will be seen upon inspection that some subordinate stations exhibit either a double flood or a double ebb stage, or both. Explanations of these stages can be found in the glossary located elsewhere

TABLE 2. — CURRENT DIFFERENCES AND OTHER CONSTANTS AND ROTARY TIDAL CURRENTS

in this publication. In those cases, a separate time difference is listed for each of the three flood (or ebb) phases and these should be applied only to the daily maximum flood (or ebb) phase at the reference station. The results obtained by the application of the time differences will be based upon the time meridian shown above the name of the subordinate station. Differences of time meridians between a subordinate station and its reference station have been accounted for and no further adjustment by the reader is needed. Summer or daylight-saving time is not used in this publication.

The speed ratios are used to compile approximations of the daily current speeds at the subordinate stations and refer only to the maximum floods and ebbs. No attempt is made to predict the speeds of the minimum currents. Normally, these ratios should be applied to the corresponding maximum current phases at the reference station. As mentioned above, however, some subordinate stations may exhibit either a double flood or a double ebb or both. As with the time differences, separate ratios are listed for each of the three flood (or ebb phases) and should be applied only to the daily maximum flood (or ebb) speed at the reference station. It should be noted that although the speed of a given current phase at a subordinate station is obtained by reference to the corresponding phase at the reference station, the directions of the current at the two places may differ considerably. Table 2 lists the average directions of the various current phases at the subordinate stations.

Rotary Tidal Currents.—Table 5 contains listings of data for those stations which exhibited rotary current patterns. Briefly, a rotary current can be described as one which flows continually with the direction of flow changing through all points of the compass during the tidal period. A more complete description can be found in the glossary located elsewhere in this publication. The average speeds and directions are listed in hour increments as referred to the predicted times of a particular current phase at a reference station in Table 1. The Moon, at times of new, full, or perigee may increase speeds 15 to 20 percent above average; or 30 to 40 percent if perigee occurs at or near the time of new or full Moon. Conversely, the Moon at times of quadrature or apogee may decrease the speeds 15 to 20 percent or 30 to 40 percent if they occur together. Near average speeds may be expected when apogee occurs near or at new or full Moon, or when perigee occurs at or near quadrature. The directions of the currents are given in degrees true, reading clockwise from 000° at north to 359° and are the directions toward which the current flows.

Example of the use of Table 2.—Suppose we wish to calculate the approximate times of the minimum currents and the times and speeds of the maximum currents on a particular morning at the location listed as Cordova, Orca Inlet. From Table 2 we learn that the reference station is Wrangell Narrows whose predicted currents for the morning are listed below. Currents for Cordova can be approximated by using the Table 2 corrections as shown below.

	<i>Minimum before flood</i>			<i>Minimum before ebb</i>		
	<i>h.m.</i>	<i>h.m.</i>	<i>kn.</i>	<i>h.m.</i>	<i>h.m.</i>	<i>kn.</i>
Wrangell Narrows.....	0011	0243	2.8	0613	0912	2.8
Table 2 corrections.....	-023	+019	x0.5 ratio	+023	+016	x0.3 ratio
Cordova.....	2348*	0302	1.4	0636	0928	0.8

* this minimum current phase is seen to occur just before midnight of the previous day.

Table 2 list the mean values of the minimum current phases as 0.0 knots; therefore, no directions are given. The average directions of the maximum flood and maximum ebb are 212° true and 026° true, respectively.

NOTE.—subordinate locations referencing Iloilo, San Bernardino Strait, San Juanico, and Cebu Harbor were included only for future consideration. See IMPORTANT NOTICE on page VII.

TABLE 2 – CURRENT DIFFERENCES AND OTHER CONSTANTS

No.	PLACE	Meter Depth	POSITION		TIME DIFFERENCES				SPEED RATIOS		AVERAGE SPEEDS AND DIRECTIONS			
			Latitude	Longitude	Min. before Flood	Flood	Min. before Ebb	Ebb	Flood	Ebb	Minimum before Flood	Maximum Flood	Minimum before Ebb	Maximum Ebb
		ft	North	West	h m	h m	h m	h m			knots	Dir.	knots	Dir.
1	BAY of PANAMA Time meridian, 75° W		8° 30'	79° 05'	+1 07	+2 02	+2 21	+1 22	0.6	0.4	1.6	005°	1.5	200°
6	Bayoneta I., 1.5 miles W of, Perlas Is Chame Bay Entrance, near Chame Point		8° 39'	79° 43'	+2 10	+2 31	+2 10	+2 45	0.6	0.4	1.8	210°	1.4	065°
11	COSTA RICA Time meridian, 90° W		9° 58'	84° 49'	+0 01	---	+0 44	---	---	---	---	300°	---	---
16	LOWER CALIFORNIA Time meridian, 105° W		24° 32'	112° 02'	-4 43	-3 52	-3 46	-3 45	0.4	0.3	1.3	035°	1.0	---
21	Magdalena Bay entrance		32° 29'	118° 32'	---	---	---	---	0.3	0.1	0.4	315°	0.2	115°
	SAN CLEMENTE ISLAND Time meridian, 120° W													
	SAN DIEGO BAY													
26	Point Loma Light, 0.8 nmi. east of	15d	32° 39.95'	117° 13.57'	-0 18	-0 43	-0 05	+0 45	0.5	0.4	0.6	328°	0.6	174°
	do.	33d	32° 39.95'	117° 13.57'	-1 08	-0 46	-0 08	-0 23	0.4	0.2	0.1	265°	0.1	241°
31	SAN DIEGO BAY ENTRANCE		32° 40.90'	117° 13.80'							0.1	241°	0.1	086°
36	Ballast Point, south of	5d	32° 41.07'	117° 13.93'	-1 04	-1 02	-1 01	-2 03	0.4	0.2	1.2	335°	---	---
41	Ballast Point, 100 yards north of	14d	32° 41.75'	117° 13.95'	-0 27	-0 24	-0 23	-0 02	1.0	0.9	1.2	325°	---	---
46	Ballast Point, 0.55 nmi. north of	34d	32° 41.75'	117° 13.95'	-0 05	-0 39	+0 34	+0 24	0.5	0.4	0.6	354°	0.6	193°
51	do.		32° 42.15'	117° 14.14'	-0 44	+0 15	+0 03	-0 03	0.8	0.8	1.0	344°	0.3	147°
56	Quarantine Station, La Playa	14d	32° 42.78'	117° 12.77'	-0 03	+0 15	+0 20	+0 20	0.5	0.2	1.0	021°	0.2	200°
	do.	34d	32° 42.78'	117° 12.77'	-0 26	-0 56	-0 54	-0 33	0.5	0.4	0.6	062°	0.6	245°
61	Harbor Island (east end), SSW of	15d	32° 43.15'	117° 11.50'	-0 43	-1 05	-0 44	-0 33	0.3	0.2	0.4	077°	0.3	241°
66	San Diego 0.5 mile west of		32° 43.32'	117° 11.11'	+0 29	+0 09	-0 24	+0 23	0.3	0.3	0.1	031°	---	---
71	Airport CGS, 0.3 nmi. SE of	14d	32° 43.32'	117° 10.67'	-0 16	-0 08	-0 12	-0 12	0.6	0.5	0.7	121°	---	---
76	B St. Pier (San Diego) <1>	34d	32° 43.02'	117° 10.58'										
81	G St. Pier (San Diego), 0.22 nmi. SW of	14d	32° 42.50'	117° 10.65'	+0 10	+0 20	-0 03	+0 41	0.3	0.3	0.4	139°	0.5	304°
	do.	37d	32° 42.50'	117° 10.65'	-0 23	+0 21	-0 18	+0 58	0.3	0.2	0.3	125°	0.3	301°
86	Fifth Avenue Marina Entrance	11d	32° 42.33'	117° 09.92'	-0 12	+0 09	+1 46	+1 07	0.1	0.1	0.2	031°	---	---
91	Coronado, off northeast end	14d	32° 41.88'	117° 09.83'	-0 24	-0 59	-0 51	+0 09	0.7	0.5	0.8	128°	0.7	317°
	do.	38d	32° 41.88'	117° 09.83'	-0 41	-0 59	-1 01	+0 03	0.5	0.4	0.6	130°	0.5	319°
96	28th St. Pier (San Diego), 0.92 nmi. SW	7d	32° 40.48'	117° 08.97'	-0 44	-1 17	-1 10	-0 05	0.2	0.1	0.2	182°	0.2	351°
101	28th St. Pier (San Diego), 0.35 nmi. SW	14d	32° 40.97'	117° 08.57'	-0 14	+0 15	+0 15	+0 13	0.3	0.2	0.4	133°	0.3	317°
	do.	28d	32° 40.97'	117° 08.57'	+0 01	+0 24	+0 15	+0 35	0.2	0.2	0.3	148°	0.3	328°
106	National City		32° 39.73'	117° 07.53'	+0 23	0 00	+0 34	+0 50	0.4	0.4	0.5	166°	0.6	002°
111	National City, WSW of Pier 12	32d	32° 39.73'	117° 07.53'	+0 22	+0 34	+0 34	+0 58	0.2	0.2	0.2	178°	0.2	351°
116	Sweetwater Channel, southwest of	14d	32° 38.70'	117° 07.37'	+0 29	-0 33	-0 05	+0 46	0.1	0.2	0.2	203°	0.3	348°
	CALIFORNIA COAST													
121	San Pedro Channel <2>		33° 36'	118° 16'	---	---	---	---	---	---	---	---	---	---
126	Los Angeles and Long Beach Harbors <3>		---	---	---	---	---	---	---	---	---	---	---	---
131	El Segundo, Santa Monica Bay <4>		33° 54'	118° 26'	---	---	---	---	---	---	0.6	330°	---	---
136	Point Arguello		34° 34'	120° 40'	-2 21	-2 21	-2 21	-2 01	0.2	0.2	0.5	005°	0.5	185°
141	Point San Luis		35° 09'	120° 46'	-2 01	-2 01	-2 01	-2 01	0.2	0.2	0.5	305°	0.5	125°
146	Point Piedras Blancas		35° 40'	121° 18'	-1 29	-1 29	-1 29	-1 29	0.2	0.2	0.5	315°	0.5	155°
151	Point Sur		36° 18'	121° 55'	-1 11	-1 11	-1 11	-1 11	0.2	0.2	0.5	325°	0.5	145°

Endnotes can be found at the end of table 2.

TABLE 2 – CURRENT DIFFERENCES AND OTHER CONSTANTS

No.	PLACE	Meter Depth	POSITION		TIME DIFFERENCES				SPEED RATIOS		AVERAGE SPEEDS AND DIRECTIONS			
			Latitude	Longitude	Min. before Flood	Flood	Min. before Ebb	Ebb	Flood	Ebb	Minimum before Flood	Maximum Flood	Minimum before Ebb	Maximum Ebb
	MONTEREY BAY Time meridian, 120° W	ft	North	West	h m	h m	h m	h m	0.2	0.2	knots	Dir.	knots	Dir.
156	Point Pinos		36° 38'	121° 57'	-1 01	-1 01	-1 01	-1 01	0.2	0.2	0.5	035°	--	--
161	Point Santa Cruz, 2 miles south of		36° 55'	122° 01'	Current weak and variable									
	CALIFORNIA COAST—cont.													
	GOLDEN GATE and APPROACHES <5>													
176	Point Lobos, 8.7 miles WSW of <6>	39d	37° 45'	122° 42'	-0 30	-0 30	-0 30	-0 30	0.1	0.1	0.4	135°	--	--
181	Point Bonita Lt., 5.27 nmi. WSW of		37° 48.27'	122° 38.33'	-1 52	-1 41	-1 41	-1 19	0.2	0.2	0.5	266°	0.1	196°
186	Point Lobos, 5 miles west of <7>	46d	37° 47'	122° 37'	--	-0 10	--	-0 32	0.2	0.2	0.6	020°	--	--
191	Point Lobos, 3.73 nmi. W of		37° 47.25'	122° 35.32'	-2 14	-1 09	-1 10	-0 49	0.3	0.2	0.8	092°	--	--
196	Point Lobos, 2.5 miles west of <7>	46d	37° 46.37'	122° 34.90'	+0 26	+0 26	+0 26	+0 26	0.3	0.5	0.9	080°	--	--
201	Point Lobos, 1.3 nmi. SW of		37° 46.30'	122° 32.13'	-1 24	-0 57	-0 23	-0 24	0.4	0.3	1.1	182°	--	--
206	South Channel		37° 45'	122° 32'	-1 29	-1 27	-1 04	-1 10	0.4	0.4	1.2	023°	--	--
211	Point Lobos, 5.47 nmi. SW of	39d	37° 43.23'	122° 35.87'	-1 59	-2 08	-1 41	-1 28	0.2	0.2	0.6	048°	--	--
216	Bonita Channel approach <7>		37° 50'	122° 37'	--	-0 16	--	-1 14	0.2	0.2	0.5	061°	--	--
221	Bonita Channel, off Tennessee Cove <7>		37° 50.05'	122° 33.78'	--	-0 40	--	-1 14	0.4	0.2	1.1	112°	--	--
226	Bonita Channel, off Point Bonita		37° 48.95'	122° 32.13'	--	-0 28	--	-2 14	0.4	0.1	1.3	115°	--	--
231	Point Bonita, 0.8 nmi. NE of	22d	37° 49.25'	122° 30.97'	-4 49	-3 54	-5 11	-4 19	0.3	0.3	0.2	323°	0.1	326°
	do.	41d	37° 49.25'	122° 30.97'	-5 10	-4 29	-5 35	-4 19	0.2	0.2	0.6	064°	0.2	326°
236	Point Bonita Lt., 0.4 nmi. SSE of	43d	37° 48.72'	122° 31.27'	-0 46	-1 06	-3 10	-1 13	0.1	0.4	0.3	104°	0.1	162°
241	Point Bonita, 0.95 nmi. SSE of	22d	37° 48.07'	122° 31.13'	-0 28	-0 38	-0 28	-0 51	0.7	0.8	2.1	072°	0.5	159°
	do.	42d	37° 48.07'	122° 31.13'	-0 32	-0 38	-0 17	-0 46	0.2	0.6	2.1	072°	0.3	159°
246	Mile Rock Lt., 0.2 nmi. NW of	15d	37° 47.72'	122° 30.68'	-0 33	-0 31	-0 32	-0 51	0.8	0.8	2.5	063°	0.1	340°
	do.	35d	37° 47.72'	122° 30.68'	-0 46	-0 34	-0 27	-0 52	0.9	0.7	2.6	230°	0.1	340°
251	Point Diablo, 0.2 mile SE of		37° 49.07'	122° 29.80'	-0 07	-0 59	-1 37	-0 10	0.6	0.9	1.8	082°	--	--
256	Baker Beach (South Bay), 0.3 nmi. NW of	31d	37° 47.87'	122° 29.31'	-5 04	-4 21	-2 49	-3 10	0.4	0.3	0.2	113°	0.2	161°
	do.	50d	37° 47.87'	122° 29.31'	-5 09	-4 20	-2 23	-3 12	0.3	0.2	1.0	043°	0.2	162°
261	Fort Point, 0.3 nmi. west of	75d	37° 48.55'	122° 28.97'	-2 08	-0 47	+0 12	+0 02	0.5	0.2	0.6	342°	0.2	101°
266	SAN FRANCISCO BAY ENT. (Outside)		37° 48.63'	122° 30.13'	Daily predictions									
	GOLDEN GATE BRIDGE	22d	37° 49.75'	122° 27.73'	on Golden Gate Bridge, p.12									
	do.	35d	37° 49.75'	122° 27.73'	Daily predictions									
271	do.	48d	37° 49.75'	122° 27.73'	-0 08	-0 02	-0 02	-0 11	1.0	1.0	2.8	055°	0.4	144°
276	Golden Gate Bridge 0.46 nmi. east of	20d	37° 49.20'	122° 28.37'	-0 13	-0 04	-0 03	-0 15	1.0	1.0	2.8	055°	0.4	142°
	do.	39d	37° 49.20'	122° 28.37'	+0 29	+0 10	+0 02	-0 14	1.0	1.3	2.8	053°	0.3	140°
	do.	69d	37° 49.20'	122° 28.37'	-0 03	-0 19	-0 04	-0 23	0.9	1.3	2.7	060°	--	--
281	Golden Gate Bridge, 0.8 mile east of		37° 49.10'	122° 25.32'	-0 03	-0 24	-0 02	-0 16	0.9	1.2	2.5	074°	--	--
286	Fort Point, 0.5 nmi. east of	55d	37° 48.7'	122° 27.98'	+0 37	+0 14	+0 25	+0 34	0.9	1.3	2.5	070°	--	--
	do.		37° 48.7'	122° 27.98'	-0 48	-2 48	-0 32	-1 17	0.2	0.7	0.6	099°	0.5	251°
	SAN FRANCISCO BAY, South <8>													
291	Alcatraz Island, 0.2 mile west of	20d	37° 49.67'	122° 25.82'	+0 09	-0 14	+0 22	+0 34	0.8	1.2	2.3	070°	--	--
296	do.	42d	37° 48.87'	122° 25.92'	-0 12	-0 37	-0 45	-0 32	0.5	0.9	1.4	080°	--	--
	do.	68d	37° 48.87'	122° 25.92'	-0 20	-0 34	-0 24	-0 31	0.4	0.8	1.2	082°	0.1	167°
301	Alcatraz Island, south of		37° 48.87'	122° 25.92'	-0 42	-0 27	-0 25	-0 29	0.3	0.6	0.9	080°	0.1	163°
306	Alcatraz Island, 0.5 mile north of <9>		37° 50.1'	122° 25.32'	+0 10	-0 04	+0 05	-0 07	0.5	1.1	1.5	093°	--	--
311	Alcatraz Island, 0.8 mile east of		37° 49.10'	122° 24.03'	+1 08	+0 38	-0 11	+0 24	0.7	1.4	1.8	066°	--	--
	do.		37° 49.10'	122° 24.03'	-0 18	-1 10	-0 43	-0 03	0.4	1.2	1.1	134°	--	--

Endnotes can be found at the end of table 2.

TABLE 2 – CURRENT DIFFERENCES AND OTHER CONSTANTS

No.	PLACE	Meter Depth	POSITION		TIME DIFFERENCES				SPEED RATIOS		AVERAGE SPEEDS AND DIRECTIONS			
			Latitude	Longitude	Min. before Flood	Flood	Min. before Ebb	Ebb	Flood	Ebb	Minimum before Flood	Maximum Flood	Minimum before Ebb	Maximum Ebb
	SAN FRANCISCO BAY, South <8>--cont. Time meridian, 120° W	ft	North	West	h m	h m	h m	h m			knots	Dir.	knots	Dir.
316	Treasure Island, 0.78 NW of	10d	37° 50.25'	122° 23.38'	-1 00	-1 00	+0 30	-1 33	0.4	0.6	1.2	122°	0.2	016°
	do.	20d	37° 50.25'	122° 23.38'	-1 44	-0 37	-0 31	-1 26	0.3	0.4	0.9	122°	0.1	023°
321	Treasure Island, 0.8 mile west of	8	37° 49.3'	122° 23.5'	-0 06	-0 38	-0 41	-0 10	0.4	1.4	1.2	148°	--	--
326	Treasure Island, 0.2 mile west of	8	37° 49.3'	122° 22.7'	-0 59	-0 51	-0 34	-0 39	0.5	1.1	1.3	172°	--	--
	on Oakland, p.16													
331	Yerba Buena Island, W. of (midchannel)	13d	37° 48.6'	122° 23'	+1 11	-0 03	+0 01	+1 07	1.0	2.0	1.4	168°	--	--
336	OAKLAND, YERBA BUENA ISLAND	29d	37° 48.59'	122° 21.04'	-0 38	-0 04	-0 01	-0 07	0.7	0.6	1.4	167°	0.1	254°
	do.										1.0	163°	0.1	080°
341	San Francisco-Oakland Bay Bridge <5>	8d	37° 50.43'	122° 22.10'	+0 31	+0 02	+0 22	+0 42	0.8	0.9	1.1	118°	--	--
346	Treasure Island, 0.5 mile north of	11d	37° 49.50'	122° 20.78'	-0 13	+0 16	+0 24	-0 26	0.6	0.5	0.8	161°	--	--
351	Treasure Island, 0.85 nmi. east of	8d	37° 49.6'	122° 21.3'	+1 12	+0 13	+0 00	+1 02	1.0	1.2	1.4	140°	--	--
356	Treasure Island, 0.3 mile east of	23d	37° 48.25'	122° 21.43'	+0 31	+0 05	+0 21	+0 21	0.5	0.8	0.6	159°	0.1	259°
361	Yerba Buena Island, 0.3 nmi. SE of	8d	37° 48.4'	122° 20.7'	-0 04	-0 07	+0 22	+0 09	1.1	1.3	1.6	172°	--	--
366	Oakland Outer Harbor entrance	8d	37° 48.1'	122° 20.4'	-0 11	-0 12	-0 01	-0 09	0.7	1.2	1.0	178°	--	--
371	Oakland Inner Harbor entrance	8d	37° 47.7'	122° 19.1'	+0 25	-0 21	+0 05	+0 31	0.4	0.6	0.5	122°	--	--
376	Oakland Inner Harbor channel	8d	37° 47.67'	122° 17.15'	-0 55	+0 01	-0 05	-0 12	0.2	0.1	0.3	082°	--	--
381	Oakland Inner Harbor Reach	33d	37° 47.50'	122° 16.47'	+0 08	-0 32	-0 18	-0 03	0.6	0.8	0.9	120°	--	--
386	Oakland Harbor, Webster Street	6	37° 45.88'	122° 13.48'	+0 22	-0 49	-0 18	-0 14	1.0	1.1	1.4	150°	--	--
391	Oakland Harbor, High Street Bridge	6	37° 45.88'	122° 13.48'	+0 22	-0 49	-0 18	-0 14	1.0	1.1	1.4	150°	--	--
396	Oakland 7th St. Marine, 0.6 nmi. SSW of	21d	37° 47.67'	122° 20.65'	-0 01	+0 27	-0 02	+0 03	0.8	0.6	1.1	154°	--	--
	on Golden Gate Bridge, p.12													
401	Rincon Point, 0.57 nmi. east of	20d	37° 47.42'	122° 22.40'	-0 11	-0 33	-0 22	-0 21	0.7	1.2	2.0	141°	--	--
	do.	40d	37° 47.42'	122° 22.40'	-0 23	-0 34	-0 17	-0 36	0.6	0.9	1.7	130°	--	--
	do.	58d	37° 47.42'	122° 22.40'	-0 30	-0 28	-0 22	-0 32	0.5	0.6	1.2	151°	--	--
406	Rincon Point, midbay	11	37° 47.00'	122° 21.23'	-0 27	-0 34	-0 40	-0 33	0.8	1.2	2.1	166°	--	--
411	Mission Rock, 0.6 mile east of	8	37° 46.5'	122° 22.1'	-0 14	-0 22	-0 10	-0 03	0.9	1.3	2.5	160°	--	--
416	Mission Rock, 1.3 mile east of	8	37° 46.5'	122° 21.2'	-0 04	-0 32	-0 04	+0 05	0.8	1.2	2.1	182°	--	--
421	Mission Rock, 2.0 miles east of	20d	37° 46.6'	122° 20.3'	-0 54	-0 52	-0 20	-0 29	0.6	1.3	1.7	143°	--	--
426	Potrero Point, 1.08 nmi. east of	49d	37° 45.45'	122° 21.47'	-0 13	-0 26	-0 08	-0 13	0.6	1.0	1.7	169°	--	--
	do.				-0 20	-0 33	+0 07	+0 04	0.4	0.6	1.2	139°	--	--
431	Potrero Point, 2 miles east of	4d	37° 45'	122° 20'	-0 13	-0 45	+0 01	-0 11	0.6	0.9	1.6	159°	--	--
436	Alameda Radar Tower, 0.9 nmi. SSW of	4d	37° 44.73'	122° 16.98'	-1 00	-1 15	-1 20	-1 21	0.2	0.4	0.5	132°	--	--
441	Point Avisadero, 0.3 mile east of	441	37° 43.8'	122° 20.2'	-0 06	-0 28	-0 05	+0 11	0.6	1.1	1.6	156°	--	--
446	Point Avisadero, 1 mile east of	446	37° 43.8'	122° 20.2'	-0 08	-0 05	+0 33	+0 24	0.6	0.9	1.6	154°	--	--
451	Point Avisadero, 2 miles east of	451	37° 43.9'	122° 18.8'	-0 08	-0 13	-0 02	+0 07	0.5	0.9	1.5	148°	--	--
456	Point Avisadero, 0.6 nmi. ESE of	20d	37° 43.38'	122° 19.43'	-0 08	-0 32	-0 06	-0 08	0.5	0.8	1.4	140°	0.1	064°
	do.	37d	37° 43.38'	122° 19.43'	-0 13	-0 30	-0 02	-0 12	0.4	0.5	1.1	132°	0.1	066°
	do.	20d	37° 42.47'	122° 20.97'	-0 21	-0 22	-0 21	-0 21	0.4	0.6	1.2	175°	0.1	274°
461	Point Avisadero, 1.25 nmi. SSE of	32d	37° 42.47'	122° 20.97'	-0 19	-0 13	-0 25	-0 17	0.3	0.5	0.9	186°	--	--
	do.	3d	37° 40.93'	122° 13.85'	-0 41	-0 53	-0 31	-0 47	0.3	0.4	0.1	212°	--	--
466	Oakland Airport, southwest of	18d	37° 41.08'	122° 21.40'	-0 23	-0 41	-0 17	-0 09	0.4	0.6	1.0	180°	--	--
471	Sierra Point, 1.3 miles ENE of	18d	37° 40.68'	122° 19.05'	-0 18	-0 37	-0 18	+0 09	0.3	0.4	0.1	072°	0.1	279°
476	Sierra Point, 1.2 nmi. east of	18d	37° 39.9'	122° 19.4'	-0 05	-0 27	-0 05	+0 15	0.4	0.7	1.0	172°	--	--
481	Oyster Point, 2.8 miles east of	18d	37° 40.4'	122° 17.7'	-0 24	-0 41	-0 01	-0 02	0.4	0.5	1.0	152°	--	--
486	Sierra Point, 4.4 miles east of	10d	37° 39.25'	122° 21.83'	-0 52	-0 34	-0 01	-0 36	0.2	0.3	0.6	174°	--	--
491	Point San Bruno, 0.51 nmi. east of	5d	37° 39.03'	122° 13.63'	-0 51	-0 59	-0 42	-0 30	0.3	0.4	0.1	221°	--	--
496	Mulford Gardens Chan. "Buoy 2" SSW of	4d	37° 37.43'	122° 13.88'	-0 42	-1 01	-0 42	-0 42	0.2	0.3	0.6	128°	--	--
501	Little Coyote Pt., 3.4 nmi. NNE of	4d	37° 35.88'	122° 12.33'	-1 28	-1 41	-1 50	-1 18	0.2	0.3	0.2	230°	0.2	230°
506	Little Coyote Pt., 3.1 nmi. ENE of	10d	37° 35.42'	122° 14.92'	+0 15	-0 33	-0 03	+0 20	0.5	0.9	1.5	121°	--	--
511	do.	20d	37° 35.42'	122° 14.92'	+0 07	-0 34	+0 01	+0 18	0.5	0.8	1.3	122°	--	--
	do.	39d	37° 35.42'	122° 14.92'	0 00	-0 28	-0 04	+0 22	0.3	0.6	1.1	310°	--	--
516	San Mateo Bridge	39d	37° 35.2'	122° 15.2'	+0 34	-0 04	+0 33	+0 46	0.5	0.9	1.5	142°	--	--

Endnotes can be found at the end of table 2.

TABLE 2 – CURRENT DIFFERENCES AND OTHER CONSTANTS

No.	PLACE	Meter Depth	POSITION		TIME DIFFERENCES				SPEED RATIOS		AVERAGE SPEEDS AND DIRECTIONS			
			Latitude	Longitude	Min. before Flood	Flood	Min. before Ebb	Ebb	Flood	Ebb	Minimum before Flood	Maximum Flood	Minimum before Ebb	Maximum Ebb
	SAN FRANCISCO BAY, South <8>--cont. Time meridian, 120° W	ft	North	West	on Golden Gate Bridge, p.12									
521	Redwood Pt., Blair I., 1.15 nmi. NNE of	19d	37° 33.48'	122° 11.93'	+0.22	-0.28	+0.06	+0.25	0.5	0.9	--	--	1.5	120°
	do	42d	37° 33.48'	122° 11.93'	+0.07	-0.34	+0.02	+0.25	0.4	0.6	0.1	021°	1.1	310°
526	Dumbarton Highway Bridge	25d	37° 30.6'	122° 07.2'	+0.27	+0.10	+0.20	+0.39	0.5	0.6	--	--	1.1	338°
531	Dumbarton Hwy. Bridge, 0.28 nmi. SE of	42d	37° 30.08'	122° 06.93'	+0.03	-0.01	+0.10	-0.06	0.5	0.6	0.1	227°	1.5	151°
	do	25d	37° 30.08'	122° 06.93'	+0.12	+0.03	+0.09	-0.14	0.4	0.6	0.1	056°	1.2	137°
536	Dumbarton Point, 1.15 nmi. SE of	17d	37° 29.25'	122° 04.88'	+0.12	-0.27	+0.20	+1.25	0.4	0.5	--	--	0.8	320°
541	Dumbarton Point, 2.25 miles SE of	19d	37° 28.5'	122° 04.2'	+0.32	-0.13	+0.08	+1.27	0.4	0.6	--	--	1.2	127°
546	Yellow Bluff, 0.8 nmi. NE of	51d	37° 50.73'	122° 27.43'	-0.03	-0.35	-0.29	-0.28	0.6	0.9	0.1	302°	1.6	013°
	do		37° 50.73'	122° 27.43'	-0.18	-0.38	+0.02	-0.02	0.4	0.5	0.3	297°	1.0	012°
	SAN FRANCISCO BAY, North													
551	Yellow Bluff, 0.8 mile east of	8	37° 50.1'	122° 27.3'	+0.19	+0.15	+0.20	+0.35	1.0	1.4	--	--	2.9	022°
556	Point Cavallo, 1.3 miles east of	8	37° 49.9'	122° 26.6'	+0.26	+0.25	+0.40	+0.35	0.9	1.5	--	--	2.4	087°
561	Point Blunt, Angel I., 0.5 nmi. SW of	21d	37° 50.73'	122° 25.38'	+0.51	+0.08	+0.21	+0.24	0.4	1.0	0.2	326°	1.7	258°
	do	40d	37° 50.73'	122° 25.38'	-0.03	-0.13	+0.05	+0.24	0.4	0.9	0.1	349°	1.2	082°
566	Point Blunt, Angel I., 0.25 mile S of	8	37° 50.8'	122° 25.0'	+0.07	+0.12	+0.22	+0.59	0.6	1.3	--	--	1.7	103°
571	Pt. Blunt, Angel I., 0.8 mi. SE of <10>	21d	37° 50.7'	122° 24.3'	-0.11	+0.01	+0.19	-0.21	0.4	0.8	--	--	1.0	086°
576	do	41d	37° 51.17'	122° 24.73'	+1.40	-0.07	+0.15	+2.14	0.4	1.0	0.2	050°	1.0	049°
	do		37° 51.17'	122° 24.73'	+0.50	-0.33	+0.32	+1.53	0.2	0.8	0.1	102°	0.1	194°
581	Angel Island, off Quarry Point	21d	37° 51.8'	122° 24.8'	+2.06	+0.21	+1.38	+1.50	0.2	1.1	--	--	0.5	027°
586	Angel Island, 0.75 mile east of	21d	37° 51.8'	122° 24.1'	+1.25	+1.09	+1.33	+1.50	0.4	0.5	--	--	1.4	332°
591	Point Simpson, Angel I., 1.05 nmi. E of	21d	37° 52.43'	122° 24.17'	+0.48	+1.07	+1.01	+0.24	0.5	0.5	0.3	246°	0.8	177°
	do	42d	37° 52.43'	122° 24.17'	+0.24	+1.18	+0.59	+0.24	0.3	0.3	0.1	262°	0.9	335°
596	Fleming Point, 1.72 nmi. SW of	3d	37° 52.62'	122° 21.53'	-1.09	-1.03	-0.26	-0.56	0.2	0.3	0.1	178°	0.5	082°
601	Richardson Bay entrance	6	37° 51.4'	122° 28.2'	-3.06	-4.11	-3.29	-2.34	0.3	0.3	--	--	0.9	074°
606	Raccoon Strait	15	37° 51.67'	122° 27.12'	+0.06	+0.07	-0.04	-0.05	0.5	1.1	--	--	1.3	014°
611	Raccoon Strait, off Point Stuart	28d	37° 52.3'	122° 26.52'	-0.06	-0.40	-0.20	-0.19	0.7	1.0	0.2	332°	1.8	237°
	do	48d	37° 52.3'	122° 26.52'	-0.12	-0.54	-0.10	-0.21	0.7	1.0	--	--	1.8	046°
616	Raccoon Strait, off Ayala Cove	8	37° 52.3'	122° 26.3'	--	-0.39	-0.08	-0.07	0.5	0.9	--	--	1.6	233°
621	Bluff Point, 0.1 mile east of	8	37° 53.0'	122° 26.1'	+0.59	-0.27	+0.16	+0.41	0.6	1.1	--	--	1.7	009°
626	Bluff Point, 1.15 nmi. east of	21d	37° 53.23'	122° 24.78'	+0.50	+0.45	+0.56	+0.24	0.4	0.6	0.2	085°	1.0	336°
631	Southampton Shoal Light, 0.2 mile E of	10	37° 52.95'	122° 23.75'	+0.59	+0.54	+0.51	+0.16	0.3	0.6	--	--	0.9	019°
	on Richmond, p.20													
636	Point Chauncey, 1.3 miles east of	8	37° 53.5'	122° 25.1'	+0.06	+0.22	+0.42	+0.00	0.8	0.8	--	--	1.3	340°
641	Point Chauncey, 0.75 nmi. NW of	19d	37° 54.18'	122° 27.53'	+0.08	-0.46	+0.10	-0.09	0.7	0.6	--	--	1.1	317°
646	Point Chauncey, 1.25 nmi. north of	21d	37° 54.90'	122° 26.87'	+0.25	-0.11	+0.17	+0.03	1.0	1.1	0.1	074°	1.6	336°
	do	33d	37° 54.90'	122° 26.87'	-0.10	-0.47	+0.22	+0.18	0.7	0.7	0.2	068°	1.1	355°
651	Point Potrero Reach (buoy "10")	6d	37° 54.18'	122° 22.35'	Current weak and variable				0.5	0.5	--	--	0.8	332°
656	Point Richmond, 0.5 mile west of	4d	37° 55.25'	122° 23.80'	-0.16	+0.01	+0.10	-0.12	0.2	0.2	--	--	0.4	325°
661	Point Richmond, 0.8 nmi. NNW of	14d	37° 55.76'	122° 25.50'	-0.48	-1.55	-1.14	-2.02	0.2	0.2	0.1	058°	1.6	328°
666	RICHMOND	7d	37° 55.76'	122° 25.50'	+0.16	+0.10	-0.03	+0.04	1.0	1.1	0.1	058°	1.6	324°
	do	31d	37° 55.76'	122° 25.50'	-0.33	-0.13	+0.07	-0.06	1.0	0.8	0.1	063°	1.9	150°
	do	43d	37° 55.76'	122° 25.50'	-0.51	-0.30	+0.10	-0.07	0.8	0.7	0.1	235°	1.6	333°
671	Red Hook, east of	11	37° 55.77'	122° 25.70'	+0.06	+0.03	+0.28	+0.07	0.8	0.8	--	--	1.3	318°
676	Red Hook, 0.60 nmi. NNE of	17d	37° 56.40'	122° 25.60'	+0.18	-0.37	+0.10	-0.33	1.1	0.9	0.1	060°	1.5	155°
	do	23d	37° 56.40'	122° 25.60'	-0.36	-0.22	+0.04	-0.38	1.0	0.8	--	--	1.5	334°
	do	38d	37° 56.40'	122° 25.60'	-0.46	-0.21	+0.16	-0.34	0.9	0.6	0.1	080°	1.4	335°
681	Point San Quentin, 0.82 nmi. east of	15d	37° 56.47'	122° 27.70'	+0.09	+0.02	+0.02	-0.46	0.4	0.5	--	--	0.7	013°
686	Point San Quentin, 1.3 nmi. east of	23d	37° 56.53'	122° 27.16'	+0.20	+0.19	+0.35	+0.23	0.8	0.9	0.1	282°	1.5	181°
	do	38d	37° 56.53'	122° 27.16'	-0.05	+0.19	+0.26	+0.11	0.6	0.5	--	--	1.0	010°
691	Point San Quentin, 1.9 miles east of	8	37° 57.0'	122° 26.4'	+0.52	+0.26	+0.28	+0.37	0.9	1.3	--	--	1.4	014°

Endnotes can be found at the end of table 2.

TABLE 2 – CURRENT DIFFERENCES AND OTHER CONSTANTS

No.	PLACE	Meter Depth	POSITION		TIME DIFFERENCES				SPEED RATIOS		AVERAGE SPEEDS AND DIRECTIONS					
			Latitude	Longitude	Min. before Flood	Flood	Min. before Ebb	Ebb	Flood	Ebb	Minimum before Flood	Maximum Flood	Minimum before Ebb	Maximum Ebb		
															h	m
SAN PABLO BAY Time meridian, 120° W																
696	Point San Pablo, midchannel	8	37° 58.12'	122° 26.37'	+0 55	+0 45	+0 35	+0 40	1.1	1.3	--	--	1.8	014°	2.2	180°
701	Point San Pedro, 0.55 nmi. SE of	20d	37° 58.78'	122° 26.20'	+0 28	+0 23	+0 49	+0 30	1.3	1.5	0.1	282°	2.1	016°	2.4	192°
	do.	40d	37° 58.78'	122° 26.20'	+0 12	-0 11	+0 37	+2 25	1.1	1.2	0.1	110°	1.8	014°	2.0	205°
	do.	63d	37° 58.78'	122° 26.20'	-0 14	+0 19	+0 35	+0 20	0.7	0.8	0.3	315°	1.1	014°	1.4	236°
706	Piñole Point, 1.18 nmi. west of	19d	38° 00.48'	122° 23.38'	+0 07	+0 25	+0 07	+0 06	0.5	0.6	--	--	0.9	043°	0.9	218°
711	Piñole Point, 3.0 nmi. WNW of	8d	38° 01.60'	122° 25.48'	+0 01	-0 19	+0 05	+0 03	0.5	0.5	--	--	0.8	007°	0.9	185°
716	Piñole Point, 1.27 nmi. NNW of	33d	38° 01.85'	122° 22.63'	+0 47	+0 41	+0 50	+1 04	0.6	0.6	--	--	1.0	054°	1.0	226°
721	Piñole Point, 1.42 nmi. NNW of	21d	38° 02.03'	122° 22.75'	+1 09	+0 51	+0 52	+1 11	0.7	0.8	--	--	1.1	052°	1.3	233°
726	Petaluma River approach (Buoys 3 & 4)	5d	38° 03.68'	122° 25.47'	+0 02	-0 35	+0 11	+0 16	0.4	0.4	--	--	0.6	357°	0.6	179°
731	Petaluma River approach	4d	38° 04.2'	122° 25.2'	-0 01	-0 24	-0 15	-0 06	0.4	0.4	--	--	0.6	018°	0.7	188°
736	Petaluma River entrance	7d	38° 06.63'	122° 29.58'	+0 10	+0 05	-0 19	-1 00	0.5	0.6	--	--	0.8	277°	1.0	095°
741	Wilson Point, 1.55 nmi. north of	10d	38° 02.25'	122° 09.03'	+0 54	+0 57	+1 10	+1 08	0.5	0.5	--	--	0.7	071°	0.8	253°
746	Wilson Point, 3.90 nmi. NNW of	4d	38° 04.47'	122° 20.55'	-0 08	-0 44	+0 08	+0 22	0.3	0.3	0.1	314°	0.5	046°	0.5	237°
on Carquinez Strait, p.24																
751	Davis Point, 1.0 nmi. NW of	20d	38° 03.72'	122° 16.60'	-0 13	-1 19	-0 20	-0 23	0.7	0.8	--	--	1.4	072°	1.8	260°
756	Davis Point, (midchannel)		38° 03.80'	122° 15.5'	+0 05	-0 18	-0 13	-0 32	0.8	0.9	--	--	1.6	091°	2.1	249°
CARQUINEZ STRAIT																
761	Mare Island Strait ent., between dikes		38° 04.23'	122° 14.72'	-2 07	-1 28	-1 22	-2 02	0.6	0.8	--	--	1.3	040°	1.7	210°
766	Mare Island Strait (Buoy "4")	20d	38° 04.45'	122° 14.57'	-2 07	-0 55	-1 19	-3 01	0.4	0.2	--	--	0.8	342°	0.5	177°
771	Mare Island Strait off South Vallejo		38° 05.00'	122° 15.00'	-1 57	-1 27	-1 34	-2 32	0.7	0.8	--	--	1.4	325°	1.8	166°
776	CARQUINEZ STRAIT (west end, bridge)	20d	38° 03.68'	122° 13.10'	+0 06	+0 07	+0 14	+0 04	0.8	0.6	0.1	013°	2.1	103°	2.2	289°
781	Martinez Marina, 0.65 nmi. NW of	20d	38° 01.98'	122° 08.98'	-0 19	-0 33	+0 31	+0 17	0.8	0.8	--	--	1.7	091°	1.4	272°
786	Martinez Marina, 0.50 nmi. west of	30d	38° 01.72'	122° 08.92'	-0 38	-0 25	+0 09	-0 54	0.6	0.6	--	--	1.6	089°	1.7	271°
791	Martinez Marina, 0.61 nmi. NNW of	23d	38° 02.18'	122° 08.68'	+0 11	-0 03	-0 12	+0 14	0.8	1.1	--	--	1.2	085°	1.3	266°
796	Army Pt. Pier Lt. 0.2 nmi. SE of	21d	38° 02.33'	122° 08.02'	+0 11	+0 12	-0 02	+0 09	0.6	0.5	--	--	1.7	063°	2.4	238°
	do.	41d	38° 02.33'	122° 08.02'	-0 19	+0 12	-0 02	+0 09	0.6	0.5	--	--	1.3	038°	1.2	245°
SUISUN BAY																
801	Montezuma Slough	22d	38° 08.83'	122° 03.38'	-0 24	-0 39	-0 17	-1 42	0.5	0.5	--	--	0.8	016°	0.7	191°
806	West entrance	6d	38° 07.92'	122° 03.48'	-0 10	-0 55	+0 06	-1 02	0.9	0.9	--	--	1.4	135°	1.4	315°
811	1 mile inside entrance	15d	38° 08.27'	122° 04.88'	-0 54	-0 52	-0 31	-1 42	0.3	0.4	--	--	0.5	034°	0.5	202°
816	Entrance	3d	38° 07.27'	122° 04.05'	-0 29	-0 59	-0 24	-0 58	0.8	0.9	--	--	1.2	290°	1.3	110°
821	0.5 nmi. east of entrance	4d	38° 07.13'	122° 03.20'	-0 21	-1 07	-0 06	+0 07	0.5	0.3	--	--	0.7	358°	0.4	156°
826	BENICIA BRIDGE	11d	38° 02.49'	122° 07.53'	+0 06	+0 32	+0 37	+0 10	0.9	0.7	--	--	1.5	047°	1.5	230°
831	Avon Pier, 0.15 nmi. north of	30d	38° 03.10'	122° 05.42'	+0 05	+0 14	+0 38	+0 06	0.8	0.5	0.1	296°	1.3	059°	1.0	237°
836	Pt. Edith, 1.7 nmi. NNW of	24d	38° 04.72'	122° 05.03'	+0 15	+0 08	+1 09	+0 37	0.6	0.6	--	--	0.9	069°	0.8	219°
841	Seal Island, south of	24d	38° 03.20'	122° 02.97'	+0 42	+0 29	+1 09	+0 18	0.9	1.1	--	--	1.3	090°	0.9	271°
846	Roe Island, south of	6d	38° 03.95'	122° 02.10'	+1 08	+0 54	+1 05	+0 11	0.6	0.8	--	--	1.9	105°	1.7	270°
851	Roe Island, Gilbert Pt., 0.15 nmi. NW of	16d	38° 04.42'	122° 01.30'	+1 41	+1 53	+1 42	+1 04	0.7	0.4	--	--	1.0	126°	1.2	283°
856	Suisun Cutoff	24d	38° 05.33'	122° 00.43'	+1 41	+1 53	+1 42	+1 04	0.7	0.4	--	--	1.0	126°	0.7	298°
861	Middle Point Lt., 0.18 nmi. NNW of	20d	38° 03.45'	121° 59.57'	+0 40	+0 22	+1 12	+0 55	1.0	0.8	--	--	1.5	097°	1.2	271°
866	do.	38d	38° 03.45'	121° 59.57'	+0 30	+0 32	+1 12	+0 59	0.8	0.6	--	--	1.3	130°	0.8	307°
871	Stake Point, 0.9 nmi. NNW of	4d	38° 03.88'	121° 57.33'	+0 14	+0 56	+0 48	+0 28	0.5	0.4	0.2	002°	0.8	077°	0.6	283°
876	Simmons Pt., Chippis Is., 0.6 nmi. ESE of	12d	38° 03.87'	121° 55.30'	+1 17	+1 16	+1 11	+1 01	1.1	1.2	--	--	1.7	101°	1.7	279°
	do.	34d	38° 03.87'	121° 55.30'	+1 13	+1 27	+1 09	+1 12	0.9	1.0	0.1	007°	0.1	084°	0.1	006°
876	Spoonbill Creek, near bridge	3d	38° 03.53'	121° 54.28'	+0 12	+0 27	+1 17	+0 36	1.0	0.9	--	--	1.5	105°	1.4	284°
881	Montezuma Slough, east end, near bridge	6d	38° 04.67'	121° 53.03'	+2 30	+2 25	+2 23	+2 22	0.7	0.8	--	--	1.0	135°	1.2	315°
886	New York Slough, 0.6 miles E of Pt. Emmet	7d	38° 01.95'	121° 52.17'	+1 39	+1 26	+1 51	+1 43	0.8	0.9	--	--	1.2	110°	1.3	295°
891	New York Slough, Winter Island	15d	38° 01.70'	121° 50.78'	+1 02	+0 45	+1 00	+1 10	0.8	0.8	--	--	1.1	122°	1.2	302°

Endnotes can be found at the end of table 2.

TABLE 2 – CURRENT DIFFERENCES AND OTHER CONSTANTS

No.	PLACE	Meter Depth	POSITION		TIME DIFFERENCES				SPEED RATIOS		AVERAGE SPEEDS AND DIRECTIONS			
			Latitude	Longitude	Min. before Flood	Flood	Min. before Ebb	Ebb	Flood	Ebb	Minimum before Flood	Maximum Flood	Minimum before Ebb	Maximum Ebb
	SACRAMENTO RIVER <11> Time meridian, 120° W	ft	North	West	h	m	h	m	h	m	knots	Dir.	knots	Dir.
896	Entrance, 0.7 mile SW of Chain Island	7d	38° 03.50'	121° 52.23'	+1 27	+1 33	+1 47	+1 44	+1 13	+1 30	0.8	0.9	1.3	212°
901	Point Sacramento, 0.3 mile NE of	7d	38° 04'	121° 50'	+1 15	+1 05	+1 37	+1 39	+0 54	+1 06	0.7	0.5	0.8	286°
906	Sherman Island East, 0.2 mile north of	14d	38° 03.52'	121° 48.25'	+1 22	+1 12	+1 23	+1 23	+0 29	+0 29	0.7	0.8	1.1	270°
	... do.	25d	38° 03.52'	121° 48.25'	+2 11	+1 12	+1 23	+1 23	+0 55	+0 55	0.6	0.6	0.9	274°
	SAN JOAQUIN RIVER <12>													
911	Pt. San Joaquin, 0.45 nmi. ENE of	18d	38° 03.70'	121° 51.00'	+1 24	+1 37	+1 44	+1 44	+1 13	+1 13	1.0	0.6	1.0	282°
	do.	33d	38° 03.70'	121° 51.00'	+1 23	+1 47	+1 39	+1 39	+0 54	+0 54	0.7	0.5	0.8	275°
916	Point Beemar, 0.7 nmi. north of	5d	38° 02.53'	121° 50.28'	+2 35	+2 09	+1 54	+1 21	+1 21	+1 21	0.4	0.4	0.6	349°
921	Point Beemar, 100 yds., NE of	14d	38° 01.95'	121° 50.13'	+2 35	+2 09	+2 42	+2 24	+2 24	+2 24	0.7	0.9	1.3	314°
	... do.	22d	38° 01.95'	121° 50.13'	+2 29	+2 09	+2 45	+2 25	+2 25	+2 25	0.5	0.7	1.1	324°
926	Antioch Point, 0.3 mile east of	5d	38° 02'	121° 49'	+2 22	+2 33	+2 13	+2 00	+2 00	+2 00	1.0	0.9	1.4	304°
931	West Island Lt., 0.5 mile SE of	5d	38° 01.27'	121° 45.72'	+2 19	+2 24	+2 11	+2 08	+2 08	+2 08	0.3	0.5	0.7	270°
936	Vulcan Island, 0.5 mile east of	17d	37° 59.12'	121° 23.45'	+3 38	+3 34	+3 39	+3 29	+3 29	+3 29	0.5	0.3	0.4	315°
941	Brandt Bridge		37° 51.85'	121° 19.38'	+5 40	+5 28	+5 02	+5 20	+5 20	+5 20	0.5	0.7	1.0	315°
	CALIFORNIA COAST—cont.													
	on San Francisco Bay Ent., p.8				h	m	h	m	h	m				
946	Point Reyes <13>		38° 00'	123° 02'	-1 12	-1 12	-1 12	-1 12	-1 12	-1 12	0.3	0.3	1.1	140°
951	Salt Point <13>		38° 34'	123° 21'	-1 20	-1 20	-1 20	-1 20	-1 20	-1 20	0.3	0.3	0.9	145°
956	Point Arena <13>		38° 57'	123° 45'	-1 29	-1 29	-1 29	-1 29	-1 29	-1 29	0.3	0.3	1.1	150°
961	Point Cabrillo <13>		39° 21'	123° 50'	-1 38	-1 38	-1 38	-1 38	-1 38	-1 38	0.3	0.3	1.0	165°
966	Cape Vizcaino <13>		39° 44'	123° 50'	-1 48	-1 48	-1 48	-1 48	-1 48	-1 48	0.3	0.3	0.9	145°
971	Point Delgada <13>		40° 00'	124° 04'	-1 37	-1 37	-1 37	-1 37	-1 37	-1 37	0.3	0.3	1.0	145°
976	Punta Gorda <13>		40° 15'	124° 22'	-1 36	-1 36	-1 36	-1 36	-1 36	-1 36	0.3	0.3	1.1	155°
981	Cape Mendocino Light, 4.6 mi. W of <14>		40° 26'	124° 30'	-	-	-	-	-	-	-	-	-	-
986	Table Bluff Light <13>		40° 42'	124° 17'	-1 11	-1 11	-1 11	-1 11	-1 11	-1 11	0.3	0.3	0.8	190°
	HUMBOLDT BAY													
	on Humboldt Bay Entr. Channel, p.32				h	m	h	m	h	m				
991	Humboldt Bay Bar Channel, 0.4 nm WNW of	4d	40° 46.01'	124° 15.18'	-0 29	-1 13	-0 41	-0 37	-0 37	-0 37	0.2	0.3	0.4	232°
	... do.	31d	40° 46.01'	124° 15.18'	-0 39	-1 23	-0 25	-0 58	-0 58	-0 58	0.2	0.3	0.4	230°
996	HUMBOLDT BAY ENTRANCE CHANNEL	15d	40° 45.91'	124° 14.26'	-0 13	-0 01	-0 02	-0 06	-0 06	-0 06	0.8	0.7	1.5	323°
	... do.	34d	40° 45.91'	124° 14.26'	+0 55	-0 15	-0 17	+0 21	+0 21	+0 21	0.9	1.4	2.2	341°
1001	Humboldt Bay Entr., 0.1 nm NE of South Spit Light	14d	40° 45.47'	124° 13.97'	+0 55	-0 13	-0 15	+0 21	+0 21	+0 21	0.1	0.78°	1.5	171°
	... do.	30d	40° 45.47'	124° 13.97'	+0 19	-1 57	-2 01	+0 16	+0 16	+0 16	0.4	1.1	1.6	243°
1006	North Spit, 0.15 n.mi. SW of	15d	40° 45.47'	124° 13.37'	+0 05	-2 09	-2 11	+0 09	+0 09	+0 09	0.3	0.8	1.3	257°
	... do.	32d	40° 44.87'	124° 13.45'	+0 10	-0 52	-0 47	+0 20	+0 20	+0 20	0.5	0.8	1.2	002°
1011	South Spit, 0.1 n.mi. E of	15d	40° 47.23'	124° 11.56'	+0 40	+0 01	+0 00	+0 21	+0 21	+0 21	0.9	1.2	1.8	197°
1016	North Bay Channel, west of Eureka	15d	40° 47.23'	124° 11.56'	+0 16	-0 10	-0 02	+0 10	+0 10	+0 10	0.8	0.9	1.4	200°
	... do.	28d	40° 47.24'	124° 11.66'	+0 18	+0 05	-0 11	+0 07	+0 07	+0 07	0.8	1.2	1.8	216°
1021	North Bay Channel at Fairhaven	13d	40° 47.24'	124° 11.66'	+0 14	+0 08	+0 00	+0 05	+0 05	+0 05	0.8	0.9	1.3	196°
1026	North Bay Channel at Samoa Channel	15d	40° 47.77'	124° 11.24'	+0 14	+0 08	+0 00	+0 05	+0 05	+0 05	0.8	0.9	1.3	196°
	CALIFORNIA COAST—cont.													
	on San Francisco Bay Ent., p.8				h	m	h	m	h	m				
1031	Trinidad Head <13>		41° 03'	124° 10'	-0 57	-0 57	-0 57	-0 57	-0 57	-0 57	0.3	0.3	1.0	185°
1036	Redding Rock Light <13>		41° 21'	124° 11'	-0 52	-0 52	-0 52	-0 52	-0 52	-0 52	0.3	0.3	0.9	190°
1041	St. George Reef <13>		41° 49'	124° 20'	-0 41	-0 41	-0 41	-0 41	-0 41	-0 41	0.3	0.3	1.0	005°

Endnotes can be found at the end of table 2.

TABLE 2 – CURRENT DIFFERENCES AND OTHER CONSTANTS

No.	PLACE	Meter Depth	POSITION		TIME DIFFERENCES				SPEED RATIOS		AVERAGE SPEEDS AND DIRECTIONS			
			Latitude	Longitude	Min. before Flood	Flood	Min. before Ebb	Ebb	Flood	Ebb	Minimum before Flood	Maximum Flood	Minimum before Ebb	Maximum Ebb
	OREGON COAST Time meridian, 120° W	ft	North	West	h m	h m	h m	h m			knots	Dir.	knots	Dir.
1046	Cape Sebastian <13>		42° 20'	124° 26'	-0 26	-0 26	-0 26	-0 26	0.3	0.3	1.1	355°	1.1	175°
1051	Cape Blanco <13>		42° 50'	124° 35'	-0 10	-0 10	-0 10	-0 10	0.3	0.3	1.1	010°	1.1	190°
1056	Coquille River entrance		43° 07.30'	124° 25.18'	0 00	-0 25	-0 27	-0 17	0.4	0.6	1.4	091°	1.2	290°
1061	Coos Bay entrance		43° 21.30'	124° 20.47'	+0 36	+0 18	+0 39	+0 39	0.6	1.1	1.8	100°	2.2	280°
1066	Umpqua River entrance		43° 40.70'	124° 11.60'	+0 46	+0 28	+0 28	+0 49	0.3	0.5	0.8	010°	1.0	190°
1071	Heceta Head <13>		44° 08'	124° 08'	+1 06	+0 48	+0 48	+1 09	0.4	0.7	1.2	005°	1.4	185°
	YAQUINA BAY													
1076	Yaquina Bay entrance		44° 37'	124° 04'	-0 20	-0 04	-0 17	-0 55	0.8	1.1	2.4	050°	2.3	235°
1081	Highway Bridge		44° 37.40'	124° 03.42'	-0 31	+0 10	-0 40	+0 07	0.6	1.0	1.9	044°	2.1	222°
1086	Yaquina, Yaquina River		44° 36.12'	124° 00.68'	-0 09	+0 10	-0 33	+0 27	0.3	0.5	1.0	184°	1.1	002°
1091	Yaquina River, 1 mile below Toledo		44° 36.03'	123° 56.50'	+0 33	+0 47	+0 14	+0 58	0.4	0.7	1.4	332°	1.4	132°
	TILLAMOOK BAY													
1096	Tillamook Bay entrance		45° 33.73'	123° 56.30'	+0 40	+0 13	-0 05	-0 16	0.9	1.3	3.0	141°	2.6	305°
	COLUMBIA RIVER and APPROACHES <15>													
1101	Lighted Horn Buoy RTC" <14>		46° 11'	124° 11'	-	-	-	-	-	-	-	-	-	-
1106	Sand Island Tower, 1mm SE of (midchannel)	15	46° 15.17'	123° 59.45'	+1 12	+1 03	+0 38	+0 07	1.6	1.6	3.0	107°	4.4	275°
1111	Sand Island Tower, 0.9mm SE of (north channel)	15	46° 15.47'	123° 59.67'	+0 39	+0 33	+0 27	-0 44	1.1	0.7	2.1	092°	1.9	262°
1116	Baker Bay entrance, E of Sand Island Tower	23	46° 15.72'	123° 59.88'	+0 28	+0 08	+0 20	+0 14	0.6	0.3	1.2	008°	0.8	202°
1121	Clatop Spit, NNE of	15	46° 14.77'	123° 59.65'	+0 45	+0 56	+0 56	+0 20	1.4	1.1	2.6	114°	3.2	289°
1126	Sand Island, SSE of	12	46° 15.33'	123° 58.08'	+0 18	-0 25	-0 16	-0 32	0.3	0.4	0.6	097°	1.1	265°
1131	Clatop Spit, northeast of	12	46° 14.35'	123° 59.88'	-	-0 01	+0 16	+0 36	0.4	1.0	0.8	131°	2.8	313°
1136	Astoria Range	12	46° 11.92'	123° 49.42'	-	+1 19	+0 38	+0 52	0.6	1.0	1.2	088°	2.8	243°
1141	Youngs Bay Entrance	17	46° 11.18'	123° 53.27'	+1 46	+1 45	+1 28	-0 38	0.9	0.4	1.7	093°	1.1	260°
1146	Youngs Bay Bridge	9	46° 10.67'	123° 52.10'	+0 10	-0 14	+0 50	+0 28	0.4	0.3	0.8	135°	0.8	320°
1151	Hammond, northeast of ship channel	15	46° 12.67'	123° 56.07'	+0 57	+0 24	+0 26	+0 01	0.4	0.6	0.1	219°	0.1	222°
1156	McGowan, SSW of	14	46° 14.37'	123° 54.92'	+1 28	+1 14	+0 21	+0 23	0.9	1.6	1.7	107°	0.1	230°
1161	Point Ellice, east of	17	46° 14.50'	123° 50.90'	+0 55	+0 25	+0 51	+0 11	0.8	0.9	1.6	065°	4.3	282°
1166	Point Adams, NNE OF	14	46° 13.67'	123° 58.05'	+1 16	+0 13	+0 26	+0 11	0.8	0.9	1.6	139°	2.4	254°
1171	Chinook Point, WSW of	14	46° 14.53'	123° 57.85'	+0 29	+0 25	+0 45	-0 21	1.2	0.9	2.2	117°	0.4	287°
1176	Tongue Point, northwest of	15	46° 13.15'	123° 46.00'	+2 31	+1 09	+0 24	+0 46	0.4	0.9	0.8	077°	2.4	249°
1181	Altoona, SSW of	22	46° 15.55'	123° 39.40'	-	+1 23	+1 19	+2 22	0.3	0.7	0.5	061°	1.9	243°
1186	Woody Island Channel	15	46° 14.37'	123° 40.40'	+1 12	+1 09	+1 36	+1 15	0.5	0.3	0.1	118°	0.9	298°
1191	Woody Island Channel (off Seal Island)	12	46° 13.05'	123° 37.75'	+2 38	+1 53	+1 25	+2 53	0.3	0.4	0.5	081°	1.2	247°
1196	Three Tree Point, 5 miles WSW of	14	46° 15.90'	123° 32.10'	+4 29	+2 40	-	+2 36	0.1	0.9	0.2	080°	2.4	258°
1201	Quinn Island, Prairie Channel	8	46° 14.23'	123° 30.20'	+3 19	+1 52	+0 55	+1 53	0.3	0.5	0.5	097°	1.3	281°
1206	Clifton Channel	10	46° 13.07'	123° 27.92'	+3 41	+2 27	+1 21	+2 17	0.3	0.4	0.5	116°	1.1	301°
1211	Tenasillane Island, northwest of <16>	22	46° 14.60'	123° 26.10'	-	-	-	+2 47	-	0.8	-	-	2.2	329°
1216	Hunting Island, south of	20	46° 12.43'	123° 24.25'	+4 20	+2 56	+1 38	+3 20	0.2	0.4	0.1	206°	1.1	295°
1221	Puget Island, Wauna Range <17>	23	46° 10.45'	123° 25.38'	-	-	-	+2 57	-	0.7	-	-	2.0	313°
1226	Puget Island, Westport Turn & Range <17>	22	46° 08.67'	123° 20.38'	-	-	-	+2 38	-	-	-	-	-	-
1231	Cathlamet Channel, SE of Nassa Point	19	46° 09.37'	123° 18.90'	+5 16	+3 23	+1 39	+5 38	0.1	0.6	0.2	103°	1.6	278°
1236	Oak Point Channel <17>	15	46° 11.08'	123° 11.03'	-	-	-	-1 59	-	0.9	-	-	1.1	239°

Endnotes can be found at the end of table 2.

TABLE 2 – CURRENT DIFFERENCES AND OTHER CONSTANTS

No.	PLACE	Meter Depth	POSITION		TIME DIFFERENCES				SPEED RATIOS		AVERAGE SPEEDS AND DIRECTIONS			
			Latitude	Longitude	Min. before Flood	Flood	Min. before Ebb	Ebb	Flood	Ebb	Minimum before Flood	Maximum Flood	Minimum before Ebb	Maximum Ebb
	COLUMBIA RIVER and APPROACHES <15>—cont. Time meridian, 120° W	ft	North	West	h m	h m	h m	h m			knots	Dir.	knots	Dir.
1241	Stella, southwest of <17>	18	46° 11.13'	123° 07.45'	---	---	---	---	---	---	---	---	---	---
1246	Walker Island Channel <17>	20	46° 09.17'	123° 02.57'	---	---	---	---	---	---	---	---	---	---
1251	Walker Island, south of	12	46° 08.47'	123° 02.75'	+5 46	+4 15	+2 41	+5 09	0.2	0.4	148°	---	---	---
1256	Slaughters Channel <17>	18	46° 07.42'	122° 59.22'	---	---	---	+5 51	---	---	---	---	---	---
1261	Cottonwood Island, west of <17>	34	46° 04.28'	122° 53.45'	---	---	---	+1 02	---	---	---	---	---	---
1266	Kaima Upper Range <17>	13	46° 00.17'	122° 51.08'	---	---	---	+5 58	---	---	---	---	---	---
	WASHINGTON COAST													
1271	South Bend, Willapa River		46° 39.88'	123° 48.08'	+0 19	+0 20	+0 24	-0 06	0.6	0.5	---	---	---	---
	GRAYS HARBOR													
1276	Entrance, 0.2 mile south of north jetty		46° 55.58'	124° 09.68'	-0 28	+0 16	+0 10	-0 47	1.3	0.6	---	---	---	---
1281	Entrance, Point Chehalis Range		46° 54.50'	124° 09.33'	+0 08	-0 11	-0 22	-0 21	0.9	1.1	---	---	---	---
1286	Entrance, 0.6 mile WNW of Westport		46° 54.88'	124° 07.50'	0 00	0 00	+0 06	0 00	1.2	0.7	---	---	---	---
1291	GRAYS HARBOR ENTRANCE		46° 55.35'	124° 07.98'	<i>Daily predictions</i>				---	---	---	---	---	---
1296	Entrance, 1.1 miles NW of Westport		46° 55'	124° 08'	+0 04	-0 06	-0 05	-0 23	0.9	0.9	---	---	---	---
1301	Channel, 1.5 miles north of Westport		46° 56'	124° 06'	-0 22	0 00	-0 04	-0 25	0.7	0.6	---	---	---	---
1306	Channel, 2.1 miles NNE of Westport		46° 56'	124° 05'	-0 02	0 00	-0 02	+0 02	0.6	0.5	---	---	---	---
1311	Aberdeen, Chehalis River <18>		46° 56'	123° 49'	---	+0 35	---	+0 28	---	---	---	---	---	---
1316	Westport, channel 0.4 mile NE of		46° 54.85'	124° 06.50'	-0 41	-0 04	-0 19	-0 36	1.0	0.7	---	---	---	---
	WASHINGTON—BRITISH COLUMBIA COAST													
1321	Quillayute River entrance		47° 55'	124° 38'	-0 10	-0 14	-0 26	-0 18	0.1	0.4	---	---	---	---
1326	Cape Alava, 4.4 miles west of <14>		48° 10'	124° 50'	---	---	---	---	---	---	---	---	---	---
1331	Swifsure Bank <14>		48° 33'	125° 00'	---	---	---	---	---	---	---	---	---	---
1336	Vancouver Island, west coast <19>		---	---	---	---	---	---	---	---	---	---	---	---
	STRAIT OF JUAN DE FUCA													
1341	STRAIT OF JUAN DE FUCA ENTRANCE		48° 27'	124° 35'										
1346	Pillar Point		48° 16'	124° 04'	-0 35	+0 06	+1 27	+0 52	1.2	1.2	---	---	---	---
	ANGELES POINT, 2.3 miles north of		48° 12'	123° 33'	+1 22	+0 21	-0 32	+0 13	0.8	1.1	---	---	---	---
1351	RACE ROCKS, 4 miles south of		48° 14'	123° 32'	-1 10	---	-1 23	---	---	---	---	---	---	---
1361	Race Rocks, 0.5 mile southeast of		48° 18'	123° 32'	-1 21	---	-1 53	---	---	---	---	---	---	---
1366	Port Angeles		48° 08'	123° 25'	<i>Current weak and variable</i>				---	---	---	---	---	---
1371														
	ADMIRALTY INLET, 1.4 miles southeast of		48° 07'	123° 24'										
1376	Ediz Hook Light, 1.2 miles north of		48° 10'	123° 25'	-0 32	-0 19	-0 05	-0 05	0.5	0.4	---	---	---	---
1381	Ediz Hook Light, 5.3 miles ENE of		48° 11'	123° 17'	+0 39	+0 12	+0 07	-0 14	0.6	0.8	---	---	---	---
1386	Trial Island, 5.2 miles SSW of		48° 19'	123° 22'	-0 08	+0 39	+1 22	+0 55	0.7	0.5	---	---	---	---
1391	New Dungeness Light, 2.8 miles NNW of		48° 14'	123° 08'	+0 57	+0 27	-0 13	+0 16	0.3	0.5	---	---	---	---
1396	New Dungeness Light, 6 miles NNE of		48° 16'	123° 03'	+0 51	+0 55	+0 27	+0 36	0.3	0.4	---	---	---	---
1401														

Endnotes can be found at the end of table 2.

TABLE 2 – CURRENT DIFFERENCES AND OTHER CONSTANTS

No.	PLACE	Meter Depth	POSITION		TIME DIFFERENCES				SPEED RATIOS		AVERAGE SPEEDS AND DIRECTIONS			
			Latitude	Longitude	Min. before Flood	Flood	Min. before Ebb	Ebb	Flood	Ebb	Minimum before Flood	Maximum Flood	Minimum before Ebb	Maximum Ebb
	STRAIT OF JUAN DE FUCA-cont. Time meridian, 120° W	ft	North	West	h m	h m	h m	h m			knots	Dir.	knots	Dir.
1406	Discovery Island, 7.6 miles SSE of		48° 18'	123° 10'	+0 27	+0 15	+0 51	+0 30	0.4	0.4	0.7	035°	1.0	260°
1411	Discovery Island, 3 miles SSE of		48° 23'	123° 12'	+0 23	+0 15	+0 02	+0 40	0.6	0.9	0.9	025°	2.3	250°
1416	Cattle Point, 2.8 miles SSW of <21>		48° 24'	123° 00'	-1 17	+0 52	+1 04	-0 42	0.4	0.2	0.6	046°	0.2	126°
1421	Cattle Point, 5 miles SSW of		48° 23'	123° 01'	+1 14	+1 11	+1 20	+0 44	0.6	0.3	0.9	120°	0.9	210°
1426	Violet Point, 3.7 miles north of <22>		48° 11'	122° 55'	--	+0 22	+0 36	+0 09	0.2	0.5	0.4	100°	1.2	270°
1431	Violet Point, 3.2 miles northwest of		48° 10'	122° 58'	-0 05	-0 32	-0 08	-0 17	0.3	0.4	0.6	120°	1.0	325°
1436	Kamen Point, 1.3 miles southwest of		48° 06'	122° 58'	-1 10	-0 52	-1 06	-0 34	0.2	0.4	0.3	125°	1.0	265°
1441	Discovery Bay entrance <23>		48° 06'	122° 54'	--	--	--	--	--	--	--	--	--	--
1446	Smith Island, 2 miles east of <24>		48° 19'	122° 48'	+1 22	+0 51	--	+0 19	0.2	0.2	0.4	--	0.5	220°
1451	Smith Island, 1.4 miles SSW of		48° 18'	122° 51'	-0 06	+0 03	+0 29	+0 25	0.4	0.4	0.7	090°	1.0	280°
1456	Smith Island, 3.7 miles ESE of <25>		48° 18'	122° 45'	--	+1 11	--	+1 35	--	0.3	--	--	0.9	225°
1461	Point Partridge, 1.6 miles NW of <26>		48° 15'	122° 48'	--	--	--	--	--	0.4	--	--	1.1	175°
1466	Point Partridge, 3.7 miles west of		48° 14'	122° 52'	+1 27	+0 17	-0 24	+0 42	0.2	0.8	0.4	140°	2.1	250°
	ADMIRALTY INLET													
1471	Point Wilson, 1.1 miles NW of		48° 10'	122° 46'	-1 53	-0 58	-0 08	-0 54	1.5	1.1	2.4	085°	2.8	285°
1476	Point Wilson, 0.5 mile, northeast of <27>		48° 09'	122° 45'	-1 08	-1 27	-0 47	-0 48	1.4	1.0	2.2	114°	2.6	298°
1481	Point Wilson, 1.4 miles northeast of <27>		48° 10'	122° 44'	-0 28	-0 17	+0 41	+0 07	2.0	1.3	3.4	112°	3.5	297°
1486	Point Wilson, 2.3 miles NE of <27>		48° 10'	122° 42'	-1 29	-0 07	+0 33	-0 07	1.0	1.0	2.0	143°	2.3	323°
1491	Admiralty Head, 0.5 mile west of		48° 09'	122° 42'	-0 31	-0 03	+0 01	-0 07	1.3	1.2	2.1	145°	3.1	025°
1496	Point Wilson, 0.8 mile east of		48° 09'	122° 44'	-0 53	-0 20	+0 27	-0 54	1.5	1.0	2.5	165°	2.6	280°
1501	Port Townsend, 0.5 mile S of Pt. Hudson		48° 07'	122° 45'	-3 21	-2 36	-2 42	-2 26	0.8	0.2	1.2	115°	0.5	048°
1506	Point Hudson, 0.5 mile east of		48° 07'	122° 44'	--	--	--	--	--	--	--	--	0.6	010°
	Marrowstone Point													
1511	1.1 miles northwest of		48° 07'	122° 42'	-3 31	-2 20	-1 02	-1 42	0.8	0.5	1.3	100°	1.3	275°
1516	0.4 mile northeast of <27>		48° 06'	122° 41'	-1 20	-1 03	-0 04	-1 03	1.1	1.1	2.4	122°	3.1	338°
1521	0.3 mile northeast of		48° 06'	122° 41'	-0 53	-1 36	-1 13	-0 13	1.2	1.1	2.0	170°	2.8	015°
1526	1.6 miles northeast of <27>		48° 07'	122° 40'	-0 16	+0 07	-0 03	-0 17	1.2	1.2	2.3	152°	2.6	344°
1531	2.5 miles northeast of <28>		48° 08'	122° 38'	--	--	--	--	--	--	--	--	--	--
1536	Nodule Point, 0.5 mile southeast of		48° 02'	122° 40'	-1 27	-0 47	-0 59	-0 24	1.2	1.0	2.0	160°	2.5	339°
1541	ADMIRALTY INLET (off Bush Point)		48° 02'	122° 38'	--	--	--	--	--	--	--	--	--	--
1546	Bush Point Light, 0.5 mile NW of		48° 02'	122° 37'	-0 32	-0 21	-0 09	-0 35	1.1	1.1	1.7	141°	2.6	003°
1551	Mutiny Bay, 3.3 miles SE of Bush Point		47° 59' 25"	122° 33' 50"	--	-2 11	--	-2 25	0.6	0.4	1.0	133°	1.1	354°
1556	Olele Point, 1.8 miles ENE of <9>		47° 59'	122° 38'	-0 34	-0 31	-0 34	-0 37	0.5	0.5	0.8	167°	1.1	352°
1561	Port Townsend Canal		48° 02'	122° 44'	+0 06	-0 40	-0 46	-0 31	0.5	0.4	2.6	150°	2.9	330°
	HOOD CANAL													
1566	Foulweather Bluff		47° 55' 90"	122° 38' 33"	0 00	-0 24	-0 15	-0 25	0.4	0.4	0.7	140°	0.9	325°
1571	Port Gamble Bay, 0.5 mile N of entrance		47° 51' 87"	122° 34' 63"	-1 03	-0 39	+0 04	-0 14	0.6	0.3	0.9	185°	0.7	000°
1576	Port Gamble Bay entrance		47° 51' 27"	122° 34' 63"	--	--	--	--	--	--	--	--	--	--
1581	Port Gamble Bay		47° 50' 00"	122° 34' 53"	--	--	--	--	--	--	--	--	--	--
1586	South Point		47° 49'	122° 41'	--	-0 44	--	-0 29	0.4	0.4	0.6	218°	1.0	040°
1591	Hazel Point		47° 41' 62"	122° 45' 52"	--	-0 54	--	-0 52	0.3	0.3	0.4	183°	0.8	005°
1596	Chinom Point		47° 32'	123° 02'	--	--	--	--	--	--	--	--	--	--
1601	The Great Bend		47° 21' 30"	123° 01' 80"	--	-1 06	--	-0 50	0.3	0.2	0.4	049°	0.5	251°

Endnotes can be found at the end of table 2.

TABLE 2 – CURRENT DIFFERENCES AND OTHER CONSTANTS

No.	PLACE	Meter Depth	POSITION		TIME DIFFERENCES				SPEED RATIOS		AVERAGE SPEEDS AND DIRECTIONS			
			Latitude	Longitude	Min. before Flood	Flood	Min. before Ebb	Ebb	Flood	Ebb	Minimum before Flood	Maximum Flood	Minimum before Ebb	Maximum Ebb
	PUGET SOUND Time meridian, 120° W	ft	North	West	h m	h m	h m	h m			knots	Dir.	knots	Dir.
1606	Useless Bay		47° 58.70'	122° 29.72'	+0 09	+0 01	+0 14	-0 18	0.9	0.7	1.5	115°	1.8	335°
1611	Foulweather Bluff		47° 57.25'	122° 34.75'	+0 44	+0 06	+0 13	+0 19	0.1	0.2	0.2	170°	0.5	000°
1616	Edmonds, 2.7 miles WSW of		47° 48.38'	122° 26.67'	--	-0 11	--	-0 29	0.3	0.3	0.5	168°	0.8	008°
1621	Apple Cove Point, 0.5 mile east of		47° 49.72'	122° 26.10'	--	-0 38	--	-0 41	0.2	0.2	0.3	203°	0.5	024°
1626	President Point, 1.5 miles east of		47° 44.13'	122° 29.50'	--	-0 38	--	-0 41	0.8	0.7	1.2	230°	1.8	032°
1631	Port Madison entrance		47° 43.32'	122° 33.30'	-1 28	-1 00	-0 18	-0 59	2.0	1.4	3.3	216°	3.6	037°
1636	Agate Passage, north end		47° 42.77'	122° 33.93'	-1 25	-0 53	0 00	-0 47	--	--	--	--	--	--
1641	Agate Passage, south end <27>		47° 38.25'	122° 35.08'	--	-0 06	--	+0 22	0.4	0.3	0.7	280°	0.8	113°
1646	Port Orchard		47° 42.02'	122° 36.50'	--	-0 06	--	+0 22	0.4	0.3	0.7	280°	0.8	113°
1651	Port Orchard, off Keyport		47° 42.40'	122° 37.65'	--	-0 06	--	+0 22	0.4	0.3	0.7	280°	0.8	113°
1656	Liberty Bay entrance, Port Orchard		47° 41.41'	122° 25.25'	-0 44	-0 43	-0 16	-0 47	0.4	0.3	0.7	225°	0.7	015°
1661	Shishole Bay		47° 39.67'	122° 26.33'	--	-0 36	--	-0 43	0.3	0.2	0.5	160°	0.5	330°
1666	West Point, 0.3 mile west of		47° 39.57'	122° 27.92'	-0 36	-0 44	-0 13	-0 39	0.3	0.3	0.5	135°	0.7	034°
1671	West Point, 1.2 miles west of		47° 36.72'	122° 24.43'	--	-0 38	--	-0 06	0.1	0.3	0.2	301°	0.9	071°
1676	Elliott Bay entrance		47° 34.53'	122° 25.68'	--	-0 17	--	+0 44	0.1	0.3	0.2	301°	0.9	071°
1681	Alki Point, 0.3 mile west of		47° 34.85'	122° 27.97'	--	+0 37	--	+0 51	0.5	0.4	0.8	321°	1.1	143°
1686	Restoration Point, 0.6 mile ESE of		47° 33.67'	122° 30.06'	-0 14	-0 15	+0 36	+0 43	0.8	1.1	1.3	330°	2.8	132°
1691	Rich Passage		47° 35.40'	122° 35.40'	-0 44	-0 08	+0 46	+0 22	1.5	1.2	2.4	238°	3.1	055°
1696	Approach, north of Blake Island		47° 34.2'	122° 38.02'	--	-0 09	--	+1 08	0.6	0.7	1.0	326°	1.7	154°
1701	East end		47° 34.2'	122° 37.37'	-0 25	+0 19	+1 08	+1 15	1.4	0.8	2.2	330°	2.2	156°
1706	Off Pleasant Beach		47° 31.50'	122° 29.97'	-2 58	-2 37	-1 06	-0 25	0.2	0.2	0.3	131°	0.5	326°
1711	West end													
1716	Port Orchard, southwest of Waterman													
1716	Sinclair Inlet													
1721	Port Washington Narrows, south ent													
1726	Port Washington Narrows, north ent <27>													
1731	Blake Island, southwest of													
	on The Narrows, p.52													
1736	Colvos Passage <29>		--	--	--	--	--	+0 49	--	0.4	--	--	1.1	016°
1741	East Passage		--	--	--	--	--	--	--	--	--	--	--	--
1746	Quartermaster Harbor entrance		47° 21.18'	122° 28.85'	--	-0 31	--	-0 09	0.1	0.1	0.4	349°	0.4	167°
1751	Commencement Bay		--	--	--	--	--	--	0.4	--	1.3	290°	--	--
1756	Dalco Passage <30>		47° 19.50'	122° 31.45'	--	-0 11	--	--	0.3	0.4	0.9	016°	--	176°
1761	Gig Harbor entrance		47° 19.55'	122° 34.48'	-0 39	-0 57	-0 46	+0 11	--	--	--	--	--	--
	The Narrows													
1766	THE NARROWS, north end (midstream)		47° 18.37'	122° 32.98'	--	--	--	--	--	--	3.2	136°	2.8	334°
1771	North End (east side) <31>		47° 18.50'	122° 32.50'	--	-0 08	+0 05	-1 28	--	1.4	3.0	143°	3.8	340°
1776	North End (west side) <32>		47° 18.27'	122° 33.42'	-0 06	-0 06	-0 28	+0 02	0.9	0.4	4.3	201°	1.1	324°
1781	0.1 mile east of Point Evans <33>		47° 17.15'	122° 32.67'	-0 05	+0 04	-0 16	-0 05	1.3	1.2	3.8	218°	3.4	023°
1786	South end (midstream) <34>		47° 15.65'	122° 33.50'	-0 09	-0 09	-0 17	-0 40	1.2	1.1	3.8	218°	3.1	022°
1791	Hale Passage, east end <31>		47° 14.78'	122° 35.85'	0 00	-1 12	-2 20	-1 00	0.4	0.6	1.4	299°	0.7	093°
1796	Hale Passage, west end		47° 16.67'	122° 39.73'	0 00	-1 12	-2 20	-1 00	0.4	0.6	1.4	299°	0.7	093°
1801	Carr Inlet		--	--	--	--	--	--	--	--	--	--	--	--
1806	Gibson Point, 0.8 mile east of		47° 13.08'	122° 35.37'	+0 28	+0 43	+0 08	+0 15	0.7	0.6	2.1	203°	1.8	029°
1811	Comorant Passage <35>		47° 09.22'	122° 37.78'	--	--	--	+2 06	--	0.3	--	--	0.7	026°
1816	Nisqually Reach, E of Sandy Point <36>		47° 06.93'	122° 39.50'	-0 26	+0 24	+0 20	+0 31	--	0.3	--	--	0.8	036°
1821	Nisqually Reach		47° 07.42'	122° 42.42'	-0 09	-0 17	-0 40	-0 40	0.3	0.4	1.1	259°	1.1	044°
1826	Balch Passage		47° 11.25'	122° 41.83'	-0 55	-1 16	-1 43	-1 24	0.3	0.5	0.9	204°	2.2	107°
1831	Pitt Passage, east of Pitt Island		47° 13.42'	122° 42.95'	-0 09	-0 09	-0 17	-0 40	0.4	0.8	1.1	296°	2.2	107°
1836	Drayton Passage <31>		47° 10.35'	122° 44.50'	--	--	--	+1 44	0.3	0.5	0.9	204°	1.4	028°
1841	Devils Head, west of <38>		47° 09.63'	122° 47.38'	--	--	--	+0 22	--	0.1	--	--	0.4	030°
1846	Dana Passage		47° 09.80'	122° 47.07'	+0 17	-0 09	-0 06	-0 12	--	0.2	--	--	0.6	158°
1851	Budd Inlet entrance		47° 08.37'	122° 52.07'	--	-0 42	--	-0 19	0.5	0.8	1.5	249°	2.2	078°
1856	Olympia, Budd Inlet		47° 05.55'	122° 55.03'	--	-0 42	--	-0 19	0.2	0.1	0.7	236°	0.4	031°

Endnotes can be found at the end of table 2.

TABLE 2 – CURRENT DIFFERENCES AND OTHER CONSTANTS

No.	PLACE	Meter Depth	POSITION		TIME DIFFERENCES				SPEED RATIOS		AVERAGE SPEEDS AND DIRECTIONS			
			Latitude	Longitude	Min. before Flood	Flood	Min. before Ebb	Ebb	Flood	Ebb	Minimum before Flood	Maximum Flood	Minimum before Ebb	Maximum Ebb
	PUGET SOUND—cont. Time meridian, 120° W	ft	North	West	h m	h m	h m	h m			knots	Dir.	knots	Dir.
1861	Eld Inlet entrance		47° 08.78'	122° 56.00'	-0 04	+0 09	-0 36	-0 10	0.3	0.2	0.9	224°	0.6	028°
1866	Unsal Point, 0.3 mile south of <31>		47° 09.57'	122° 53.68'	---	---	---	-1 04	---	---	---	---	1.2	137°
1871	Peale Passage, south end		47° 10.50'	122° 53.23'	---	---	---	-0 28	---	---	---	---	0.4	173°
1876	Peale Passage, north end		47° 13.35'	122° 55.22'	-0 14	-0 23	-0 56	-0 30	0.1	0.1	0.4	341°	1.2	145°
1881	Squaxin Passage, north of Hunter Point		47° 10.62'	122° 55.15'	-0 42	-0 32	-0 33	-0 45	0.2	0.4	1.4	286°	1.2	121°
1886	Totten Inlet entrance		47° 11.33'	122° 56.70'	-0 19	+0 02	-0 25	-0 09	0.5	0.4	1.7	243°	1.0	054°
1891	Hammersley Inlet, 0.8 mile east of Libby Point		47° 12.15'	122° 58.47'	+1 00	+0 37	+0 05	+1 06	0.7	0.9	2.3	283°	2.4	102°
1896	Hammersley Inlet, west of Skookum Point		47° 12.42'	123° 02.37'	+1 14	+1 29	+0 57	+1 04	0.5	0.6	1.7	287°	1.6	101°
1901	Pickering Passage, south end		47° 13.17'	123° 56.08'	+1 05	+1 06	+0 21	+0 53	0.4	0.5	1.3	190°	1.3	013°
1906	Pickering Passage, off Graham Point		47° 14.90'	123° 55.53'	+1 17	+1 03	+0 24	+1 20	0.3	0.5	1.1	199°	1.3	034°
1911	Pickering Passage, north end		47° 18.35'	122° 51.05'	+1 24	+1 03	+1 11	+1 33	0.2	0.2	0.6	250°	0.6	067°
1916	Case Inlet, 1 mile SE of McMicken Island		47° 14.30'	122° 50.62'	Current weak and variable									
	POSSESSION SOUND—SKAGIT BAY				on Admiralty Inlet, p.48 <40>									
1921	Possession Sound		---	---	Current weak and variable									
1926	Port Susan		48° 06'	122° 22'	Current weak and variable									
1931	Saratoga Passage		---	---	Current weak and variable									
1936	Skagit Bay, 1 mile north of Rocky Point		48° 16'	122° 32'	---	+0 56	---	+1 47	0.4	0.4	0.6	060°	1.0	236°
1941	Skagit Bay, 1 mi. S of Goat Island <41>		48° 20.67'	122° 32.62'	-1 07	-1 26	-0 53	-0 53	0.3	0.2	1.8	139°	1.4	312°
1946	Skagit Bay, channel SW of Hope Island		48° 23.58'	122° 34.80'	-0 20	-0 40	-0 08	-0 15	0.4	0.3	2.3	165°	2.0	344°
1951	Yokoko Point, Deception Pass		48° 24.77'	122° 36.82'	+0 04	-0 24	-0 25	+0 17	0.4	0.4	2.1	064°	2.7	222°
1956	DECEPTION PASS, (Narrows)		48° 24.37'	122° 38.58'	Daily predictions									
	ROSARIO STRAIT <40>				on Rosario Strait, p.60 <40>									
1961	Deception Island, 1.0 mile west of		48° 24.22'	122° 41.85'	---	+1 14	---	-1 23	0.6	0.5	0.6	035°	1.0	210°
1966	Iceberg Point, 2.1 miles SSW of		48° 23'	122° 55'	-0 34	-0 05	+1 21	-0 10	1.0	0.4	1.1	010°	0.8	260°
1971	Colville Island, 1 mile SSE of		48° 24'	122° 49'	+0 19	+0 31	+0 46	+0 07	1.0	1.2	1.1	055°	2.3	235°
1976	Colville Island, 1.4 miles east of		48° 25'	122° 47'	+0 03	+0 14	+0 17	-0 14	1.4	1.0	1.6	055°	1.9	215°
1981	Deception Island, 2.7 miles west of		48° 24.75'	122° 44.37'	+1 08	+0 50	+0 38	-0 34	0.8	0.7	0.9	015°	1.3	190°
1986	W Point, Whidbey I., 1.8 mi. SW of <9>		48° 23'	122° 42'	---	+0 46	---	-2 23	0.6	0.5	0.6	005°	1.0	207°
1991	Deception Island, 1.3 miles NW of		48° 25.18'	122° 41.9'	---	+0 04	---	-2 29	1.2	0.6	1.3	017°	1.1	161°
1996	ROSARIO STRAIT		48° 27.50'	122° 47.00'	Daily predictions									
2001	Lopez Pass		48° 28.78'	122° 49.12'	-1 13	+1 33	-0 39	-1 16	1.4	1.0	1.6	275°	1.9	175°
2006	Burrows Bay, 0.5 mile east of Allan I		48° 27.77'	122° 40.97'	-3 01	-0 48	+0 22	-0 43	0.9	0.2	1.0	022°	0.4	209°
2011	Burrows I.—Allan I., Passage between		48° 28.30'	122° 41.98'	-2 05	-0 34	+0 09	-0 57	2.0	0.7	2.2	304°	1.4	096°
2016	Burrows Island Light, 0.8 miles WNW of		48° 29'	122° 44'	+0 29	+0 30	+0 13	+0 16	1.0	1.1	1.1	015°	2.1	200°
2021	Fidalgo Head—Burrows Island, between		48° 29.33'	122° 42.20'	-0 55	-0 30	-0 32	-1 57	1.6	0.5	1.8	270°	0.9	090°
2026	Green Point, 0.8 mile northwest of		48° 30.28'	122° 42.37'	-0 19	+0 49	+0 50	-0 16	1.2	1.0	2.0	020°	1.9	190°
2031	Shannon Point, 2.0 miles west of		48° 30.63'	122° 43.83'	-0 08	+0 16	+1 10	-0 33	1.1	0.7	1.4	005°	1.8	190°
2036	Fauntleroy Point Light, 0.8 mile ESE of		48° 31.20'	122° 46.18'	+0 08	+0 16	+1 10	+0 51	1.0	0.7	1.2	310°	0.9	125°
2041	Thatcher Pass		48° 31.65'	122° 48.18'	+0 43	+1 01	+1 26	+0 29	0.4	0.5	1.0	300°	0.9	075°
2046	Frost—Willow Island, between		48° 32.35'	122° 49.85'	+0 46	+1 14	+0 19	+0 20	0.6	0.4	0.6	010°	0.8	126°
2051	Strawberry Island, 0.8 mile west of		48° 33.67'	122° 45.25'	+0 43	+0 46	+0 37	+0 30	1.4	1.4	1.5	020°	2.6	190°
2056	Peavine Pass, west entrance		48° 35.22'	122° 49.20'	-0 42	-0 41	-0 26	-0 52	1.6	1.2	1.7	055°	2.2	285°
2061	Obstruction Pass Light, 0.4 mile NW of		48° 36.22'	122° 48.80'	-0 59	-0 44	-0 38	-0 49	1.2	0.5	1.3	100°	1.0	270°
2066	Peapod Rocks Light, 1.2 miles south of		48° 37.33'	122° 44.83'	+0 08	+1 12	+0 49	-0 15	1.2	1.0	1.3	030°	1.9	215°
2071	Barnes Island, 0.8 mile southwest of		48° 41.15'	122° 47.33'	+0 37	+1 20	-0 07	+0 08	0.6	0.5	0.6	315°	0.9	140°
2076	Raccoon Point, 0.6 mile NNE of		48° 42.38'	122° 49.75'	-0 36	-0 45	-1 41	-0 20	0.6	0.4	0.6	286°	0.8	101°

Endnotes can be found at the end of table 2.

TABLE 2 – CURRENT DIFFERENCES AND OTHER CONSTANTS

No.	PLACE	Meter Depth	POSITION		TIME DIFFERENCES				SPEED RATIOS		AVERAGE SPEEDS AND DIRECTIONS					
			Latitude	Longitude	Min. before Flood	Flood	Min. before Ebb	Ebb	Flood	Ebb	Minimum before Flood	Maximum Flood	Minimum before Ebb	Maximum Ebb		
															h	m
	ROSARIO STRAIT <40>—cont. Time meridian, 120° W	ft	North	West	h	m	h	m	h	m	h	m	knots <td>Dir. <td>knots <td>Dir. </td></td></td>	Dir. <td>knots <td>Dir. </td></td>	knots <td>Dir. </td>	Dir.
2081	Parker Reef Light, 0.5 mile north of		48° 43.98'	122° 53.40'	+1 31	+1 02	+1 14	+1 02	1.0	0.8	—	—	—	—	1.5	278°
2086	Matta Island, 0.8 mile west of		48° 44.93'	122° 51.95'	+0 22	+0 26	+0 26	+0 14	1.1	0.8	—	—	—	—	1.5	208°
2091	Guemes Channel, west entrance		48° 31.27'	122° 39.13'	-0 21	-0 33	-1 24	-0 36	0.8	1.1	—	—	—	—	2.1	255°
2096	Padilla Bay, 0.8 mi. NW of March Pt <42>		48° 31'	122° 35'	—	—	—	—	—	—	—	—	—	—	—	—
2101	Guemes Island, 0.5 mile east of		48° 32'	122° 34'	—	—	—	—	—	—	—	—	—	—	—	—
2106	Huckleberry Island, 0.5 mile north of		48° 32.75'	122° 33.98'	-3 17	+0 18	+0 36	-1 10	0.7	0.3	—	—	—	—	0.6	253°
2111	William Point Light, 0.8 mile W of		48° 35.05'	122° 34.77'	—	+0 36	—	+0 23	0.1	0.2	—	—	—	—	0.3	230°
2116	Eliza Island, 0.5 mile southeast of		48° 39'	122° 34'	—	—	—	—	—	—	—	—	—	—	—	—
2121	Bellingham Channel, off Cypress I. Light		48° 33.62'	122° 39.82'	-0 48	+0 08	-0 49	-0 51	1.1	1.2	—	—	—	—	2.2	185°
2126	Towhead Island, 0.4 mile east of		48° 36.73'	122° 42.13'	-1 55	+1 13	+2 43	+0 01	0.7	0.2	—	—	—	—	0.4	125°
2131	Sinclair Island, 0.6 mile SE of		48° 36.17'	122° 38.92'	+0 16	+0 48	+0 22	+0 18	1.3	0.8	—	—	—	—	0.6	210°
2136	Snodair Island, 1 mile northeast of <43>		48° 38.67'	122° 39.50'	—	—	—	+1 23	—	0.4	—	—	—	—	0.8	110°
2141	Lawrence Point, Orcas I., 1.3 mi. NE of		48° 40.70'	122° 42.87'	+0 56	+0 58	+0 59	+0 55	1.2	0.8	—	—	—	—	1.4	145°
2146	Hale Passage, 0.5 mile SE of Lummi Point		48° 43.88'	122° 40.67'	-0 43	+0 20	+0 20	-0 11	1.0	0.5	—	—	—	—	1.0	145°
2151	Clark Island, 1.4 miles north of		48° 43.88'	122° 46.40'	+0 47	+1 14	+0 44	-0 02	0.6	0.6	—	—	—	—	1.1	150°
2156	Matta Island, 1.4 miles north of		48° 46.33'	122° 50.97'	+0 02	+0 57	+0 59	+0 08	0.6	0.3	—	—	—	—	0.6	190°
2161	Parker Reef Light, 1 mile north of		48° 44.52'	122° 53.67'	—	—	—	-0 52	0.9	0.4	—	—	—	—	0.7	265°
2166	Puffin Island Light, 4.8 miles north of		48° 49.33'	122° 48.50'	+0 18	+1 30	+0 55	+0 11	0.4	0.4	—	—	—	—	0.8	210°
2171	Neptune Beach, 1.2 miles NW of <44>		48° 49.47'	122° 43.58'	—	+1 43	—	—	0.4	0.4	—	—	—	—	—	—
2176	Cherry Point, 1.5 miles SE of		48° 50.70'	122° 43.50'	—	+1 04	—	+0 13	0.3	0.2	—	—	—	—	0.3	116°
	SAN JUAN CHANNEL															
2181	Cattle Point, 1.2 miles southeast of		48° 26.03'	122° 56.82'	+0 11	-0 20	+0 34	-0 01	0.3	0.9	—	—	—	—	2.4	195°
2186	SAN JUAN CHANNEL (south entrance)		48° 27.68'	122° 57.05'	+0 51	-0 07	+0 27	+0 36	0.6	0.5	—	—	—	—	2.6	180°
2191	Kings Point, Lopez Island, 1 mile NNW of		48° 29.00'	122° 57.17'	+0 40	+0 09	-0 10	+0 01	0.4	0.5	—	—	—	—	1.3	185°
2196	Pear Point, 1.1 miles east of		48° 30.68'	122° 57.17'	+0 19	+1 22	+0 20	-0 01	0.4	0.5	—	—	—	—	1.4	203°
2201	Turn Rock Light, 1.9 miles northwest of		48° 33.40'	122° 59.90'	-0 10	+0 35	+0 29	+0 07	0.2	0.1	—	—	—	—	0.9	330°
2206	Crane Island, south of, Wasop Passage		48° 35.37'	122° 59.92'	+0 19	+0 28	+0 15	-0 15	0.5	0.4	—	—	—	—	0.4	288°
2211	Wasp Passage Light, 0.5 mile WSW of		48° 35.53'	123° 02.05'	+0 04	-1 09	-0 43	-0 13	0.4	0.4	—	—	—	—	1.2	300°
2216	Spring Passage, south entrance		48° 36.68'	123° 06.55'	+0 23	-0 12	-1 00	+0 26	0.7	1.2	—	—	—	—	1.0	150°
2221	Limestone Point, Spieden Channel		48° 37.58'	123° 00.37'	+2 36	+1 31	+0 48	+1 51	0.2	0.8	—	—	—	—	3.2	283°
2226	Point Disney, 1.6 miles east of		48° 40.37'	122° 55.23'	+0 15	+0 21	+0 11	+0 05	0.2	0.3	—	—	—	—	2.2	230°
2231	Harney Channel		48° 35.45'	122° 51.42'	—	—	—	—	—	—	—	—	—	—	0.6	250°
2236	East Sound entrance		48° 35.22'	122° 51.42'	—	—	—	—	—	—	—	—	—	—	—	—
2241	East Sound, 0.2 mile SW of Rosario Point		48° 38.65'	122° 52.88'	—	—	—	—	—	—	—	—	—	—	—	—
	HARO STRAIT and BOUNDARY PASS															
2246	Discovery Island, 3.3 miles northeast of		48° 27'	123° 09'	+1 16	+1 03	+0 59	+0 59	0.8	0.6	—	—	—	—	1.6	170°
2251	Kellett Bluff, west of		48° 35.35'	123° 13.50'	+0 01	+0 20	+0 36	+0 20	1.0	0.8	—	—	—	—	2.1	170°
2256	Turn Point, Boundary Pass		48° 41.72'	123° 14.13'	+0 26	+0 51	+1 18	+0 26	0.4	0.6	—	—	—	—	1.6	260°
2261	Skipjack Island, 2 miles NNE of		48° 46'	123° 01'	+0 26	+0 34	+0 49	-0 02	1.6	1.4	0.5	295°	0.2	120°	2.7	203°
	SAN JUAN CHANNEL, p.64															
2266	Johns Island, 0.8 mile north of		48° 41'	123° 09'	-0 15	-0 31	+0 06	+0 49	0.2	0.2	—	—	—	—	0.6	350°
2271	Waldron Island, 1.7 miles west of		48° 42.25'	123° 06.52'	+0 37	+0 36	+1 10	+1 05	0.3	0.4	—	—	—	—	1.2	260°
2276	Skipjack Island, 1.5 miles northwest of		48° 44.97'	123° 03.65'	+1 17	+1 19	+1 08	+1 12	0.5	0.5	—	—	—	—	1.4	290°
2281	Point Hammond, 1.1 miles northwest of		48° 43.92'	123° 01.52'	+1 11	+1 05	+0 27	+1 13	0.2	0.9	—	—	—	—	2.4	255°
	ROSARIO STRAIT, p.60 <40>															
2286	Alden Point, Patos Island, 2 miles S of		48° 45.47'	122° 58.82'	+0 09	-0 26	+0 15	-0 53	0.9	1.1	—	—	—	—	2.1	185°
2291	Patos Island Light, 1.4 miles west of		48° 47.33'	122° 56.25'	+0 19	+0 30	+0 40	-0 02	1.4	1.0	—	—	—	—	2.0	180°
2296	Toe Point, Patos Island, 0.5 mile S of		48° 46.70'	122° 56.45'	-2 31	+0 49	+0 51	-0 47	0.8	0.8	—	—	—	—	1.6	045°

Endnotes can be found at the end of table 2.

TABLE 2 – CURRENT DIFFERENCES AND OTHER CONSTANTS

No.	PLACE	Meter Depth	POSITION		TIME DIFFERENCES				SPEED RATIOS		AVERAGE SPEEDS AND DIRECTIONS			
			Latitude	Longitude	Min. before Flood	Flood	Min. before Ebb	Ebb	Flood	Ebb	Minimum before Flood	Maximum Flood	Minimum before Ebb	Maximum Ebb
2301	GEORGIA STRAIT Time meridian, 120° W Drayton Harbor Entrance	ft	North	West	h m	h m	h m	h m	0.6	0.4	knots	Dir.	knots	Dir.
			48° 59.45'	122° 46.07'	-0 27	-0 11	+0 48	+0 13			1.0	133°	0.0	--
2306	Sucia I., 0.5 mile WNW of Lawson Bluff		48° 46'	122° 56'	+0 54	+0 26	+0 53	+1 15	0.2	0.4	0.8	025°	--	--
2311	Sansum Narrows		48° 47.00'	123° 33.37'	+0 24	+0 24	-0 37	-0 37	0.5	0.5	1.7	000°	--	--
2316	ACTIVE PASS		48° 52.78'	123° 17.75'							3.3	045°	--	--
2321	Portier Pass		49° 00.65'	123° 35.50'	-0 20	-0 24	-0 28	-0 24	1.3	1.3	4.3	045°	--	--
2326	Gabriola Pass		49° 07.70'	123° 42.15'	-0 35	-0 33	-0 32	-0 33	1.1	1.1	4.0	090°	--	--
2331	Dodd Narrows		49° 08'	123° 49'	-0 45	-0 45	-0 45	-0 45	1.4	1.4	4.8	315°	--	--
2336	BURRARD INLET, First Narrows		49° 19'	123° 08'							3.7	135°	--	--
2341	Second Narrows, Burrard Inlet		49° 18'	123° 01'	-0 18	-0 11	-0 04	-0 11	0.9	0.9	3.3	090°	--	--
2346	Seechelt Rapids		49° 45'	123° 55'	+1 35	+1 24	+1 12	+1 24	1.8	1.8	6.5	150°	--	--
2351	Stevens Pass		49° 31'	124° 31'	+0 15	+0 15	+0 15	+0 15	0.2	0.2	2.2	310°	--	--
2356	Cape Lazo		49° 43'	124° 48'	+0 15	+0 15	+0 15	+0 15	0.2	0.2	2.0	355°	--	--
2361	Kuhushan Point		49° 53'	125° 04'	+0 10	+0 10	+0 10	+0 10	0.2	0.2	2.0	325°	--	--
2366	Shelter Point		49° 57'	125° 10'	+0 10	+0 10	+0 10	+0 10	0.2	0.2	2.0	145°	--	--
	DISCOVERY PASSAGE													
2371	Off Cape Mudge		50° 00'	125° 14'	+0 15	+0 15	+0 15	+0 15	0.5	0.5	5.0	165°	--	--
2376	Orange Point		50° 04'	125° 17'	+0 10	+0 10	+0 10	+0 10	0.5	0.5	5.0	145°	--	--
2381	Race Point		50° 07'	125° 20'	+0 05	+0 05	+0 05	+0 05	0.7	0.7	6.5	125°	--	--
2386	SEYMOUR NARROWS		50° 08'	125° 21'							9.2	180°	--	--
2391	Separation Head		50° 11'	125° 22'	-0 05	-0 05	-0 05	-0 05	0.4	0.4	3.4	170°	--	--
2396	Moriarty Point		50° 16'	125° 25'	-0 10	-0 10	-0 10	-0 10	0.3	0.3	2.5	170°	--	--
2401	Chatham Point		50° 20'	125° 27'	-0 20	-0 20	-0 20	-0 20	0.3	0.3	2.5	165°	--	--
	JOHNSTONE STRAIT													
2406	Ripple Point		50° 22'	125° 35'	-0 40	-0 40	-0 40	-0 40	0.4	0.4	3.4	105°	--	--
2411	Camp Point		50° 24'	125° 51'	-1 00	-1 00	-1 00	-1 00	0.4	0.4	3.4	090°	--	--
2416	Race Passage <45>		50° 23'	125° 53'	-0 58	-0 58	-0 58	-0 58	0.5	0.5	4.8	110°	--	--
2421	Current Passage		50° 25'	125° 54'	-1 00	-1 00	-1 00	-1 00	0.5	0.5	4.8	120°	--	--
2426	Ransom Point		50° 28'	126° 06'	-1 00	-1 00	-1 00	-1 00	0.3	0.3	2.5	110°	--	--
2431	Off Broken Island		50° 30'	126° 17'	-1 00	-1 00	-1 00	-1 00	0.3	0.3	2.5	290°	--	--
2436	Robson Bight (off)		50° 30'	126° 35'	-1 15	-1 15	-1 15	-1 15	0.3	0.3	2.5	100°	--	--
2441	Ella Point, Weynton Passage		50° 33'	126° 48'	-1 25	-1 25	-1 25	-1 25	0.4	0.4	3.9	105°	--	--
	BROUGHTON STRAIT													
2446	Pearse Passage, Cormorant Island		50° 35'	126° 54'	-1 30	-1 30	-1 30	-1 30	0.4	0.4	3.9	165°	--	--
2451	Leonard Point, Cormorant Island		50° 36'	126° 58'	-1 35	-1 35	-1 35	-1 35	0.3	0.3	2.5	090°	--	--
2456	Ledge Point		50° 36'	127° 04'	-1 40	-1 40	-1 40	-1 40	0.3	0.3	2.5	110°	--	--
2461	Pulteney Point		50° 37'	127° 10'	-1 45	-1 45	-1 45	-1 45	0.3	0.3	2.5	120°	--	--
	QUEEN CHARLOTTE STRAIT													
2466	False Head, 2 miles north from		50° 41'	127° 17'	-2 20	-2 20	-2 20	-2 20	0.3	0.3	2.5	130°	--	--
2471	Dillon Point, 1 mile north		50° 46'	127° 25'	-2 30	-2 30	-2 30	-2 30	0.3	0.3	2.5	110°	--	--
2476	Gordon Channel		50° 55'	127° 40'	-2 40	-2 40	-2 40	-2 40	0.3	0.3	2.5	125°	--	--

Endnotes can be found at the end of table 2.

TABLE 2 – CURRENT DIFFERENCES AND OTHER CONSTANTS

No.	PLACE	Meter Depth	POSITION		TIME DIFFERENCES				SPEED RATIOS		AVERAGE SPEEDS AND DIRECTIONS			
			Latitude	Longitude	Min. before Flood	Flood	Min. before Ebb	Ebb	Flood	Ebb	Minimum before Flood	Maximum Flood	Minimum before Ebb	Maximum Ebb
	GOLETAS CHANNEL Time meridian, 120° W	ft	North	West	h m	h m	h m	h m			knots	Dir.	knots	Dir.
2481	Duval Point		50° 48'	127° 30'	-3 05	-3 05	-3 05	-3 05	0.3	0.3	2.5	110°	2.5	290°
2486	Boxer Point		50° 49'	127° 39'	-3 15	-3 15	-3 15	-3 15	0.3	0.3	2.5	110°	2.5	290°
2491	Lemon Point		50° 51'	127° 46'	-3 20	-3 20	-3 20	-3 20	0.3	0.3	2.5	110°	2.5	290°
2496	Heath Point		50° 53'	127° 53'	-3 25	-3 25	-3 25	-3 25	0.3	0.3	3.0	110°	3.0	290°
2501	Nawhitti Bar		50° 54'	128° 00'	-4 30	-4 38	-4 47	-4 38	0.4	0.4	4.0	100°	4.0	280°
	PASSAGES NORTH OF VANCOUVER ISLAND													
2506	Surge Narrows, Okisollo Channel		50° 14'	125° 10'	-0 45	-0 45	-0 45	-0 45	0.7	0.7	7.0	140°	7.0	320°
2511	Hole in The Wall, Okisollo Channel		50° 18'	125° 13'	-0 55	-0 55	-0 55	-0 55	0.8	0.8	7.5	050°	7.5	230°
2516	Rapids, near Barnes Bay, Okisollo Chan		50° 19'	125° 16'	-0 50	-0 55	-0 55	-0 55	0.7	0.7	6.5	072°	6.5	252°
2521	Aran Rapids, north of Stuart Island		50° 25'	125° 08'	-0 45	-0 45	-0 45	-0 45	0.7	0.7	7.0	065°	7.0	245°
2526	Yuculta Rapids, SW of Stuart Island		50° 21'	125° 09'	-0 40	-0 40	-0 40	-0 40	0.5	0.5	5.0	145°	5.0	325°
2531	Godwin Point, Cordero Island		50° 28'	125° 25'	-0 55	-0 55	-0 55	-0 55	0.2	0.2	2.2	050°	2.2	230°
2536	Shell Point, Blind Channel		50° 26'	125° 31'	-1 10	-1 10	-1 10	-1 10	0.5	0.5	5.0	355°	5.0	175°
2541	Green Point Rapids, Cordero Channel		50° 27'	125° 31'	-1 25	-1 30	-1 35	-1 30	0.5	0.5	5.0	130°	5.0	310°
2546	Whirlpool Rapids, Wellbore Channel		50° 27'	125° 47'	-1 50	-1 50	-1 50	-1 50	0.6	0.6	6.0	185°	6.0	005°
2551	Shaw Point, Sunderland Channel		50° 28'	125° 56'	-1 05	-1 05	-1 05	-1 05	0.2	0.2	1.5	060°	1.5	240°
2556	Root Point, Chatham Channel		50° 35'	126° 12'	-1 05	-1 05	-1 05	-1 05	0.6	0.6	5.5	110°	5.5	290°
2561	Littleton Point, Chatham Channel		50° 37'	126° 17'	-1 05	-1 05	-1 05	-1 05	0.4	0.4	3.5	130°	3.5	310°
2566	Ripple Bluff, Knight Inlet		50° 38'	126° 31'	-1 15	-1 15	-1 15	-1 15	0.3	0.3	2.5	105°	2.5	285°
2571	Owl Island, main ent. to Knight Inlet		50° 38'	126° 41'	-1 20	-1 20	-1 20	-1 20	0.3	0.3	2.5	120°	2.5	300°
	HECATE STRAIT and CHATHAM SOUND													
2576	Meyers Narrows, Meyers Passage		52° 37'	128° 39'	-1 00	-0 56	-0 54	-0 35	0.9	1.1	2.2	090°	2.2	270°
2581	Otter Passage, Nepean Sound		53° 08'	129° 45'	-0 19	-0 22	-0 26	-0 01	-	-	-	-	-	-
2586	Grenville Channel (narrow portion) <46>		53° 36'	129° 41'	+1 23	+1 17	+1 09	+1 38	0.4	1.6	1.4	320°	3.4	140°
2591	Skeena River, Middle Passage		54° 06'	130° 13'	+1 39	+1 31	+1 21	+1 52	0.7	1.1	2.2	120°	2.2	310°
2596	Casey Point, Prince Rupert Harbor		54° 16'	130° 22'	+1 37	+1 29	+1 19	+1 50	-	-	-	-	-	-
2601	Tuck Narrows, Prince Rupert Harbor		54° 24'	130° 15'	+0 24	+0 28	+0 30	+0 49	1.6	2.3	5.2	325°	4.8	145°
2606	Between Rose Spit and Overfall Shoal		54° 14'	131° 35'	+0 14	+0 18	+0 20	+0 39	0.9	1.3	2.8	145°	2.8	325°
	DIXON ENTRANCE													
2611	Naden Harbor, Alexandria Narrows		54° 02.19'	132° 34.44'	+0 33	+0 30	+0 26	+0 51	0.4	0.9	1.3	205°	1.8	025°
2616	Masset Harbor, 5 miles inside		54° 01'	132° 10'	+3 09	+2 59	+2 47	+3 20	1.3	2.1	4.0	145°	4.5	335°
	Time meridian, 135° W													
2621	Cape Muzon, 4 miles south from		54° 36'	132° 41'	-0 39	-0 47	-0 57	-0 26	0.8	1.2	2.4	045°	2.4	225°
2626	Point Marsh, 5 miles south from		54° 38'	132° 18'	-0 39	-0 47	-0 57	-0 26	0.7	1.1	2.3	035°	2.3	215°
2631	Cape Chacon, south of	42d 200d 357d	54° 37.53'	132° 03.42'	-0 21	-2 44	-3 18	-0 53	0.3	185°	0.2	186°	0.2	186°
	do.		54° 37.53'	132° 03.42'	-0 35	-1 20	-1 43	-0 55	0.3	0.6	0.8	076°	0.8	156°
	do.		54° 37.53'	132° 03.42'	-0 53	-0 46	-1 01	-1 17	0.5	0.7	1.7	088°	1.2	261°
2636	West Devil Rock, 2 miles north of		54° 42'	131° 36'	-0 34	-0 42	-0 52	-0 21	0.8	1.2	2.4	035°	1.5	264°
2641	Barren Island Light, 2 miles south from		54° 42'	131° 21'	-0 29	-0 37	-0 47	-0 16	0.7	1.1	2.3	040°	2.4	215°
	Time meridian, 120° W													
2646	East Devil Rock, 1 mile north of		54° 42'	131° 05'	+0 31	+0 23	+0 13	+0 44	0.7	1.1	2.2	085°	2.2	265°
2651	Between Dundas Island and Cape Fox		54° 42'	130° 50'	+0 14	+0 18	+0 30	+0 39	0.6	1.4	2.0	090°	3.0	270°
2656	Tongass Islands, east of, Nakat Bay		54° 46.94'	130° 44.23'	-1 31	-2 40	-1 38	-1 31	0.3	0.6	0.8	325°	1.2	157°
2661	Boston Islands, 1 mile south from		54° 41'	130° 34'	-0 29	-0 37	-0 47	-0 16	0.7	1.1	2.0	085°	2.0	265°
2666	Portland Inlet, 2 miles S. of Wales Pt		54° 40'	130° 29'	+0 36	+0 28	+0 18	+0 49	0.8	1.2	2.4	040°	2.4	220°

Endnotes can be found at the end of table 2.

TABLE 2 – CURRENT DIFFERENCES AND OTHER CONSTANTS

No.	PLACE	Meter Depth	POSITION		TIME DIFFERENCES				SPEED RATIOS		AVERAGE SPEEDS AND DIRECTIONS			
			Latitude	Longitude	Min. before Flood	Flood	Min. before Ebb	Ebb	Flood	Ebb	Minimum before Flood	Maximum Flood	Minimum before Ebb	Maximum Ebb
	PEARSE CANAL Time meridian, 120° W	ft	North	West	h m	h m	h m	h m			knots	Dir.	knots	Dir.
2671	Haystack Island, Tongass Passage		54° 43'	130° 37'	+0 31	+0 23	+0 13	+0 44	0.8	1.2	--	--	2.5	340°
2676	Point Phipp		54° 47'	130° 38'	+0 31	+0 23	+0 13	+0 44	0.9	1.3	--	--	2.8	245°
2681	Narrows		54° 50.08'	130° 29.13'	+0 34	+0 26	+0 31	+0 47	0.9	1.3	--	--	2.8	225°
2686	Blaine Point Time meridian, 135° W		55° 02'	130° 13'	-0 19	-0 27	-0 37	-0 06	0.6	1.0	--	--	2.0	205°
	PORTLAND CANAL Time meridian, 120° W													
2691	Wales Point, 2 miles south from		54° 40'	130° 29'	+0 36	+0 28	+0 18	+0 49	0.8	1.2	--	--	2.4	220°
2696	Cliff Point, 1 mile east from		54° 48'	130° 19'	+0 36	+0 28	+0 18	+0 49	0.7	1.1	--	--	2.2	225°
2701	Flat Point, 1 mile east of		54° 55'	130° 10'	+0 41	+0 33	+0 23	+0 54	0.6	1.0	--	--	2.0	210°
2706	Tree Point, 1 mile east of		55° 02'	130° 10'	+0 41	+0 33	+0 23	+0 54	0.6	0.9	--	--	1.8	165°
2711	Dickens Point		55° 09'	130° 09'	+0 41	+0 33	+0 23	+0 54	0.5	0.7	--	--	1.5	200°
2716	White Point		55° 34'	130° 07'	+0 46	+0 38	+0 28	+0 59	0.3	0.5	--	--	1.0	170°
	Time meridian, 135° W													
2721	Camp Point		55° 17'	129° 59'	-0 14	-0 22	-0 32	-0 01	0.4	0.6	--	--	1.3	180°
2726	Miners Point		55° 43'	130° 09'	-0 09	-0 17	-0 27	+0 04	0.3	0.4	--	--	0.8	170°
2731	Lion Point		55° 53'	130° 02'	-0 09	-0 17	-0 27	+0 04	0.2	0.2	--	--	0.5	205°
	REVILLAGIGEDO CHANNEL													
2736	Duke Point, 3.5 miles northeast of		54° 57'	131° 06'	Current weak and variable				0.0	--	--	--	0.5	353°
2741	Middy Point, 2.9 miles ENE of		55° 11'	131° 15'	Current weak and variable				--	--	--	--	0.3	265°
2746	Walker Island, 1.1 miles north of		55° 12'	131° 20'	Current weak and variable				--	--	--	--	0.3	320°
2751	Angle Point, 0.5 mile southwest of <47>		55° 14'	131° 26'	--	+1 27	--	--	0.1	--	--	--	0.3	290°
2756	Reef Point, 0.7 mile northeast of		55° 15'	131° 28'	Current weak and variable				--	--	--	--	--	--
2761	Race Point, 0.7 mile ENE of		55° 17.15'	131° 32.76'	+0 49	+0 22	+0 10	+0 18	0.2	0.2	--	--	0.5	145°
	Time meridian, 135° W													
2766	Carroll Point, 0.7 mile northwest of		55° 18'	131° 30'	Current weak and variable				--	--	--	--	--	--
	TONGASS NARROWS <48>													
2771	Pennock Island, East Channel	16d	55° 18.74'	131° 35.78'	-1 13	-1 01	-0 13	-0 29	0.3	0.4	0.1	228°	1.0	302°
	do.	62d	55° 18.74'	131° 35.78'	-1 27	-0 27	-0 11	-0 44	0.1	0.2	--	--	0.4	313°
	do.	101d	55° 18.74'	131° 35.78'	Current weak and variable				--	--	--	--	--	--
2776	Pennock Island, West Channel	14d	55° 18.09'	131° 36.96'	+1 08	-1 27	-0 53	-0 26	0.2	0.3	--	--	0.6	296°
	do.	41d	55° 18.09'	131° 36.96'	+0 24	-0 41	-0 47	+0 54	0.2	0.2	--	--	0.5	291°
	do.	80d	55° 18.09'	131° 36.96'	Current weak and variable				--	--	--	--	--	--
2781	Saxman Spire, 0.2 mile south of		55° 20.17'	131° 36.16'	-0 32	-2 00	-2 02	-0 12	0.2	0.3	--	--	0.7	110°
2786	Ketchikan		55° 20.17'	131° 38.65'	-0 50	+0 08	+0 04	-0 41	0.3	0.1	--	--	0.8	310°
2791	east of the airport	15d	55° 21.24'	131° 41.98'	-1 58	-0 38	-0 23	-1 11	0.4	0.5	--	--	1.2	317°
	do.	55d	55° 21.24'	131° 41.98'	-1 32	-1 17	-1 08	-1 17	0.3	0.8	--	--	0.9	321°
	do.	87d	55° 21.24'	131° 41.98'	-1 26	-2 08	-1 53	-1 26	0.2	0.8	--	--	0.6	319°
2796	Rosa Reef, 0.5 mile north of <50>		55° 25'	131° 48'	Current weak and variable				--	--	--	--	0.1	150°
2801	Point Higgins, 1 mile west of <51>		55° 27'	131° 52'	--	+2 02	--	+0 11	0.1	0.1	--	--	0.4	010°

Endnotes can be found at the end of table 2.

TABLE 2 – CURRENT DIFFERENCES AND OTHER CONSTANTS

No.	PLACE	Meter Depth	POSITION		TIME DIFFERENCES				SPEED RATIOS		AVERAGE SPEEDS AND DIRECTIONS			
			Latitude	Longitude	Min. before Flood	Flood	Min. before Ebb	Ebb	Flood	Ebb	Minimum before Flood	Maximum Flood	Minimum before Ebb	Maximum Ebb
	FELICE STRAIT Time meridian, 135° W	ft	North	West	h m	h m	h m	h m			knots	Dir.	knots	Dir.
2806	Hotspur Island, 0.5 mile southeast of		54° 58'	131° 29'	-0.53	-1.29	-1.06	-0.56	0.3	0.4	1.0	040°	0.9	220°
2811	Point Davidson, 1 mile south of		54° 59'	131° 36'	-0.29	-0.37	-0.47	-0.16	0.6	1.0	2.0	060°	2.0	240°
2816	Harris Island		55° 00'	131° 32'	-0.29	-0.37	-0.47	-0.16	1.3	1.8	4.2	055°	3.8	235°
2821	Alax Reef		55° 00'	131° 28'	-0.24	-0.32	-0.42	-0.11	0.9	1.4	3.0	095°	3.0	275°
2826	Snipe Island Light, 1.2 miles SW of <52>		55° 00'	131° 25'	--	--	--	-0.22	--	0.5	--	--	1.1	250°
2831	Snipe Island		55° 00'	131° 23'	-0.19	-0.27	-0.37	-0.06	1.3	1.8	4.2	070°	3.8	250°
2836	Grass Rock, Tamgas Harbor entrance		55° 01.30'	131° 31.34'	-0.24	-0.32	-0.42	-0.11	0.8	1.2	2.5	015°	2.5	195°
2841	Indian Reef		55° 02'	131° 21'	-0.19	-0.27	-0.37	-0.06	1.1	1.6	3.6	030°	3.4	210°
2846	Indian Rock Buoy, 1.3 miles east of <53>		55° 02'	131° 18'	--	--	--	-0.53	--	--	--	--	0.5	195°
2851	Indian Rock Buoy, 0.3 miles NW of <53>		55° 02'	131° 21'	--	--	--	-1.37	--	0.5	--	--	0.9	195°
2856	Kwain Bay, 2.0 miles east of		55° 05'	131° 19'	Current weak and variable				--	--	--	--	--	--
2861	Beaver Creek, Mary Island, 0.6 mile W of		55° 05'	131° 15'	Current weak and variable				--	--	--	--	--	--
2866	Customhouse Cove, 1 mile west of		55° 06'	131° 16'	-0.19	-0.27	-0.37	-0.06	0.6	1.0	2.0	020°	2.0	200°
	NICHOLS PASSAGE													
2871	Hid Reef, 2.7 miles south of		55° 02'	131° 40'	-0.18	-0.54	-0.40	+0.12	0.2	0.2	0.7	000°	0.4	190°
2876	Point McCartney Light		55° 07'	131° 42'	-0.24	-0.32	-0.42	-0.11	0.6	1.0	2.0	040°	2.0	220°
2881	Point McCartney Light, 1.5 miles east of		55° 07'	131° 40'	Current weak and variable				--	--	--	--	--	--
2886	Village Point, Metakalia, 0.2 mile N of		55° 08.01'	131° 37.72'	-0.24	-0.32	-0.42	-0.11	0.7	1.1	2.2	025°	2.2	205°
2891	Wharburton Island		55° 11'	131° 36'	-0.19	-0.27	-0.37	-0.06	0.6	0.9	1.9	355°	1.9	175°
2896	Driest Point		55° 13'	131° 41'	Current weak and variable				--	--	--	--	--	--
2901	Bostwick Point, 0.6 mile southeast of		55° 13'	131° 41'	Current weak and variable				--	--	--	--	--	--
2906	Bostwick Point, 2.1 miles east of		55° 14.92'	131° 40.16'	-0.14	-0.22	-0.32	-0.01	0.7	1.1	2.3	010°	2.3	190°
2911	Blank Point	23d	55° 16.71'	131° 36.69'	-1.25	-2.03	-1.36	-0.40	0.4	0.5	1.1	039°	1.0	207°
2916	Walden Rocks, 0.4 mile north of	76d	55° 16.71'	131° 36.69'	-1.23	-1.27	-0.50	-1.01	0.5	0.4	1.5	047°	0.8	233°
	... do.	115d	55° 16.71'	131° 36.69'	-1.34	-1.14	-0.57	-1.19	0.4	0.4	1.4	052°	0.8	231°
	BEHM CANAL													
2921	Point Sykes		55° 12'	131° 07'	-0.19	-0.27	-0.37	-0.06	0.3	0.5	1.0	040°	1.0	220°
2926	Point Nelson		55° 18'	130° 57'	Current weak and variable				--	--	--	--	--	--
2931	Short Pass		55° 22.88'	130° 58.55'	Current weak and variable				--	--	--	--	--	--
2936	Behm Narrows		55° 54.82'	131° 31.92'	-1.41	-3.07	-3.41	-2.58	0.1	0.6	0.3	047°	0.5	222°
2941	Helm Point		55° 36'	131° 50'	-0.19	-0.27	-0.37	-0.06	0.4	0.6	1.2	062°	1.2	264°
2946	Guard Islands, 2 miles northwest of		55° 28'	131° 54'	-0.19	-0.27	-0.37	-0.06	0.4	0.7	1.2	030°	1.2	210°
	CLARENCE STRAIT													
2951	Duke Island, 2.8 miles WSW of <54>		54° 55'	131° 34'	--	-0.58	--	+0.18	0.2	0.6	0.7	088°	1.2	238°
2956	Point Davison, 0.8 mile south of <55>		54° 59'	131° 36'	+1.16	-0.31	+0.02	--	0.2	--	0.7	045°	--	240°
2961	Grass Rock, 1 mile south of		55° 00'	131° 33'	-0.24	-0.29	-0.42	-0.22	0.2	0.6	0.8	025°	1.3	235°
2966	Moir Rock, 2 miles east of		55° 05'	131° 56'	-0.24	-0.32	-0.42	-0.11	0.5	0.7	1.5	005°	1.5	185°
2971	Moir Sound entrance		55° 05.64'	132° 00.14'	Current weak and variable				--	--	--	--	--	--
2976	Hallbut Creek, 1 mile east of		55° 15'	131° 58'	Current weak and variable				--	--	--	--	--	--
2981	Hallbut Creek, 4.5 miles east of		55° 14'	131° 52'	--	-0.06	--	+0.17	0.2	0.2	0.3	350°	0.6	160°
2986	Choirmondeley Sound entrance		55° 17'	132° 04'	Current weak and variable				--	--	--	--	--	--
2991	Skin Island, 3 miles east from	24d	55° 18'	131° 59'	-0.19	-0.27	-0.37	-0.06	0.5	0.7	1.5	259°	1.5	170°
2996	Grindall Island, south of	122d	55° 24.66'	132° 07.59'	-1.52	-1.30	-0.39	-1.08	0.1	0.2	0.1	282°	0.1	092°
	... do.	220d	55° 24.66'	132° 07.59'	-0.13	+0.08	+0.16	+0.04	0.1	0.2	0.4	013°	0.4	183°
	... do.	220d	55° 24.66'	132° 07.59'	+0.27	+0.23	+1.26	+1.02	0.1	0.2	0.4	280°	0.1	159°
3001	Skowl Arm, Kasaan Bay	39d	55° 26'	132° 19'	Current weak and variable				--	--	--	--	--	--
3006	Happy Harbor, Kasaan Island, Kasaan Bay	176d	55° 30.22'	132° 18.97'	+0.51	+0.16	+0.02	+0.33	0.1	0.2	0.4	302°	0.4	118°
	... do.	295d	55° 30.22'	132° 18.97'	+1.12	+0.42	+0.19	+0.38	0.1	0.3	0.3	298°	0.5	124°

Endnotes can be found at the end of table 2.

TABLE 2 – CURRENT DIFFERENCES AND OTHER CONSTANTS

No.	PLACE	Meter Depth	POSITION		TIME DIFFERENCES				SPEED RATIOS		AVERAGE SPEEDS AND DIRECTIONS					
			Latitude	Longitude	Min. before Flood	Flood	Min. before Ebb	Ebb	h	m	h	m	Minimum before Flood	Maximum Flood	Minimum before Ebb	Maximum Ebb
	CLARENCE STRAIT—cont. Time meridian, 135° W	ft	North	West	h	m	h	m	h	m	knots	Dir.	knots	Dir.	knots	Dir.
3011	Guard Island Lighthouse, 5.1 miles SW of		55° 24'	132° 00'	+0 06	-0 03	-0 12	+0 20	0.2	0.3	--	--	--	--	0.7	164°
3016	Guard Islands, 2 miles west of		55° 27'	131° 57'	-0 19	-0 27	-0 37	+0 06	0.4	0.7	--	--	--	--	1.5	190°
3021	Ship Island		55° 56'	132° 15'	-0 14	-0 22	-0 32	-0 01	0.5	0.7	--	--	--	--	1.5	155°
3026	Narrow Point		55° 47'	132° 25'	-0 09	-0 17	-0 27	+0 04	0.5	0.7	--	--	--	--	1.5	150°
3031	Mabel Island, 3 miles west from		55° 55'	132° 30'	+0 01	-0 07	-0 17	+0 14	0.5	0.7	--	--	--	--	1.5	150°
3036	Lincoln Rock Light, 1 mile west from		56° 03'	132° 43'	+0 11	+0 03	-0 07	+0 24	0.5	0.7	--	--	--	--	1.5	155°
	ERNEST SOUND															
3041	McHenry Ledge, 1 mile north of		55° 48'	132° 18'	-0 09	-0 17	-0 27	+0 04	0.6	1.0	--	--	--	--	2.0	225°
3046	Vixen Point, 3 miles west of		55° 51'	132° 11'	-0 04	-0 12	-0 22	+0 09	0.5	0.8	--	--	0.0	--	1.7	245°
3051	Eaton Point		55° 57.17'	132° 05.40'	+0 01	-0 07	-0 17	+0 14	0.7	1.0	--	--	--	--	2.1	195°
3056	Niblack Islands		56° 02'	132° 05'	+0 06	-0 02	-0 12	+0 19	0.6	1.0	--	--	--	--	2.1	185°
3061	Bianche Rock		56° 05'	132° 05'	+0 11	+0 03	-0 07	+0 24	0.6	1.0	--	--	--	--	2.0	215°
3066	Point Warde		56° 11'	131° 58'	+0 16	+0 08	-0 02	+0 29	0.6	1.0	--	--	--	--	2.0	225°
	BLAKE CHANNEL and EASTERN PASSAGE															
3071	Blake Island		56° 13.38'	131° 54.53'	+0 21	+0 13	+0 03	+0 34	0.8	1.2	--	--	--	--	2.5	150°
3076	Berg Bay		56° 20.62'	132° 00.46'	+0 26	+0 18	+0 08	+0 39	0.7	1.1	--	--	--	--	2.2	155°
3081	The Narrows		56° 22.07'	132° 06.16'	+0 31	+0 23	+0 13	+0 44	0.9	1.4	--	--	--	--	3.0	045°
3086	Channel Island, north of		56° 22.51'	132° 10.18'	+0 31	+0 23	+0 13	+0 44	0.6	1.0	--	--	--	--	2.0	320°
3091	Mill Creek		56° 27'	132° 13'	+0 31	+0 23	+0 13	+0 44	0.6	0.9	--	--	--	--	1.8	330°
3096	Point Highfield		56° 30'	132° 23'	+0 06	-0 02	-0 12	+0 19	0.5	0.7	--	--	--	--	1.5	275°
	ZIMOVIA STRAIT															
3101	Found Island, 1 mile northwest of		56° 07'	132° 06'	+0 11	+0 03	-0 07	+0 24	0.5	0.8	--	--	--	--	1.7	140°
3106	No Name Island, near Thoms Place		56° 09'	132° 09'	+0 16	+0 08	-0 02	+0 29	0.5	0.8	--	--	--	--	1.6	150°
3111	Village Islands		56° 13'	132° 19'	+0 16	+0 08	-0 02	+0 29	0.5	0.7	--	--	--	--	1.5	135°
3116	Young Rock, 2 miles south of		56° 20'	132° 23'	+0 21	+0 13	+0 03	+0 34	0.5	0.8	--	--	--	--	1.6	165°
3121	East Point, east of		56° 23'	132° 24'	+0 06	-0 02	-0 12	+0 19	0.5	0.8	--	--	--	--	1.7	190°
3126	Wrangell Harbor entrance		56° 28'	132° 24'	Current weak and variable											
3131	Wrangell Harbor, 1.6 miles west of		56° 28'	132° 27'	+2 28	+3 36	+2 16	+0 33	0.3	0.4	0.1	290°	0.8	050°	0.2	125°
3136	Point Shekesti, 2.3 miles west of		56° 28'	132° 26'	Current weak and variable											
	CLARENCE STRAIT—cont.															
3141	Key Reef		56° 10'	132° 50'	+1 58	+2 19	+2 08	+2 33	0.6	0.5	--	--	--	--	1.5	190°
3146	Round Island Light	19d	56° 18.85'	133° 05.64'	+0 22	+0 22	+0 41	+0 51	0.9	0.7	0.3	230°	2.2	148°	--	318°
	do.	32d	56° 18.85'	133° 05.64'	+0 15	+0 19	+0 42	+0 49	0.9	0.7	0.2	229°	2.2	146°	--	318°
	do.	104d	56° 18.85'	133° 05.64'	-0 01	+0 20	+0 45	+0 42	0.8	0.6	0.2	227°	2.0	144°	0.1	233°
3151	Snow Passage, north entrance		56° 18'	133° 02'	+0 08	-0 50	+0 08	+0 40	0.6	1.1	--	--	--	--	3.1	282°
3156	SNOW PASSAGE NARROWS	23d	56° 16.74'	132° 57.18'	Daily predictions										2.5	153°
	do.	43d	56° 16.74'	132° 57.18'	-0 08	-0 12	+0 05	+0 16	1.2	1.1	0.1	063°	2.5	153°	0.1	065°
	do.	299d	56° 16.74'	132° 57.18'	-0 10	-0 11	+0 16	+0 11	1.1	1.2	0.1	069°	2.8	154°	0.1	064°
3161	Kashevarof Passage, north entrance		56° 15.38'	133° 03'	+0 10	-0 03	+0 35	+0 23	0.6	0.7	--	--	--	--	3.6	337°
3166	Snow Passage, southern approach	14d	56° 15.38'	132° 56.43'	+0 03	-0 12	+0 29	+0 46	1.0	0.5	0.1	064°	1.9	163°	--	328°
	do.	44d	56° 15.38'	132° 56.43'	-0 03	-0 15	+0 29	+0 46	0.8	0.6	--	--	--	--	1.4	328°
	do.	260d	56° 15.38'	132° 56.43'	-0 26	+0 16	+0 21	-0 21	1.4	0.7	--	--	--	--	2.5	162°
3171	Shrubby Island, east of	61d	56° 13.60'	132° 54.52'	+1 07	+1 33	+1 15	+1 28	0.3	0.3	0.1	068°	3.4	159°	0.1	249°
	do.	72d	56° 13.60'	132° 54.52'	+0 58	+1 13	+1 19	+1 37	0.4	0.3	0.1	065°	1.0	149°	--	326°
	do.	308d	56° 13.60'	132° 54.52'	-1 11	-0 10	-0 14	-0 40	0.5	0.4	--	--	1.3	151°	0.1	233°

Endnotes can be found at the end of table 2.

TABLE 2 – CURRENT DIFFERENCES AND OTHER CONSTANTS

No.	PLACE	Meter Depth	POSITION		TIME DIFFERENCES				SPEED RATIOS		AVERAGE SPEEDS AND DIRECTIONS					
			Latitude	Longitude	Min. before Flood	Flood	Min. before Ebb	Ebb	Flood	Ebb	Minimum before Flood	Dir.	Maximum Flood	Dir.	Minimum before Ebb	Dir.
	STIKINE STRAIT Time meridian, 135° W	ft	North	West	h m	h m	h m	h m			knots	Dir.	knots	Dir.	knots	Dir.
3176	Steamer Point, 1 mile west of		56° 13'	132° 44'	+1 58	+2 19	+2 08	+2 33	0.8	0.7	2.0	040°	2.0	220°	2.0	220°
3181	Round Point		56° 17'	132° 37'	+1 58	+2 19	+2 08	+2 33	0.6	0.5	1.5	015°	1.5	195°	1.5	195°
3186	South Craig Point		56° 23'	132° 36'	+2 03	+2 24	+2 13	+2 38	0.8	0.7	2.0	010°	2.0	190°	2.0	190°
3191	Vank Island, off Neal Point		56° 26.55'	132° 35.51'	+2 03	+2 24	+2 13	+2 38	0.8	0.7	2.0	035°	2.0	215°	2.0	215°
	CORDOVA BAY															
3196	Cape Muzon, 5 miles east of		54° 40'	132° 32'	-0 39	-0 47	-0 57	-0 26	0.4	0.6	1.2	005°	1.2	185°	1.2	185°
3201	Dewey Rocks, 2 miles west of		54° 45'	132° 32'	-0 34	-0 42	-0 52	-0 21	0.3	0.5	1.0	005°	1.0	185°	1.0	185°
3206	Eureka Channel, off Leading Point		54° 49'	132° 23'	-	-	-	-	-	-	0.3	028°	0.6	238°	0.6	238°
3211	Boat Rocks, 2 miles west of		54° 49'	132° 34'	-0 34	-0 42	-0 52	-0 21	0.3	0.5	1.1	005°	1.1	185°	1.1	185°
3216	Ship Islands, 2 miles southwest of	7d	54° 53'	132° 33'	-	-	-	-	-	-	0.4	358°	0.2	177°	0.2	177°
3221	Webster Point, 1 mile west of		54° 58'	132° 38'	-0 29	-0 37	-0 47	-0 16	0.5	0.8	1.7	005°	1.7	185°	1.7	185°
3226	Mellen Rock, 1 mile east of		55° 02'	132° 39'	-0 24	-0 32	-0 42	-0 11	0.6	1.0	2.0	010°	2.0	190°	2.0	190°
	TLEVAK STRAIT															
3231	Shoe Rock, 1 mile north of		54° 58'	132° 44'	-0 29	-0 37	-0 47	-0 16	0.5	0.8	1.7	285°	1.7	105°	1.7	105°
3236	Grand Island, 2 miles north of		55° 00'	132° 52'	-0 24	-0 32	-0 42	-0 11	0.5	0.7	1.5	295°	1.5	115°	1.5	115°
3241	High Point, 1 mile east of		55° 01'	132° 56'	-0 24	-0 32	-0 42	-0 11	0.6	0.9	1.8	340°	1.8	160°	1.8	160°
3246	McFarland Islands		55° 04'	132° 57'	-0 19	-0 27	-0 37	-0 06	0.5	0.8	1.7	340°	1.7	160°	1.7	160°
3251	Corlies Islands		55° 08'	132° 58'	-0 19	-0 27	-0 37	-0 06	0.5	0.8	1.5	345°	1.5	165°	1.5	165°
3256	Sukkwan Narrows		55° 11.90'	132° 49.44'	-0 29	-0 45	-0 20	-0 09	0.4	0.6	1.4	323°	1.4	130°	1.4	130°
3261	The Sentinels, 1 mile west of		55° 11'	133° 01'	-0 19	-0 27	-0 37	-0 06	0.5	0.8	1.6	335°	1.6	155°	1.6	155°
	MEARES PASSAGE															
3266	Halibut Nose		55° 13'	133° 04'	+0 08	-0 06	+0 01	-0 05	0.2	0.3	1.5	170°	1.5	350°	1.5	350°
3271	Lively Islands, west of <59>		55° 13.99'	133° 05.54'	-0 07	-0 21	-0 14	-0 20	0.5	0.7	3.2	175°	3.2	355°	3.2	355°
3276	Tlevak Narrows, Turn Point, east of	14d	55° 15.89'	133° 07.34'	-0 18	-0 31	-0 34	-0 37	0.6	1.1	3.6	120°	3.6	330°	3.6	330°
	do.	44d	55° 15.89'	133° 07.34'	-0 20	-0 32	-0 34	-0 36	0.6	1.1	3.5	120°	3.5	333°	3.5	333°
	do.	77d	55° 15.89'	133° 07.34'	-0 20	-0 34	-0 33	-0 32	0.5	0.8	3.2	127°	3.2	327°	3.2	327°
	MEARES PASSAGE															
3281	Meares Island, south of		55° 15.47'	133° 10.97'	-0 19	-0 27	-0 37	-0 06	0.7	1.0	2.1	090°	2.1	270°	2.1	270°
3286	Eagle Point	30d	55° 13.21'	133° 14.47'	-1 27	-1 39	-1 59	-1 50	0.1	0.3	0.3	019°	0.3	283°	0.3	283°
	do.	148d	55° 13.21'	133° 14.47'	-1 58	-1 53	-1 54	-1 37	0.1	0.1	0.3	004°	0.3	184°	0.3	184°
	do.	246d	55° 13.21'	133° 14.47'	Current Weak and Variable											
3291	Millar Rocks		55° 12'	133° 15'	-0 29	-0 37	-0 47	-0 16	0.4	0.6	1.2	030°	1.2	210°	1.2	210°
3296	Diver Islands		55° 11'	133° 17'	-0 29	-0 37	-0 47	-0 16	0.3	0.5	1.0	025°	1.0	205°	1.0	205°
	ULLOA CHANNEL															
3301	Cape Flores		55° 21'	133° 19'	-0 19	-0 27	-0 37	-0 06	0.7	1.1	2.2	150°	2.2	330°	2.2	330°
3306	Point Verde		55° 18.45'	133° 16.69'	-0 19	-0 27	-0 37	-0 06	0.6	0.9	1.8	160°	1.8	340°	1.8	340°
3311	Waterfall Cannery		55° 18'	133° 15'	-0 19	-0 27	-0 37	-0 06	0.6	1.0	2.0	155°	2.0	335°	2.0	335°
	BUCARELLI BAY to DAVIDSON INLET															
3316	Cape Bartolome, 2 miles east of		55° 14'	133° 33'	-0 29	-0 37	-0 47	-0 16	0.4	0.6	1.2	020°	1.2	200°	1.2	200°
3321	Point Rosary, 2 miles west of		55° 16'	133° 31'	-0 29	-0 37	-0 47	-0 16	0.4	0.6	1.3	015°	1.3	195°	1.3	195°
3326	Point Arboleda, 1 mile west of		55° 19'	133° 29'	-0 24	-0 32	-0 42	-0 11	0.4	0.7	1.4	020°	1.4	200°	1.4	200°
3331	Cabras Islands, 1 mile west of		55° 21'	133° 25'	-0 24	-0 32	-0 42	-0 11	0.4	0.6	1.2	045°	1.2	225°	1.2	225°
3336	Cape Flores, 1 mile north of		55° 22'	133° 18'	-0 19	-0 27	-0 37	-0 06	0.5	0.7	1.5	055°	1.5	235°	1.5	235°
3341	San Juanito Islands, 1 mile south of		55° 23.58'	133° 15.94'	Current weak and variable											

Endnotes can be found at the end of table 2.

TABLE 2 – CURRENT DIFFERENCES AND OTHER CONSTANTS

No.	PLACE	Meter Depth	POSITION		TIME DIFFERENCES				SPEED RATIOS		AVERAGE SPEEDS AND DIRECTIONS					
			Latitude	Longitude	Min. before Flood	Flood	Min. before Ebb	Ebb	Flood	Ebb	Minimum before Flood	Maximum Flood	Minimum before Ebb	Maximum Ebb		
															h	m
	BUCARELLI BAY to DAVIDSON INLET—cont. Time meridian, 135° W	ft	North	West	h	m	h	m	h	m	h	m	knots	Dir.	knots	Dir.
3346	Tofi Island, 1.1 miles west of		55° 25'	133° 09'	-0 19	-0 27	-0 37	-0 06	0 3	0 5	1 1	070°	1.1	250°	1.1	250°
3351	Coronados Islands, 2 miles west of		55° 26'	133° 10'	-0 14	-0 22	-0 32	-0 01	0 3	0 5	1 0	025°	1.0	205°	1.0	205°
3356	Craig Cannery	15d	55° 29'	133° 09'	-0 14	-0 22	-0 32	-0 01	0 3	0 5	1 0	010°	1.0	190°	1.0	190°
3361	Klawock Narrows, north of Fish Egg Island	35d	55° 30.44'	133° 10.80'	-0 18	-0 36	+0 14	+0 02	0 2	0 4	0 5	100°	0.8	269°	0.8	269°
	do.	55d	55° 30.44'	133° 10.80'	-0 18	-0 36	+0 28	+0 08	0 2	0 3	0 5	102°	0.6	281°	0.6	281°
3366	Saint Nicholas Channel, south end	28d	55° 27.30'	133° 37.85'	-0 33	-0 41	+0 31	+0 12	0 5	0 7	1 4	022°	0.5	211°	0.5	211°
	do.	87d	55° 27.30'	133° 37.85'	-1 50	-1 59	-1 46	-1 39	0 5	0 6	0 1	286°	0.1	295°	0.1	295°
	do.	146d	55° 27.30'	133° 37.85'	-1 59	-2 02	-1 56	-1 41	0 4	0 6	0 2	304°	0.1	296°	0.2	296°
3371	Portillo Channel	15d	55° 29.55'	133° 25.54'	-4 41	-4 06	-3 56	-4 16	0 1	0 2	0 4	345°	0.3	170°	0.3	170°
	do.	47d	55° 29.55'	133° 25.54'	-4 28	-5 06	-4 59	-4 10	0 1	0 2	0 4	338°	0.4	155°	0.4	155°
	do.	74d	55° 29.55'	133° 25.54'	-4 53	-6 00	-6 01	-4 47	0 1	0 2	0 3	331°	0.3	338°	0.3	338°
3376	Ursua Channel		55° 27.49'	133° 18.97'	Current weak and variable				0 2	0 2	0 2	0 2	0 2	0 2	0 2	0 2
3381	Saint Nicholas Channel, north	22d	55° 31.77'	133° 33.76'	-2 09	-1 51	-1 49	-2 02	0 2	0 2	0 1	098°	0.1	098°	0.1	098°
	do.	81d	55° 31.77'	133° 33.76'	-1 57	-2 14	-1 38	-1 38	0 1	0 2	0 1	291°	0.1	102°	0.1	102°
	do.	121d	55° 31.77'	133° 33.76'	-1 26	-2 09	-2 00	-1 19	0 1	0 2	0 1	096°	0.4	196°	0.4	196°
3386	San Christoval Rock	15d	55° 33.76'	133° 17.95'	-4 36	-4 58	-4 38	-4 23	0 4	0 6	1 4	308°	1.3	126°	1.3	126°
	do.	29d	55° 33.76'	133° 17.95'	-4 36	-5 00	-4 46	-4 28	0 4	0 6	0 1	040°	0.1	040°	0.1	040°
	do.	42d	55° 33.76'	133° 17.95'	-4 37	-5 02	-4 47	-4 27	0 4	0 6	1 3	307°	1.2	124°	1.2	124°
3391	Arriaga Passage, west end	29d	55° 34.31'	133° 43.98'	+0 09	-0 33	-0 08	+0 10	0 2	0 3	0 7	062°	0.7	265°	0.7	265°
	do.	62d	55° 34.31'	133° 43.98'	+0 10	-0 24	-0 05	+0 17	0 2	0 3	0 1	334°	0.1	350°	0.1	350°
	do.	95d	55° 34.31'	133° 43.98'	+0 08	-0 19	-0 05	+0 09	0 2	0 3	0 2	345°	0.7	068°	0.7	068°
3396	San Christoval Channel, Larz Lt., 0.25nm N of	16d	55° 35.29'	133° 19.83'	-4 34	-5 02	-4 07	-4 19	0 2	0 2	0 1	029°	0.1	027°	0.1	027°
	do.	65d	55° 35.29'	133° 19.83'	-4 40	-5 02	-4 50	-4 38	0 2	0 2	0 1	023°	0.1	023°	0.1	023°
	do.	104d	55° 35.29'	133° 19.83'	-5 06	-5 38	-6 03	-5 20	0 2	0 2	0 1	020°	0.1	020°	0.1	020°
3401	Sonora Passage		55° 36.31'	133° 40.59'	See Table 5.				0 3	0 4	0 3	0 4	0 3	0 4	0 3	0 4
3406	Timbered Island	14d	55° 41.63'	133° 47.06'	-1 22	-1 24	-0 44	-0 53	0 3	0 4	0 9	028°	0.1	297°	0.1	297°
	do.	53d	55° 41.63'	133° 47.06'	-1 21	-1 38	-0 59	-0 56	0 2	0 3	0 1	300°	0.1	300°	0.1	300°
	do.	79d	55° 41.63'	133° 47.06'	-1 24	-1 44	-1 07	-1 10	0 2	0 3	0 6	025°	0.6	202°	0.6	202°
3411	BOCA DE FINAS	60d	55° 41.86'	133° 35.24'	Daily Predictions, p.84				0 1	0 33°	0 1	033°	0.4	125°	0.4	125°
3416	Dead Tree Point	23d	55° 44.74'	133° 40.24'	+4 00	+3 34	+3 30	+3 46	0 2	0 4	0 1	071°	0.6	154°	0.6	154°
	do.	62d	55° 44.74'	133° 40.24'	+3 54	+3 30	+3 45	+3 44	0 2	0 4	0 1	071°	0.6	154°	0.6	154°
	do.	102d	55° 44.74'	133° 40.24'	+4 00	+3 14	+3 00	+3 48	0 2	0 3	0 5	156°	0.5	156°	0.5	156°
3421	Tonowek Bay		55° 43.13'	133° 26.79'	Current weak and variable				0 1	0 3	0 2	149°	0.4	080°	0.4	080°
3426	Davidson Inlet	42d	55° 50.01'	133° 40.50'	+0 18	-0 39	-0 07	+0 17	0 1	0 3	0 2	148°	0.1	148°	0.1	148°
3431	Whale Rock, 1.0 nm SE of	252d	55° 50.01'	133° 40.50'	-0 15	-0 30	-0 30	+0 01	0 3	0 3	0 7	081°	0.7	081°	0.7	081°
	do.	82d	55° 50.01'	133° 40.50'	-0 57	-0 52	-0 44	-0 45	0 2	0 4	0 2	028°	0.1	216°	0.1	216°
3436	Sea Otter Sound	17d	55° 50.55'	133° 30.81'	-0 12	-0 19	-0 11	-0 11	0 1	0 2	0 1	032°	0.3	118°	0.3	118°
	do.	266d	55° 50.55'	133° 30.81'	+0 13	-0 11	+0 02	+0 36	0 1	0 2	0 1	032°	0.3	118°	0.3	118°
3441	Tonowek Narrows	16d	55° 45.55'	133° 20.13'	+0 07	+0 04	+0 11	+0 26	0 1	0 1	0 3	127°	0.3	127°	0.3	127°
	do.	62d	55° 45.55'	133° 20.13'	-1 34	-2 06	-1 29	-1 40	0 8	1 1	0 1	306°	0.1	306°	0.1	306°
	do.	108d	55° 45.55'	133° 20.13'	-1 36	-2 14	-1 32	-1 41	0 7	1 1	0 1	295°	1.7	008°	1.7	008°
3446	Karheen Passage, west of Cob Island	14d	55° 47.81'	133° 18.57'	+0 36	+0 01	+0 32	+0 30	0 4	0 8	0 1	249°	1.3	161°	1.3	161°
	do.	46d	55° 47.81'	133° 18.57'	+0 33	+0 06	+0 29	+0 29	0 4	0 8	0 1	250°	1.3	166°	1.3	166°
	do.	76d	55° 47.81'	133° 18.57'	+0 29	-0 03	+0 33	+0 29	0 4	0 7	0 1	250°	1.2	173°	1.2	173°
3451	Tuxekan Passage, south entrance		55° 46'	133° 15'	-0 30	-0 30	-0 30	-0 40	0 1	0 2	0 4	060°	0.4	225°	0.4	225°
3456	Tuxekan Passage, 0.2 mile S of Tuxekan	17d	55° 52.96'	133° 14.54'	-3 34	-3 32	-1 42	-3 05	0 3	0 2	0 8	323°	0.8	323°	0.8	323°
3461	Tuxekan Passage, north of Kutegi Point	38d	55° 54.48'	133° 16.24'	-5 27	-5 44	-5 44	-5 50	0 1	0 2	0 4	322°	0.4	155°	0.4	155°
	do.	64d	55° 54.48'	133° 16.24'	-5 19	-5 39	-5 46	-5 47	0 1	0 2	0 4	324°	0.4	324°	0.4	324°
	do.	12d	55° 54.48'	133° 16.24'	-5 27	-5 09	-5 49	-5 53	0 1	0 2	0 6	333°	0.5	167°	0.5	167°
3466	Token Bay	38d	56° 00.16'	133° 27.41'	-0 22	-0 09	-0 09	-0 24	0 2	0 2	0 1	339°	0.1	339°	0.1	339°
	do.	58d	56° 00.16'	133° 27.41'	-0 38	-0 11	-0 07	-0 27	0 2	0 2	0 1	349°	0.1	349°	0.1	349°
	do.	58d	56° 00.16'	133° 27.41'	-0 36	-0 30	-0 13	-0 18	0 2	0 2	0 5	075°	0.5	075°	0.5	075°

Endnotes can be found at the end of table 2.

TABLE 2 – CURRENT DIFFERENCES AND OTHER CONSTANTS

No.	PLACE	Meter Depth	POSITION		TIME DIFFERENCES				SPEED RATIOS		AVERAGE SPEEDS AND DIRECTIONS			
			Latitude	Longitude	Min. before Flood	Flood	Min. before Ebb	Ebb	Flood	Ebb	Minimum before Flood	Maximum Flood	Minimum before Ebb	Maximum Ebb
	EL CAPITAN PASSAGE Time meridian, 135° W	ft	North	West	h	m	h	m	h	m	knots	Dir.	knots	Dir.
3471	South entrance	41d	55° 53.80'	133° 21.92'	+1 08	+1 21	+0 41	+0 36	0.1	0.3	0.3	018°	0.6	204°
	do.	159d	55° 53.80'	133° 21.92'	-0 59	-0 21	-0 17	-0 43	0.2	0.2	0.1	279°	0.4	187°
	do.	278d	55° 53.80'	133° 21.92'	-1 35	-1 11	-0 35	-1 09	0.2	0.2	0.6	008°	0.4	194°
3476	Brookmuck Pass		55° 54.88'	133° 18.74'	-0 06	-0 19	-0 11	+0 03	0.1	1.0	2.2	025°	2.1	207°
3481	Brockman Island, east of		55° 58.01'	133° 18.29'	+0 28	+0 43	+0 13	+0 31	0.7	0.2	0.3	351°	0.5	182°
3486	Off Tonga Inlet		55° 58.35'	133° 15.96'	Current weak and variable									
3491	Tenass Island, 0.3 mile SSW of		55° 59.20'	133° 18.29'	+0 06	-0 48	-1 18	+0 05	0.2	0.3	0.5	039°	0.6	220°
3496	Aneskett Point		56° 08'	133° 17'	Current weak and variable									
3501	1.2 miles south of		56° 09.21'	133° 18.04'	Current weak and variable									
3506	1 mile WNW of		56° 09.61'	133° 20.28'	+4 57	+5 37	+5 54	+5 37	0.2	0.1	0.5	065°	0.3	248°
3511	The Narrows, west of	14d	56° 09.21'	133° 27.42'	-0 17	-0 28	+0 05	+0 05	0.3	0.4	0.9	073°	0.9	235°
	do.	20d	56° 09.21'	133° 27.42'	-0 35	-0 32	+0 08	+0 01	0.3	0.4	0.9	075°	0.8	246°
	SUMNER STRAIT													
3516	Warren Channel	23d	55° 56.01'	133° 50.12'	-1 33	-2 00	-1 36	-1 11	0.6	1.3	2.0	264°	2.7	171°
	do.	52d	55° 56.01'	133° 50.12'	-1 36	-2 09	-1 42	-1 20	0.6	1.2	1.8	349°	2.5	164°
	do.	92d	55° 56.01'	133° 50.12'	-1 33	-2 21	-1 50	-1 24	0.5	1.1	1.6	344°	2.2	160°
3521	Cora Point, 2 miles east of		55° 55'	134° 03'	-0 34	-0 42	-0 52	-0 21	0.1	1.0	0.2	020°	2.0	200°
3526	Coronation Island – Spanish Island, between	37d	55° 55.53'	134° 07.69'	-2 06	-1 58	-2 24	-2 45	0.4	0.6	1.2	275°	1.2	099°
	do.	83d	55° 55.53'	134° 07.69'	-1 55	-1 56	-2 23	-2 44	0.4	0.6	1.1	186°	1.2	097°
	do.	129d	55° 55.53'	134° 07.69'	-1 34	-1 55	-2 27	-2 37	0.4	0.5	1.2	264°	1.2	091°
3531	Decision Passage		55° 59.51'	134° 07.38'	+0 08	-0 24	+0 24	-0 08	0.3	0.6	0.9	045°	1.1	245°
3536	Affleck Canal	124d	56° 06.21'	134° 03.97'	+0 10	+0 02	+0 26	+0 17	0.1	0.1	0.2	347°	0.2	175°
	do.	229d	56° 06.21'	134° 03.97'	+0 51	+0 30	+1 31	+1 11	0.1	0.1	0.1	352°	0.1	179°
3541	Fairway Island, SW of	38d	56° 02.21'	134° 04.52'	-3 05	-2 21	-0 44	-1 38	0.2	0.2	0.2	115°	0.3	197°
	do.	117d	56° 02.21'	134° 04.52'	-2 18	-1 48	-1 10	-1 05	0.2	0.2	0.1	105°	0.4	189°
	do.	182d	56° 02.21'	134° 04.52'	-2 02	-1 30	-0 53	-1 20	0.2	0.3	0.1	274°	0.5	206°
3546	Fairway Island, 2nm east of	25d	56° 02.98'	133° 59.38'	-1 03	-1 25	-1 16	-1 56	0.3	0.6	0.7	001°	1.1	257°
	do.	64d	56° 02.98'	133° 59.38'	-1 31	-2 01	-1 11	-1 48	0.2	0.6	0.3	171°	1.2	153°
	do.	110d	56° 02.98'	133° 59.38'	-2 25	-3 03	-1 13	-1 41	0.3	0.6	0.3	182°	1.1	240°
3551	Point St. Albans, 3 miles SSE of		56° 02'	133° 57'	-0 05	-1 14	-1 05	+0 28	0.2	0.4	0.7	078°	0.9	232°
3556	Point St. Albans, 4 miles east of		56° 05'	133° 51'	-0 29	-0 37	-0 46	-0 16	0.1	1.0	0.2	025°	2.0	205°
3561	Ruins Point, 2 miles west of		56° 04'	133° 45'	+0 15	+0 38	-0 48	-0 49	0.2	0.3	0.5	350°	0.6	175°
3566	Shiple Bay Entrance	35d	56° 05.42'	133° 41.37'	-1 18	-1 40	+0 10	-0 26	0.1	0.1	0.4	071°	0.2	238°
	do.	94d	56° 05.42'	133° 42.37'	-1 18	-1 36	+0 08	-0 28	0.1	0.1	0.4	076°	0.2	233°
	do.	153d	56° 05.42'	133° 42.37'	-1 33	-1 36	-0 11	-0 47	0.1	0.1	0.4	079°	0.3	235°
3571	Shakan Light, 2.4 miles west of <122>	25d	56° 08.73'	133° 41.83'	-2 06	-2 44	+0 25	-0 05	0.2	0.1	0.1	286°	0.2	212°
	do.	114d	56° 08.73'	133° 41.83'	-1 49	-2 12	+0 30	-0 25	0.1	0.1	0.3	021°	0.2	256°
	do.		56° 08.73'	133° 41.83'	Current weak and variable									
3576	Shakan Light, 2.8 miles WNW of		56° 10'	133° 42'	-1 21	-1 48	-1 34	-0 36	0.2	0.3	0.6	019°	0.6	182°
3581	Shakan Bay entrance		56° 09.83'	133° 37.90'	Current weak and variable									
3586	The Quarries, Shakan Bay	15d	56° 10.39'	133° 29.05'	-0 31	-0 44	-0 19	-0 13	0.3	0.4	0.9	152°	0.9	314°
3591	Shakan Strait, west end	28d	56° 07.80'	133° 34.50'	-0 38	-0 47	-0 08	-0 13	0.3	0.4	0.8	146°	0.9	316°
	do.	41d	56° 07.80'	133° 34.50'	-0 41	-0 52	-0 02	-0 12	0.2	0.4	0.7	143°	0.7	320°
3596	Shakan Strait Rock	17d	56° 07.65'	133° 29.93'	-0 12	-0 20	-0 14	-0 14	0.1	0.2	0.4	062°	0.4	241°
	do.	44d	56° 07.65'	133° 29.93'	-0 24	-0 29	+0 01	-0 09	0.1	0.2	0.3	054°	0.4	237°
	do.	70d	56° 07.65'	133° 29.93'	-0 17	-0 37	-0 02	-0 04	0.1	0.2	0.3	052°	0.4	233°
3601	Dry Pass	6d	56° 09.67'	133° 23.97'	+3 29	+2 31	+2 34	+4 03	0.1	0.1	0.3	115°	0.2	275°
	do.	16d	56° 09.67'	133° 23.97'	+3 29	+2 36	+2 41	+2 02	0.1	0.1	0.3	120°	0.1	286°
3606	Amelius Island, 1 mile east of	16d	56° 10.67'	133° 50.51'	See Table 5.									
	do.	66d	56° 10.67'	133° 50.51'	See Table 5.									
	do.	105d	56° 10.67'	133° 50.51'	-2 04	-2 32	-2 41	-1 31	0.2	0.5	0.2	148°	0.6	078°

Endnotes can be found at the end of table 2.

TABLE 2 – CURRENT DIFFERENCES AND OTHER CONSTANTS

No.	PLACE	Meter Depth	POSITION		TIME DIFFERENCES				SPEED RATIOS		AVERAGE SPEEDS AND DIRECTIONS			
			Latitude	Longitude	Min. before Flood	Flood	Min. before Ebb	Ebb	Flood	Ebb	Minimum before Flood	Maximum Flood	Minimum before Ebb	Maximum Ebb
	SUMNER STRAIT—cont. Time meridian, 135° W	ft	North	West	h m	h m	h m	h m			knots	Dir.	knots	Dir.
3611	Calder Rocks	107d	56° 14.39'	133° 44.40'	-2 06	-1 27	-1 41	-1 28	0.1	0.2	0.4	009°	0.5	198°
	do.	186d	56° 14.39'	133° 44.40'	-1 38	-2 14	-2 04	-1 00	0.1	0.3	0.4	014°	0.6	176°
3616	Beaulieu Island Light, 1 mile east of		56° 15'	133° 49'	+0 09	-0 41	-1 30	-1 28	0.1	0.4	0.4	070°	0.9	205°
3621	Port Beauclerc		56° 16.39'	133° 53.81'										
3626	Labouche Island, 2.2 miles W of <61>		56° 17'	133° 44'				-0 16		0.4				
3631	Mariposa Reef, 3 miles south of		56° 19.90'	133° 43.55'										
	do.		56° 19.90'	133° 43.55'	+0 54	-0 57	-1 29	+0 02	0.1	0.7	0.2	000°	1.5	222°
3636	Sumner Island, 1.8 miles south of	184d	56° 19.90'	133° 43.55'	+0 06	-1 33	-2 34	+0 09	0.1	0.4	0.3	042°	0.9	229°
3641	Helm Rock	322d	56° 22'	133° 49'	-2 39	-2 27	-0 54	-1 16	0.3	0.3	0.8	010°	0.6	240°
	do.	30d	56° 22.52'	133° 40.07'	-0 54	-2 27	-2 44	-1 16	0.5	1.4	1.6	074°	3.0	240°
	do.	80d	56° 22.52'	133° 40.07'	-1 11	-2 06	-1 51	-1 15	0.7	1.3	2.1	054°	2.8	234°
	do.	128d	56° 22.52'	133° 40.07'	-1 21	-2 06	-1 27	-0 56	0.6	1.2	2.0	049°	2.6	233°
3646	Sumner Island, east of	150d	56° 24.33'	133° 44.86'	-1 40	-0 38	-0 39	-0 56	0.4	0.5	1.3	352°	0.1	321°
	do.	229d	56° 24.33'	133° 44.86'	-1 36	-1 15	-0 09	-0 55	0.4	0.6	1.4	345°	1.1	226°
	do.	328d	56° 24.33'	133° 44.86'	-1 04	-0 52	-0 10	-0 36	0.5	0.5	1.4	330°	1.2	213°
3651	Strait Island, 1 mile southeast of <62>		56° 23'	133° 39'				-0 51	0.2	1.4	0.5	095°	0.1	262°
3656	Port Protection		56° 19.89'	133° 38.44'										
3661	Red Bay Entrance	17d	56° 19.75'	133° 18.17'	-0 08	-0 57	-0 23	+0 09	0.1	0.3	0.4	210°	0.5	020°
	do.	63d	56° 19.75'	133° 18.17'	-0 38	-0 49	+0 17	+0 01	0.1	0.1	0.3	238°	0.3	100°
	do.	95d	56° 19.75'	133° 18.17'	-0 14	-0 39	+0 28	+0 18	0.1	0.2	0.1	210°	0.3	126°
3666	The Eye Opener	16d	56° 22.57'	133° 14.75'	+0 21	-0 35	+0 35	-0 47	0.2	1.0	0.7	103°	0.1	177°
	do.	62d	56° 22.57'	133° 14.75'	-0 29	-1 04	-1 19	-0 41	0.4	0.9	1.2	100°	0.1	187°
	do.	108	56° 22.57'	133° 14.75'	-0 45	-1 08	-1 13	-0 29	0.4	0.7	1.1	089°	1.5	283°
3671	Vichnitski Rock Light	35d	56° 26.76'	133° 01.17'	-0 32	-0 58	-1 00	-0 47	0.6	1.1	1.9	050°	2.2	228°
	do.	54d	56° 26.76'	133° 01.17'	-0 39	-0 57	-0 53	-0 44	0.6	1.0	1.9	049°	2.2	227°
	do.	289d	56° 26.76'	133° 01.17'	-1 00	-1 14	-0 30	-0 38	0.7	1.0	2.2	029°	0.1	317°
3676	Station Island, 1 mile south of <62>		56° 28'	132° 46'				+1 22			0.1	090°	2.0	251°
3681	Blaquiere Point, 1 mile SSW of <63>		56° 33'	132° 34'	-0 08	+0 23	-0 20	+0 23	0.3	0.5	1.1	045°	1.0	240°
	KEKU STRAIT													
3686	Conclusion Island, west of		56° 28'	133° 50'										
3691	Conclusion Island, east of		56° 29'	133° 46'										
3696	Skiff Island, 2.1 miles northwest of		56° 32'	133° 44'										
3701	Southern entrance to Keku Strait		56° 34'	133° 43'										
3706	Eagle Island, 0.5 mile southeast of		56° 36.44'	133° 40.93'										
3711	Devils Elbow		56° 38.17'	133° 41.37'	+0 57	+0 13	-0 25	-0 32	0.3	0.6	0.9	005°	1.2	184°
3716	Summit Island, west of		56° 40.59'	133° 43.95'	-0 04	-0 24	-0 49	+0 43	0.5	1.0	1.6	000°	2.0	130°
3721	High Island, 1.1 miles south of		56° 42.14'	133° 43.98'	+1 48	+1 43	+2 10	+1 16	0.8	0.8	2.4	285°	1.8	090°
3726	High Island, northwest of		56° 45'	133° 44'	+0 40	+0 40	+0 28	+0 30	0.7	1.2	2.2	185°	2.6	010°
3731	Cucumber Reef, 0.2 mile northwest of		56° 47.40'	133° 46.02'	+0 07	+0 49	+0 34	+0 18	0.3	0.5	1.1	150°	1.1	010°
3736	Kake Harbor	19d	56° 57.94'	133° 57.13'	+0 11	+0 16	+0 04	+0 11	0.4	0.8	0.9	210°	0.7	325°
	do.	45d	56° 57.94'	133° 57.13'	-0 21	-1 05	-0 40	+0 08	0.1	0.1	0.3	122°	0.3	304°
	do.	98d	56° 57.94'	133° 57.13'	-0 05	-0 08	-0 05	-0 11	0.1	0.1	0.3	110°	0.3	300°
	do.		56° 57.94'	133° 57.13'	-0 09	-0 33	-0 24	-0 17	0.1	0.1	0.3	115°	0.3	296°
	WRANGELL NARROWS													
3741	Point Alexander		56° 30.62'	132° 57.50'	+0 06	-0 02	-0 12	+0 19	0.3	0.5	1.0	005°	1.0	185°
3746	Point Deception		56° 32'	132° 58'	+0 06	-0 02	-0 12	+0 19	0.3	0.5	1.0	000°	1.0	180°
3751	Point Lockwood		56° 33.35'	132° 57.71'	+0 06	-0 02	-0 12	+0 19	0.9	1.4	3.0	000°	3.0	180°
3756	Spike Rock		56° 36.06'	132° 58.56'	+0 06	-0 02	-0 12	+0 19	1.5	2.1	4.7	005°	4.3	185°
3761	South Ledge		56° 37'	132° 58'	+0 06	-0 02	-0 12	+0 19	1.5	2.1	4.7	040°	4.3	220°
3766	Anchor Point		56° 38.37'	132° 55.87'	+0 06	-0 02	-0 12	+0 19	1.1	1.6	3.6	045°	3.4	225°
3771	Vexation Point, Woody Island		56° 39.47'	132° 55.62'	+0 06	-0 02	-0 12	+0 19	0.8	1.2	2.5	005°	2.5	185°
3776	Rock Point		56° 40.53'	132° 56.35'	+0 06	-0 02	-0 12	+0 19	0.3	0.5	1.0	335°	1.0	155°

Endnotes can be found at the end of table 2.

TABLE 2 – CURRENT DIFFERENCES AND OTHER CONSTANTS

No.	PLACE	Meter Depth	POSITION		TIME DIFFERENCES				SPEED RATIOS		AVERAGE SPEEDS AND DIRECTIONS							
			Latitude	Longitude	Min. before Flood	Flood	Min. before Ebb	Ebb	Flood	Ebb	Minimum before Flood	Maximum Flood	Minimum before Ebb	Maximum Ebb				
															North	West	h	m
	WRANGELL NARROWS—cont. Time meridian, 135° W	ft																
3781	Green Point		56° 42'	132° 57'	+0 11	+0 13	-0 07	+0 24	0.3	0.5	--	--	1.0	185°	--	--	1.0	005°
3786	Mountain Point		56° 44'	132° 57'	+0 21	+0 03	-0 03	+0 34	0.6	1.0	--	--	2.0	165°	--	--	2.0	345°
3791	Blunt Point		56° 46.70'	132° 58.76'	+0 31	+0 23	+0 13	+0 44	1.1	1.6	--	--	3.6	160°	--	--	3.4	340°
3796	Turn Point		56° 48.47'	132° 59.01'	+0 31	+0 23	+0 13	+0 44	1.4	1.8	--	--	4.3	220°	--	--	3.8	040°
3801	WRANGELL NARROWS (off Petersburg)		56° 48.98'	132° 57.84'	<i>Daily predictions</i>								3.2	246°	--	--	2.1	062°
3806	Prolevy Rocks		56° 49.34'	132° 56.90'	+0 31	+0 23	+0 13	+0 44	1.1	1.6	--	--	3.6	240°	--	--	3.4	060°
	FREDERICK SOUND <64>																	
3811	Cosmos Point, 0.5 mile east of		56° 40'	132° 36'	+1 55	+1 15	+0 25	+0 42	0.1	0.2	--	--	0.4	180°	--	--	0.5	305°
3816	Turnabout Island		57° 06.96'	133° 55.49'	-1 01	-0 59	-0 47	-0 51	0.4	0.5	0.1	001°	1.4	080°	0.1	164°	0.9	260°
	... do.		57° 06.96'	133° 55.49'	-0 47	-1 06	-0 24	-0 25	0.4	0.5	0.3	349°	1.3	077°	0.1	164°	1.1	252°
	... do.		57° 06.96'	133° 55.49'	-0 26	-1 26	-0 59	-0 21	0.3	0.5	0.1	333°	0.9	071°	0.1	162°	1.1	244°
	STEPHENS PASSAGE																	
3821	The Five Fingers	40d	57° 15.98'	133° 36.21'	-0 20	-0 44	-0 37	-0 18	0.2	0.3	0.1	308°	0.5	043°	--	--	0.6	215°
	... do.	158d	57° 15.98'	133° 36.21'	-0 20	-0 27	-0 04	-0 04	0.2	0.3	0.1	302°	0.5	024°	0.1	302°	0.5	208°
	... do.	250d	57° 15.98'	133° 36.21'	+0 15	-0 25	-0 36	-0 18	0.2	0.2	0.1	073°	0.5	006°	--	--	0.5	164°
3826	The Brothers, 2 miles east of		57° 18'	133° 43'	+0 11	+0 03	-0 07	+0 24	0.3	0.5	--	--	1.0	025°	--	--	1.0	205°
3831	The Brother, east of	68d	57° 19.35'	133° 44.00'	<i>See Table 5.</i>													
	... do.	173d	57° 19.35'	133° 44.00'	-0 45	-0 55	-0 06	-0 20	0.1	0.2	--	--	0.4	030°	--	--	0.3	207°
	... do.	488d	57° 19.35'	133° 44.00'	+1 25	+0 40	+0 17	+0 42	0.1	0.3	0.1	064°	0.4	337°	0.1	249°	0.6	164°
3836	The Brothers, west of		57° 18.27'	133° 54.52'	<i>See Table 5.</i>													
3841	Point Gambier, 2 miles east of		57° 26'	133° 46'	+0 16	+0 08	-0 02	+0 29	0.2	0.2	--	--	0.5	005°	--	--	0.5	185°
3846	Point Hugh	33d	57° 37'	133° 46'	+0 21	+0 13	+0 03	+0 34	0.3	0.5	--	--	1.0	355°	--	--	1.0	175°
3851	Point Astley, NE of, Tracy Arm	170d	57° 43.80'	133° 37.87'	+0 48	+0 42	+0 30	+0 13	0.1	0.3	--	--	0.4	115°	0.1	176°	0.5	219°
	... do.	289d	57° 43.80'	133° 37.87'	+0 03	--	-0 02	+0 10	--	0.1	0.1	139°	--	--	0.1	167°	0.3	209°
	... do.	32d	57° 43.80'	133° 37.87'	--	--	--	+0 18	--	0.1	--	--	--	--	--	--	0.3	291°
3856	Tracy Arm Bar	32d	57° 46.78'	133° 37.89'	+0 26	-0 17	-0 12	+0 32	0.3	1.2	0.3	320°	1.0	060°	0.4	145°	2.4	226°
3861	Point Coke, SE of, Tracy Arm	33d	57° 46.56'	133° 39.98'	+1 08	+0 50	+0 58	+0 55	0.2	0.9	--	--	0.8	085°	--	--	1.9	262°
	... do.	170d	57° 46.56'	133° 39.98'	-0 17	-0 55	-0 01	+0 38	0.2	0.4	--	--	0.6	072°	--	--	0.7	260°
	... do.	289d	57° 46.56'	133° 39.98'	-2 19	-2 35	-2 08	-2 06	0.1	0.2	--	--	0.3	090°	--	--	0.3	277°
3866	Midway Island		57° 50'	133° 50'	+0 21	+0 13	+0 03	+0 34	0.3	0.5	--	--	1.0	335°	--	--	1.0	155°
3871	Taku Harbor Entrance		58° 03.62'	134° 02.16'	<i>Current weak and variable</i>													
3876	Point Arden		58° 09'	134° 08'	+0 26	+0 18	+0 08	+0 39	0.3	0.5	--	--	1.0	355°	--	--	1.0	175°
	Taku Inlet				<i>Current weak and variable</i>													
3881	SE of Bishop Point		58° 11.63'	134° 07.96'	<i>Current weak and variable</i>													
3886	SE of Cooper Point		58° 14.20'	134° 04.58'	<i>Current weak and variable</i>													
3891	WNW of Jaw Point	25d	58° 17.57'	134° 05.93'	<i>Current weak and variable</i>													
3896	0.2 mile off Flat Point		58° 20'	134° 03'	+0 48	+0 11	-0 12	+0 07	0.2	0.5	--	--	0.7	039°	--	--	1.0	200°
3901	0.2 mile off Taku Point		58° 24'	134° 01'	+0 53	+0 34	+0 10	-0 08	0.4	0.4	--	--	1.2	357°	--	--	0.9	203°
	Gastineau Channel																	
3906	Point Salisbury, west of	21d	58° 12.55'	134° 14.98'	+0 22	+0 43	+0 44	+0 18	0.1	0.1	--	--	0.3	318°	--	--	0.3	149°
	... do.	67d	58° 12.55'	134° 14.98'	<i>Current weak and variable</i>													
3911	N of Ship Creek	15d	58° 15.45'	134° 20.16'	+1 22	+0 32	+0 29	+0 59	0.1	0.2	--	--	0.4	326°	--	--	0.3	144°
	... do.	54d	58° 15.45'	134° 20.16'	-0 35	+0 07	+0 15	-0 21	0.1	0.1	--	--	0.3	33°	--	--	0.2	136°
	... do.	81d	58° 15.45'	134° 20.16'	-1 21	+1 09	+0 15	-0 46	0.1	0.2	--	--	0.3	324°	--	--	0.5	131°
3916	Douglas, north of	15d	58° 16.98'	134° 23.62'	+2 12	+0 44	+0 11	+1 32	0.1	0.2	--	--	0.3	305°	--	--	0.3	144°
	... do.	25d	58° 16.98'	134° 23.62'	+1 33	+0 41	+0 27	+1 08	0.1	0.3	--	--	0.4	302°	--	--	0.5	136°
3921	Juneau Harbor, S of	13d	58° 17.09'	134° 23.86'	+1 33	+0 37	+0 20	+1 02	0.1	0.3	--	--	0.3	315°	--	--	0.6	150°
	... do.	33d	58° 17.09'	134° 23.86'	+0 06	-0 14	-0 30	-0 13	0.1	0.3	0.1	244°	0.4	314°	--	--	0.5	145°
	... do.	53d	58° 17.09'	134° 23.86'	-1 10	-0 39	-0 37	-1 03	0.2	0.3	--	--	0.5	314°	--	--	0.5	138°
	... do.	25d	58° 17.47'	134° 24.42'	+3 19	+2 03	+0 34	+1 05	0.1	0.3	--	--	0.2	334°	0.1	031°	0.6	102°
3926	Juneau Harbor	15d	58° 17.62'	134° 24.40'	<i>Current weak and variable</i>													

Endnotes can be found at the end of table 2.

TABLE 2 – CURRENT DIFFERENCES AND OTHER CONSTANTS

No.	PLACE	Meter Depth	POSITION		TIME DIFFERENCES				SPEED RATIOS		AVERAGE SPEEDS AND DIRECTIONS								
			Latitude	Longitude	Min. before Flood	Flood	Min. before Ebb	Ebb	Flood	Ebb	Minimum before Flood	Maximum Flood	Minimum before Ebb	Maximum Ebb					
	STEPHENS PASSAGE—cont. Time meridian, 135° W			West															
	<i>Gastineau Channel—cont.</i>																		
3931	Juneau Harbor, N of	10d	58° 17.78'	134° 25.48'	+0.11	+0.22	-0.04	-0.04	0.2	0.5	0.1	229°	0.5	319°	—	—	1.0	147°	
	do.	50d	58° 17.78'	134° 25.48'	-0.30	+0.18	-0.37	-1.02	0.1	0.3	—	—	0.3	317°	—	—	0.6	150°	
	do.	79d	58° 17.78'	134° 25.48'	Current weak and variable				0.1	0.2	—	—	0.3	314°	—	—	0.4	137°	
3936	West Juneau, NE of	25d	58° 17.78'	134° 24.44'	+0.24	+0.49	+0.32	+1.21	0.2	0.4	0.1	218°	0.5	289°	0.2	233°	0.8	163°	
3941	Juneau Harbor, NW of Ferry Pier	13d	58° 18.30'	134° 26.45'	+1.01	+0.34	+0.10	+0.51	—	—	—	—	—	—	—	—	—	0.3	096°
3946	Aurora Basin, SW of	15d	58° 10.37'	134° 17.29'	—	—	—	+0.45	—	—	—	—	—	—	—	—	—	0.5	095°
3951	Tantalion Point, SW of <116>	37d	58° 10.37'	134° 17.29'	—	—	—	+1.03	—	—	—	—	—	—	—	—	—	0.4	098°
	do.	116d	58° 10.37'	134° 17.29'	—	—	—	+0.51	0.1	0.2	0.1	013°	0.3	308°	0.1	355°	0.4	080°	
3956	Point Young	16d	58° 12.54'	134° 33.52'	-0.12	+0.15	+1.56	+2.02	—	—	—	—	—	—	—	—	—	0.6	089°
	do. <116>	55d	58° 12.54'	134° 33.52'	—	—	—	+2.02	—	—	—	—	—	—	—	—	—	0.6	084°
	do. <116>	81d	58° 12.54'	134° 33.52'	—	—	—	+1.43	—	—	—	—	—	—	—	—	—	0.6	084°
3961	Cogland Island, east of, Auke Bay	25d	58° 21.33'	134° 40.75'	Current weak and variable				0.1	0.1	—	—	0.3	212°	—	—	0.3	015°	
3966	Horse Island, east of	24d	58° 15.38'	134° 42.58'	Current weak and variable				0.1	0.2	—	—	0.4	140°	—	—	0.3	321°	
3971	Portland Island, SW of	175d	58° 19.16'	134° 42.71'	-2.09	-2.52	-3.18	-2.20	0.1	0.1	—	—	0.3	212°	—	—	0.3	015°	
	do.	20d	58° 19.69'	134° 47.00'	-0.33	+0.26	+0.15	+0.11	0.1	0.2	—	—	0.4	140°	—	—	—	—	
	do.	79d	58° 19.69'	134° 47.00'	—	—	—	—	0.2	—	—	—	0.5	151°	—	—	—	—	
3976	Piling Point, east of	138d	58° 19.69'	134° 47.00'	—	—	—	—	0.1	—	—	—	0.4	—	—	—	—	0.1	326°
	do.				—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3981	Saginaw Channel, 2 mi. E of Pt. Retreat	25d	58° 24.30'	134° 53.10'	-0.56	-0.53	+1.12	+0.20	0.3	0.1	0.1	066°	0.8	155°	—	—	0.7	340°	
3986	do.	70d	58° 24.30'	134° 53.10'	-0.56	-0.58	+0.59	+0.31	0.3	0.1	—	—	0.8	149°	—	—	0.6	338°	
	do.	70d	58° 32.17'	134° 56.03'	Current weak and variable				—	—	—	—	—	—	—	—	—	—	—
	do.				Current weak and variable				—	—	—	—	—	—	—	—	—	—	—
	LYNN CANAL																		
3991	Clear Point, WNW of	25d	58° 14.93'	134° 57.77'	Current weak and variable				0.1	0.1	—	—	0.3	345°	—	—	0.7	165°	
3996	Point Retreat, 1 mile west of		58° 25.1'	134° 58.1'	+0.30	+0.30	+0.30	+0.30	0.1	0.2	—	—	0.4	340°	—	—	1.0	151°	
4001	Vanderbilt Reef, 2 miles west of <62>		58° 35.1'	135° 04.1'	+2.09	+2.01	+1.49	+1.34	—	—	—	—	—	—	—	—	—	—	—
4006	Point Bridget, NW of	70d	58° 41.95'	135° 02.00'	Current weak and variable				0.1	—	—	—	0.2	341°	—	—	0.2	175°	
4011	Point Sherman, WSW of	70d	58° 50.80'	135° 11.80'	+2.00	+2.00	+2.00	+2.00	0.1	0.1	—	—	0.3	350°	—	—	0.7	170°	
4016	Eldred Rock		58° 58.1'	135° 14.1'	Current weak and variable				—	—	—	—	—	—	—	—	—	—	—
4021	Glacier Point, Chilkat Inlet	25d	59° 06.28'	135° 22.35'	-1.22	-0.24	+0.56	0.00	0.1	0.1	—	—	0.3	325°	—	—	0.4	145°	
	do.	70d	59° 06.28'	135° 22.35'	Current weak and variable				—	—	—	—	—	—	—	—	—	—	—
4026	Seduction Pt., NE of, Chilkoot Inlet	25d	59° 06.40'	135° 14.60'	+2.05	+2.05	+2.05	+2.05	0.1	0.1	—	—	0.3	345°	—	—	0.7	165°	
4031	Battery Point, Chilkoot Inlet		59° 13.1'	135° 21.1'	+2.05	+2.05	+2.05	+2.05	0.1	0.1	—	—	0.3	005°	—	—	0.7	185°	
4036	Low Point, entrance to Taiya Inlet		59° 16.1'	135° 22.1'	+2.10	+2.10	+2.10	+2.10	0.1	0.1	—	—	0.3	015°	—	—	0.7	195°	
4041	Tanani Point, Lutak Inlet	70d	59° 16.92'	135° 26.98'	Current weak and variable				—	—	—	—	—	—	—	—	—	—	—
4046	Skagway, Taiya Inlet		59° 27.1'	135° 20.1'	Current weak and variable				—	—	—	—	—	—	—	—	—	—	—
4051	Skagway River entrance	25d	59° 26.71'	135° 19.72'	Current weak and variable				—	—	—	—	—	—	—	—	—	—	—
	CHATHAM STRAIT																		
4056	Hazy Islands		55° 53.1'	134° 36.1'	-0.19	-0.27	-0.37	-0.06	0.3	0.5	—	—	1.0	025°	—	—	1.0	205°	
4061	Cape Ommaney Light, 5 miles east of		56° 10.1'	134° 31.1'	-0.14	-0.22	-0.32	-0.01	0.3	0.5	—	—	1.0	005°	—	—	1.0	185°	
4066	Port Walter Light, 3 miles east of		56° 23.1'	134° 32.1'	-0.09	-0.17	-0.27	+0.04	0.5	0.7	—	—	1.5	005°	—	—	1.5	185°	
4071	Point Ellis, 4 miles west of		56° 34.1'	134° 27.1'	-0.04	-0.12	-0.22	+0.09	0.5	0.7	—	—	1.5	350°	—	—	1.5	170°	
4076	Kingsmill Point Light, 3 miles west of		56° 50.1'	134° 31.1'	+0.01	-0.07	-0.17	+0.14	0.6	1.0	—	—	2.0	355°	—	—	2.0	175°	
4081	Point Gardner Light, 2 miles west of		57° 01.1'	134° 40.1'	+0.06	-0.02	-0.12	+0.19	0.6	1.0	—	—	2.0	350°	—	—	2.0	175°	
4086	Point Caution, 3 miles west of		57° 15.1'	134° 44.1'	+0.11	+0.03	-0.07	+0.24	0.6	1.0	—	—	2.0	355°	—	—	2.0	175°	
4091	Point Thatcher, 3 miles east of		57° 25.1'	134° 44.1'	+0.11	+0.03	-0.07	+0.24	0.5	0.7	—	—	1.5	340°	—	—	1.5	160°	
4096	Killsnoo Harbor	12d	57° 27.79'	134° 33.88'	+3.25	+3.13	+1.50	+0.48	0.1	0.2	—	—	0.3	142°	—	—	0.3	321°	
	do.	90d	57° 27.79'	134° 33.88'	+1.34	+2.40	+2.11	+1.18	0.1	0.1	—	—	0.4	152°	—	—	0.3	321°	

Endnotes can be found at the end of table 2.

TABLE 2 – CURRENT DIFFERENCES AND OTHER CONSTANTS

No.	PLACE	Meter Depth	POSITION		TIME DIFFERENCES				SPEED RATIOS		AVERAGE SPEEDS AND DIRECTIONS			
			Latitude	Longitude	Min. before Flood	Flood	Min. before Ebb	Ebb	Flood	Ebb	Minimum before Flood	Maximum Flood	Minimum before Ebb	Maximum Ebb
	CHATHAM STRAIT—cont. Time meridian, 135° W	ft	North	West	h m	h m	h m	h m			knots	Dir.	knots	Dir.
4101	Danger Point Light, 3 miles west of		57° 31'	134° 42'	+0 16	+0 08	-0 02	+0 29	0.5	0.7	1.5	350°	1.5	170°
4106	Turn Point, Kootznahoo Inlet		57° 30'	134° 35'	+0 56	+0 48	+0 38	+1 09	2.2	2.9	6.1	105°	6.1	285°
4111	South Passage Point, 3 miles east of		57° 46'	134° 50'	+0 16	+0 08	-0 02	+0 29	0.5	0.7	1.5	175°	1.5	355°
4116	Point Augusta, ESE of	70d	58° 01.50'	134° 52.40'	-0 02	-0 04	+0 01	+0 54	0.2	0.3	0.5	344°	0.6	164°
4121	Hawk Inlet Entrance		58° 05.28'	134° 47.62'	See Table 5.									
4126	Hawk Inlet, Hawk Point	13d	58° 05.84'	134° 46.51'	+0 18	-0 20	-0 17	+0 28	0.2	0.9	0.8	355°	1.9	178°
	... do.	59d	58° 05.84'	134° 46.51'	+0 13	-0 17	+0 07	+0 48	0.1	0.6	0.1	266°	1.2	181°
	... do.	78d	58° 05.84'	134° 46.51'	+0 13	-0 19	+0 19	+0 52	0.2	0.4	0.1	264°	0.9	182°
	SITKA SOUND													
4131	Biorka Channel		56° 50'	135° 30'	+0 47	+0 20	+0 15	+0 13	0.1	0.2	0.4	045°	0.4	232°
4136	Entrance		56° 58'	135° 37'	Current weak and variable									
4141	Eastern Channel		57° 00.87'	135° 21.55'	Current weak and variable									
4146	Middle Channel		57° 01.64'	135° 23.50'	Current weak and variable									
4151	Viskari Island, 3 miles northeast of		57° 02'	135° 29'	Current weak and variable									
4156	Silver Bay entrance		57° 02'	135° 14'	Current weak and variable									
4161	Western Channel	18d	57° 03.02'	135° 23.75'	+0 10	-0 20	-0 09	+0 09	0.1	0.2	0.3	029°	0.4	210°
	... do.	64d	57° 03.02'	135° 23.75'	+0 09	-0 26	-0 12	+0 02	0.1	0.2	0.3	018°	0.4	193°
	... do.	110d	57° 03.02'	135° 23.75'	-0 07	-0 40	-0 05	+0 15	0.1	0.2	0.4	005°	0.4	193°
4166	Sitka Harbor, channel off Harbor Island		57° 03'	135° 20'	-0 58	-1 17	-2 02	-1 16	0.1	0.2	0.3	333°	0.4	156°
	KRESTOF SOUND													
4171	West Channel (narrows)		57° 09'	135° 35'	-0 43	-0 51	-1 01	-0 30	0.4	0.5	1.3	242°	1.1	064°
4176	East Channel (narrows)		57° 10'	135° 33'	-0 30	-0 32	-0 48	-0 23	0.4	0.7	1.3	051°	1.4	229°
4181	East Channel north entrance <67>		57° 11'	135° 33'	---	-0 50	---	-0 48	0.3	0.4	0.8	340°	0.8	160°
	NAKWASINA SOUND AND PASSAGE													
4186	Nakwasina Sound, South entrance		57° 11'	135° 25'	Current weak and variable									
4191	Allan Pt., 1.5 mile W of, Nakwasina Passage <66>		57° 15'	135° 26'	-1 06	-1 06	-0 59	-0 40	0.6	0.8	2.0	260°	1.6	082°
	OLGA STRAIT													
4196	South end <67>		57° 11'	135° 28'	---	+0 09	---	+0 52	0.3	0.5	1.0	324°	1.0	130°
4201	Creek Point, 0.44 n.mi. SE of	15d	57° 12.61'	135° 29.70'	+0 12	-0 24	+0 02	+0 27	0.4	0.6	1.3	319°	1.2	141°
	NEVA STRAIT													
4206	Whitestone Narrows, S of Whitestone Point	16d	57° 14.7'	135° 33.83'	-0 24	-0 30	-0 07	-0 04	0.3	0.4	1.0	161°	0.8	338°
	... do.	43d	57° 14.7'	135° 33.83'	-0 25	-0 30	-0 03	+0 06	0.3	0.3	1.0	163°	0.7	339°
4211	Wyvill Reef		57° 16'	135° 35'	-0 27	-0 30	-0 04	-0 13	0.5	0.7	1.6	150°	1.4	323°
4216	Highwater Island, west of		57° 17'	135° 36'	-0 15	-0 29	-0 11	-0 34	0.3	0.7	1.0	144°	1.4	330°
4221	Zeal Point, 0.34 n.mi. SSW of	16d	57° 17.22'	135° 36.47'	+0 09	-0 14	-0 02	+0 02	0.2	0.3	0.5	163°	0.6	346°
	... do.	29d	57° 17.22'	135° 36.47'	+0 12	-0 27	-0 07	-0 02	0.2	0.3	0.5	165°	0.6	347°
	... do.	48d	57° 17.22'	135° 36.47'	-0 57	-1 02	-0 26	-0 14	0.1	0.2	0.4	170°	0.5	345°
4226	Kane Island, 0.29 n.mi. East of		57° 19.33'	135° 39.21'	Current weak and variable									
4231	North of Kane Islands		57° 20'	135° 40'	Current weak and variable									
	SALISBURY SOUND													
4236	Sea Rock, 1 mile north of		57° 21'	135° 53'	-0 19	-0 27	-0 37	-0 06	0.3	0.5	1.0	065°	1.0	245°
4241	Kalinin Point, 1 mile north of		57° 21'	135° 48'	-0 19	-0 27	-0 37	-0 06	0.3	0.5	1.0	080°	1.0	260°
4246	Sinitin Island		57° 21'	135° 46'	-0 19	-0 27	-0 37	-0 06	0.3	0.7	1.5	095°	1.5	275°

Endnotes can be found at the end of table 2.

TABLE 2 – CURRENT DIFFERENCES AND OTHER CONSTANTS

No.	PLACE	Meter Depth	POSITION		TIME DIFFERENCES				SPEED RATIOS		AVERAGE SPEEDS AND DIRECTIONS						
			Latitude	Longitude	Min. before Flood	Flood	Min. before Ebb	Ebb	Flood	Ebb	Minimum before Flood	Maximum Flood	Minimum before Ebb	Maximum Ebb			
	PERIL STRAIT Time meridian, 135° W	ft	North	West	h m	h m	h m	h m			knots	Dir.	knots	Dir.			
4251	Kakul Narrows	19d	57° 23' 19"	135° 41' 55"	+0 55	+1 05	+0 12	+0 18	0.1	0.3	0.1	299°	0.9	025°	1.3	211°	
	do	58d	57° 22' 19"	135° 41' 55"	+0 51	+0 59	+0 12	+0 27	0.2	0.3	0.1	298°	0.9	027°	1.3	209°	
4256	Sulioia Point, 0.32 n.mi. ENE of	26d	57° 23' 51"	135° 38' 46"	+1 47	+0 43	-0 31	-0 14	0.1	0.2	0.3	035°	0.3	346°	1.0	113°	
	do	65d	57° 23' 51"	135° 38' 46"	+1 40	+0 11	-0 15	-0 01	0.1	0.2	0.4	044°	0.5	004°	1.0	114°	
	do	92d	57° 23' 51"	135° 38' 46"	+1 33	+0 13	-0 02	+0 58	0.1	0.2	0.4	045°	0.5	004°	1.0	113°	
4261	SERGIUS NARROWS	18d	57° 24' 42"	135° 37' 87"	0 00	0 00	0 00	0 00	1.0	1.0	0.1	331°	6.3	058°	4.9	241°	
	do	31d	57° 24' 42"	135° 37' 87"	0 00	0 01	0 00	0 00	1.0	1.0	0.1	331°	6.3	058°	4.9	241°	
	do	44d	57° 25'	135° 35'	+0 31	+0 11	+0 23	+0 15	0.3	0.4	--	--	1.7	059°	4.9	242°	
4266	Point Siroi		57° 26'	135° 35'	-0 09	-0 37	-0 35	-0 06	0.2	0.4	--	--	1.4	010°	2.1	187°	
4271	Middle Point		57° 27' 18"	135° 32' 24"	+0 02	+0 11	-0 01	-0 24	0.3	0.4	0.1	308°	1.9	042°	2.2	212°	
4276	Big Rose Island, 0.2 n.mi. SE of	12d	57° 27' 18"	135° 32' 24"	-0 01	-0 11	-0 01	-0 20	0.4	0.4	0.2	128°	2.3	041°	2.2	212°	
	do	32d	57° 27' 18"	135° 32' 24"	+0 01	-0 19	-0 01	-0 17	0.3	0.4	0.1	303°	1.9	030°	1.8	221°	
	do	92d	58° 30' 63"	135° 33' 70"	+0 17	+0 15	+0 09	-0 37	0.2	0.2	--	--	0.9	323°	1.1	159°	
4281	Povorotni Island, 0.23 n.mi. WSW of	10d	58° 30' 63"	135° 33' 70"	+0 15	+0 05	+0 00	-0 39	0.2	0.2	--	--	0.9	325°	1.2	158°	
	do	50d	58° 30' 63"	135° 33' 70"	+0 06	-0 15	-0 32	-0 30	0.1	0.3	--	--	0.8	328°	1.3	156°	
	do	89d	58° 30' 63"	135° 33' 70"													
					on Wrangell Narrows, p.88												
4286	Otstobia Island Light, 1 mile north of		57° 35'	135° 27'	+0 06	-0 02	-0 12	+0 19	0.6	1.0	--	--	2.0	280°	2.0	100°	
4291	Nismeni Point, 1 mile north of		57° 35'	135° 25'	+0 06	-0 02	-0 12	+0 19	0.6	1.0	--	--	2.0	285°	2.0	105°	
4296	Peschani Point, 1 mile east of		57° 32'	135° 18'	+0 06	-0 02	-0 12	+0 19	0.6	1.0	--	--	2.0	325°	2.0	145°	
4301	Point Elizabeth, 1 mile northeast of		57° 31'	135° 16'	+0 06	-0 02	-0 12	+0 19	0.6	1.0	--	--	2.0	315°	2.0	135°	
4306	Point Benham, 1 mile east of		57° 29'	135° 11'	+0 06	-0 02	-0 12	+0 19	0.6	1.0	--	--	2.0	310°	2.0	130°	
4311	False Linderberg Head, 1 mile south of		57° 27'	135° 05'	+0 06	-0 02	-0 12	+0 19	0.6	1.0	--	--	2.0	308°	2.0	125°	
4316	Linderberg Head		57° 27'	135° 02'	+0 06	-0 02	-0 12	+0 19	0.6	1.0	--	--	2.0	280°	2.0	100°	
4321	Eva Islands		57° 27'	134° 56'	+0 11	+0 03	-0 07	+0 24	0.4	0.6	--	--	1.3	275°	1.3	095°	
4326	Fairway Island		57° 27'	134° 53'	+0 11	+0 03	-0 07	+0 24	0.6	1.0	--	--	2.0	265°	2.0	085°	
4331	Morris Reef, south of		57° 27'	134° 49'	+0 11	+0 03	-0 07	+0 24	0.5	0.7	--	--	1.5	275°	1.5	095°	
					on North Inian Pass, p.96												
4336	Elbow Passage, south of Kleg Island	14d	57° 36' 83"	136° 05' 97"	+0 29	+0 08	+0 44	+0 54	0.5	0.4	0.1	340°	1.7	042°	0.9	269°	
	do	47d	57° 36' 83"	136° 05' 97"	+0 27	+0 18	+0 29	+0 15	0.4	0.3	--	--	1.3	056°	0.7	263°	
	do	83d	57° 36' 83"	136° 05' 97"	+0 05	+0 25	+0 38	+0 15	0.3	0.2	--	--	1.0	061°	0.4	223°	
4341	Ogden Passage	33d	57° 37' 93"	136° 09' 85"	Current weak and variable												
4346	Point Hogan, South Passage	20d	57° 41' 29"	136° 15' 26"	+0 09	-0 45	+0 33	+0 55	0.1	0.2	--	--	0.4	058°	0.5	241°	
	do	79d	57° 41' 29"	136° 15' 26"	-0 59	-0 56	-0 31	+0 24	0.1	0.2	--	--	0.3	057°	0.4	243°	
	do	138d	57° 41' 29"	136° 15' 26"	Current weak and variable												
					on North Inian Pass, p.96												
4351	Cape Spencer, 3 miles south of		58° 09'	136° 38'	+0 10	+0 10	+0 10	+0 10	0.4	0.4	--	--	1.2	070°	2.0	250°	
4356	Port Althrop ent., E of George I <70>		58° 12'	136° 22'	--	--	--	--	--	--	--	--	--	340°	--	160°	
4361	NORTH INIAN PASS		58° 17'	136° 23'	Daily predictions												
4366	South Inian Pass		58° 13'	136° 21'	+0 15	+0 15	+0 15	+0 15	1.2	1.2	--	--	2.9	075°	5.1	260°	
													3.5	080°	6.0	260°	
					on North Inian Pass, p.96												
4371	North Passage		58° 19'	136° 07'	+0 05	+0 05	+0 05	+0 05	0.7	0.7	--	--	2.0	070°	3.6	250°	
4376	South Passage		58° 14'	136° 06'	+0 05	+0 05	+0 05	+0 05	0.8	0.8	--	--	2.3	085°	4.1	265°	
4381	Beardslee Island, West of Glacier Bay		58° 28'	136° 02'	-0 20	0 00	+1 30	+1 12	1.8	1.0	--	--	5.3	343°	5.1	158°	
4386	Pleasant Island, 3 miles south of <71>		58° 17'	135° 35'	-1 00	-1 00	-1 00	-1 00	0.1	0.2	--	--	0.2	091°	1.2	284°	

Endnotes can be found at the end of table 2.

TABLE 2 – CURRENT DIFFERENCES AND OTHER CONSTANTS

No.	PLACE	Meter Depth	POSITION		TIME DIFFERENCES				SPEED RATIOS		AVERAGE SPEEDS AND DIRECTIONS															
			Latitude	Longitude	Min. before Flood	Flood	Min. before Ebb	Ebb	Flood	Ebb	Minimum before Flood	Maximum Flood	Minimum before Ebb	Maximum Ebb												
LITUYA BAY Time meridian, 135° W																										
4391	Lituya Bay Entrance	6d	58° 36.86'	137° 39.61'	+0.00	-0.15	-0.02	+0.09	0.9	0.7	--	--	2.9	0.31°	0.1	124°	1.5	207°								
	do.	16d	58° 36.86'	137° 39.61'	-0.08	-0.21	+0.00	+0.08	1.0	0.7	--	--	3.3	0.31°	0.1	124°	1.5	207°								
	do.	29d	58° 36.86'	137° 39.61'	-0.15	-0.29	+0.04	+0.14	1.1	0.7	--	--	3.4	0.29°	0.1	120°	1.5	205°								
ICY BAY																										
4396	Point Riou, 2.6 nautical miles SW of	13	59° 51.3'	141° 30.2'	See Table 5.																					
4401	Claybluff Point Light, 5.2 nmi. SSW of	14	59° 33.5'	141° 40.2'	See Table 5.																					
4406	Claybluff Point Light, 3.5 nmi. south of	75	59° 54.6'	141° 35.7'	-3.02	-2.09	-3.14	-3.20	0.2	0.2	0.2	132°	0.5	104°	0.3	142°	0.5	209°								
4411	Claybluff Point Light, 2.3 nmi. SE of	206	59° 56.8'	141° 31.2'	-3.10	-2.44	-3.17	-3.14	0.1	0.1	--	--	0.2	0.30°	0.1	325°	0.3	215°								
4416	Carson Creek Entrance, 1.4 nmi. ESE of	15	59° 59.0'	141° 28.2'	-4.48	-0.36	-0.20	-2.09	0.2	0.0	0.1	154°	0.4	0.77°	--	--	0.1	164°								
4421	Carson Creek Entrance, 3.3 nmi. SE of	78	59° 58.2'	141° 24.8'	-2.49	-1.45	-1.03	-2.03	0.3	0.2	--	--	0.9	0.67°	0.1	135°	0.4	232°								
4426	Carson Creek Entrance, 2.4 nmi. ESE of	50	59° 59.2'	141° 26.2'	-3.00	-1.38	-2.24	-2.06	0.2	0.3	--	--	0.6	0.54°	0.1	138°	0.7	244°								
4431	Kichyatt Point, 1.3 nautical miles NE of	378	60° 02.1'	141° 19.7'	See Table 5.																					
CONTROLLER BAY																										
4436	Wingham Island, off northeast corner		60° 03'	144° 23'	+0.42	+1.11	+0.46	+1.06	0.5	0.6	--	--	1.5	0.68°	--	--	1.2	288°								
4441	Kanak Island, southeast of		60° 05'	144° 18'	+0.58	+0.37	+0.38	+0.53	0.5	1.0	--	--	1.7	0.67°	--	--	2.0	255°								
COOPER RIVER DELTA																										
4446	Cottonwood Point		60° 07.86'	145° 04.78'	See Table 5																					
PRINCE WILLIAM SOUND																										
<i>Hinchinbrook Entrance</i>																										
4451	Hinchinbrook Entrance	37d	60° 04.05'	146° 23.67'	-0.39	-0.37	--	--	0.4	--	--	--	0.3	280°	--	--	--	--								
4456	Cape Hinchinbrook Approach	115d	60° 13.49'	146° 13.57'	+0.08	-0.03	+0.42	+0.52	0.4	0.5	0.1	182°	0.3	267°	0.1	352°	0.3	084°								
	do.	181d	60° 13.49'	146° 13.57'	+2.24	+0.35	-1.35	-0.10	0.5	2.4	0.1	139°	0.4	0.81°	0.3	132°	1.4	204°								
	do.	25d	59° 52.10'	147° 16.87'	+1.07	+0.03	-0.88	+0.16	0.5	1.8	0.1	135°	0.4	0.65°	0.1	131°	1.1	208°								
	do.	97d	59° 52.10'	147° 16.87'	-0.02	-0.54	-0.31	-0.04	0.6	1.3	0.1	322°	0.5	0.41°	--	--	0.7	231°								
	do.	156d	59° 52.10'	147° 16.87'	+0.10	-1.12	-0.58	+0.33	0.6	1.4	0.3	219°	0.5	317°	0.3	243°	0.8	180°								
4466	Cape Hinchinbrook, SW of, Hinchinbrook I	20d	60° 11.20'	146° 44.90'	+1.30	+0.39	-1.01	-0.30	0.6	1.8	--	--	0.4	352°	0.1	080°	1.1	162°								
4471	Bear Cape and Zaikof Point, between	70d	60° 18.70'	146° 48.80'	+0.27	+0.05	-0.17	-0.06	1.0	1.4	--	--	0.8	355°	--	--	0.8	176°								
4476	Bear Cape	251d	60° 21.11'	146° 44.77'	+0.01	-0.39	-0.33	-0.09	1.2	1.4	--	--	1.0	0.01°	0.1	264°	0.8	171°								
	do.	566d	60° 24.65'	146° 58.10'	+4.04	+5.55	+5.49	+4.57	0.9	0.5	0.2	020°	0.7	092°	0.1	039°	0.3	323°								
4481	Montague Point, 4.5 miles northeast of	71d	60° 23.90'	147° 05.63'	+5.48	+5.40	+5.17	+5.23	0.5	0.6	0.1	186°	0.4	0.99°	--	--	0.4	279°								
4486	Montague Point	158d	60° 23.90'	147° 05.63'	+5.10	+4.47	+4.39	+4.54	0.4	0.6	--	--	0.3	0.88°	--	--	0.4	261°								
	do.	277d	60° 23.90'	147° 05.63'	See Table 5.																					
<i>Montague Strait and Knight Island Passage</i>																										
4491	Cape Clare		59° 44.86'	148° 00.69'	See Table 5.																					
4496	Point Ellington		59° 55.51'	148° 19.39'	See Table 5.																					
4501	Cape Puget, east of, Port Bainbridge	69d	59° 57.22'	148° 19.45'	Current weak and variable																					
4506	Montague Strait, NW of Pt. Woodcock	70d	59° 56.87'	147° 51.67'	+0.53	-0.17	-0.40	+0.35	0.5	0.9	0.1	307°	0.2	333°	--	--	0.3	226°								
4511	do.	54d	59° 54.88'	147° 57.64'	+0.19	-0.24	-0.30	+0.00	1.0	1.3	--	--	0.8	0.47°	0.1	326°	0.5	223°								
	do.	172d	59° 54.88'	147° 57.64'	+0.32	-0.18	-0.12	+0.18	0.9	1.5	--	--	0.8	0.52°	0.1	150°	0.6	236°								
	do.	290d	59° 54.88'	147° 57.64'	+0.03	-0.31	-2.11	-0.46	1.1	2.8	0.1	317°	0.8	0.45°	0.1	136°	0.9	228°								
4516	Latouche Pass	23d	59° 58.60'	148° 02.79'	-0.08	-1.36	-1.58	-0.39	1.1	2.6	0.1	309°	0.9	0.33°	0.1	306°	1.6	217°								
	do.	62d	59° 58.60'	148° 02.79'	-0.08	-1.44	-2.16	-0.36	1.1	2.2	0.1	307°	0.9	0.30°	--	--	1.5	220°								
	do.	108d	59° 58.60'	148° 02.79'	-0.08	-1.44	-2.16	-0.36	1.1	2.2	0.1	311°	0.9	0.27°	--	--	1.3	223°								
	do.	14d	60° 03.55'	147° 58.45'	-0.03	-1.58	-1.54	+0.06	0.5	1.3	0.1	141°	0.4	0.57°	--	--	0.8	284°								
4521	Sawmill Bay Entr., Evans Island	14d	60° 03.55'	147° 58.45'	-0.21	-1.59	-2.48	-0.25	0.5	0.8	0.1	143°	0.4	0.55°	--	--	0.8	235°								
	do.	158d	60° 03.55'	147° 58.45'	-1.26	-2.16	-3.09	-2.31	0.6	0.5	--	--	0.5	0.50°	0.1	145°	0.3	243°								

Endnotes can be found at the end of table 2.

TABLE 2 – CURRENT DIFFERENCES AND OTHER CONSTANTS

No.	PLACE	Meter Depth ft	POSITION		TIME DIFFERENCES				SPEED RATIOS		AVERAGE SPEEDS AND DIRECTIONS							
			Latitude	Longitude	Min. before Flood	Flood	Min. before Ebb	Ebb	Flood	Ebb	Minimum before Flood	Maximum Flood	Minimum before Ebb	Maximum Ebb				
															h	m	h	m
PRINCE WILLIAM SOUND—cont. Time meridian, 135° W																		
<i>Montague Strait and Knight Island Passage—cont.</i>																		
4526	Elrington Passage	49d	59° 58.77'	148° 07.00'	+0 17	-0 30	-0 35	-0 07	0.6	1.4	0.2	125°	0.5	059°	0.1	156°	0.8	232°
	do.	180d	59° 58.77'	148° 07.00'	-0 14	-1 10	-0 54	-0 12	0.8	1.0	0.2	136°	0.6	055°	--	--	0.6	229°
	do.	295d	59° 58.77'	148° 07.00'	-0 18	-0 43	-0 48	-0 21	0.9	0.9	0.1	139°	0.8	055°	--	--	0.5	231°
4531	Prince of Wales Pass	30d	60° 02.17'	148° 08.06'	+0 14	-0 51	-1 16	-0 34	1.3	2.7	--	--	1.0	021°	--	--	1.6	202°
	do.	138d	60° 02.17'	148° 08.06'	-0 06	-1 10	-1 08	-0 16	1.4	2.3	--	--	1.2	017°	--	--	1.4	202°
	do.	237d	60° 02.17'	148° 08.06'	-0 18	-1 16	-1 10	-0 22	1.5	2.2	--	--	1.2	025°	--	--	1.3	203°
4536	Bainbridge Pass North	35d	60° 10.98'	148° 06.07'	Current weak and variable				--	--	--	--	--	--	--	--	--	--
	do.	331d	60° 10.98'	148° 06.07'	See Table 5				--	--	--	--	--	--	--	--	--	--
4541	Bainbridge Pass	16d	60° 07.75'	148° 12.14'	-1 00	-2 00	-2 36	-1 46	1.9	3.9	--	--	1.5	034°	0.1	306°	2.3	235°
	do.	75d	60° 07.75'	148° 12.14'	-1 08	-3 25	-2 31	-1 30	1.8	3.8	0.1	321°	1.5	041°	0.1	315°	2.3	235°
	do.	131d	60° 07.75'	148° 12.14'	-1 04	-2 15	-2 27	-1 27	1.8	3.7	0.1	321°	1.5	036°	0.1	311°	2.2	234°
4546	Bainbridge Passage (mid-passage)	21d	60° 07.60'	148° 12.23'	-0 40	-1 48	-2 10	-1 19	2.4	2.7	0.2	133°	2.0	052°	--	--	1.6	208°
4551	Knight I. Passage, N of Evans Pt. <114>	71d	60° 09.85'	147° 54.13'	--	--	--	-0 25	--	0.7	--	--	--	--	--	--	0.4	145°
4561	Chenequa South	33d	60° 16.07'	148° 05.87'	Current weak and variable				--	--	--	--	--	--	--	--	--	
4566	Dangerous Pass	164d	60° 22.48'	148° 04.33'	Current weak and variable				--	--	--	--	--	--	--	--	--	
	do.	282d	60° 21.54'	147° 55.97'	-0 28	-1 16	-0 40	-0 33	--	0.7	--	--	--	--	--	--	0.4	199°
	do.	75d	60° 21.54'	147° 55.97'	-1 38	-2 17	-2 25	-2 13	0.4	0.5	--	--	0.3	003°	--	--	0.3	189°
4571	Knight I. Passage, E of Pt. Newell <116>	97d	60° 26.73'	147° 51.47'	--	--	--	+0 39	--	0.7	--	--	--	--	--	--	0.4	197°
4576	Crafton Island - Knight Island Pass	176d	60° 30.15'	147° 53.87'	-0 23	-0 54	-0 52	-0 25	0.3	0.5	--	--	0.3	005°	--	--	0.3	177°
	do.	255d	60° 30.15'	147° 53.87'	-0 15	-1 03	--	-0 09	0.3	0.5	--	--	0.3	001°	--	--	0.3	184°
	do.	57d	60° 16.54'	147° 38.07'	See Table 5				--	--	--	--	--	--	--	--	--	
4581	Smug Harbor	162d	60° 16.54'	147° 38.07'	+1 13	+1 20	+1 18	+0 42	0.3	0.5	--	--	0.3	004°	--	--	0.3	291°
	do.	280d	60° 16.54'	147° 38.07'	See Table 5				--	--	--	--	--	--	--	--	--	
4586	Green Island Pass	35d	60° 16.04'	147° 18.09'	+1 15	+1 37	+1 43	+1 35	0.6	0.5	0.1	304°	0.5	039°	0.1	127°	0.3	214°
	do.	104d	60° 16.04'	147° 18.09'	-0 44	+1 38	--	--	0.5	--	--	--	0.4	045°	--	--	--	
	do.	163d	60° 16.04'	147° 18.09'	-0 24	-1 48	-1 25	-0 15	0.4	0.5	--	--	0.3	015°	--	--	0.3	201°
<i>Central Sound</i>																		
4591	Ship Channel, east of Smith Island	69d	60° 32.95'	147° 01.20'	+0 54	-1 29	-3 35	-0 18	0.2	0.7	0.1	312°	0.1	014°	0.1	044°	0.4	204°
4596	Johnston Point, 7 nmi. northwest of	71d	60° 33.10'	146° 47.00'	+0 12	-1 07	-1 00	+0 03	0.8	1.2	0.3	223°	0.7	302°	--	--	0.7	137°
4601	Between Naked and Eleanor Islands	34d	60° 36.46'	147° 29.36'	+0 12	-1 13	-1 35	-0 06	0.6	0.8	--	--	0.5	322°	--	--	0.5	132°
	do.	139d	60° 36.46'	147° 29.36'	-0 08	-0 57	-1 16	-0 37	0.7	0.5	--	--	0.6	331°	--	--	0.3	149°
	do.	244d	60° 36.46'	147° 29.36'	-0 12	+0 12	+0 27	-0 12	0.5	0.5	0.1	215°	0.4	325°	0.2	046°	0.3	117°
4606	Storey Peak Island	46d	60° 43.60'	147° 18.29'	Current weak and variable				--	--	--	--	--	--	--	--	--	
	do.	177d	60° 43.60'	147° 18.29'	Current weak and variable				--	--	--	--	--	--	--	--	--	
	do.	292d	60° 43.60'	147° 18.29'	Current weak and variable				--	--	--	--	--	--	--	--	--	
4611	Storey Island, north of	48d	60° 45.02'	147° 24.35'	-0 03	-0 20	-1 11	-0 58	0.6	0.9	--	--	0.5	270°	0.1	359°	0.5	092°
	do.	179d	60° 45.02'	147° 24.35'	+1 58	+1 48	+1 27	+1 29	0.4	0.7	--	--	0.3	270°	--	--	0.4	090°
	do.	261d	60° 45.02'	147° 24.35'	+2 49	+2 24	+1 52	+1 43	0.3	0.5	--	--	0.3	259°	--	--	0.3	086°
4616	Outpost Island	73d	60° 50.12'	147° 26.96'	+1 52	+1 17	+1 13	+1 47	0.4	0.5	--	--	0.3	265°	--	--	0.3	075°
	do.	106d	60° 50.12'	147° 26.96'	+1 37	+1 14	+1 11	+1 44	0.4	0.4	--	--	0.3	263°	--	--	0.3	081°
4621	Slipper Point	25d	60° 50.12'	147° 26.96'	Current weak and variable				--	--	--	--	--	--	--	--	--	
	do.	143d	60° 54.59'	147° 15.93'	+5 36	+4 57	+4 22	+5 03	0.4	0.6	--	--	0.3	049°	--	--	0.3	244°
	do.	235d	60° 54.59'	147° 15.93'	+7 09	+5 57	+5 13	+5 26	0.3	0.5	--	--	0.3	039°	--	--	0.3	233°
4626	Finiski Point	13d	60° 54.12'	147° 03.85'	+2 49	+2 03	+1 23	+2 01	0.3	1.0	--	--	0.3	042°	--	--	0.6	140°
	do.	131d	60° 54.12'	147° 03.85'	+0 16	-0 16	-0 54	-0 22	0.3	1.0	--	--	0.3	318°	0.1	052°	0.1	052°
	do.	223d	60° 54.12'	147° 03.85'	-1 09	--	--	-0 36	--	0.4	--	--	--	--	--	--	0.3	134°
<i>Orca Bay and Orca Inlet</i>																		
4631	Knowles Head	20d	60° 40.60'	146° 43.46'	See Table 5				--	--	--	--	--	--	--	--	--	
4636	Knowles Head, 1.5 miles S of <117>	34d	60° 39.47'	146° 36.35'	--	--	-1 05	+0 48	--	0.5	--	--	--	--	--	--	0.3	276°
4641	Johnstone Point	139d	60° 29.32'	146° 36.99'	-1 26	-1 23	-1 09	-1 18	0.9	0.9	--	--	0.8	065°	--	--	0.5	250°
	do.	231d	60° 29.32'	146° 36.99'	+0 19	-0 42	+0 26	+0 08	0.7	0.6	--	--	0.6	069°	--	--	0.4	252°
	do.	20d	60° 33.25'	146° 35.80'	-0 06	-0 05	+0 05	-0 07	0.4	0.5	--	--	0.3	062°	--	--	0.3	241°
4646	Johnstone Pt., 4 mi. N of	20d	60° 33.25'	146° 35.80'	See Table 5				--	--	--	--	--	--	--	--	--	

Endnotes can be found at the end of table 2.

TABLE 2 – CURRENT DIFFERENCES AND OTHER CONSTANTS

No.	PLACE	Meter Depth	POSITION		TIME DIFFERENCES				SPEED RATIOS		AVERAGE SPEEDS AND DIRECTIONS			
			Latitude	Longitude	Min. before Flood	Flood	Min. before Ebb	Ebb	Flood	Ebb	Minimum before Flood	Maximum Flood	Minimum before Ebb	Maximum Ebb
	PRINCE WILLIAM SOUND—cont. Time meridian, 135° W	ft	North	West	h m	h m	h m	h m			knots	Dir.	knots	Dir.
4651	Orca Bay and Orca Inlet—cont.	41d	60° 33.47'	146° 21.97'	-0 18	+1 04	-1 00	-0 10	0.4	0.5	0.3	082°	0.3	283°
	Middle Ground Shoal, north of	119d	60° 33.47'	146° 21.97'	+0 25	-0 36	-0 27	+0 17	0.4	0.5	0.3	072°	0.3	272°
4656	Port Gravina	50d	60° 36.38'	146° 23.37'	+0 43	+0 20	+0 16	+0 26	0.4	0.5	0.3	066°	0.3	270°
	...	181d	60° 36.38'	146° 23.37'	Current weak and variable				0.3	0.5	0.1	343°	0.3	267°
4661	Gravina Pt. and Makaka Pt., between	312d	60° 36.38'	146° 23.37'	+0 51	-0 18	-0 22	+0 08	0.3	0.5	0.3	059°	0.3	267°
4666	Channel Island	20d	60° 34.80'	146° 15.20'	Current weak and variable				0.4	0.7	0.1	348°	0.3	083°
	...	32d	60° 36.26'	145° 50.41'	+1 22	+1 26	+0 41	+0 43	0.4	0.5	0.3	083°	0.4	247°
	...	84d	60° 36.26'	145° 50.41'	-0 22	-0 16	-1 07	+0 33	0.3	0.4	0.3	089°	0.3	249°
	...	150d	60° 36.26'	145° 50.41'	-0 22	-0 16	-1 07	+0 33	0.3	0.4	0.3	089°	0.3	251°
4671	Saimo Point, N of, Hawkins Island	20d	60° 35.95'	145° 48.40'	Current weak and variable				0.1	338°	0.1	343°	0.1	236°
4676	Mud Bay	14d	60° 32.86'	145° 50.45'	+0 58	+0 29	+0 43	+0 54	1.6	3.1	1.3	262°	1.9	062°
	...	27d	60° 32.86'	145° 50.45'	+0 58	+0 29	+0 43	+0 54	1.5	3.0	1.2	259°	1.8	063°
4681	Salimo Point	40d	60° 32.86'	145° 50.45'	+0 54	+0 20	+0 42	+0 56	1.4	2.8	1.1	256°	1.6	063°
	...	16d	60° 37.00'	145° 46.24'	-2 11	-1 25	-0 07	-1 05	0.8	0.7	0.7	059°	0.4	237°
	...	49d	60° 37.00'	145° 46.24'	-1 20	-0 13	-0 03	-0 33	0.8	0.8	0.7	052°	0.5	241°
4686	Old Log Boom	75d	60° 37.00'	145° 46.24'	-0 21	+0 39	+0 02	+0 09	0.9	1.2	0.8	057°	0.7	245°
	...	12d	60° 34.34'	145° 44.61'	+0 54	+0 39	+0 20	+0 32	1.5	2.6	1.2	221°	1.6	036°
	...	31d	60° 34.34'	145° 44.61'	+0 48	+0 29	+0 10	+0 37	1.4	2.5	1.1	221°	1.5	034°
	...	44d	60° 34.34'	145° 44.61'	+0 40	+0 21	+0 05	+0 37	1.3	2.3	1.1	218°	1.4	035°
4691	Valdez Arm		60° 54.52'	146° 45.57'	Current weak and variable				0.5	0.8	0.4	034°	0.4	220°
4696	Tatitlek Narrows	133d	61° 04.19'	146° 39.65'	+0 30	-1 01	-0 58	+0 25	0.5	0.6	0.4	035°	0.4	209°
	Valdez Narrows	231d	61° 04.19'	146° 39.65'	+0 43	-0 09	-0 50	-0 23	0.6	0.6	0.5	030°	0.3	201°
	...	329d	61° 04.19'	146° 39.65'	+1 03	-0 36	-0 56	-1 08	0.5	0.6	0.4	030°	0.4	201°
4701	Valdez Terminal		61° 05.50'	146° 23.14'	Current weak and variable				0.4	--	--	--	--	--
4706	Valdez Boat Harbor Approach		61° 07.28'	146° 21.85'	Current weak and variable				0.4	--	--	--	--	--
4711	Port Wells	75d	60° 41.35'	147° 48.00'	Current weak and variable				0.5	0.6	0.3	325°	0.3	325°
4716	Perry I. and Lone I., between <118>	48d	60° 48.31'	147° 53.37'	Current weak and variable				0.4	--	--	--	--	--
4721	Esther Pass, South Entrance	225d	60° 40.25'	148° 00.92'	--	+2 00	--	--	0.4	--	0.3	325°	--	--
	Perry Passage	53d	60° 40.25'	148° 00.92'	Current weak and variable				0.5	0.6	0.4	294°	0.3	116°
4726	Point Culross	223d	60° 45.27'	148° 07.31'	-0 09	-0 23	-0 31	-0 19	0.4	0.7	0.3	298°	0.4	114°
	...	381d	60° 45.27'	148° 07.31'	-0 21	-1 07	-1 03	-0 25	0.4	0.5	0.3	298°	0.1	050°
4731	Culross Pass Entrance		60° 45.27'	148° 07.31'	-0 35	-2 18	-2 58	-0 56	0.4	0.5	0.1	196°	0.3	303°
4736	Blackstone Point		60° 36.65'	148° 10.00'	Current weak and variable				0.4	0.4	0.3	030°	0.3	030°
4741	Esther Pass, North Entrance	32d	60° 46.41'	148° 21.16'	Current weak and variable				0.4	0.4	0.1	087°	0.1	113°
4746	College Flord	98d	60° 55.84'	148° 04.25'	Current weak and variable				0.4	1.1	0.1	087°	0.1	088°
	...	163d	60° 59.39'	148° 02.80'	-0 17	-0 39	-1 06	-1 10	0.4	0.4	0.3	017°	0.7	167°
	...		60° 59.39'	148° 02.80'	+0 16	-1 25	-2 59	-0 34	0.4	1.1	0.3	017°	0.3	175°
	...		60° 59.39'	148° 02.80'	Current weak and variable				0.4	1.1	0.1	087°	0.1	088°
4751	ORCA BAY		60° 41.60'	147° 02.25'	Current weak and variable				--	--	--	--	--	--
4756	Ship Chan., between Naked I—Goose I	87d	60° 43'	148° 15'	Current weak and variable				--	--	--	--	--	--
4761	Culross Passage	69d	60° 47.35'	147° 17.30'	Current weak and variable				--	--	--	--	--	--
4766	Storey Island, northeast of	20d	60° 46.05'	146° 44.80'	Current weak and variable				--	--	--	--	--	--
4771	Bligh I. and Porcupine Pt., between	20d	60° 47.65'	146° 27.90'	Current weak and variable				--	--	--	--	--	--
4776	Fish Bay, southwest of	18d	60° 50.83'	147° 00.70'	Current weak and variable				--	--	--	--	--	--
4781	Ship Channel, west of Bligh Island	70d	60° 53.75'	148° 10.80'	Current weak and variable				--	--	--	--	--	--
4786	Port Wells, southeast of Battles Bay	82d	60° 52.90'	147° 31.83'	Current weak and variable				--	--	--	--	--	--
4791	Unakwik Inlet, northeast of Olsen Island	69d	60° 53.22'	147° 19.75'	Current weak and variable				--	--	--	--	--	--
	Glacier Island, west of		60° 53.22'	147° 19.75'	Current weak and variable				--	--	--	--	--	--

Endnotes can be found at the end of table 2.

TABLE 2 – CURRENT DIFFERENCES AND OTHER CONSTANTS

No.	PLACE	Meter Depth	POSITION		TIME DIFFERENCES				SPEED RATIOS		AVERAGE SPEEDS AND DIRECTIONS					
			Latitude	Longitude	Min. before Flood	Flood	Min. before Ebb	Ebb	Flood	Ebb	Minimum before Flood	Maximum Flood	Minimum before Ebb	Maximum Ebb		
	ORCA BAY—cont. Time meridian, 135° W	ft	North	West	h m	h m	h m	h m			knots	Dir.	knots	Dir.		
4796	Busby Island, WNW of	15d	60° 53.65'	146° 52.25'	-0 53	-0 28	+0 07	-0 20	0.9	0.7	1.8	313°	0.4	050°	1.1	121°
4801	Valdez Arms, west of Rocky Point	69d	60° 57.65'	146° 49.27'	-0 40	-0 06	+0 19	-0 21	0.9	0.7	1.8	302°	0.4	027°	1.2	103°
4806	Shoup Bay, southeast of	19	61° 06.93'	146° 33.30'	-0 40	-0 16	+0 35	+0 03	0.6	0.5	1.1	306°	0.1	011°	0.9	095°
4811	Saimo Point, Hawkins I., 1.2 miles SE of		60° 36'	145° 45'	+0 34	+0 55	+0 58	+0 30	0.3	0.5	0.9	160°	--	--	1.1	020°
4816	Shepard Point, 0.9 mile southwest of		60° 37'	145° 42'												
	COOK INLET															
4821	Stevenson Passage	60d	58° 48.48'	152° 24.47'	-0 53	-0 28	+0 07	-0 20	0.9	0.7	1.8	313°	0.4	205°	0.5	283°
	... do.	240d	58° 48.48'	152° 24.47'	-0 40	-0 06	+0 19	-0 21	0.9	0.7	1.8	302°	0.4	195°	0.3	195°
4826	Cape Douglas <120>	388d	58° 48.48'	152° 24.47'	-0 40	-0 16	+0 35	+0 03	0.6	0.5	1.1	306°	0.2	200°	0.3	202°
	... do.	199d	58° 53.40'	153° 11.05'	+1 09	+0 28	-0 16	+0 03	0.2	0.3	0.5	155°	--	--	1.5	155°
	... do.	337d	58° 53.40'	153° 11.05'	+0 33	+0 20	-0 03	+0 12	0.2	0.3	0.3	344°	--	--	0.5	164°
	... do.	455d	58° 53.40'	153° 11.05'	+0 19	+0 04	+0 07	+0 21	0.2	0.2	0.4	350°	--	--	0.4	168°
4831	Cape Douglas, northeast of	22d	58° 56.45'	152° 53.40'	+0 36	+0 08	+0 09	+0 21	0.2	0.2	0.4	349°	--	--	0.4	165°
4836	Cape Douglas, northeast of		58° 58.83'	152° 43.66'												
4841	Ushagat Island, northwest of	22d	59° 00.37'	152° 33.80'	+0 17	-0 02	+0 32	+0 20	0.2	0.3	0.5	283°	--	--	0.5	117°
4846	Ushagat Island, north of	22d	59° 05.00'	152° 15.30'	-0 18	+0 44	+1 26	+0 26	0.9	0.5	1.6	292°	0.3	195°	0.3	033°
4851	KENNEDY ENTRANCE	21d	59° 03.95'	151° 58.92'												
	... do.	47d	59° 03.95'	151° 58.92'	-0 01	-0 05	-0 02	-0 01	1.0	1.0	1.9	308°	0.2	021°	0.4	034°
	... do.	100d	59° 03.95'	151° 58.92'	-0 09	-0 15	-0 05	-0 03	0.9	0.9	1.7	307°	0.3	034°	0.3	034°
4856	Cape Elizabeth	32d	59° 07.24'	151° 53.69'	-0 30	-0 17	-0 08	-0 25	1.0	1.1	2.0	305°	0.1	026°	0.1	034°
	... do.	137d	59° 07.24'	151° 53.69'	-0 53	-0 59	-0 51	-0 45	1.0	1.2	1.9	311°	0.2	219°	1.9	125°
	... do.	229d	59° 07.24'	151° 53.69'	-1 21	-1 29	-1 22	-1 14	0.8	0.9	1.6	319°	0.1	232°	2.0	130°
4861	Chugach Passage, east of	12d	59° 08.03'	151° 42.33'	-1 45	-1 38	-1 15	-1 30	1.7	2.0	3.3	267°	0.2	357°	3.4	076°
	... do.	32d	59° 08.03'	151° 42.33'	-1 46	-1 57	-1 20	-1 23	1.8	2.1	3.4	267°	0.2	355°	3.6	077°
	... do.	52d	59° 08.03'	151° 42.33'	-1 45	-2 01	-1 24	-1 25	1.6	2.0	3.1	265°	0.2	353°	3.4	075°
4866	Chugach Passage	37d	59° 09.99'	151° 46.53'	-1 33	-1 46	-1 15	-1 27	1.5	1.0	2.9	345°	0.1	261°	1.8	176°
	... do.	129d	59° 09.99'	151° 46.53'	-1 33	-1 42	-1 23	-1 33	1.5	1.1	2.9	354°	--	--	1.8	175°
	... do.	221d	59° 09.99'	151° 46.53'	-1 40	-1 45	-1 29	-1 42	1.3	1.0	2.5	002°	0.1	086°	1.6	173°
4871	Port Chatham	21d	59° 12.68'	151° 47.22'	-2 01	-1 59	-2 30	-2 36	0.1	0.2	0.3	035°	--	--	0.3	230°
	... do.	40d	59° 12.68'	151° 47.22'	-2 01	-1 59	-2 30	-2 26	0.2	0.2	0.3	035°	--	--	0.3	224°
	... do.	70d	59° 12.68'	151° 47.22'	-1 34	-2 15	-2 54	-2 12	0.2	0.2	0.3	039°	--	--	0.3	223°
4876	Augustine Island	21d	59° 18.11'	152° 55.82'	+0 46	+0 35	+1 02	+1 01	0.5	0.5	1.0	346°	0.6	261°	0.3	078°
	... do.	119d	59° 18.11'	152° 55.82'	+0 51	+0 28	+0 38	+0 53	0.5	0.6	0.9	357°	0.3	088°	1.0	182°
	... do.	208d	59° 18.11'	152° 55.82'	+0 18	+0 13	+0 07	+0 04	0.3	0.4	0.4	273°	0.2	095°	0.7	186°
4881	Port Graham	25d	59° 24.00'	151° 57.95'	-0 23	-0 33	-0 11	-0 13	1.3	1.2	2.5	035°	0.5	121°	2.0	203°
	... do.	75d	59° 24.00'	151° 57.95'	-0 28	-0 48	-0 30	-0 17	1.1	1.1	2.2	033°	0.3	122°	1.9	204°
	... do.	114d	59° 24.00'	151° 57.95'	-0 34	-0 51	-0 43	-0 23	1.0	1.0	1.9	032°	0.2	124°	1.7	202°
4886	Augustine Island, northwest of	22d	59° 24.50'	153° 37.22'	+3 13	+3 08	+2 40	+3 42	0.3	0.6	0.6	060°	0.2	032°	1.0	229°
4891	Seldovia	16d	59° 28.97'	151° 45.30'	-0 39	-0 45	-0 18	-0 17	0.7	0.6	1.3	058°	0.1	327°	1.0	236°
	... do.	36d	59° 28.97'	151° 45.30'	-0 41	-0 46	-0 18	-0 21	0.6	0.6	1.1	057°	--	--	0.9	235°
	... do.	56d	59° 28.97'	151° 45.30'	-0 47	-0 53	-0 22	-0 21	0.6	0.5	1.1	056°	0.1	149°	0.9	235°
4896	Chinitna Point, southeast of	22d	59° 34.30'	152° 49.50'	+1 51	+1 55	+2 11	+1 54	0.7	0.8	1.3	021°	0.8	292°	1.3	209°
4901	Barbara Point	23d	59° 34.53'	151° 39.11'												
	... do.	82d	59° 34.53'	151° 39.11'												
	... do.	147d	59° 34.53'	151° 39.11'	-1 31	-2 05	-2 14	-2 03	0.2	0.3	0.5	072°	--	--	0.5	258°
4906	Glacier Spit	14d	59° 40.00'	151° 11.50'	-0 57	-0 57	-1 19	-1 46	0.2	0.2	0.4	041°	--	--	0.4	234°
	... do.	87d	59° 40.00'	151° 11.50'	-2 11	-1 29	-1 06	-1 35	0.3	0.3	0.5	054°	--	--	0.4	230°
	... do.	146d	59° 40.00'	151° 11.50'	-1 48	-1 17	-1 04	-1 18	0.3	0.3	0.5	046°	--	--	0.5	233°
4911	Iliamna Bay		59° 34.00'	153° 25.30'												
4916	Inskin Bay		59° 40'	153° 27'	-0 32	-0 32	-0 21	-0 29	0.5	0.7	0.9	358°	--	--	1.2	179°

Endnotes can be found at the end of table 2.

TABLE 2 – CURRENT DIFFERENCES AND OTHER CONSTANTS

No.	PLACE	Meter Depth	POSITION		TIME DIFFERENCES				SPEED RATIOS		AVERAGE SPEEDS AND DIRECTIONS							
			Latitude	Longitude	Min. before Flood	Flood	Min. before Ebb	Ebb	Flood	Ebb	Minimum before Flood	Maximum Flood	Minimum before Ebb	Maximum Ebb				
	COOK INLET—cont. Time meridian, 135° W	ft	North	West	h m	h m	h m	h m			knots	Dir.	knots	Dir.				
4921	Kachemak Bay, southwest of	27d	59° 18.89'	152° 21.90'	+0 12	+0 06	+0 23	+0 21	1.0	1.0	0.6	261°	1.9	352°	0.6	079°	1.7	167°
	do.	57d	59° 18.89'	152° 21.90'	+0 07	+0 02	+0 24	+0 21	0.9	0.9	0.5	080°	1.8	353°	0.5	080°	1.6	171°
	do.	136d	59° 18.89'	152° 21.90'	-0 09	-0 18	+0 02	+0 00	0.7	0.8	0.2	269°	1.4	006°	0.2	089°	1.4	179°
4926	Kachemak Bay Entrance	22d	59° 33.30'	151° 47.80'	+0 37	-0 11	-0 22	+0 00	0.3	0.4	0.1	100°	0.6	035°	0.1	303°	0.8	210°
4931	Kachemak Bay, west of	22d	59° 34.00'	152° 16.30'	+1 01	+0 46	+1 08	+1 01	0.9	1.0	0.1	277°	1.8	010°	0.1	101°	1.7	188°
	on The Forelands, p. 112																	
4936	Anchor Point, 8nm west of	13d	59° 49.12'	152° 09.33'	-1 33	-1 40	-1 31	-1 15	0.6	0.5	0.1	286°	2.4	014°	0.1	286°	2.1	200°
	do.	39d	59° 49.12'	152° 09.33'	-1 35	-1 43	-1 31	-1 11	0.6	0.5	0.1	286°	2.3	015°	0.1	286°	2.3	198°
	do.	59d	59° 49.12'	152° 09.33'	-1 36	-1 43	-1 32	-1 12	0.5	0.5	0.1	286°	2.2	015°	0.1	286°	2.3	197°
4941	Anchor Point, 5 miles northwest of	22d	59° 51.10'	152° 00.50'	-1 09	-1 04	-0 50	-0 35	0.6	0.5	0.4	269°	2.4	022°	0.2	198°	2.1	198°
4946	Anchor Point, WNW of	22d	59° 51.55'	152° 12.30'	-0 39	-0 40	-0 40	-0 04	0.6	0.6	0.4	269°	2.4	017°	0.2	078°	2.5	197°
4951	Anchor Point, 15nm west of	23d	59° 50.36'	152° 22.10'	-0 41	-1 10	-1 43	-0 59	0.4	0.7	0.1	110°	1.9	022°	0.3	109°	3.1	198°
	do.	49d	59° 50.36'	152° 22.10'	-0 46	-1 15	-1 44	-0 56	0.5	0.7	0.1	109°	1.9	025°	0.2	112°	3.0	200°
	do.	75d	59° 50.36'	152° 22.10'	-0 59	-1 24	-1 44	-0 57	0.5	0.6	0.2	112°	2.0	028°	0.1	116°	2.7	203°
4956	Cape Starichkof, northwest of	20d	59° 58.05'	151° 57.05'	-0 47	-1 22	-1 40	-0 36	0.5	0.6	0.1	290°	2.2	019°	0.1	290°	2.5	199°
4961	Cape Niihichik, west of	36d	60° 01.40'	152° 07.21'	-0 17	-0 49	-0 53	-0 03	0.6	0.9	0.8	308°	2.6	032°	0.4	118°	3.7	216°
	do.	89d	60° 01.40'	152° 07.21'	-0 35	-0 45	-0 47	-0 12	0.6	0.6	0.2	301°	2.4	030°	0.2	114°	3.6	209°
	do.	184d	60° 01.40'	152° 07.21'	-1 02	-0 56	-0 50	-0 23	0.5	0.4	0.2	293°	1.9	026°	0.2	293°	1.6	205°
4966	Chisik Island, 5 nmi. east of	20d	60° 07.60'	152° 24.10'	-0 50	-1 01	-0 44	-0 11	0.5	0.5	0.1	288°	2.1	017°	0.1	211°	2.0	197°
4976	Tuxedni Channel (South Entrance)	20d	60° 05.80'	152° 34.45'	-1 35	-1 30	-1 35	-1 41	0.5	0.3	0.1	238°	2.0	331°	0.1	211°	1.4	150°
4981	Niihichik Harbor, northwest of	20d	60° 08.00'	151° 56.05'	-0 05	-0 10	-0 19	-0 18	0.6	0.8	0.8	298°	2.7	029°	0.3	124°	3.5	212°
4986	Redoubt Point, southeast of	20d	60° 13.90'	152° 15.85'	-0 11	-0 06	-0 10	+0 07	0.5	0.6	0.2	284°	2.0	025°	0.3	111°	2.5	198°
	do.	18d	60° 14.88'	151° 45.27'	-0 24	-0 40	-0 47	-0 17	0.6	0.8	0.1	115°	2.7	031°	0.3	117°	3.2	204°
	do.	32d	60° 14.88'	151° 45.27'	-0 30	-0 45	-0 45	-0 16	0.6	0.7	0.2	117°	2.6	033°	0.2	117°	3.0	203°
	do.	58d	60° 14.88'	151° 45.27'	-0 43	-0 55	-0 44	-0 18	0.5	0.6	0.4	120°	2.2	036°	0.1	299°	2.5	203°
4991	Kaigin Island, east of	28d	60° 28.98'	151° 40.40'	+0 49	+0 09	-0 11	+0 50	0.8	1.1	0.1	286°	3.4	022°	0.4	106°	4.8	194°
	do.	58d	60° 28.98'	151° 40.40'	+0 38	+0 00	-0 04	+0 45	0.8	1.0	0.2	105°	3.4	023°	0.2	105°	4.3	192°
	do.	117d	60° 28.98'	151° 40.40'	+0 13	-0 19	-0 02	+0 40	0.7	0.8	0.2	107°	2.9	023°	0.3	283°	3.2	189°
4996	Harriot Point, west of	43d	60° 22.75'	152° 10.90'	-0 36	-0 39	-0 35	-0 10	0.9	1.0	0.6	097°	3.8	019°	0.4	106°	4.1	193°
	do.	161d	60° 22.75'	152° 10.90'	-0 24	-0 42	-0 42	-0 03	0.9	1.0	0.6	100°	3.6	021°	0.1	106°	4.2	188°
	do.	259d	60° 22.75'	152° 10.90'	-0 24	-0 42	-0 20	+0 04	0.7	0.8	0.2	318°	3.0	014°	0.1	136°	3.6	184°
5001	Drift River Terminal	15d	60° 33.10'	152° 07.66'	-0 33	-0 25	-0 19	-0 27	0.5	0.6	0.2	317°	2.1	047°	0.1	136°	2.4	230°
	do.	29d	60° 33.10'	152° 07.66'	-0 44	-0 34	-0 21	-0 23	0.5	0.5	0.2	316°	2.0	043°	0.1	131°	2.2	228°
	do.	42d	60° 33.10'	152° 07.66'	-0 53	-0 44	-0 21	-0 24	0.5	0.5	0.1	316°	2.0	043°	0.1	131°	1.9	228°
5006	Cape Kaslof, 3 miles west of		60° 22'	151° 28'	-1 27	-1 47	-1 03	-0 41	0.7	0.5	0.1	286°	2.0	022°	0.1	286°	2.3	206°
5011	Kenai, 6 miles southwest of		60° 29'	151° 26'	-0 25	-1 03	-0 23	-0 39	0.6	0.6	0.1	286°	2.4	021°	0.1	286°	2.6	193°
5016	Kenai City Wharf		60° 33'	151° 14'	-1 18	-1 45	-2 24	-0 56	0.1	0.3	0.1	274°	0.5	130°	0.1	143°	1.4	300°
5021	Kenai River, north of	12d	60° 35.23'	151° 26.67'	-0 22	-0 38	-0 13	-0 15	0.7	0.6	0.2	274°	3.0	004°	0.1	183°	2.7	183°
	do.	26d	60° 35.23'	151° 26.67'	-0 25	-0 34	-0 14	-0 15	0.7	0.6	0.2	274°	2.9	004°	0.1	183°	2.5	182°
	do.	45d	60° 35.23'	151° 26.67'	-0 31	-0 30	-0 16	-0 19	0.6	0.5	0.2	097°	2.6	003°	0.1	271°	2.3	181°
5026	West Foreland, south of	11d	60° 35.80'	151° 44.39'	-0 03	-0 30	-0 28	-0 10	0.7	0.9	0.2	320°	0.8	058°	0.8	138°	3.7	230°
	do.	18d	60° 35.80'	151° 44.39'	-0 03	-0 37	-0 25	-0 02	0.7	0.8	0.1	320°	2.9	057°	0.7	139°	3.6	231°
	do.	38d	60° 35.80'	151° 44.39'	-0 09	-0 40	-0 14	+0 13	0.6	0.7	0.1	321°	2.6	055°	0.5	141°	3.1	232°
5031	Unocal Pier, south of	12d	60° 40.07'	151° 23.50'	-0 21	-0 33	-0 22	-0 26	0.8	0.6	0.2	068°	3.3	336°	0.1	244°	2.8	155°
	do.	32d	60° 40.07'	151° 23.50'	-0 32	-0 37	-0 27	-0 34	0.7	0.6	0.1	067°	3.0	334°	0.1	064°	2.4	154°
	do.	51d	60° 40.07'	151° 23.50'	-0 50	-0 37	-0 27	-0 49	0.6	0.5	0.1	064°	2.7	333°	0.1	064°	2.0	152°
5036	Nikiski, 0.8 mile west of	20d	60° 41.00'	151° 25.07'	-0 14	-0 30	-0 13	-0 10	1.0	0.9	0.1	082°	4.2	350°	0.1	261°	3.9	173°
	do.	52d	60° 41.00'	151° 25.07'	-0 16	-0 30	-0 13	-0 10	1.0	0.8	0.1	080°	4.1	347°	0.1	261°	3.6	170°
	do.	92d	60° 41.00'	151° 25.07'	-0 23	-0 32	-0 13	-0 08	0.9	0.7	0.1	076°	3.6	344°	0.1	261°	3.0	167°

Endnotes can be found at the end of table 2.

TABLE 2 – CURRENT DIFFERENCES AND OTHER CONSTANTS

No.	PLACE	Meter Depth	POSITION		TIME DIFFERENCES				SPEED RATIOS		AVERAGE SPEEDS AND DIRECTIONS							
			Latitude	Longitude	Min. before Flood	Flood	Min. before Ebb	Ebb	Flood	Ebb	Minimum before Flood	Maximum Flood	Minimum before Ebb	Maximum Ebb				
	COOK INLET—cont. Time meridian, 135° W	ft	North	West	h	m	h	m	h	m	knots	Dir.	knots	Dir.				
5041	TESORO PIER	15d 35d 55d	60° 41.21' 60° 41.21' 60° 41.21'	151° 24.22' 151° 24.22' 151° 24.22'	-0.11 +0.03 -0.23	+0.03 +0.02	+0.00 +0.01	-0.07 -0.16	1.0 0.9	0.9 0.7	0.3 0.1 0.1	076° 074° 075°	3.9 3.8 3.4	353° 354° 354°	0.2 0.2 0.2	073° 073° 075°	2.3 2.1 1.6	149° 151° 154°
5046	West Foreland, 1 nmi. east of	20d	60° 44.35'	151° 38.50'	+0.54	-0.15	+0.07	+1.17	0.9	1.0	0.2	075°	3.6	349°	0.2	077°	4.4	171°
5051	THE FORELANDS	17d 37d 66d	60° 43.24' 60° 43.24' 60° 43.24'	151° 33.44' 151° 33.44' 151° 33.44'	-0.01 -0.03 +0.24	-0.06 -0.04 +0.19	-0.02 -0.04 +0.20	+0.06 +0.10 +0.20	0.9 0.8 0.8	1.0 0.8 0.8	0.3 0.3 0.1	112° 285° 277°	4.2 3.9 3.4	010° 009° 007°	0.6 0.7 0.6	284° 281° 281°	4.3 4.1 3.5	201° 200° 198°
5056	East Foreland, 1.5 nmi. west of	20d	60° 43.40'	151° 28.00'	+0.24	+0.09	+0.19	+0.20	0.7	0.8	0.1	285°	3.1	006°	0.5	277°	3.5	195°
5061	East Foreland	21d	60° 43.04'	151° 25.98'	-0.14	-0.31	-0.24	-0.24	1.3	1.3	0.2	281°	5.3	007°	0.4	282°	5.4	191°
	do.	80d	60° 43.04'	151° 25.98'	-0.08	-0.27	-0.18	-0.14	1.2	1.2	0.1	099°	4.9	010°	0.1	276°	5.1	184°
	do.	119d	60° 43.04'	151° 25.98'	-0.09	-0.24	-0.18	-0.11	1.0	1.0	0.2	094°	4.1	011°	0.1	279°	4.3	179°
5066	Middle Ground Shoal, southeast of	20d	60° 50.75'	151° 20.20'	+0.45	-0.08	+0.05	+0.37	0.8	1.0	0.1	141°	3.4	063°	0.4	144°	4.3	231°
	on Tesoro Pier, p.108																	
	on The Forelands, p.112																	
	on Knik Arm, p.116																	
5071	North Foreland, southeast of	20d	61° 00.20'	151° 04.70'	-0.49	-0.24	-0.41	-0.10	0.7	0.7	0.5	142°	3.4	062°	0.1	148°	3.4	221°
5076	Moose Point, NNW of	20d	61° 00.95'	150° 42.00'	-0.46	-1.17	-0.46	-0.54	0.6	0.5	0.1	152°	2.7	081°	0.1	160°	2.7	255°
5081	Moose Point, northwest of	20d	61° 04.65'	150° 45.00'	-0.33	-1.06	-0.35	-0.10	0.6	0.5	0.1	349°	2.8	086°	0.1	160°	2.7	255°
5086	Point Possession, northeast of	20d	61° 03.55'	150° 23.00'	-0.15	-1.02	-0.11	-0.35	1.0	0.8	0.1	102°	4.5	102°	0.1	160°	4.1	275°
5091	Point Possession, WNW of	20d	61° 03.00'	150° 27.70'	-0.34	-1.01	-0.27	-0.43	0.7	0.6	0.1	344°	3.3	074°	0.1	169°	3.3	246°
5096	Point Possession, northwest of	20d	61° 05.25'	150° 28.30'	-0.22	-0.31	-0.05	-0.57	0.7	0.5	0.1	358°	3.2	087°	0.1	169°	2.9	255°
5101	Beluga Shoal, south of	15d 21d 31d	61° 06.08' 61° 06.08' 61° 06.08'	150° 33.69' 150° 33.69' 150° 33.69'	-0.52 -0.52 -0.53	-0.52 -0.54 -0.52	-0.54 -0.54 -0.53	-0.38 -0.37 -0.37	0.6 0.6 0.6	0.6	0.1	353°	2.9	086°	0.2	173°	3.3	259°
	do.	21d	61° 06.08'	150° 33.69'	-0.53	-0.52	-0.53	-0.37	0.6	0.6	0.1	353°	2.8	086°	0.3	173°	3.1	257°
	do.	31d	61° 06.08'	150° 33.69'	-0.55	-0.52	-0.53	-0.37	0.6	0.5	0.1	360°	2.7	086°	0.3	173°	2.8	256°
5106	Fire Island Shoal, northwest of	9d	61° 09.65'	150° 33.90'	-0.18	+0.01	-0.15	+0.21	0.7	0.8	0.3	360°	3.3	092°	0.2	180°	4.2	271°
	do.	16d	61° 09.65'	150° 33.90'	-0.21	-0.04	-0.15	+0.20	0.7	0.7	0.3	359°	3.3	091°	0.1	179°	3.9	272°
	do.	22d	61° 09.65'	150° 33.90'	-0.25	-0.09	-0.15	+0.19	0.7	0.7	0.3	358°	3.2	091°	0.1	179°	3.6	272°
5111	Fire Island, west of	20d	61° 09.75'	150° 30.75'	+0.05	+0.12	+0.21	+0.14	0.8	0.7	0.2	174°	3.6	093°	0.3	180°	3.8	258°
5116	Fire Island, 1.0nm east of	14d 28d	61° 10.75' 61° 10.75'	150° 07.53' 150° 07.53'	-0.39 -0.46	-0.29 -0.36	-0.32 -0.38	+0.00 +0.07	0.5 0.4	0.3	0.2	174°	2.2	093°	0.3	180°	1.8	258°
	do.	28d	61° 10.75'	150° 07.53'	-0.46	-0.36	-0.38	+0.00	0.5	0.3	0.2	174°	2.2	093°	0.3	180°	1.8	258°
	do.	28d	61° 10.75'	150° 07.53'	-0.52	-0.37	-0.47	-0.15	0.4	0.2	0.2	354°	1.6	095°	0.3	185°	1.5	266°
5121	Fire Island, 1.0nm north of	15d	61° 11.53'	150° 10.55'	-0.31	-0.09	-0.15	-0.08	0.8	0.6	0.2	351°	3.7	077°	0.1	352°	3.0	264°
	do.	25d	61° 11.53'	150° 10.55'	-0.39	-0.47	-0.21	-0.14	0.7	0.5	0.1	351°	3.3	076°	0.1	352°	2.9	265°
	do.	41d	61° 11.53'	150° 10.55'	-0.46	-0.45	-0.21	-0.18	0.6	0.5	0.1	353°	3.0	076°	0.2	351°	2.7	265°
5126	Point Woronzof, southwest of	20d	61° 11.23'	150° 03.75'	+0.15	-0.23	+0.31	+2.20	0.6	0.3	0.3	143°	2.8	057°	0.1	321°	1.8	225°
5131	Point Woronzof, west of	20d	61° 12.42'	150° 03.67'	+0.11	-0.32	+0.26	-0.24	0.6	0.6	0.3	145°	2.9	061°	0.1	321°	3.0	225°
5136	Point Woronzof, 1.2nm NE of	26d 58d	61° 13.01' 61° 13.01'	149° 59.06' 149° 59.06'	-0.04 -0.04	-0.11 -0.09	+0.32 +0.32	+0.18 +0.11	0.3 0.2	0.4	0.1	169°	1.3	084°	0.1	169°	2.0	262°
	do.	85d	61° 13.01'	149° 59.06'	-0.11	-0.09	-0.32	+0.11	0.2	0.2	0.1	181°	1.0	094°	0.1	181°	1.2	268°
5141	Anchorage, west of	20d	61° 13.01'	149° 59.06'	-0.23	+0.16	-0.30	-0.13	0.2	0.2	0.2	190°	0.9	106°	0.2	190°	0.9	271°
5146	Anchorage, 0.2 mile offshore <74>	15	61° 13.67'	149° 56.90'	+0.25	-0.09	+0.42	-0.20	0.8	0.6	0.5	148°	1.5	081°	0.2	162°	3.1	234°
5151	Anchorage Shippdock, northwest of	20d	61° 14.75'	149° 54.38'	-2.59	-0.55	-1.05	-1.22	0.3	0.5	0.1	111°	3.5	028°	0.1	111°	2.5	207°
5156	Port Mackenzie, south of	15d 22d 41d	61° 15.14' 61° 15.14' 61° 15.14'	149° 55.24' 149° 55.24' 149° 55.24'	+0.41 -0.10 -0.10	+0.16 -0.36 -0.36	+0.43 -0.50 -0.50	-0.28 -0.14 -0.14	0.9 0.8 0.8	0.8	0.1	111°	3.8	028°	0.1	111°	4.0	195°
	do.	71d	61° 15.14'	149° 55.24'	-0.18	-0.33	-0.44	-0.22	0.6	0.6	0.2	124°	2.7	043°	0.1	316°	4.0	214°
	do.	71d	61° 15.14'	149° 55.24'	-0.27	-0.12	-0.40	-0.32	0.5	0.6	0.2	123°	2.5	043°	0.1	315°	4.0	214°
5161	Cairn Point, northwest of (east side)	20d	61° 16.03'	149° 54.05'	+0.36	+0.35	+0.39	+0.07	0.7	0.8	0.2	122°	2.2	038°	0.2	308°	3.4	213°
5166	Cairn Point, northwest of (west side)	20d	61° 16.03'	149° 53.60'	+0.38	+0.24	+0.39	+0.35	0.8	0.7	0.2	105°	3.6	018°	0.2	323°	4.4	192°
5171	Port Mackenzie <121>	13d	61° 16.06'	149° 54.98'	-1.50	-1.08	-0.44	-0.37	0.2	0.3	0.1	279°	0.9	018°	0.1	288°	3.8	198°

Endnotes can be found at the end of table 2.

TABLE 2 – CURRENT DIFFERENCES AND OTHER CONSTANTS

No.	PLACE	Meter Depth	POSITION		TIME DIFFERENCES				SPEED RATIOS		AVERAGE SPEEDS AND DIRECTIONS			
			Latitude	Longitude	Min. before Flood	Flood	Min. before Ebb	Ebb	Flood	Ebb	Minimum before Flood	Maximum Flood	Minimum before Ebb	Maximum Ebb
	COOK INLET—cont. Time meridian, 135° W	ft	North	West	h	h	h	h			knots	Dir.	knots	Dir.
5176	KNIK ARM, NW of Anchorage	10d	61° 16.69'	149° 53.67'	+0 02	-0 01	-0 02	+0 02	1.0	1.0	4.6	015°	5.3	192°
	do.	16d	61° 16.69'	149° 53.67'	+0 00	-0 02	-0 02	+0 05	1.0	1.0	4.6	015°	5.2	189°
5181	Knik Arm, east side	23d	61° 16.69'	149° 53.67'	-1 24	-0 10	-0 13	-1 01	0.9	0.7	4.5	015°	5.1	187°
	do.	10d	61° 16.48'	149° 52.93'	-1 27	+0 00	-0 13	-1 01	0.9	0.7	3.9	022°	3.4	210°
	do.	17d	61° 16.48'	149° 52.93'	-1 23	+0 03	-0 14	-1 02	0.9	0.6	3.0	023°	3.0	206°
5186	Knik Arm Mud Flats, south of	30d	61° 16.48'	149° 52.93'	+0 48	-0 18	-0 02	-0 26	0.6	0.6	2.7	074°	3.1	241°
	do.	10d	61° 19.90'	149° 47.62'										
	SHELIKOF STRAIT and KODIAK ISLANDS													
5191	North of Perevalnie Island, Shuyak Island	20d	58° 39.07'	152° 23.80'	+0 34	-0 43	-1 00	-0 23	1.1	1.8	1.1	269°	1.4	089°
	do.	85d	58° 39.07'	152° 23.80'	-0 01	-0 50	-1 03	-0 07	1.2	1.2	0.2	274°	1.0	089°
5196	Lighthouse Point, Shuyak Island	144d	58° 39.07'	152° 23.80'	-0 33	-1 14	-1 26	-0 10	1.1	1.0	0.1	355°	0.8	074°
	do.	70d	58° 29.11'	152° 40.22'	+0 28	-0 24	-1 02	-0 36	0.3	0.4	0.3	242°	0.3	061°
5201	Cape Current Narrows, Shuyak Strait	188d	58° 29.11'	152° 40.22'										
	do.	14d	58° 28.01'	152° 29.71'	-1 09	-1 44	-1 47	-1 44	4.3	5.7	4.4	293°	4.4	093°
	do.	57d	58° 28.01'	152° 29.71'	-1 13	-1 49	-1 48	-1 46	3.9	4.9	4.0	293°	3.8	093°
5206	East Shuyak Strait Entrance	99d	58° 28.01'	152° 29.71'	-1 19	-1 51	-1 45	-1 45	3.1	3.3	3.2	294°	2.6	102°
	do.	25d	58° 27.47'	152° 25.67'										
5211	Alligator Island, Shelikof Strait	133d	58° 27.47'	152° 25.67'										
	do.	15d	58° 27.66'	152° 49.59'										
5216	Black Cape, Shelikof Strait	61d	58° 27.66'	152° 49.59'										
	do.	16d	58° 24.34'	152° 54.44'										
	do.	55d	58° 24.34'	152° 54.44'										
	do.	95d	58° 24.34'	152° 54.44'										
5221	Kukak Bay, Shelikof Strait	23d	58° 20	154° 07										
5226	Steep Cape, Shelikof Strait	88d	58° 12.87'	153° 13.22'										
5231	Cape Kuliuk, Shelikof Strait	25d	58° 12.87'	153° 13.22'	-0 18	-0 17	+0 49	-0 07	0.4	0.5	0.2	346°	0.4	274°
	do.	97d	57° 47.61'	154° 01.94'	+0 57	+0 40	+0 46	+0 58	0.4	0.6	0.2	313°	0.1	136°
5236	Uyak Anchorage, Uyak Bay	169d	57° 47.61'	154° 01.94'	+1 29	+0 49	+0 45	+1 07	0.4	0.6	0.2	306°	0.4	226°
	do.	14d	57° 38.24'	153° 59.72'										
	do.	33d	57° 38.24'	153° 59.72'										
5241	Larsen Bay, Uyak Bay	56d	57° 38.24'	153° 59.72'										
	do.	7d	57° 32.53'	153° 59.30'	+0 23	-0 08	-0 05	+0 33	0.3	1.6	1.6	293°	0.1	202°
5246	Cape Grant, Shelikof Strait	14d	57° 32.53'	153° 59.30'	+0 23	-0 07	+0 04	+0 34	1.7	1.5	1.7	296°	1.2	104°
	do.	33d	57° 32.53'	153° 59.30'	+0 23	-0 03	+0 00	+0 36	1.9	1.5	1.9	306°	1.1	111°
	do.	26d	57° 25.03'	154° 45.99'	+0 24	+0 17	+0 34	+0 36	0.4	0.6	0.4	020°	0.4	207°
5251	Cape Ikolik, Shelikof Strait	98d	57° 25.03'	154° 45.99'	+0 15	-0 05	+0 27	+0 38	0.5	0.6	0.5	024°	0.4	207°
	do.	164d	57° 25.03'	154° 45.99'	+0 12	-0 02	+0 21	+0 30	0.5	0.6	0.5	026°	0.5	204°
	do.	27d	57° 17.16'	154° 49.71'	+0 21	+0 46	+1 10	+0 34	0.3	288°	0.8	344°	0.1	297°
	do.	112d	57° 17.16'	154° 49.71'	+0 36	+0 13	+0 54	+1 01	0.7	0.8	0.2	280°	0.2	275°
5256	Raspberry Strait, south of Muskomee Bay <75>	197d	58° 04.31'	153° 03.88'	+1 15	+0 08	+0 39	+1 20	0.6	0.8	0.6	356°	0.1	267°
	do.	25d	58° 04.31'	153° 03.88'										
	do.	97d	58° 04.31'	153° 03.88'										
	do.	169d	58° 04.31'	153° 03.88'	+0 15	-0 21	-0 04	+0 18	0.3	0.4	0.3	163°	0.3	348°
5261	Kupreanof Strait													
5266	Raspberry Cape, south of 2.5nm east of Outlet Cape	19d	58° 01.14'	153° 25.80'										
	do.	91d	57° 59.85'	153° 09.39'										
	do.	156d	57° 59.85'	153° 09.39'	-2 06	-2 13	-1 40	-1 59	0.4	0.5	0.4	308°	0.5	125°
5271	Chernof Point, 0.8mile off	15d	57° 59.85'	153° 09.39'	-1 15	-1 40	-2 07	-2 00	0.3	0.4	0.3	304°	0.1	034°
	do.	41d	57° 57.62'	152° 54.04'	-0 55	-1 49	-2 03	-1 23	0.1	0.13	1.3	276°	0.5	173°
	do.	71d	57° 57.62'	152° 54.04'	-1 01	-1 58	-2 06	-1 22	1.3	2.0	1.3	276°	1.6	090°
	do.		57° 57.62'	152° 54.04'	-1 12	-2 03	-2 08	-1 30	1.2	1.7	1.2	278°	1.3	085°

Endnotes can be found at the end of table 2.

TABLE 2 – CURRENT DIFFERENCES AND OTHER CONSTANTS

No.	PLACE	Meter Depth	POSITION		TIME DIFFERENCES				SPEED RATIOS		AVERAGE SPEEDS AND DIRECTIONS						
			Latitude	Longitude	Min. before Flood	Flood	Min. before Ebb	Ebb	Flood	Ebb	Minimum before Flood	Dir.	Maximum Flood	Dir.	Minimum before Ebb	Dir.	Maximum Ebb
	SHELIKOF STRAIT and KODIAK ISLANDS—cont. Time meridian, 135° W	ft															
5276	Whale Passage Whale Passage, Northwest Entrance do. do.	18d 50d	57° 56.38' 57° 56.38' 57° 56.38'	152° 51.77' 152° 51.77' 152° 51.77'	-0.57 -1.02 -1.02	-1.17 -1.20 -1.17	-1.20 -1.18 -1.18	-1.24 -1.27 -1.26	4.5 4.3 3.5	-- -- --	-- -- --	3.0 2.8 2.8	112° 113° 111°	0.3 0.1 --	207° 206° --	3.0 2.8 2.8	112° 113° 111°
5281	Whale Passage, off Bird Point do. do. do.	14d 43d 73d	57° 55.13' 57° 55.13' 57° 55.13'	152° 47.72' 152° 47.72' 152° 47.72'	-0.53 -0.58 -0.58	-1.24 -1.25 -1.26	-1.29 -1.29 -1.28	-1.23 -1.24 -1.26	3.9 3.9 5.1	0.1 0.2 0.2	031° 034° 034°	4.4 4.0 4.0	117° 119° 119°	0.1 0.1 0.1	030° 034° 035°	4.2 4.2 3.2	117° 119° 119°
5286	Shag Rocks do. do. do.	24d 97d 169d	57° 54.45' 57° 54.45' 57° 54.45'	152° 46.60' 152° 46.60' 152° 46.60'	-0.33 -0.49 -1.18	-1.36 -1.25 -1.40	-1.14 -1.15 -1.15	-0.48 -0.57 -1.04	0.8 0.7 0.7	0.2 0.2 0.1	042° 042° 204°	0.7 0.7 0.3	120° 119° 105°	0.1 -- 0.1	036° -- 353°	0.7 0.7 0.3	119° 117° 105°
5291	Afognak Strait, East Entrance do. do. do.	11d 57d 97d	57° 59.68' 57° 59.68' 57° 59.68'	152° 41.05' 152° 41.05' 152° 41.05'	-0.04 -- --	-0.56 -- --	-0.56 -- --	-0.26 -- --	0.3 -- 1.2	-- -- --	-- -- --	0.3 -- --	251° -- --	0.1 -- --	-- -- --	0.3 -- --	107° -- 107°
5296	Marmot Strait Tonki Cape, east of do. do.	26d 85d 138d	58° 20.76' 58° 20.76' 58° 20.76'	151° 54.90' 151° 54.90' 151° 54.90'	+0.41 +0.28 +0.18	+0.40 +0.14 -0.00	+0.06 +0.01 -0.04	-0.02 +0.03 +0.03	1.2 1.1 1.8	0.1 -- --	069° -- --	1.3 1.2 0.3	006° 000° 357°	0.4 0.3 0.2	085° 085° 084°	1.5 1.4 1.3	156° 160° 164°
5301	Marmot Island, west of do. do. do.	24d 97d 169d	58° 14.67' 58° 14.67' 58° 14.67'	151° 55.94' 151° 55.94' 151° 55.94'	+1.04 +1.11 +1.09	+0.55 +0.53 +0.50	+0.03 +0.58 +0.53	+1.07 +1.10 +1.11	2.4 2.2 1.7	0.1 2.2 0.2	285° 011° 096°	2.0 2.2 1.7	013° 011° 007°	0.1 -- 0.1	103° -- 277°	2.1 1.9 1.6	194° 191° 186°
5306	Marmot Island, southwest of do. do. do.	22d 101d 180d	58° 10.25' 58° 10.25' 58° 10.25'	151° 58.12' 151° 58.12' 151° 58.12'	+1.17 +1.21 +1.06	+0.42 +0.48 +0.33	+0.58 +0.53 +0.33	+1.25 +1.32 +1.08	1.1 1.2 0.8	0.3 0.2 0.2	293° 297° 301°	1.0 1.0 0.9	015° 019° 026°	0.1 -- --	106° -- --	1.0 0.9 0.6	209° 207° 206°
5311	Narrow Strait, off Ouzinkie Point do. do. do.	12d 51d 84d	57° 54.73' 57° 54.73' 57° 54.73'	152° 31.44' 152° 31.44' 152° 31.44'	-1.59 -1.57 -1.51	-2.28 -2.37 -2.35	-2.38 -2.42 -2.44	-2.46 -2.44 -2.41	1.1 1.1 0.9	0.1 0.1 0.1	036° -- --	1.1 1.2 1.0	310° 317° 317°	-- -- --	-- -- --	1.2 1.1 1.1	121° 120° 117°
5316	Chiniak Bay Woody Island, north of do. do.	14d 59d 99d	57° 48.35' 57° 48.35' 57° 48.35'	152° 20.06' 152° 20.06' 152° 20.06'	+0.30 +0.36 +0.36	+0.41 +0.38 +0.29	+0.29 +0.31 +0.24	+0.19 +0.29 +0.30	0.8 0.8 0.7	0.8 0.8 0.7	-- -- --	0.8 0.8 0.7	049° 050° 051°	-- -- --	-- -- --	0.6 0.6 0.6	241° 246° 243°
5321	Woody Channel do. do. do.	16d 49d 85d	57° 46.83' 57° 46.83' 57° 46.83'	152° 21.98' 152° 21.98' 152° 21.98'	+0.29 +0.29 +0.21	+0.08 +0.10 +0.00	+0.16 +0.16 +0.16	+0.26 +0.27 +0.25	1.0 1.0 0.9	0.1 0.1 0.1	293° 292° 296°	1.0 1.0 0.9	019° 019° 020°	-- -- --	-- -- --	1.1 1.1 1.0	203° 204° 203°
5326	KODIAK HARBOR NARROWS do. do. do.	16d 6d 33d	57° 47.35' 57° 47.35' 57° 47.35'	152° 23.64' 152° 23.64' 152° 23.64'	+0.00 -0.02 --	-0.01 +0.01 -2.25	-0.04 -0.03 --	+0.04 -0.02 --	1.1 0.8 0.3	1.0 0.8 --	-- -- --	1.0 0.8 0.3	044° 044° 241°	-- -- --	-- -- --	0.8 0.8 0.7	228° 228° 220°
5331	St. Paul Harbor Cliff Point, 1.8 miles NE of do. do.	25d 117d 208d	57° 44.17' 57° 44.17' 57° 44.17'	152° 23.08' 152° 23.08' 152° 23.08'	-- -- --	-- -- --	-- -- --	-- -- --	0.3 0.3 0.6	0.3 0.3 0.9	-- -- --	0.3 0.3 0.7	289° 289° 012°	-- -- --	-- -- --	0.7 0.7 0.7	189° 189° 201°
5341	Cape Chiniak do. do. do.	125d 223d 27d	57° 36.47' 57° 36.47' 57° 36.47'	152° 05.39' 152° 05.39' 152° 05.39'	+1.27 +1.20 +0.37	+1.31 +1.14 +0.22	+1.00 +1.00 +0.30	+0.52 +0.52 +0.33	0.6 0.7 0.7	0.9 0.9 0.8	096° 014° 303°	0.7 0.7 0.3	021° 021° 292°	-- -- --	-- -- --	0.6 0.6 0.6	200° 200° --
5346	Ugak Bay Entrance do. do.	27d 112d	57° 23.97' 57° 23.97'	152° 32.08' 152° 32.08'	-- --	-0.28 --	-- --	-- --	0.3 --	-- --	-- --	0.3 --	292° --	-- --	-- --	-- --	-- --
5351	Sitka/Idak Strait Left Cape, east of Cathedral Island, east of Old Harbor Natalia Point Sikinak Strait	13d 46d 79d	56° 41.17' 56° 41.17' 56° 41.17'	153° 55.20' 153° 55.20' 153° 55.20'	-1.36 -1.42 -1.54	-1.07 -1.08 -1.55	-1.04 -1.10 -1.28	-1.06 -1.08 -1.12	0.6 0.6 0.6	1.2 1.1 1.0	201° 203° 199°	0.7 0.6 0.6	265° 270° 270°	0.1 0.1 0.1	001° 006° --	1.0 0.9 0.8	111° 112° 110°
5376	Geese Island, south of do. do. do.	13d 46d 79d	56° 41.17' 56° 41.17' 56° 46.74'	153° 55.20' 153° 55.20' 153° 48.55'	-- -- --	-- -- --	-- -- --	-- -- --	0.6 0.6 0.6	1.2 1.1 1.0	-- -- --	0.6 0.6 0.6	-- -- --	-- -- --	-- -- --	-- -- --	

Endnotes can be found at the end of table 2.

TABLE 2 – CURRENT DIFFERENCES AND OTHER CONSTANTS

No.	PLACE	Meter Depth	POSITION		TIME DIFFERENCES				SPEED RATIOS		AVERAGE SPEEDS AND DIRECTIONS							
			Latitude	Longitude	Min. before Flood	Flood	Min. before Ebb	Ebb	Flood	Ebb	Minimum before Flood	Maximum Flood	Minimum before Ebb	Maximum Ebb				
	SHELIKOF STRAIT and KODIAK ISLANDS—cont. Time meridian, 135° W	ft	North	West	h m	h m	h m	h m			knots	Dir.	knots	Dir.				
5381	<i>Sitkinak Strait—cont.</i> Cape Sitkinak, east of	25d 97d	56° 34.65' 56° 34.65'	153° 47.48' 153° 47.48'	+0 31 +0 06	-0 31 -0 31	-1 41 -1 25	-0 02 -0 12	0.4 0.4	1.0 1.0	0.2 0.1	058° 068°	0.4 0.4	342° 336°	0.1 0.1	059° 061°	0.8 0.8	139° 144°
5386	Russian Harbor	14d	56° 44.38'	154° 02.04'	-0 46	-0 57	-1 21	-1 23	2.2	2.9	0.2	028°	2.3	302°	0.2	210°	2.3	120°
5391	Cape Trinity	93d 27d	56° 44.38' 56° 44.99'	154° 02.04' 154° 12.06'	-0 46 -0 55	-0 50 -0 13	-1 14 -0 20	-1 14 -1 33	2.1	2.8	0.1	028°	2.1	302°	0.1	215°	2.2	128°
5396	Sitkinak Strait, southwest entrance	106d 185d	56° 44.99' 56° 44.90'	154° 12.06' 154° 12.06'	-1 01 -1 28	-0 49 -1 04	-0 32 -0 46	-1 47 -2 20	0.9	0.5	0.1	069°	0.9	344°	0.3	082°	0.6	130°
5401	Approach to Alitak Bay	15d 48d 81d	56° 39.30' 56° 39.30' 56° 47.03'	154° 08.04' 154° 08.04' 154° 38.47'	-0 31 -0 32 +1 39	-1 29 -1 32 +2 31	-1 35 -1 37 +2 15	-0 56 -0 58 +1 15	1.1 1.0	2.2 2.0	0.1 0.1	032° 030°	1.1 1.0	296° 298°	0.1 0.1	200° 199°	1.7 1.5	114° 112°
5406	Popof Strait	17d	56° 47.03'	154° 38.47'	+1 37	+1 53	+2 15	+1 15	0.4	0.4	0.2	328°	0.4	070°	0.3	168°	0.3	225°
5411	Unga Strait (1.4 miles N of Unga Spit)	89d	56° 47.03'	154° 38.47'	+1 09	+1 14	+2 04	+1 30	0.3	0.4	0.2	330°	0.3	067°	0.2	170°	0.3	236°
	SHUMAGIN ISLANDS																	
5416	Ukolnoi Island, 3.3 miles northeast of		55° 20'	160° 31'	-2 32	-2 05	-1 28	-2 11	0.1	0.2	0.1	028°	0.2	357°	0.1	028°	0.5	199°
5421	Seal Cape Light, 0.8 mile south of		55° 26'	160° 44'	+5 24	+5 42	+5 24	+5 06	0.5	0.1	0.2	028°	1.2	282°	0.2	028°	0.2	114°
5426	Amak Island, 5 miles north of		55° 16'	161° 26'	Current weak and variable													
5431	Amak Island, 5 miles southeast of		55° 20'	163° 10'	+4 52	+5 31	+4 50	+5 09	0.2	0.2	0.2	028°	0.8	337°	0.2	028°	0.7	139°
5436	Bechevin Bay, off the entrance <76>		55° 07'	163° 28'	+4 24	+4 45	+4 32	+4 35	0.2	0.2	0.2	028°	0.8	350°	0.2	028°	0.7	200°
5441	Unimak Island		55° 04'	163° 47'	+	+3 36	+3 35	+3 53	0.2	0.3	0.2	028°	0.9	089°	0.2	028°	0.4	265°
5446	ISANOTSKI STRAIT																	
5451	ISANOTSKI STRAIT (False Pass Cmry) <77>		54° 52'	163° 24'	-0 55	-0 26	+0 14	+0 02	0.5	0.5	0.5	028°	3.6	358°	0.5	028°	2.8	187°
5456	Bechevin Bay, off Rocky Point		54° 59'	163° 26'	Daily predictions													
5466	ALEUTIAN ISLANDS <78>																	
5471	Davidson Bank <79>		54° 00'	163° 00'	+	+0 08	-0 13	-0 14	0.8	0.9	0.2	199°	2.0	288°	0.2	025°	2.2	116°
5476	Unimak Pass, East Entrance	26d 131d 236d	54° 17.99' 54° 17.99' 54° 17.99'	164° 31.02' 164° 31.02' 164° 31.02'	-0 44 -0 37 -0 42	-0 30 -0 20 -0 32	-0 23 -0 07 -0 58	-0 18 -0 28 -1 08	0.4 0.4	0.3	0.1	186°	1.0	279°	0.1	186°	0.7	090°
5481	UNIMAK PASS	29d 121d 213d	54° 18.52' 54° 18.52' 54° 18.52'	164° 44.81' 164° 44.81' 164° 44.81'	+0 08 +0 05 +0 39	+0 08 +0 00 +0 35	-0 13 -0 27 +0 53	-0 19 -0 19 -0 25	0.8	0.7	0.1	021°	1.4	285°	0.1	021°	1.7	114°
5486	Unimak Pass, North Approach	35d	54° 26.90'	165° 05.47'	-0 39	+0 35	+0 10	-0 10	0.8	0.3	0.1	050°	2.1	330°	0.2	056°	0.8	132°
5491	Unimak Pass, West Approach	133d 216d	54° 26.90' 54° 26.90'	165° 05.47' 165° 05.47'	-0 49 -1 05	-0 19 -0 34	+0 10 +0 28	-0 52 -0 52	0.6	0.4	0.1	060°	1.4	339°	0.1	060°	0.8	144°
5496	Unimak Pass, West Approach	28d	54° 22.02'	165° 21.86'	+0 10	-0 11	-0 29	-0 19	0.5	0.4	0.2	065°	1.1	345°	0.1	065°	0.8	154°
5501	Unimak Pass, 2.4 miles N of Tanginak I	137d 245d	54° 22.02' 54° 14'	165° 21.86' 165° 18'	+0 12 +0 03	-0 11 -0 21	-0 42 -1 14	-0 17 -0 52	0.3	0.5	0.1	227°	0.7	317°	0.1	227°	1.0	130°
5506	Unimak Pass, 2.4 miles N of Tanginak I		54° 14'	165° 18'	+0 27	-0 10	-1 13	-0 38	0.3	0.6	0.1	050°	0.6	325°	0.1	050°	0.9	130°
5511	Unimak Pass, 2.4 miles N of Tanginak I		54° 14'	165° 18'	+0 27	-0 10	-1 13	-0 38	0.5	0.6	0.1	050°	1.3	298°	0.1	050°	1.5	144°

Endnotes can be found at the end of table 2.

TABLE 2 – CURRENT DIFFERENCES AND OTHER CONSTANTS

No.	PLACE	Meter Depth	POSITION		TIME DIFFERENCES				SPEED RATIOS		AVERAGE SPEEDS AND DIRECTIONS			
			Latitude	Longitude	Min. before Flood	Flood	Min. before Ebb	Ebb	Flood	Ebb	Minimum before Flood	Maximum Flood	Minimum before Ebb	Maximum Ebb
	ALEUTIAN ISLANDS <78>-cont. Time meridian, 135° W	ft	North	West	h	m	h	m	h	m	knots	Dir.	knots	Dir.
5486	Akutak Bay	32d	54° 10.95'	165° 43.47'	---	---	---	---	---	---	---	---	---	---
	...do.	140d	54° 10.95'	165° 43.47'	---	---	---	---	---	---	---	---	---	---
5491	Akun Strait	248d	54° 10.95'	165° 43.47'	-2.07	-2.16	-2.08	-2.17	-2.28	-2.23	4.9	337°	4.9	336°
	...do.	14d	54° 08.02'	165° 39.07'	-2.08	-2.18	-2.08	-2.26	-2.20	-2.20	2.0	2.0	2.0	2.0
	...do.	76d	54° 08.02'	165° 39.07'	-2.08	-2.18	-2.08	-2.26	-2.20	-2.20	1.6	1.6	1.6	1.6
5496	Avatanak Strait	40d	54° 06.77'	165° 28.54'	+0.01	+0.26	+0.02	+0.27	+0.13	+0.14	0.1	329°	0.3	337°
	...do.	159d	54° 06.77'	165° 28.54'	+0.00	+0.28	+0.00	+0.28	+0.13	+0.14	0.1	145°	0.3	146°
	...do.	247d	54° 06.77'	165° 28.54'	+0.00	+0.28	+0.00	+0.28	+0.13	+0.14	0.2	145°	0.3	146°
5501	Derbin Strait	33d	54° 05.03'	165° 13.62'	-1.20	-1.28	-1.20	-1.28	-1.17	-1.37	2.0	1.5	2.0	1.5
	...do.	132d	54° 05.03'	165° 13.62'	-1.14	-1.28	-1.14	-1.28	-1.25	-1.32	1.7	1.8	1.7	1.8
	...do.	220d	54° 05.03'	165° 13.62'	-1.12	-1.33	-1.12	-1.33	-1.32	-1.27	1.1	1.4	1.1	1.4
5506	Ugamak Strait, off Kaligagan Island	27d	54° 09.27'	164° 52.26'	-0.26	-0.41	-0.26	-0.41	-0.56	-0.55	1.4	1.7	1.4	1.7
	...do.	60d	54° 09.27'	164° 52.26'	-0.25	-0.41	-0.25	-0.41	-0.56	-0.55	1.3	1.7	1.3	1.7
	...do.	126d	54° 09.27'	164° 52.26'	-0.26	-0.46	-0.26	-0.46	-0.59	-0.53	0.9	1.3	0.9	1.3
5511	Ugamak Strait (North end) <81>		54° 12'	164° 55'	+0.39	+0.12	+0.39	+0.12	+0.45	+0.22	1.3	0.8	1.3	0.8
					on Akutan Pass, p.134									
5516	AKUTAN PASS	30d	54° 01.47'	166° 05.85'	-0.02	-0.02	-0.02	-0.02	-0.02	-0.02	0.9	1.1	0.9	1.1
	...do.	128d	54° 01.47'	166° 05.85'	-0.04	+0.04	-0.04	+0.04	-0.06	-0.04	0.7	0.9	0.7	0.9
	...do.	207d	54° 01.47'	166° 05.85'	+0.05	-0.14	+0.05	-0.14	-0.40	-0.05	0.7	1.8	0.7	1.8
5521	Baby Pass	22d	53° 58.87'	166° 04.31'	+0.04	-0.13	+0.04	-0.13	-0.36	-0.03	0.7	1.6	0.7	1.6
	...do.	87d	53° 58.87'	166° 04.31'	+0.03	-0.12	+0.03	-0.12	-0.34	-0.02	0.6	1.4	0.6	1.4
5526	Unalga Pass	26d	53° 57.22'	166° 12.88'	-0.05	-0.22	-0.05	-0.22	-0.29	-0.18	1.1	1.5	1.1	1.5
	...do.	98d	53° 57.22'	166° 12.88'	-0.08	-0.16	-0.08	-0.16	-0.31	-0.20	1.0	1.5	1.0	1.5
	...do.	157d	53° 57.22'	166° 12.88'	-0.08	-0.14	-0.08	-0.14	-0.32	-0.22	0.9	1.3	0.9	1.3
5531	Sedanika Pass	26d	53° 51.07'	166° 04.58'	-0.02	-0.36	-0.02	-0.36	-1.14	-0.56	0.3	0.5	0.3	0.5
	...do.	111d	53° 51.07'	166° 04.58'	-0.04	-0.36	-0.04	-0.36	-1.14	-0.56	0.3	0.5	0.3	0.5
	...do.	197d	53° 51.07'	166° 04.58'	-0.09	-0.35	-0.09	-0.35	-1.11	-0.59	0.3	0.4	0.3	0.4
5536	Utagak Strait (narrows)	19d	53° 44.05'	166° 17.34'	-1.26	-1.11	-1.26	-1.11	-1.26	-1.34	0.5	0.9	0.5	0.9
	...do.	65d	53° 44.05'	166° 17.34'	-1.26	-1.13	-1.26	-1.13	-1.27	-1.34	0.5	0.9	0.5	0.9
	...do.	108d	53° 44.05'	166° 17.34'	-1.26	-1.12	-1.26	-1.12	-1.27	-1.34	0.5	0.9	0.5	0.9
5541	Paso Point	36d	53° 24.75'	167° 41.85'	+0.52	+1.50	+0.52	+1.50	+1.02	+0.51	0.3	0.5	0.3	0.5
	...do.	167d	53° 24.75'	167° 41.85'	+0.53	+1.34	+0.53	+1.34	+0.38	+0.34	0.2	0.5	0.2	0.5
	...do.	266d	53° 24.75'	167° 41.85'	+1.08	+1.08	+1.08	+1.08	+0.04	+0.19	0.2	0.4	0.2	0.4
5546	Umnak Pass, south approach	32d	53° 15'	167° 55'	+0.25	-0.15	+0.25	-0.15	+0.04	+0.54	0.4	1.2	0.4	1.2
5551	Konets Head	104d	53° 19.56'	167° 54.04'	+0.40	+0.40	+0.40	+0.40	+0.26	+0.40	0.7	1.3	0.7	1.3
	...do.	176d	53° 19.56'	167° 54.04'	+0.38	+0.41	+0.38	+0.41	+0.25	+0.37	0.7	1.2	0.7	1.2
5556	Umnak Pass	38d	53° 21.74'	167° 49.19'	+0.42	+0.44	+0.42	+0.44	+0.20	+0.25	0.8	1.1	0.8	1.1
	...do.	146d	53° 21.74'	167° 49.19'	+0.40	+0.44	+0.40	+0.44	+0.36	+0.25	0.8	1.1	0.8	1.1
	...do.	254d	53° 21.74'	167° 49.19'	+0.37	+0.37	+0.37	+0.37	+0.25	+0.16	0.5	0.9	0.5	0.9
5561	Umnak Pass, northwest of Ship Rock	25d	53° 23'	167° 51'	+1.04	-0.14	+1.04	-0.14	-0.01	+0.00	0.7	1.3	0.7	1.3
5566	Cape Kovrizhka <123>	103d	53° 50.71'	167° 10.92'	---	---	---	---	---	---	---	---	---	---
	...do.	192d	53° 50.71'	167° 10.92'	---	---	---	---	---	---	---	---	---	---
5571	Bishop Point, Unalaska Island	16d	53° 58.72'	166° 57.39'	+0.10	+0.43	+0.10	+0.43	+0.35	+0.35	0.2	0.2	0.2	0.2
	...do.	68d	53° 58.72'	166° 57.39'	+0.14	+0.44	+0.14	+0.44	+1.03	+0.44	0.1	0.2	0.1	0.2
	...do.	114d	53° 58.72'	166° 57.39'	+0.13	+0.34	+0.13	+0.34	+1.21	+0.38	0.1	0.2	0.1	0.2
5576	Cape Cheerful, Unalaska Island	20d	54° 01.60'	166° 40.34'	-3.23	-2.07	-3.23	-2.07	-2.22	-2.10	0.1	0.2	0.1	0.2
	...do.	92d	54° 01.60'	166° 40.34'	-3.55	-2.25	-3.55	-2.25	-2.22	-2.13	0.1	0.2	0.1	0.2
	...do.	151d	54° 01.60'	166° 40.34'	-4.18	-2.33	-4.18	-2.33	-2.33	-2.20	0.1	0.2	0.1	0.2

Endnotes can be found at the end of table 2.

TABLE 2 – CURRENT DIFFERENCES AND OTHER CONSTANTS

No.	PLACE	Meter Depth	POSITION		TIME DIFFERENCES				SPEED RATIOS		AVERAGE SPEEDS AND DIRECTIONS						
			Latitude	Longitude	Min. before Flood	Flood	Min. before Ebb	Ebb	Flood	Ebb	Minimum before Flood	Maximum Flood	Minimum before Ebb	Maximum Ebb			
	ALEUTIAN ISLANDS <78>-cont. Time meridian, 135° W	ft	North	West	h m	h m	h m	h m			knots	Dir.	knots	Dir.			
5581	Priest Rock	14d	54° 01.11'	166° 22.54'	-1 10	-2 14	-4 17	-2 39	0.2	0.5	0.9	293°	0.5	359°	1.3	071°	
	do.	73d	54° 01.11'	166° 22.54'	-1 08	-2 05	-3 56	-2 34	0.2	0.5	1.0	286°	0.4	359°	1.3	072°	
	do.	139d	54° 01.11'	166° 22.54'	-1 04	-1 57	-3 31	-2 25	0.2	0.5	0.8	270°	0.3	353°	1.2	069°	
5586	Ulakta Head, northeast of		53° 56.19'	166° 28.80'	Current weak and variable												
5591	Ilulituk Bay, east channel	15d	53° 52.65'	166° 31.70'	Current weak and variable												
5596	Captains Bay	41d	53° 52.63'	166° 34.10'		+0 06			0.1	--	0.3	200°	--	--	--	--	
	do.	61d	53° 52.63'	166° 34.10'		-0 11			0.1	--	0.3	196°	--	--	--	--	
	Time meridian, 150° W																
5601	Yunaska Island, 1 mile east of <84>		52° 40'	170° 32'	--	+0 33	--	+1 11	0.4	0.8	1.9	021°	--	--	2.1	159°	
5606	Finch Cove, Segum Island		52° 23'	172° 23'	--	--	--	--	--	--	1.4	315°	--	--	--	130°	
5611	Fenimore Rock, 1.2 miles southwest of		51° 58'	175° 34'	-0 13	-1 06	-1 50	-0 50	0.6	1.2	3.2	010°	--	--	3.0	140°	
5616	Igitkin Pass, 0.8 mile N of Tanager Pt		51° 57'	175° 52'	+0 40	-0 25	-0 41	-0 41	0.6	0.8	3.1	040°	--	--	2.1	245°	
5621	Chugul Pass, 0.8 mile SW of Tanager Pt		51° 56'	175° 53'	-1 42	-1 08	-0 21	-1 09	0.3	0.6	1.6	325°	--	--	1.6	160°	
5626	Chugul Pass, 2 miles NE of Cape Ruin		51° 56'	175° 56'	+1 33	+0 37	-0 27	-0 01	0.3	0.6	1.4	335°	--	--	1.5	150°	
5631	Chugul Pass, 0.5 mile NE of Cape Ruin		51° 55'	175° 58'	-0 09	-0 26	+0 09	+0 12	0.2	0.7	1.2	305°	--	--	1.8	120°	
5636	Umak Pass, off Narrows Point		51° 51'	176° 04'	-0 16	-0 41	-0 31	-0 43	0.6	0.9	3.2	305°	--	--	2.2	130°	
5641	Little Tanaga Strait, off Tana Pt <85>		51° 49'	176° 14'	-0 39	-0 56	-0 45	-0 40	0.5	1.2	3.5	320°	--	--	3.0	175°	
5646	Kagalaska Strait, off Galas Point <85>		51° 48'	176° 25'	-1 11	-1 01	-0 19	-0 04	0.8	1.1	2.9	310°	--	--	2.8	175°	
5651	Adak Strait, 1 mile NE of Nagai Pt <86>		51° 47'	177° 05'	+0 09	+0 16	-1 38	-0 57	0.4	0.9	2.0	010°	--	--	2.2	190°	
5656	Adak Strait, 4 miles ENE of Nagai Point		51° 47'	177° 00'	+0 09	+0 16	-1 17	+1 01	0.4	0.7	1.9	010°	--	--	1.9	195°	
5661	Adak Strait, off Argonne Point <87>		51° 48'	176° 57'	-2 49	+0 02	-1 05	-1 40	0.5	0.6	2.8	010°	--	--	1.4	200°	
5666	Kanaga Pass, 0.3 mile NW of Annoy Rock		51° 43'	177° 48'	+1 30	+1 38	-0 18	+0 11	0.5	0.9	2.5	000°	--	--	2.2	195°	
5671	Kanaga Pass, 2.2 miles NE of Annoy Rock		51° 43'	177° 48'	+1 07	+1 16	-0 41	-0 28	0.5	0.9	2.6	020°	--	--	2.2	225°	
5676	Tanaga Pass, 4 mi. off C. Amagalik <88>		51° 39'	178° 13'	--	-1 43	--	+1 07	0.5	0.7	--	315°	--	--	--	200°	
5681	Ogluga Island, pass East of, Delarof Is		51° 37'	178° 36'	-1 16	-1 26	-1 56	-1 10	0.1	0.2	0.7	036°	--	--	0.5	220°	
5686	Gareloi I., 0.5 mile SE of, Delarof Is		51° 45'	178° 45'	--	--	--	--	--	--	--	055°	--	--	--	245°	
5691	Ulak Pass, Delarof Islands		51° 19'	179° 02'	+1 03	+0 40	+0 25	+0 30	0.5	0.9	2.4	326°	--	--	2.2	125°	
	Time meridian, 135° W																
5696	Petrel Bank, Semisopochnoi Island <89>		52° 10'	179° 52'	--	--	--	--	--	--	--	309°	--	--	0.5	124°	
5701	Amchitka Island, south coast <90>		51° 33'	178° 51'	--	--	--	--	--	--	0.7	309°	--	--	2.3	--	
5706	Oglala Pass, Rat Islands <91>		51° 42'	178° 31'	--	--	--	--	--	--	--	--	--	--	0.6	240°	
5711	Little Sitkin Island, SE coast <90>		51° 54'	178° 32'	--	--	--	--	--	--	0.6	050°	--	--	0.6	110°	
5716	Rat Island Pass, Rat Islands <92>		51° 53'	178° 20'	--	--	--	--	--	--	--	--	--	--	2.2	210°	
5721	Krysi Pass, Rat Islands		51° 51'	178° 07'	+1 06	+0 38	-0 03	+0 28	0.5	0.9	2.4	040°	--	--	2.2	210°	
5726	Sea Lion Pass, Rat Islands <93>		51° 54'	177° 54'	+1 09	+0 45	-0 07	+0 45	0.5	0.9	2.4	012°	--	--	2.4	195°	
5731	Tahomna Reef <7>		51° 49'	175° 52'	--	+0 23	--	+0 04	0.1	0.4	0.7	007°	--	--	0.9	147°	
5736	Attu Island, 5 miles NE of Cape Wrangell		52° 59'	172° 32'	--	--	--	--	--	--	1.4	064°	--	--	0.9	201°	
	Time meridian, 135° W																
5741	Cape Lieskof, 3 miles west of		55° 45'	162° 12'	-5 39	-4 39	-4 38	-4 53	0.3	0.3	0.8	056°	--	--	0.7	248°	
	PORT MOLLER																
5746	Entrance Point, 3 miles west of		56° 00'	160° 39'	-5 04	-4 28	-4 06	-4 34	0.7	0.8	1.7	174°	--	--	2.0	002°	
5751	Entrance Point		55° 59'	160° 35'	-4 57	-4 53	-5 06	-5 27	0.5	0.6	1.2	180°	--	--	1.6	000°	
5756	Harbor Point		55° 55'	160° 36'	-4 28	-4 03	-4 59	-4 26	0.4	0.8	0.9	158°	--	--	1.9	335°	

Endnotes can be found at the end of table 2.

TABLE 2 – CURRENT DIFFERENCES AND OTHER CONSTANTS

No.	PLACE	Meter Depth	POSITION		TIME DIFFERENCES				SPEED RATIOS		AVERAGE SPEEDS AND DIRECTIONS			
			Latitude	Longitude	Min. before Flood	Flood	Min. before Ebb	Ebb	Flood	Ebb	Minimum before Flood	Maximum Flood	Minimum before Ebb	Maximum Ebb
	HERENDEEN BAY—PORT HEIDEN Time meridian, 135° W	ft	North	West	h m	h m	h m	h m			knots	Dir.	knots	Dir.
5761	Haque Channel, east of Doe Point		55° 54'	160° 46'	-5 59	-4 39	-4 23	-5 21	0.9	0.6	2.3	220°	1.4	033°
5766	Johnston Channel, off Half tide Rock		55° 50'	160° 47'	-4 27	-4 45	-5 15	-4 24	0.5	0.5	1.2	179°	1.3	337°
5771	Port Heiden		56° 59'	158° 53'	-2 23	-1 05	-1 14	-1 15	0.4	0.4	1.0	067°	1.0	233°
	KVICHAK BAY													
5776	KVICHAK BAY (off Naknek River entrance)		58° 42'	157° 15'	+2 01	+1 05	+0 04	+1 15	0.5	0.9	2.5	053°	2.5	239°
5781	Morakas Point, Naknek River <94>		58° 44'	156° 56'	+2 12	+1 30	+0 39	+1 01	--	--	1.1	111°	2.1	294°
5786	Kvichak, Kvichak River <94>		58° 58'	156° 56'							1.7	078°	3.0	259°
	NUSHAGAK BAY and APPROACHES													
5791	Cape Constantine, 4 miles Southeast of		58° 20'	158° 46'	-2 08	-1 38	-1 05	-1 52	0.6	0.7	1.6	059°	1.7	238°
5796	Protection Point, 2.5 miles east of		58° 30'	158° 37'	-0 44	-1 25	-0 40	-1 04	1.0	1.0	1.9	013°	3.1	180°
5801	Nushagak Bay entrance		58° 34'	158° 25'	-0 59	+0 03	+0 19	-0 23	0.9	1.0	2.5	343°	2.5	180°
5806	Etolin Point, 8.5 miles west of		58° 38'	158° 35'	-0 19	+0 13	+0 08	+0 05	1.0	1.2	2.3	352°	2.9	173°
5811	Clarks Point, 1 mile west of		58° 50'	158° 35'	-0 07	+0 34	+0 41	-0 02	1.3	1.4	3.2	018°	3.4	213°
5816	Dillingham <95>		59° 02'	158° 28'	+0 55	+1 11	+1 19	+0 26	--	--	3.4	076°	3.2	262°
	KUSKOKWIM BAY													
5821	Goodnews Bay entrance		59° 04'	161° 47'	-6 23	-6 05	-5 26	-6 02	0.9	0.9	2.3	020°	2.1	213°
5826	Carter Bay, west of		59° 17'	162° 22'	-5 10	-4 29	-3 44	-4 21	0.6	0.6	1.5	021°	1.4	212°
5831	Warehouse Bluff, southwest of		59° 47'	162° 14'	-3 43	-3 21	-3 21	-3 45	0.6	0.8	1.6	007°	2.1	188°
5836	Apokak Creek entrance		60° 08'	162° 10'	-5 04	-3 42	-2 04	-2 51	1.1	1.1	3.4	030°	2.1	205°
	BERING SEA													
	Pribilof Islands													
5841	Walrus Island, 0.5 mile west of <96>		57° 11'	169° 57'	-6 40	-6 47	-6 40	-6 38	0.4	0.5	0.9	018°	1.2	210°
5846	St. Paul I.—St. George I., between <97>		56° 52'	169° 56'	--	-9 21	--	--	0.2	--	0.6	260°	--	--
5851	Other Island, 7 miles east of <97>		57° 03'	170° 10'	--	-10 44	--	--	0.4	--	0.9	245°	--	--
5856	SW Pt., St. Paul I., 6 mi. SW <97>		57° 07'	170° 34'	--	-7 02	--	--	0.2	--	0.5	330°	--	--
5861	SW Point, St. Paul Island, 1 mile off		57° 09'	170° 27'	-8 55	-8 10	-8 55	-8 10	0.8	0.3	1.9	330°	0.7	170°
5866	Hooper Bay entrance		61° 30'	166° 03'	+10 08	+11 16	+11 14	+11 03	0.7	0.8	1.7	046°	2.0	223°
5871	St. Mathew I., southwest coast		60° 21'	172° 43'	+2 24	+3 20	+3 29	+3 07	0.5	0.4	1.2	292°	1.0	119°
	St. Lawrence Island													
5876	4.5 miles SE of Southeast Cape <98>		62° 53'	169° 32'	--	-1 23	--	-2 48	0.3	0.3	0.8	097°	0.7	251°
5881	Apavavook Cape, 1 mile south of		63° 07'	168° 56'	-3 58	-3 14	-3 39	-3 23	0.2	0.4	0.5	075°	1.1	272°
5886	Off Norrtheast Cape		63° 20'	168° 50'	-1 41	-0 03	+0 16	-0 50	0.3	0.3	0.8	095°	0.7	258°
5891	Tatik Point, 13 miles off of <99>		63° 23'	172° 18'	--	--	--	--	--	--	0.2	000°	--	--
5896	Gambell, 13 miles NNW of <100>		65° 00'	172° 01'	--	-1 02	--	-1 19	0.7	0.2	1.7	050°	0.8	075°
	on Unimak Pass, p.130													
5901	Sledge Island, 2 miles north of <101>		64° 32'	166° 10'	-7 18	--	-7 23	-6 45	0.4	0.2	1.0	305°	0.5	119°
5906	King Island, 42 miles west of <102>		64° 58'	169° 44'	--	--	--	--	--	--	0.4	030°	0.2	030°
5911	Fairway Rock, 18.5 miles south of <103>		65° 20'	168° 50'	--	--	--	--	--	--	0.7	000°	0.5	000°
5916	Fairway Rock, 4.8 miles NNE of <104>		65° 42'	168° 39'	--	--	--	--	--	--	1.1	020°	0.6	020°

Endnotes can be found at the end of table 2.

TABLE 2 – CURRENT DIFFERENCES AND OTHER CONSTANTS

No.	PLACE	Meter Depth	POSITION		TIME DIFFERENCES				SPEED RATIOS		AVERAGE SPEEDS AND DIRECTIONS			
			Latitude	Longitude	Min. before Flood	Flood	Min. before Ebb	Ebb	Flood	Ebb	Minimum before Flood	Maximum Flood	Minimum before Ebb	Maximum Ebb
	HAWAIIAN ISLANDS Time meridian, 150° W	ft	North	West	h m	h m	h m	h m			knots	Dir.	knots	Dir.
5921	Maui Island <105>		20° 46'	155° 58'	--	--	--	--	--	--	--	--	--	--
5926	Alakaiki Channel, west side <106>		20° 36'	156° 32'	--	--	--	--	--	--	--	--	--	--
5931	Alakaiki Channel, east side <107>		20° 37'	156° 29'	--	--	--	--	--	--	--	--	--	--
5936	Maalaea Bay, Maui Island		20° 46'	156° 30'	Current weak and variable				--	--	--	--	--	--
5941	Auau Channel <108>		20° 53'	156° 43'	--	--	--	--	0.7	--	--	--	1.1	073°
5946	Kalohi Channel		21° 02'	156° 56'	-3 15	-3 47	-3 38	-3 11	0.4	0.3	--	--	0.5	227°
5951	Pailolo Channel <109>		21° 04'	156° 43'	--	--	--	--	--	--	--	--	--	--
	TOKYO WAN Time meridian, 135° E		North	East	on Tokyo Wan Entrance, p.142									
5956	TOKYO WAN ENTRANCE, (N of Kannon Saki)		35° 17'	139° 44'	Daily predictions				--	--	--	--	1.1	313°
	NAIKAI (INLAND SEA) <110>													
5961	NARUTO		34° 14'	134° 39'	0 00	0 00	0 00	0 00	0.5	0.4	--	--	6.2	350°
5966	Muyano Seto		34° 11'	134° 37'	0 00	0 00	0 00	0 00	0.7	0.6	--	--	3.0	325°
5971	Kitadomari Seto		34° 14'	134° 35'	0 00	0 00	0 00	0 00	--	--	--	--	4.2	020°
5976	TOMOGASHIMA SUIDO (Yura Seto) <111>		34° 16'	135° 00'	on Tomogashima Suido, p.146				--	--	--	--	2.5	354°
	AKASHI KAIKYO <111>													
5981	AKASHI KAIKYO <111>		34° 37'	135° 02'	+0 16	+0 26	+0 30	+0 18	0.1	0.1	--	--	4.2	302°
5986	Harima Nada, central part <111>		34° 42'	134° 30'	-0 36	-0 13	-0 36	-0 52	0.5	0.5	--	--	0.5	080°
5991	Bisan Seto, east part <111>		34° 27'	134° 04'	-1 11	-0 48	-1 11	-1 27	0.3	0.3	--	--	2.2	244°
5996	Bisan Seto, west part <111>		34° 20'	133° 39'	--	--	--	--	--	--	--	--	1.4	250°
	KURUSHIMA KAIKYO													
6001	Mihara Seto, north of Kone Shima		34° 20'	133° 04'	+0 20	+0 20	+0 20	+0 20	0.7	0.7	--	--	3.8	090°
6006	KURUSHIMA KAIKYO (middle channel)		34° 07'	133° 00'	+0 20	+0 20	+0 20	+0 20	1.0	1.0	--	--	5.8	180°
6011	Kurushima Kaikyo (west channel)		34° 07'	132° 59'	-0 10	-0 10	-0 10	-0 10	0.4	0.4	--	--	5.1	000°
6016	Aki Nada, east part		34° 08'	132° 52'	+0 10	+0 10	+0 10	+0 10	0.4	0.4	--	--	2.0	045°
6021	Tsurushima Suido		33° 56'	132° 40'	+0 10	+0 10	+0 10	+0 10	0.4	0.4	--	--	2.0	225°
6026	Kudako Suido		33° 58'	132° 34'	-0 40	-0 40	-0 40	-0 40	0.7	0.7	--	--	3.9	045°
6031	Nuwa Shima Suido		33° 59'	132° 31'	-1 10	-1 10	-1 10	-1 10	0.7	0.7	--	--	3.7	225°
6036	Moro Shima Suido		33° 57'	132° 29'	-1 30	-1 30	-1 30	-1 30	0.7	0.7	--	--	3.6	180°
6041	Obatake Seto (narrows)		33° 57'	132° 11'	-2 20	-2 20	-2 20	-2 20	0.9	0.9	--	--	4.9	270°
6046	Heigun Suido		33° 50'	132° 12'	-1 20	-1 20	-1 20	-1 20	0.2	0.2	--	--	1.1	270°
6051	Iyo Nada, central part		33° 45'	132° 18'	-0 40	-0 40	-0 40	-0 40	0.2	0.2	--	--	1.1	225°
6056	Suo Nada, west part		33° 52'	131° 11'	-1 40	-1 40	-1 40	-1 40	0.1	0.1	--	--	0.8	090°
6061	Hoyo Kaikyo		33° 18'	131° 59'	-1 40	-1 40	-1 40	-1 40	0.6	0.6	--	--	3.5	180°
6066	Bungo Suido, south end		32° 45'	132° 17'	-2 10	-2 10	-2 10	-2 10	0.2	0.2	--	--	1.0	000°
	KANMON KAIKYO													
6071	KANMON KAIKYO (Hayatomo Seto)		33° 58'	130° 58'	0 00	0 00	0 00	0 00	0.7	0.7	--	--	5.6	270°
6076	Kannon Kaikyo (O Seto)		33° 55'	130° 56'	--	--	--	--	--	--	--	--	3.7	225°
	KYUSHU, WEST COAST													
6081	Hira Shima, 1.5 miles east of		33° 01'	129° 17'	-0 03	-0 20	-0 13	-0 28	0.4	0.4	--	--	2.2	028°
6086	Yushima Seto, 2.3 miles SE of Dosaki		32° 38'	130° 22'	-1 44	-1 35	-2 01	-2 36	0.4	0.5	--	--	2.1	042°
6091	Hayasaki Kaikyo, 2.7 mi. E of Gotsu Sho		32° 34'	130° 10'	-2 16	-2 10	-2 04	-2 16	1.0	0.9	--	--	5.8	121°

Endnotes can be found at the end of table 2.

TABLE 2 – CURRENT DIFFERENCES AND OTHER CONSTANTS

No.	PLACE	Meter Depth	POSITION		TIME DIFFERENCES			SPEED RATIOS		AVERAGE SPEEDS AND DIRECTIONS				
			Latitude	Longitude	Min. before Flood	Flood	Min. before Ebb	Ebb	Flood	Ebb	Minimum before Flood	Maximum Flood	Minimum before Ebb	Maximum Ebb
	CHANGJIANG Time meridian, 120° E	ft		East										
6096	CHANGJIANG ENTRANCE		31° 08.23'	122° 00.47'										
6101	WUSONG KOU		31° 24.92'	121° 31.98'										
	SULU ARCHIPELAGO													
6106	BASILAN STRAIT, off Zamboanga <112>		6° 54'	122° 04'										
6111	Basilan Strait, eastern entrance		6° 42'	122° 20'	+0 12	-0 03	-0 17	0 00	0.4	0.3				
6116	Tapiantana Channel		6° 23'	122° 00'	-0 17	+0 11	+0 17	-0 43	0.8	0.6				
6121	Canas Island, 1.5 miles west of		6° 28'	121° 53'	-0 12	-0 18	-0 09	-0 33	0.5	0.3				
6126	Between Mataja I. and Sicagot I.		6° 34'	121° 43'	+1 00	+0 54	+0 32	0 00	0.4	0.4				
6131	Between Bubuan Island and Linawan Island		6° 20'	121° 57'	+0 01	-0 26	-0 31	-0 12	0.6	0.5				
6136	Between Linawan I. and Tatalan I.		6° 18'	121° 52'	+0 03	-0 04	+0 06	-0 04	0.8	0.6				
6141	Tatalan Island, 4 miles southeast of		6° 11'	121° 54'	+0 15	+0 12	+0 06	0 00	0.8	0.6				
6146	Tatalan Island, 7 miles southeast of		6° 16'	121° 43'	+0 18	+0 05	+0 30	-0 36	0.5	0.3				
6151	Between Paroi I. and Balanguingui I.		6° 03'	121° 43'	-0 35	-0 35	-0 35	-0 35	0.8	0.9				
6156	Between Jolo Island and Sulade Island		5° 54'	120° 49'	0 00	0 00	0 00	1 15	1.1	0.8				
6161	Between Kulassein I. and Tubigan I.		6° 24'	120° 46'	-0 25	-0 43	-1 00	-0 44	0.6	0.5				
6166	Between Cap Island and Tubatubac Island		5° 58'	120° 13'	-0 06	+0 12	0 00	-0 27	0.6	0.5				
	ILOILO STRAIT													
6171	Pangasinan Point, 1.5 miles west of		10° 36'	122° 29'		-0 04		-0 17	0.4	0.4				
6176	Cabatic Point, 2.1 miles west of		10° 37'	122° 29'		+0 05			0.4	0.4				
6181	Pituguan, midchannel, 1.5 miles NW of		10° 39'	122° 32'		-0 18		-0 14	0.8	0.8				
6186	Panay Club, 0.5 mile south of		10° 41'	122° 33'		-0 29	-0 09	-0 43	0.6	0.6				
6191	ILOILO STRAIT		10° 41'	122° 35'										
6196	Fort San Pedro, 0.2 mile northeast of		10° 41'	122° 35'	-0 43	-0 37	-1 20	-1 03	0.3	0.3				
6201	Iloilo River entrance, 0.3 mile NE of		10° 42'	122° 35'	-0 19	-0 25	-0 44	-0 41	0.9	0.9				
6206	Jaro Point, midchannel off of		10° 43'	122° 36'	+0 01	-0 13	-0 15	-0 37	0.7	0.7				
6211	Doldol, midchannel north of		10° 46'	122° 39'	-0 27	-0 06	+0 09	-0 11	0.9	0.9				
6216	Dumungas Point, 1.5 miles south of		10° 45'	122° 44'	-0 19	-0 08	+0 12	-0 14	0.8	0.6				
6221	Navatas Point, 0.7 mile NNE of		10° 44'	122° 43'	+0 44	+0 12	+0 04	+0 21	0.6	0.7				
	CEBU HARBOR													
6226	CEBU HARBOR, off Cebu City		10° 17'	123° 54'										
6231	Cebu Harbor, 0.6 mile NE of Opon Light		10° 19'	123° 57'		-0 11		+0 19	1.4	1.5				
6236	Cebu Harbor, east entrance		10° 21'	123° 59'		-0 19		-0 14	0.3	0.3				
	HINATUAN PASSAGE													
6241	Rasa Island, southwest of		9° 47'	125° 34'	-0 52	+0 04	-0 50	-1 41	3.6	4.0				
	SAN JUANICO STRAIT													
6246	SAN JUANICO STRAIT, off Tacloban		11° 16'	125° 00'										
6251	Cauayan Point, southeast of		11° 20'	124° 58'	-0 29	-0 05	-0 07	-0 20	1.4	1.2				
6256	San Juanico Strait, off Uban Point		11° 22'	124° 59'	-0 20	-0 40	-0 20	-0 40	1.5	1.6				
6261	Torre Island, west of		11° 25'	124° 59'	-0 16	-0 17	-0 10	-0 03	1.4	1.0				
6266	Janabatas Channel		11° 26'	124° 55'	-0 44	-0 01	-0 14	-0 07	1.0	0.5				
6271	Janabatas Channel		11° 27'	124° 51'	-1 47	-0 12	-0 26	-0 28	1.3	0.3				
	SAN BERNARDINO STRAIT													
6276	SAN BERNARDINO STRAIT		12° 30'	124° 07'										

Endnotes can be found at the end of table 2.

ENDNOTES

- <1> It is reported that an eddy is usually encountered along the ends of the municipal piers which makes docking difficult.
- <2> San Pedro Channel, 7 miles south of Los Angeles Harbor Breakwater. There are two periodic currents here both of which are rotary, turning clockwise, and rather weak. The tidal current has a speed at strength of about 0.2 knot. The other current, due apparently to daily land and sea breezes, has a period of 24 hours and an average speed of about 0.2 knot. The greatest speed during 5 months of observations was 1.5 knots. Currents greater than 1 knot occur infrequently.
- <3> In Los Angeles and Long Beach Harbors, the tidal current is weak. Currents can exceed 1 knot in the outer harbor at San Pedro, under strong wind conditions. Also, it is reported that three minute surge waves are responsible for major ship movements and damage.
- <4> Observations indicate ebb is very weak.
- <5> Large current eddies which cause ships to sheer off course are reported near the foundation piers of Golden Gate Bridge and San Francisco—Oakland Bay Bridge.
- <6> See "Coastal Tidal Currents," (Table of Contents).
- <7> Current is somewhat rotary, turning clockwise.
- <8> SLACK WATER TIME DIFFERENCES FOR PLACES ALONG SAN FRANCISCO PIERS:

STATION or LOCALITY	Latitude		Longitude		Beginning of	
	N	W	W		flood	ebb
					h. m.	h. m.
Time meridian, 120° W	on SAN FRANCISCO BAY ENTRANCE, p.8					
St. Francis Yacht Club breakwater.	37° 48.5'	122° 26.5'			-0 10	-1 50
Aquatic Park, 0.2 mile west of	37° 48.6'	122° 25.7'			-0 35	-2 05
Pier 37	37° 48.6'	122° 24.5'			-1 35	-2 20
Pier 29	37° 48.4'	122° 24.0'			-1 10	-2 20
Pier 7	37° 48.0'	122° 23.6'			-0 55	-2 05
Pier 14	37° 47.7'	122° 23.3'			-0 55	-3 00
Pier 26	37° 47.4'	122° 23.0'			-1 40	-1 50
Pier 38	37° 47.0'	122° 23.0'			-0 25	-2 25
Pier 50	37° 46.4'	122° 22.8'			-1 40	-2 20
Bethlehem Pier No. 8.	37° 45.6'	122° 22.7'			-1 20	-1 55
Pier 90, 0.5 mile SE. of	37° 44.5'	122° 22.4'			-1 50	-2 05
Point Avisadero	37° 43.7'	122° 21.3'			-1 25	-0 40
Point Avisadero, 0.8 mile south of	37° 43.0'	122° 21.5'			-1 30	-3 25

- <9> Current is somewhat rotary, turning counterclockwise.
- <10> Current is somewhat rotary, turning counterclockwise. 4h 25m prior to computed maximum flood the current flows southward with a speed 0.6 of the flood speed at the reference station.
- <11> Data do not apply during freshets.
- <12> Data do not apply during freshets.
- <13> Data approximate.
- <14> See "Coastal Tidal Currents," (Table of Contents).
- <15> The Columbia River bar can be very dangerous because of sudden and unpredictable current changes accompanied by breakers. It is reported that ebb currents on the north side of the bar attain speeds of 6 to 8 knots and that strong NW winds sometimes cause currents that set north in the area outside the jetties. In the entrance, the currents are variable and may reach a speed of more than 5 knots on the ebb while the flood speed seldom exceeds 4 knots. The tidal current in the river is always modified by the river discharge, sometimes to the extent that the flood current is indiscernible and the current ebbs continuously.
- <16> Flood and minimum current data indeterminate.
- <17> Observations indicate that the current ebbs continuously at this location. Data are given for the smallest and largest mean ebb values expected. The time differences and speed ratios should be applied to the predicted times of maximum ebb at the reference station.
- <18> During period of observations (February) flood was weak, and current was ebbing most of the time with a speed of about 2 knots at times of maximum.

ENDNOTES

- <19> Along the west coast of Vancouver Island the current is reported to set always northwestward. It is weakest during westerly winds and strongest with easterly winds, being about a knot in moderate weather.
- <20> When predicted flood at Admiralty Inlet, Race Rocks, or Strait of Juan de Fuca Entrance is marked with an (*) the flood speed and the preceding and following slacks at stations referred to them cannot be predicted. The current at most of these stations, however, will be weak at such times. Exceptions are the stations whose speed ratios are footnote reference <27>
- <21> Current is rotary, turning clockwise.
- <22> Time of minimum before flood is indefinite.
- <23> Observations indicate that current is weak with direction variable for the greater part of the tidal cycle. A maximum flood speed of 1 knot in a southerly direction has been observed.
- <24> Time of minimum before ebb is indefinite.
- <25> Slacks are indefinite. The flood current is weak and variable, possibly ebbing at times.
- <26> Current ebbs continuously. Maximum ebb, +5h 15m; minimum ebb, -1h 20m.
- <27> Flood speed at strength probably does not become less than a knot.
- <28> Current is rotary and erratic. Speeds of 3 knots may be encountered.
- <29> Current ebbs most of the time. Time difference is for maximum ebb only. Weak current, flood or ebb, usually occurs about 0.8 hour after maximum flood at The Narrows.
- <30> Current floods most of the time. Time difference is for maximum flood only. Weak ebb or slack water usually occurs about 1 hour before maximum ebb at The Narrows.
- <31> Current ebbs most of the time. Time difference is for maximum ebb only. Weak flood or slack water usually occurs about 1 1/2 hours before maximum flood at The Narrows.
- <32> Current floods most of the time. Time of minimum before flood is indefinite.
- <33> Close to the east shore the flood speed is reduced about 1/2 but the ebb speed is only slightly less than at Point Evans.
- <34> On the west side the speed of the flood current is 0.6 that of midstream and the ebb begins about 1 hour and 15 minutes earlier. On the east side the current is about the same as in midstream.
- <35> Current ebbs most of the time. Time difference is for maximum ebb only. Weak flood or slack water usually occurs about 1 hour after maximum flood at The Narrows.
- <36> Current ebbs most of the time. Time difference is for maximum ebb only. Weak flood or slack water usually occurs about the time of maximum flood at the Narrows.
- <38> Current ebbs most of the time. Time difference is for maximum ebb only. Weak flood or slack water usually occurs about 1/2 hour after maximum flood at The Narrows.
- <40> When predicted flood at Admiralty Inlet or Rosario Strait is marked with an (*) the flood speed and the preceding and following slacks at stations referred to them cannot be predicted. The current at most of these stations, however, will be weak at such times.
- <41> Ebb current is irregular at times.
- <42> Current is predominantly non-tidal, flowing in a northwesterly direction with a maximum speed of 1 knot.
- <43> Current ebbs most of the time. Time difference is for maximum ebb only; slack times are indefinite and flood current is weak and variable.
- <44> Time difference is for maximum flood only; slack times are indefinite and ebb current is too variable to be predicted.
- <45> Dangerous eddy current and tide rips are reported to occur between Helmcken Island and Ripple Shoal around the time of ebb strength.

ENDNOTES

- <46> On the flood, the streams coming from the sea through the north and south entrances meet off Evening Point (Lat. 53° 39' N) and separate on the falling tide about a mile farther northward.
- <47> Observations indicate that current usually flows WNW, speed varying from zero to an average strength of 0.3 knot which occurs about 1 hour after time of maximum flood at Wrangell Narrows.
- <48> Lewis Point to Guard Island—current too weak to be predicted.
- <49> Observations indicate that current usually flows NW, speed varying from zero to an average strength of 1.2 knots which occurs about 45 minutes before time of maximum flood at Wrangell Narrows.
- <50> Observations indicate that current usually flows NW, speed varying from zero to an average strength of 0.7 knot which occurs about 2 1/2 hours after time of maximum flood at Wrangell Narrows.
- <51> Slacks occurs for a period of several hours before maximum current.
- <52> Current usually flows WSW; speed varies from zero to an average of 1.1 knots occurring about 1h 05m earlier than time of maximum ebb at Wrangell Narrows.
- <53> Slacks are indefinite. Flood current is too weak or variable to be predicted.
- <54> Minimum before flood, 2h 41m before maximum flood; minimum before ebb, 3h 46m before maximum ebb.
- <55> Lesser ebb, +0h 50m. The greater ebb may reach a maximum speed then decrease slightly for about 1 1/2 hours before increasing to a second maximum. These time differences are: 1st. maximum, -0h 42m; minimum, +0h 43m; second maximum, +1h 32m; and are referred only to the greater ebb phase at the reference station.
- <56> Current too weak and variable to be predicted.
- <57> Observations indicate that the current usually flows WNW with a non-tidal current of 0.6 knot.
- <58> Currents are materially affected by winds.
- <59> Northeast of Lively Island, it is reported that the current sets constantly northwestward, being stronger when the main stream west of the island sets northwestward.
- <60> In the section of El Capitan Passage west of Dry Pass the current turns westward about the time of strength of eastward current in Dry Pass, and turns eastward about 1 hour before the time of strength of westward current in Dry Pass.
- <61> Time difference is for maximum ebb only. Flood current is very erratic.
- <62> Current frequently ebbs throughout the day, especially when moon is in quadrature.
- <63> Slacks before flood may be variable.
- <64> Observations in Frederick Sound during summer months indicate that the current usually flows northwestward, the speed varying with the tide. It apparently flows southeastward only on large tides.
- <66> The currents in Nakwasina Passage, except at the location 1 1/2 miles west of Allan Point, are too weak and variable to be predicted.
- <67> Slacks are undetermined.
- <68> Current is erratic in direction and strength at times.
- <69> It is reported that currents are strong and passage is navigable only near time of slack water.
- <70> Observations indicate that current usually flows northward, speed varying from zero to an average strength of 2 knots which occurs about 2.3 hours before time of maximum flood at North Inian Pass.
- <71> A weak ebb probably occurs at this station when flood speed at North Inian Pass is less than 2 knots.
- <72> It is reported that currents are strong and passage is navigable only near time of slack water.
- <73> Observations indicate that current usually flows eastward with an average speed of 0.8 knot.
- <74> It is reported that close inshore at Anchorage an eddy current flows up Knik Arm during the ebb.

ENDNOTES

- <75> The tidal currents in this strait are weak except at the Slough and the Narrows where the speed at strength may amount to 2 or 3 knots on large tides.
- <76> Current is rotary, turning clockwise. Minimum current about 0.1 knot, setting 160° true.
- <77> Off Whirl Point, the speed of the current is about twice that off the Cannery.
- <78> Dangerous tide rips occur in most of the passes in the Aleutian Islands when sea and swell oppose strong currents.
- <79> Tidal current is weak and rotary, turning clockwise. Observations indicate a 0.2 knot westerly set.
- <80> Ebb speed may not exceed 5.5 knots.
- <81> When predicted ebb speed at Akutan Pass is less than 2 knots the current at this station is weak and variable.
- <82> When predicted ebb speed at Unimak Pass is less than 1 knot the current at this station is weak and variable.
- <83> Flood begins 1 hour before maximum ebb at Unimak Pass.
- <85> Ratios are for greater flood and greater ebb only. The flood and ebb inequalities are small when the moon is near the equator. At other times there is considerable difference between the two floods and also the two ebbs in a day. The lesser flood may even become a small ebb at extreme declinations.
- <86> Time difference for greater ebb and slack before greater ebb. Slack before greater flood and greater flood occur 7 hours and 12 hours respectively after greater ebb. Current floods for about 8 hours after greater flood.
- <87> Flood speed ratio is for the 1st flood after greater ebb; the ebb speed ratio is for greater ebb.
- <88> For greater flood and greater ebb only. The current is rotary, turning clockwise. At the predicted time of slack before greater flood, the current will run westward with speed of about 1.5 knots. At the predicted times of all other slacks and also lesser flood and lesser ebb (or minimum flood), the current will run northward with speed of about one knot.
- <89> Current is rotary, turning clockwise. About 5 hours after time of greater ebb at Unimak Pass, current flows NW, speed ratio 0.4 and about 13 hours after greater ebb at Unimak Pass, current flows SE, speed ratio 0.5.
- <90> Current is somewhat rotary, turning clockwise and is too variable to be predicted.
- <91> Current is somewhat rotary, turning clockwise and is subject to considerable fluctuation. Approximate predictions are obtained through the following relations to the greater ebb at Unimak Pass: +1 1/2 hours, sets SSW, ratio 0.8; +9 hours, probably weak northerly set; + 18 hours, sets NNE, ratio 0.6.
- <92> Current is relatively weak and rotary, turning clockwise. Data is for the greater ebb which is the most consistent phase.
- <93> Current is somewhat rotary turning clockwise. At times given for slack, flood begins and slack, ebb begins the current probably flows WNW and ESE respectively, with speed of about 1.5 knot.
- <94> The current changes from ebb to flood abruptly and predictions for beginning of flood are approximate only.
- <95> Maximum flood 1 knot greater and maximum ebb 0.5 knot greater than corresponding speed at Kvichak Bay.
- <96> Current is rotary turning clockwise. At the predicted times of slack before flood or ebb the current will run westward or eastward respectively with speed about 0.2 knot.
- <97> Current is rotary turning clockwise. Difference and ratio are for maximum flood current only.
- <98> Current is rotary turning clockwise. Midway between flood and ebb current is minimum (about 0.2 knot).

ENDNOTES

- <99> Current is rotary turning clockwise. An average maximum speed of about 0.7 knot occurs in a SSW direction.
- <100> Current flows in an ENE direction with an average speed of 1.1 knots. All values appearing in the ebb columns are actually those for a minimum flood.
- <101> Time differences are for slack before greater flood, slack before greater ebb, and greater ebb. Maximum flood occurs about halfway between the times of the slacks obtained through differences. Speed ratios are for greater flood and greater ebb.
- <102> Observations indicate that the current usually flows NNE with an average speed of 0.3 knot. Values in the ebb column are actually those for a minimum flood.
- <103> Observations indicate that the current flows in a northerly direction with an average speed of 0.6 knot. Values in the ebb columns are actually those for a minimum flood.
- <104> Observations indicate that the current flows in a NNE direction with an average speed of 0.9 knot. Values in the ebb columns are actually those for a minimum flood.
- <105> Observations indicate the existence of a permanent current setting north with an average speed of 0.7 knot. Combined with the tidal current, the northward current may have an average speed varying from slack to 1.4 knots. The greatest observed speed off Maui Island was 2.7 knots.
- <106> Observations indicate the current usually flows northwest on the west side of the channel near Kahoolawe Island with a maximum speed of 0.7 knot.
- <107> Observations indicate that current usually flows SSE on east side of channel near Maui Island with a maximum speed of 0.4 knot.
- <108> Current seldom floods. It decreases from maximum ebb to a minimum ebb or slack, then increases to maximum ebb again with no significant flow in the flood direction.
- <109> Current sets to northeast with an average speed of about 0.3 knot.
- <110> The general pattern of the flow into the Naikai is as follows. From the Kii Suido the flood current flows northward through Tomogashima Suido, Izumi Nada, Naruto and Muyano Seto, and westward through Akashi Kaikyo, Harima Nada and Bisan Seto to Bingo Nada. From the Bungo Suido the flood current flows northward through Hayasui Seto and then divides, one branch flowing westward to Shimonoseki Kaikyo and the other branch northeastward through Iyo Nada, Kudako Suido and environs, and Aki Nada. Continuing, the flood current then flows southward through Kurushima Kaikyo and northeastward through Mihara Seto to Bingo Nada. On the ebb the direction of flow is reversed. Bingo Nada is the area where the currents meet on the flood and separate on the ebb.
- <111> The ratios and average speeds and directions are those of spring speeds.
- <112> It is reported that the current at the pier at Zamboanga usually sets in a westerly direction.
- <113> Current flows continuously in a westerly direction. Differences are for mean maximum speed.
- <114> Current ebbs continuously. Differences are for mean maximum ebb only.
- <115> Current floods continuously. Differences are for mean maximum flood only.
- <116> Slacks are indefinite. Flood current is weak and variable. Differences are for mean maximum ebb only.
- <117> Minimum before flood is indefinite. Flood current is weak and variable.
- <118> Weak and variable current ebbs continuously in a southeasterly direction.
- <119> Slacks are indefinite. Flood current is weak and variable. Differences are for a small ebb current.
- <120> Current ebbs continuously with speeds varying from 0.7 knot (shown in the maximum flood column) to 1.5 knots.
- <121> T Due to disturbances caused by the structure, observed currents within 50 feet of the pier can be significantly different from the predictions.
- <122> There is a weak secondary flood current which sets northward 3-5 hours after the maximum flood current.

Table 3.— SPEED OF CURRENT AT ANY TIME

EXPLANATION OF TABLES

Though the predictions in this publication give only the slacks and maximum currents, the speed of the current at any intermediate time can be obtained approximately by the use of this table. Directions for its use are given below the table.

Before using the table for a place listed in table 2, the predictions for the day in question should first be obtained by means of the differences and ratios given in table 2.

The examples below follow the numbered steps in the directions.

Example 1.—Find the speed of the current in San Francisco Bay Entrance (Golden Gate) at 4:00 on a day when the predictions which immediately precede and follow 4:00 are as follows:

(1)	Slack; flood begins		Maximum (Flood)
	Time		Time Speed
	2:19		5:25 3.2 knots

Directions under the table indicate Table A is to be used for this station.

(2) Interval between slack and maximum flood is $5:25 - 2:19 = 3^h 06^m$. Column heading nearest $3^h 06^m$ is $3^h 00^m$.

(3) Interval between slack and desired time is $4:00 - 2:19 = 1^h 41^m$. Line labeled $1^h 40^m$ is nearest $1^h 41^m$.

(4) Factor in column $3^h 00^m$ and on line $1^h 40^m$ is 0.8. The above flood speed of 3.2 knots multiplied by 0.8 gives a flood speed of 2.56 knots (or 2.6 knots, since one decimal is sufficient) for the time desired.

Example 2.—Find the speed of the current in Peril Strait at Kakul Narrows at 15:30 on a day when the predictions (obtained through the difference and ratio in table 2) which immediately precede and follow 15:30 are as follows:

(1)	Maximum (Ebb)		Slack; flood begins
	Time	Speed	Time
	13:59	2.8 knots	16:56

Directions under the table indicate table B is to be used, since this station in table 2 is referred to Sergius Narrows.

(2) Interval between slack and maximum ebb is $16:56 - 13:39 = 3^h 17^m$. Hence, use column labeled $3^h 20^m$.

(3) Interval between slack and time desired is $16:56 - 15:30 = 1^h 26^m$. Hence, use line labeled $1^h 20^m$.

(4) Factor in column $3^h 20^m$ and on line $1^h 20^m$ is 0.7. The above ebb speed of 2.8 knots multiplied by 0.7 gives an ebb speed of 2.0 knots for the desired time.

When the interval between slack and maximum current is greater than $5^h 40^m$, enter the table with one-half the interval between slack and maximum current and one-half the interval between slack and the desired time and use the factor thus found.

TABLE 3.—SPEED OF CURRENT AT ANY TIME

TABLE A														
Interval between slack and desired time	Interval between slack and maximum current													
	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>
	1 20	1 40	2 00	2 20	2 40	3 00	3 20	3 40	4 00	4 20	4 40	5 00	5 20	5 40
<i>h. m.</i>	<i>knots</i>	<i>knots</i>	<i>knots</i>	<i>knots</i>	<i>knots</i>	<i>knots</i>	<i>knots</i>	<i>knots</i>	<i>knots</i>	<i>knots</i>	<i>knots</i>	<i>knots</i>	<i>knots</i>	<i>knots</i>
0 20	0.4	0.3	0.3	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1
0 40	0.7	0.6	0.5	0.4	0.4	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2
1 00	0.9	0.8	0.7	0.6	0.6	0.5	0.5	0.4	0.4	0.4	0.3	0.3	0.3	0.3
1 20	1.0	1.0	0.9	0.8	0.7	0.6	0.6	0.5	0.5	0.5	0.4	0.4	0.4	0.4
1 40	----	1.0	1.0	0.9	0.8	0.8	0.7	0.7	0.6	0.6	0.5	0.5	0.5	0.4
2 00	----	----	1.0	1.0	0.9	0.9	0.8	0.8	0.7	0.7	0.6	0.6	0.6	0.5
2 20	----	----	----	1.0	1.0	0.9	0.9	0.8	0.8	0.7	0.7	0.7	0.6	0.6
2 40	----	----	----	----	1.0	1.0	1.0	0.9	0.9	0.8	0.8	0.7	0.7	0.7
3 00	----	----	----	----	----	1.0	1.0	1.0	0.9	0.9	0.8	0.8	0.8	0.7
3 20	----	----	----	----	----	----	1.0	1.0	0.9	0.9	0.9	0.9	0.8	0.8
3 40	----	----	----	----	----	----	----	1.0	1.0	1.0	0.9	0.9	0.9	0.9
4 00	----	----	----	----	----	----	----	----	1.0	1.0	1.0	1.0	0.9	0.9
4 20	----	----	----	----	----	----	----	----	----	1.0	1.0	1.0	1.0	0.9
4 40	----	----	----	----	----	----	----	----	----	----	1.0	1.0	1.0	1.0
5 00	----	----	----	----	----	----	----	----	----	----	----	1.0	1.0	1.0
5 20	----	----	----	----	----	----	----	----	----	----	----	----	1.0	1.0
5 40	----	----	----	----	----	----	----	----	----	----	----	----	----	1.0

TABLE B														
Interval between slack and desired time	Interval between slack and maximum current													
	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>	<i>h. m.</i>
	1 20	1 40	2 00	2 20	2 40	3 00	3 20	3 40	4 00	4 20	4 40	5 00	5 20	5 40
<i>h. m.</i>	<i>knots</i>	<i>knots</i>	<i>knots</i>	<i>knots</i>	<i>knots</i>	<i>knots</i>	<i>knots</i>	<i>knots</i>	<i>knots</i>	<i>knots</i>	<i>knots</i>	<i>knots</i>	<i>knots</i>	<i>knots</i>
0 20	0.5	0.4	0.4	0.5	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2
0 40	0.8	0.7	0.6	0.5	0.5	0.5	0.4	0.4	0.4	0.4	0.3	0.3	0.3	0.3
1 00	0.9	0.8	0.8	0.7	0.7	0.6	0.6	0.5	0.5	0.5	0.4	0.4	0.4	0.4
1 20	1.0	1.0	0.9	0.8	0.8	0.7	0.7	0.6	0.6	0.6	0.5	0.5	0.5	0.5
1 40	----	1.0	1.0	0.9	0.9	0.8	0.8	0.7	0.7	0.7	0.6	0.6	0.6	0.6
2 00	----	----	1.0	1.0	0.9	0.9	0.9	0.8	0.8	0.7	0.7	0.7	0.7	0.6
2 20	----	----	----	1.0	1.0	1.0	0.9	0.9	0.8	0.8	0.8	0.7	0.7	0.7
2 40	----	----	----	----	1.0	1.0	1.0	0.9	0.9	0.9	0.8	0.8	0.8	0.7
3 00	----	----	----	----	----	1.0	1.0	1.0	0.9	0.9	0.9	0.9	0.8	0.8
3 20	----	----	----	----	----	----	1.0	1.0	1.0	1.0	0.9	0.9	0.9	0.9
3 40	----	----	----	----	----	----	----	1.0	1.0	1.0	1.0	0.9	0.9	0.9
4 00	----	----	----	----	----	----	----	----	1.0	1.0	1.0	1.0	0.9	0.9
4 20	----	----	----	----	----	----	----	----	----	1.0	1.0	1.0	1.0	0.9
4 40	----	----	----	----	----	----	----	----	----	----	1.0	1.0	1.0	1.0
5 00	----	----	----	----	----	----	----	----	----	----	----	1.0	1.0	1.0
5 20	----	----	----	----	----	----	----	----	----	----	----	----	1.0	1.0
5 40	----	----	----	----	----	----	----	----	----	----	----	----	----	1.0

Use table A for all places except those listed below for table B.
 Use table B for Deception Pass, Seymour Narrows, Sergius Narrows, Isanotski Strait. and all stations in table 2 which are referred to these points.

1. From predictions find the time of slack water and the time and velocity of maximum current (flood or ebb), one of which is immediately before and the other after the time for which the velocity is desired.
2. Find the interval of time between the above slack and maximum current, and enter the top of table A or B with the interval which most nearly agrees with this value.
3. Find the interval of time between the above slack and the time desired, and enter the side of table A or B with the interval which most nearly agrees with this value.
4. Find, in the table, the factor corresponding to the above two intervals, and multiply the maximum velocity by this factor. The result will be the approximate velocity at the time desired.

TABLE 4.—DURATION OF SLACK

The predicted times of slack water given in this publication indicate the instant of zero speed, which is only momentary. There is a period on each side of the slack water, however, during which the current is so weak that for practical purposes it may be considered negligible.

The following tables give, for various maximum currents, the approximate period of time during which weak currents not exceeding 0.1 to 0.5 knot will be encountered. This duration includes the last of the flood or ebb and the beginning of the following ebb or flood, that is, half of the duration will be before and half after the time of slack water.

Table A should be used for all places except those listed below for table B.

Table B should be used for Deception Pass, Seymour Narrows, Sergius Narrows, Isanotski Strait and all stations in table 2 which are referred to them.

Duration of weak current near time of slack water

TABLE A

Maximum current	<i>Period with a speed not more than -</i>				
	<i>0.1 knot</i>	<i>0.2 knot</i>	<i>0.3 knot</i>	<i>0.4 knot</i>	<i>0.5 knot</i>
<i>Knots</i>	<i>Minutes</i>	<i>Minutes</i>	<i>Minutes</i>	<i>Minutes</i>	<i>Minutes</i>
1.0	23	46	70	94	120
1.5	15	31	46	62	78
2.0	11	23	35	46	58
3.0	8	15	23	31	38
4.0	6	11	17	23	29
5.0	5	9	14	18	23
6.0	4	8	11	15	19
7.0	3	7	10	13	16
8.0	3	6	9	11	14
9.0	3	5	8	10	13
10.0	2	5	7	9	11

TABLE B

Maximum current	<i>Period with a speed not more than -</i>				
	<i>0.1 knot</i>	<i>0.2 knot</i>	<i>0.3 knot</i>	<i>0.4 knot</i>	<i>0.5 knot</i>
<i>Knots</i>	<i>Minutes</i>	<i>Minutes</i>	<i>Minutes</i>	<i>Minutes</i>	<i>Minutes</i>
1.0	13	28	46	66	89
1.5	8	18	28	39	52
2.0	6	13	20	28	36
3.0	4	8	13	18	22
4.0	3	6	9	13	17
5.0	3	5	8	10	13
6.0	2	4	6	8	11
7.0	2	4	5	7	9
8.0	2	3	5	6	8

When there is a difference between the speeds of the maximum flood and ebb preceding and following the slack for which the duration is desired, it will be sufficiently accurate for practical purposes to find a separate duration for each maximum speed and take the average of the two as the duration of the weak current.

TABLE 5.—ROTARY TIDAL CURRENTS

Station Name	Depth	Hourly time increments												
		0	1	2	3	4	5	6	7	8	9	10	11	
		After Maximum Flood at KVICHAK BAY												
Point Riou, 2.6 nm SW	13	0.58 007	0.42 006	0.21 005	0.12 289	0.23 269	0.26 262	0.37 295	0.56 314	0.65 337	0.74 349	0.74 348	0.71 352	knots degrees
Claybluff Point Light, 5.2nm SSW	14	0.05 141	0.35 225	0.73 237	0.90 251	1.01 257	1.06 261	1.04 272	0.87 291	0.82 306	0.70 332	0.58 002	0.41 037	knots degrees
Kichyatt Point, 1.3nm NE	378	0.12 289	0.12 280	0.08 278	0.03 261	0.00 237	0.00 105	0.01 068	0.01 066	0.03 357	0.06 333	0.09 323	0.11 310	knots degrees
		After Maximum Flood at SERGIUS NARROWS												
Montague Point, 4.5 miles NE	71	0.45 276	0.55 288	0.58 285	0.58 286	0.57 287	0.45 285	0.26 276	0.12 245	0.16 192	0.24 187	0.24 209	0.27 247	knots degrees
Ship Channel, east of Smith Island	69	0.17 261	0.20 303	0.30 326	0.32 356	0.29 028	0.25 059	0.25 094	0.31 123	0.35 142	0.37 157	0.33 176	0.22 203	knots degrees
Johnston Point, 4 miles N	20	0.27 002	0.35 022	0.35 035	0.36 046	0.37 053	0.25 054	0.17 063	0.05 075	0.04 222	0.05 306	0.13 308	0.20 328	knots degrees
Gravina Point and Makaka Point, between	20	0.07 077	0.12 090	0.18 104	0.16 112	0.13 120	0.10 133	0.06 169	0.06 231	0.09 260	0.12 264	0.11 273	0.04 308	knots degrees
		After Maximum Flood at WRANGELL NARROWS												
The Brothers West SEA0501 Bin 1	272	0.65 016	0.33 007	0.24 340	0.29 287	0.33 241	0.44 197	0.50 177	0.44 154	0.37 140	0.14 104	0.26 028	0.56 011	knots degrees
The Brothers West SEA0501 Bin 9	167	0.73 026	0.45 015	0.23 352	0.30 294	0.39 274	0.41 229	0.53 200	0.55 194	0.34 202	0.05 285	0.27 031	0.54 039	knots degrees
The Brothers West SEA0501 Bin 918	48	0.80 025	0.58 015	0.17 332	0.22 242	0.44 215	0.64 207	0.74 208	0.69 209	0.35 209	0.08 082	0.63 063	0.91 048	knots degrees

TABLE 5.— ROTARY TIDAL CURRENTS

Station Name	Depth	Hourly time increments												
		0	1	2	3	4	5	6	7	8	9	10	11	
After Maximum Flood at WRANGELL NARROWS														
Hawk Inlet Entrance SEA0506 Bin 1	108	0.08 030	0.06 066	0.03 143	0.08 160	0.15 157	0.16 161	0.21 162	0.20 163	0.19 165	0.15 161	0.01 111	0.19 356	knots degrees
Hawk Inlet Entrance SEA0506 Bin 6	59	0.33 049	0.32 054	0.20 062	0.09 094	0.10 159	0.12 182	0.13 180	0.18 176	0.17 166	0.17 156	0.11 132	0.17 031	knots degrees
Hawk Inlet Entrance SEA0506 Bin 11	9	0.27 053	0.20 069	0.12 078	0.07 150	0.15 209	0.31 242	0.30 254	0.17 226	0.11 200	0.08 187	0.11 102	0.23 049	knots degrees
The Brothers, East SEA0502 Bin 17	68	0.45 061	0.44 085	0.28 123	0.25 159	0.36 184	0.43 207	0.45 220	0.41 233	0.29 249	0.14 318	0.26 022	0.40 042	knots degrees
Calder Rocks, SEA0608 Bin 16	28	0.28 030	0.06 066	0.25 143	0.47 160	0.51 157	0.33 161	0.05 162	0.30 163	0.33 165	0.23 161	0.24 111	0.33 116	knots degrees
Sonora Passage, SEA0640 Bin 1	152.8	0.40 129	0.44 141	0.37 154	0.27 163	0.16 173	0.07 202	0.05 264	0.07 280	0.06 279	0.03 282	0.02 095	0.14 116	knots degrees
Sonora Passage, SEA0640 Bin 8	83.9	0.09 159	0.11 163	0.12 175	0.09 205	0.06 277	0.15 329	0.25 340	0.28 346	0.22 348	0.12 347	0.02 049	0.16 141	knots degrees
Sonora Passage, SEA0640 Bin 14	24.8	0.11 110	0.10 137	0.08 165	0.06 255	0.17 304	0.32 319	0.42 329	0.43 337	0.37 349	0.27 007	0.18 040	0.15 079	knots degrees
Summer Strait SEA0605 Bin 15	46	0.20 305	0.45 286	0.62 244	1.08 224	1.49 224	1.59 227	1.46 220	1.36 203	1.30 187	1.06 177	0.63 171	0.20 159	knots degrees
Amelius Island, 1 Mi E of, SEA0609 Bin 5	65.5	0.23 202	0.52 230	0.70 229	0.88 222	0.96 221	0.77 221	0.37 198	0.40 154	0.50 148	0.43 138	0.32 123	0.22 126	knots degrees
Amelius Island, 1 Mi E of SEA0609 Bin 5	16.3	0.35 205	0.53 222	0.67 221	0.83 214	0.93 211	0.84 210	0.61 199	0.50 173	0.51 158	0.40 147	0.29 149	0.23 163	knots degrees
After Maximum Flood at KENNEDY ENTRANCE														
Barabara Point CI0421 Bin 11	82	0.25 019	0.24 344	0.27 300	0.33 276	0.40 260	0.41 248	0.34 236	0.16 220	0.07 140	0.15 077	0.24 057	0.29 044	knots degrees
Barabara Point CI0421 Bin 20	23	0.37 006	0.36 354	0.29 327	0.28 294	0.32 263	0.34 243	0.32 227	0.25 208	0.11 180	0.04 073	0.16 023	0.30 014	knots degrees

TABLE 5.—ROTARY TIDAL CURRENTS

Station Name	Depth	Hourly time increments												
		0	1	2	3	4	5	6	7	8	9	10	11	
After Maximum Flood at CHARLESTON HARBOR														
Iliamna Bay COI0512 Bin 1	20	0.36 335	0.32 014	0.35 055	0.42 083	0.44 107	0.44 135	0.46 163	0.46 194	0.51 232	0.51 260	0.61 278	0.51 298	knots degrees
Iliamna Bay COI0512 Bin 2	10	0.44 334	0.37 013	0.40 054	0.47 084	0.49 111	0.51 139	0.53 165	0.53 193	0.56 228	0.65 256	0.68 277	0.59 297	knots degrees
Cape Douglas, NE Bin 1	452	0.83 330	0.66 345	0.43 010	0.35 076	0.51 118	0.65 134	0.66 144	0.52 157	0.32 188	0.27 264	0.53 299	0.76 312	knots degrees
Cape Douglas, NE Bin 8	314	0.65 320	0.52 326	0.27 338	0.08 049	0.29 125	0.46 132	0.51 135	0.42 139	0.18 159	0.11 262	0.37 300	0.58 310	knots degrees
After Maximum Flood at MONTAGUE STRAIT														
Bainbridge Pass North, PWS0712, Bin 1	331	0.03 223	0.09 207	0.13 208	0.15 207	0.15 207	0.12 209	0.06 218	0.03 321	0.11 000	0.14 000	0.14 359	0.08 357	knots degrees
Cape Cleare, PWS0720, Bin 1	40	0.87 348	0.47 005	0.30 078	0.64 129	1.10 147	1.32 161	1.22 177	0.76 208	0.67 279	1.28 324	1.57 333	1.50 340	knots degrees
Cape Cleare, PWS0720, Bin 3	26	1.14 345	0.76 359	0.43 051	0.62 114	1.13 145	1.44 163	1.38 182	0.89 217	0.88 283	1.56 323	1.89 333	1.82 339	knots degrees
Cape Cleare, PWS0720, Bin 5	13	1.48 340	1.01 352	0.56 030	0.55 099	1.12 144	1.48 164	1.48 184	1.00 221	1.08 286	1.87 321	2.29 331	2.24 335	knots degrees
Cape Hinchinbrook Approach, PWS0729, Bin 12	37	0.54 301	0.47 307	0.33 314	0.15 321	0.02 271	0.10 186	0.17 202	0.25 226	0.39 256	0.49 269	0.60 280	0.65 289	knots degrees
Cottonwood Point, PWS0730, Bin 1	124	0.20 282	0.14 279	0.11 258	0.12 237	0.15 230	0.16 236	0.18 249	0.20 266	0.24 282	0.24 289	0.24 292	0.23 292	knots degrees
Cottonwood Point, PWS0730, Bin 6	59	0.31 285	0.24 286	0.19 277	0.18 264	0.21 252	0.25 246	0.29 250	0.32 258	0.35 268	0.37 275	0.38 281	0.37 284	knots degrees
Cottonwood Point, PWS0730, Bin 8	32	0.40 287	0.31 289	0.24 286	0.20 277	0.20 262	0.24 250	0.29 248	0.35 253	0.40 260	0.43 267	0.44 274	0.45 279	knots degrees
Crafton Is, Knight Is Passage, PWS0708, Bin 15	97	0.05 047	0.03 091	0.04 149	0.10 171	0.14 177	0.17 179	0.17 177	0.14 171	0.09 162	0.04 135	0.03 076	0.05 044	knots degrees

TABLE 5.—ROTARY TIDAL CURRENTS

Station Name	Depth	Hourly time increments												
		0	1	2	3	4	5	6	7	8	9	10	11	
After Maximum Flood at MONTAGUE STRAIT														
Gravina Pt. and Makaka Pt., between	20	0.16 112	0.13 120	0.10 133	0.06 169	0.06 231	0.09 260	0.12 264	0.11 273	0.04 308	0.07 308	0.12 319	0.18 330	knots degrees
Hinchinbrook Entrance, PWS0728, Bin 1	138	0.33 348	0.30 008	0.25 039	0.25 080	0.30 107	0.34 122	0.34 133	0.26 143	0.09 170	0.11 297	0.26 319	0.36 330	knots degrees
Hinchinbrook Entrance, PWS0728, Bin 5	85	0.43 330	0.42 350	0.38 019	0.39 055	0.44 086	0.51 107	0.52 124	0.45 139	0.28 165	0.18 228	0.27 278	0.41 304	knots degrees
Hinchinbrook Entrance PWS0728, Bin 10	20	0.54 347	0.53 007	0.49 035	0.49 067	0.54 094	0.58 114	0.54 131	0.42 151	0.23 194	0.24 257	0.38 295	0.51 315	knots degrees
Johnston Point, 4 miles north	20	0.36 046	0.37 053	0.25 054	0.17 063	0.05 075	0.04 222	0.05 306	0.13 308	0.20 328	0.27 002	0.35 022	0.35 035	knots degrees
Knowles Head, PWS0737 Bin 8	151	0.12 331	0.06 321	0.03 272	0.04 214	0.07 223	0.11 251	0.17 273	0.22 287	0.24 303	0.25 317	0.24 328	0.22 335	knots degrees
Knowles Head, PWS0737 Bin 16	46	0.19 345	0.13 349	0.08 324	0.11 297	0.19 288	0.26 300	0.32 300	0.35 308	0.37 317	0.36 324	0.34 330	0.30 334	knots degrees
Montague Point, 4.5 miles east	71	0.58 286	0.57 287	0.45 285	0.26 276	0.12 245	0.16 192	0.24 187	0.24 209	0.27 247	0.45 276	0.55 288	0.58 285	knots degrees
Point Elirington, PWS0718 Bin 1	151	0.35 014	0.25 014	0.16 024	0.06 058	0.08 152	0.18 176	0.28 185	0.31 192	0.24 202	0.13 225	0.10 310	0.22 343	knots degrees
Point Elirington, PWS0718 Bin 5	98	0.27 020	0.19 026	0.10 048	0.07 107	0.14 164	0.29 193	0.39 207	0.44 221	0.41 239	0.29 282	0.29 326	0.38 356	knots degrees
Point Elirington, PWS0718 Bin 10	33	0.20 032	0.13 060	0.04 137	0.15 228	0.34 236	0.56 240	0.69 248	0.76 263	0.76 283	0.72 306	0.64 332	0.57 357	knots degrees
Ship Channel, east of Smith Island	69	0.32 356	0.29 028	0.25 059	0.25 094	0.31 123	0.35 142	0.37 157	0.33 176	0.22 203	0.17 261	0.20 303	0.30 326	knots degrees
Snug Harbor, PWS0723, Bin 1	280	0.03 060	0.03 055	0.01 073	0.02 168	0.06 186	0.14 187	0.21 187	0.24 188	0.22 190	0.15 193	0.07 190	0.02 134	knots degrees

COASTAL TIDAL CURRENTS

EXPLANATION

The term coastal tidal current is used here to designate the tidal current found offshore from 5 to 20 miles from the coast. The data were based upon observations made through the cooperation of the U.S. Coast Guard at a number of lightship stations along the Pacific coast from San Francisco to Swiftsure Bank, off the coast of Washington.

Rotary current.— Offshore, away from the immediate influence of the coast, the tidal current is quite different from the current found in inland tidal waters. Instead of setting in one direction for a period of 6 hours and in the opposite direction during the following period of 6 hours, the tidal current offshore changes its direction continually, so that in a period of about 12½ hours it will have set in all directions of the compass. The type of current is therefore called a rotary current.

Minimum current.— A characteristic feature of the rotary current is the absence of slack water. Although the current generally varies from hour to hour, this variation from greatest current to least current and back again to greater current does not give rise to a period of slack water. When the speed of the rotary tidal current is least, it is known as the minimum current, and when it is greatest it is known as the maximum current. The minimum and maximum speeds of the rotary current are thus related to each other in the same way as slack and strength of current, a minimum speed of the current following a maximum speed by an interval of about 3 hours and being followed in turn by another maximum after a further interval of 3 hours.

Changes in the tidal current.— The speeds of the tidal current given here are average speeds. Near the times when the Moon is full or new the speeds of the tidal current will be about 20 percent, or one-fifth greater than the average, and near the times of the Moon's first and third quarter the speeds will be smaller than the average by one-fifth.

Effect of wind.— It is to be carefully noted that, when a wind is blowing, the current a vessel will encounter is the resultant of the tidal and wind currents. Only the tidal currents together with the greatest observed speed of the current at each light vessel are given here, and the mariner is cautioned to combine with the tidal current the current brought about by any wind that may be blowing. Wind currents are given under the heading, "Wind-driven Currents".

Direction and Speed of currents.— The direction of the current is true, not magnetic, and is the direction toward which the current is setting, while the wind when given is in the direction from which it is blowing. The speed of the current is given in knots or nautical miles per hour.

Reference to tides.— The tidal currents on the Pacific coast, like the tides, exhibit the feature known as diurnal inequality; that is, the two floods of a day are unequal and likewise the two ebbs. In the case of the tide the higher of the two high waters of a day is known as higher high water, while the lower of the two is known as lower high water. For the two low waters of a day there are likewise distinctive names, the lower one being known as lower low water while the higher one is known as higher low water. In certain instances it is convenient to refer the currents to the tides, and where this is done the following symbols are used to designate the different tides: HH for higher high water, LH for lower high water, LL for lower low water, and HL for higher low water.

COASTAL TIDAL CURRENTS

OBSERVATION STATIONS


Point Lobos, 8.7 miles WSW. of (former location of San Francisco Lightship), Calif. — The tidal current here is rotary, turning clockwise, as shown in figure 1, in which the average currents have been referred to each hour of the tides at San Francisco (Golden Gate). The predicted tides for this port will be found in the Tide Tables, West Coast of North and South America, issued annually in advance, by the National Ocean Service. The diurnal inequality here is so great that the current is very largely diurnal; that is during the greater part of the month the current changes direction at the rate of about 15° per hour, giving but one strength of flood and one strength of ebb in a day.

The speed of the tidal current here is generally small, as shown in the following table, which represents the average conditions of figure 1.

Time	Speed	Direction	Time	Speed	Direction
Tide Hrs.	Knot	True	Tide Hrs.	Knot	True
HH-3	0.1	060°	LL-3	0.2	170°
HH-2	0.1	070°	LL-2	0.3	180°
HH-1	0.1	085°	LL-1	0.3	210°
HH	0.1	100°	LL	0.3	240°
HH+1	0.1	120°	LL+1	0.3	275°
HH+2	0.1	145°	LL+2	0.4	300°
HH+3	0.2	160°	LL+3	0.4	325°
LH-2	0.3	000°	HL-2	0.2	110°
LH-1	0.3	015°	HL-1	0.2	125°
LH	0.2	030°	HL	0.2	140°
LH+1	0.2	050°	HL+1	0.2	150°
LH+2	0.2	080°	HL+2	0.1	130°

In the column headed "Time," in the above table, the minus (-) sign before the hours indicates that the time referred to is before the particular tide, while the plus (+) sign indicates that the time is after the tide. Thus, HH-3 in figure 1 and in the table means 3 hours before higher high water, and LL+1 means 1 hour after lower low water.

COASTAL TIDAL CURRENTS
Tidal Current Curve, former location of San Francisco Lightship



Referred to predicted time of tide at San Francisco (Golden Gate), Calif.

The current observations at this location indicated a permanent current in a northwesterly direction of about 0.1 knot. This was especially noticeable during the winter months. This permanent current, therefore, increases the speed of the tidal currents that set in the northwesterly direction and decreases the speed of the tidal currents setting in the southeasterly direction.

When there is considerable runoff from San Francisco Bay, the combined tidal and nontidal current at the former lightship location generally attains a speed of 1 1/2 knots in a northwesterly direction. The greatest observed speed was 2.9 knots.

Cape Mendocino Light, 4.6 miles west of (former location of Blunts Reef Lightship), Calif.—The tidal current here is rotary, but quite weak, being on the average less than 0.1 knot. At strength of flood the current sets north, and at strength of ebb it sets south. Since the tidal current is weak, it is generally masked by wind currents or other nontidal currents. The observations indicated the existence of a nontidal current setting southwesterly with an average speed of 0.2 knot from March to November and northwesterly with a like average speed from November to March. The greatest observed speed was 3 knots.

Columbia River Approach Lighted Horn Buoy R"C" (former location of the Columbia River Lightship), coast of Oregon. — The tidal current here is rotary, turning clockwise, but rather weak. The speed of the current at strength being about 0.3 knots setting 020° on the flood and 200° on the ebb.

The current from the Columbia River completely masks the flood current; observations showing that there is a nontidal current at the buoy location with an average speed of 0.4 knots setting 235° from February to October; and 295° from October to February. When there is considerable runoff from the river, the combined tidal and nontidal current at the buoy frequently attains a speed of 2 knots or more in a southwesterly direction. The greatest observed speed here is 3.5 knots.

Cape Alava, 4.4 miles west of (former location of Umatilla Reef Lightship), Wash. — The tidal current here is only slightly rotary. Strength of flood comes about one-fourth hour after the strength of flood in the entrance to the Strait of Juan de Fuca, setting 345° with a speed of 0.3 knot. Strength of ebb comes about one-fourth hour after the strength of ebb in the strait and sets 165° with a speed of 0.3 knot.


The tidal current here is generally masked by nontidal currents brought about by winds or other causes. Observations indicated the existence of a nontidal current, setting about 350° with a speed of 0.7 knot from November to April, with the greatest speed during the month of December, when it averaged about 1 knot. From April to November the nontidal current was variable, averaging 0.4 knot, generally in a southeasterly direction. With strong southeasterly winds the combined tidal and nontidal current attains a speed of 2 to 3 knots in a northerly direction. The greatest observed speed was 3.3 knots.

Swiftsure Bank (Latitude 48° 32'N.; Longitude 125° 00'W.)—The tidal current is distinctly rotary, turning clockwise twice each day, as shown in figure 2, in which the average currents have been referred to every hour of the tides at Astoria, Oregon. The predicted tides for this port will be found in the Tide Tables, West Coast of North and South America, issued annually in advance, by the National Ocean service. As there is considerable difference between the speeds of the two revolutions which the tidal currents make each day, there are two distinct values for the flood and for the ebb currents, corresponding to the diurnal inequality of the tides.

The speed of the tidal currents here is generally small, being less than 1 knot, as shown in the following table, which represents the average conditions of figure 2.

Time	Speed	Direction	Time	Speed	Direction
<i>Tide Hrs.</i>	<i>Knot</i>	<i>True</i>	<i>Tide Hrs.</i>	<i>Knot</i>	<i>True</i>
HH-3	0.5	325°	LL-3	0.4	230°
HH-2	0.4	000°	LL-2	0.6	260°
HH-1	0.3	045°	LL-1	0.7	280°
HH	0.4	080°	LL	0.8	295°
HH+1	0.5	110°	LL+1	0.8	310°
HH+2	0.4	135°	LL+2	0.6	335°
HH+3	0.4	170°	LL+3	0.4	020°
LH-2	0.5	060°	HL-2	0.5	175°
LH-1	0.7	085°	HL-1	0.4	225°
LH	0.8	100°	HL	0.5	265°
LH+1	0.9	115°	HL+1	0.6	290°
LH+2	0.8	130°	HL+2	0.6	305°

COASTAL TIDAL CURRENTS



Tidal Current Curve, Swiftsure Bank. Referred to predicted time of tide at Astoria, Oregon

In the first column of the above table the letters under "Tide" refer to the different tides of the day, HH standing for higher high water, LH for lower high water, LL for lower low water, and HL for higher low water. The corresponding letters on figure 2 have a similar meaning. The minus (-) sign before the hours indicates that the time referred to is earlier than the particular tide, while the plus (+) sign indicates that the time is after the tide. Thus, HH-3 means 3 hours before higher high water, and LL+1 means 1 hour after lower low water at Astoria, Oregon.

It is to be noted that the speeds and directions of the current given in the above table refer only to the tidal current. Observations indicate the existence of a permanent current setting 315° with an average speed of 0.5 knot. This makes the northwesterly currents considerably stronger than the southeasterly. A southeasterly current of as much as $1\frac{1}{2}$ knots does not occur except with strong westerly or northwesterly winds, while northwesterly currents of 2 knots or more occur frequently. The greatest observed speed at Swiftsure Bank is 3 knots.

Mau Island, Hawaii (Latitude $20^\circ 46'N.$; Longitude $155^\circ 58'W.$)—Observations indicate the existence of a permanent current setting north with an average speed of 0.7 knot. Combined with the tidal current, the northward current may have an average speed varying from slack to 1.4 knots. The greatest observed speed off Maui Island was 2.7 knots.

WIND-DRIVEN CURRENTS

A wind continuing for some time will produce a current the speed of which depends on the speed of the wind, and unless the current is deflected by some other cause, the deflective force of the earth's rotation will cause it to set to the right of the direction of the wind in the northern hemisphere and to the left in the southern hemisphere.

The current produced at off-shore locations by local winds of various strengths and directions was investigated from observations made at five lightships from San Francisco to Swiftsure Bank. The observations were made hourly for periods varying from 31/2 years to 9 years. The average given below and on the next page may prove helpful in estimating the probable current that may result from various winds at the several locations.

Caution.—There were of course many departures from these averages of speed and direction, for the wind-driven current often depends not only on the length of time the wind blows but also on factors other than the local wind at the time and place of the current. The mariner must not, therefore, assume that the given wind will always produce the indicated current.

It should be remembered, too, that the current which a vessel experiences at any time is the resultant of the combined actions of the tidal current, the wind-driven current, and any other currents such as the California Current or currents due to river discharge.

Speed.—The table below shows the average speed of current due to winds of various strengths.

<i>Wind speed (miles per hour)</i>	10	20	30	40	50
<i>Average current speed (knots) due to wind at following lightship stations:*</i>					
<i>San Francisco</i>	<i>0.3</i>	<i>0.3</i>	<i>0.5</i>	<i>0.6</i>	<i>0.7</i>
<i>Blunts Reef</i>	<i>0.2</i>	<i>0.3</i>	<i>0.4</i>	<i>0.7</i>	<i>0.8</i>
<i>Columbia River</i>	<i>0.4</i>	<i>0.5</i>	<i>0.6</i>	<i>0.8</i>	<i>0.8</i>
<i>Umatilla Reef</i>	<i>0.2</i>	<i>0.6</i>	<i>0.9</i>	<i>1.0</i>	<i>0.9</i>
<i>Swiftsure Bank</i>	<i>0.5</i>	<i>0.5</i>	<i>0.5</i>	<i>0.7</i>	<i>0.8</i>

*All of these lightships have since been removed.

Direction.—*The position of the shoreline with respect to the station influences considerably the direction of the currents due to certain winds. The following table shows for each station the average number of degrees by which the wind-driven current is deflected to the right or left of the wind. Thus at the former location of the San Francisco Lightship the table indicates that with a north wind the wind-driven current flows on the average 061° west of south, and with an east wind it flows 023° north of west.*

WIND-DRIVEN CURRENTS

AVERAGE DEVIATION OF CURRENT TO RIGHT OR LEFT OF WIND DIRECTION

Lightship Station*	San Francisco		Blunts Reef		Columbia River		Umatilla Reef		Swiftsure Bank	
	Left	Right	Left	Right	Left	Right	Left	Right	Left	Right
Wind from—	*	*	*	*	*	*	*	*	*	*
N.....	---	061	---	020	---	035	---	044	---	100
NNE.....	---	027	---	006	---	027	---	018	---	054
NE.....	---	030	---	010	---	009	---	034	---	048
ENE.....	---	031	---	032	---	029	---	048	---	033
E.....	---	023	---	028	---	017	---	052	---	027
ESE.....	---	029	---	007	---	002	---	038	---	018
SE.....	---	021	011	---	008	---	---	025	---	009
SSE.....	---	005	---	013	007	---	---	006	---	001
S.....	020	---	---	001	019	---	006	---	015	---
SSW.....	030	---	011	---	044	---	013	---	021	---
SW.....	049	---	018	---	074	---	032	---	068	---
WSW.....	040	---	028	---	121	---	052	---	088	---
W.....	051	---	060	---	---	145	077	---	090	---
WNW.....	---	033	---	002	---	105	006	---	---	082
NW.....	---	016	---	031	---	078	---	037	---	130
NNW.....	---	017	---	043	---	053	---	025	---	111

*All of these lightships have since been removed.

THE COMBINATION OF CURRENTS

In determining from the current tables the speed and direction of the current at any time, it is frequently necessary to combine the tidal current with the wind-driven current. The following methods indicate how the resultant of two or more currents may be easily determined.

Currents in the same direction.—When two or more currents set in the same direction it is a simple matter to combine them. The resultant current will have a speed which is equal to the sum of all the currents and it will set in the same direction.


For example, a vessel is near the former location of the San Francisco Lightship at a time when the tidal current is setting 345° with a speed of 0.5 knot, and at the same time a wind of 50 miles per hour is blowing from 150° ; What current will the vessel be subject to at that time? Since a wind of 50 from 150° will give rise to a current setting 345° with a speed of 0.7 knot, the combined tidal and wind-driven currents will set in the same direction (345°) with a speed of $0.5 + 0.7 = 1.2$ knots.

Currents in opposite directions.—The combination of currents setting in opposite directions is likewise a simple matter. The speed of the smaller current is subtracted from the speed of the greater current, which gives speed of the resultant current; the direction of the resultant current is the same as that of the greater current.

As an example, let it be required to determine the speed of the current at the former location of the San Francisco Lightship when the tidal current is setting 331° with a speed of 0.5 knot, and when a wind of 45 miles per hour is blowing from the northwest. The current produced by a wind of 45 miles per hour from northwest would set 151° with a speed of 0.6 knot. The tidal and wind currents, therefore, set in opposite directions, the wind current being the stronger. Hence, the resultant current will set in the direction of the wind current (151°) with a speed of $0.6 - 0.5 = 0.1$ knot.

Currents in different directions.—The combination of currents setting at arbitrary angles is shown by a graphical method. Taking the combination of two currents as the simplest case, draw a line whose direction and length (to scale) represent the direction and speed of one of the currents to be combined. From the end of this line draw another line (to the same scale) representing the direction and speed of the second current. A line joining the beginning of the first line with the end of the second line represents the direction and speed of the combined current.

As an example, take the former location of the Umatilla Reef Lightship at a time when the tidal current is 0.4 knot setting 315° and a wind of 50 miles per hour is blowing from 273° . The wind-driven current, according to the preceding section, would be about 0.9 knot setting 025° .



Combination of tidal current and wind-driven current

Using a scale of 2 inches to represent 1 knot draw from point A in the diagram above, the line AB 0.8 inches in length directed 315° to represent the tidal current. from B draw the line BC 1.8 inches in length directed 025° to

THE COMBINATION OF CURRENTS

represent the wind-current. The line AC represents the resultant current, which on being measured, is found to be about 2.2 inches in length directed 005° . Therefore, the combined current sets 005° with a speed of 1.1 knots.

The combination of three or more currents is made in the same way as above, for example, the third current to be combined being drawn from point C. The resultant current is given by joining the origin with the end of the last line. For drawing the lines, a parallel rule and compass rose is convenient. A protractor or polar coordinate paper may also be used.

PUBLICATIONS RELATING TO TIDES AND TIDAL CURRENTS

TIDE TABLES

Advance information relative to the rise and fall of the tide is given in annual tide tables. These tables include the predicted times and heights of high and low waters for every day in the year for a number of reference stations and differences for obtaining similar predictions for numerous other places.

Tide Tables, Central and Western Pacific Ocean and Indian Ocean.

Tide Tables, East Coast of North and South America (Including Greenland).

Tide Tables, Europe and West Coast of Africa (Including the Mediterranean Sea).

Tide Tables, West Coast of North and South America (Including the Hawaiian Islands).


TIDAL CURRENT TABLES

Accompanying the rise and fall of the tide is a periodic horizontal flow of the water known as the tidal current. Advance information relative to these currents is made available in annual tidal current tables which include daily predictions of the times of slack water and the times and velocities of strength of flood and ebb currents for a number of waterways together with differences for obtaining predictions for numerous other places.

Tidal Current Tables, Atlantic Coast of North America.

Tidal Current Tables, Pacific Coast of North America and Asia.

OFFICIAL U.S. DATUMS



GLOSSARY OF TERMS

- ANNUAL INEQUALITY**—Seasonal variation in the water level or current, more or less periodic, due chiefly to meteorological causes.
- APOGEAN TIDES OR TIDAL CURRENTS**—Tides of decreased range or currents of decreased speed occurring monthly as the result of the Moon being in apogee (farthest from the Earth).
- AUTOMATIC TIDE GAGE**—An instrument that automatically registers the rise and fall of the tide. In some instruments, the registration is accomplished by recording the heights at regular intervals in digital format, in others by a continuous graph in which the height versus corresponding time of the tide is recorded.
- BENCH MARK (BM)**—A fixed physical object or marks used as reference for a vertical datum. A *tidal bench mark* is one near a tide station to which the tide staff and tidal datums are referred. A *Geodetic bench mark* identifies a surveyed point in the National Geodetic Vertical Network.
- CHART DATUM**—The tidal datum to which soundings on a chart are referred. It is usually taken to correspond to low water elevation of the tide, and its depression below mean sea level is represented by the symbol Zo.
- CURRENT**—Generally, a horizontal movement of water. Currents may be classified as *tidal* and *nontidal*. Tidal currents are caused by gravitational interactions between the Sun, Moon, and Earth and are a part of the same general movement of the sea that is manifested in the vertical rise and fall, called *tide*. Nontidal currents include the permanent currents in the general circulatory systems of the sea as well as temporary currents arising from more pronounced meteorological variability.
- CURRENT DIFFERENCE**—Difference between the time of slack water (or minimum current) or strength of current in any locality and the time of the corresponding phase of the tidal current at a reference station, for which predictions are given in the *Tidal Current Tables*.
- CURRENT ELLIPSE**—A graphic representation of a rotary current in which the velocity of the current at different hours of the tidal cycle is represented by radius vectors and vectorial angles. A line joining the extremities of the radius vectors will form a curve roughly approximating an ellipse. The cycle is completed in one-half tidal day or in a whole tidal day according to whether the tidal current is of the semidiurnal or the diurnal type. A current of the mixed type will give a curve of two unequal loops each tidal day.
- CURRENT METER**—An instrument for measuring the speed and direction or just the speed of a current. The measurements are usually Eulerian since the meter is most often fixed or moored at a specific location.
- DATUM (vertical)**—For marine applications, a base elevation used as a reference from which to reckon heights or depths. It is called a *tidal datum* when defined by a certain phase of the tide. Tidal datums are local datums and should not be extended into areas which have differing topographic features without substantiating measurements. In order that they may be recovered when needed, such datums are referenced to fixed points known as *bench marks*.
- DAYLIGHT SAVING TIME**—A time used during the summer in some localities in which clocks are advanced 1 hour from the usual standard time.
- DIURNAL**—Having a period or cycle of approximately 1 tidal day. Thus, the tide is said to be diurnal when only one high water and one low water occur during a tidal day, and the tidal current is said to be diurnal when there is a single flood and single ebb period in the tidal day. A rotary current is diurnal if it changes its direction through all points of the compass once each tidal day.
- DIURNAL INEQUALITY**—The difference in height of the two high waters or of the two low waters of each day; also the difference in speed between the two flood tidal currents or the two ebb tidal currents of each day. The difference changes with the declination of the Moon and to a lesser extent with the declination of the Sun. In general, the inequality tends to increase with an increasing declination, either north or south, and to diminish as the Moon approaches the Equator. *Mean diurnal high water inequality* (DHQ) is one-half the average difference between the two high waters of each day observed over a specific 19-year Metonic cycle (the National Tidal Datum Epoch). It is obtained by subtracting the mean of all high waters from the mean of the higher high waters. *Mean diurnal low water inequality* (DLQ) is one-half the average difference between the two low waters of each day observed over a specific 19-year Metonic cycle (the National Tidal Datum Epoch). It is obtained by subtracting the mean of the lower low waters from the mean of all low waters. *Tropic high water inequality* (HWQ) is the average difference between the two high waters of the day at the times of the tropic tides. *Tropic low water inequality* (LWQ) is the average difference between the two low waters of the day at the times of the tropic tides. Mean and tropic inequalities as

GLOSSARY OF TERMS

defined above are applicable only when the type of tide is either semidiurnal or mixed. Diurnal inequality is sometimes called *declinational inequality*.

DOUBLE EBB—An ebb tidal current where, after ebb begins, the speed increases to a maximum called *first ebb*; it then decreases, reaching a *minimum ebb* near the middle of the ebb period (and at some places it may actually run in a flood direction for a short period); it then again ebbs to a maximum speed called second ebb after which it decreases to slack water.

DOUBLE FLOOD—A flood tidal current where, after flood begins, the speed increases to a maximum called first flood; it then decreases, reaching a minimum flood near the middle of the flood period (and at some places it may actually run in an ebb direction for a short period); it then again floods to a maximum speed called second flood after which it decreases to slack water.

DOUBLE TIDE—A double-headed tide, that is, a high water consisting of two maxima of nearly the same height separated by a relatively small depression, or a low water consisting of two minima separated by a relatively small elevation. Sometimes, it is called an agger.

DURATION OF FLOOD AND DURATION OF EBB—Duration of flood is the interval of time in which a tidal current is flooding, and the *duration of ebb* is the interval in which it is ebbing. Together they cover, on an average, a period of 12.42 hours for a semidiurnal tidal current or a period of 24.84 hours for a diurnal current. In a normal semidiurnal tidal current, the duration of flood and duration of ebb will each be approximately equal to 6.21 hours, but the times may be modified greatly by the presence of a nontidal flow. In a river the duration of ebb is usually longer than the duration of flood because of the freshwater discharge, especially during the spring when snow and ice melt are the predominant influences.

DURATION OF RISE AND DURATION OF FALL—*Duration of rise* is the interval from low water to high water, and *duration of fall* is the interval from high water to low water. Together they cover, on an average, a period of 12.42 hours for a semidiurnal tide or a period of 24.84 hours for a diurnal tide. In a normal semidiurnal tide, the duration of rise and duration of fall will each be approximately equal to 6.21 hours, but in shallow waters and in rivers there is a tendency for a decrease in the duration of rise and a corresponding increase in the duration of fall.

EBB CURRENT—The movement of a tidal current away from shore or down a tidal river or estuary. In the

mixed type of reversing tidal current, the terms *greater ebb* and *lesser ebb* are applied respectively to the ebb tidal currents of greater and lesser speed of each day. The terms *maximum ebb* and *minimum ebb* are applied to the maximum and minimum speeds of a current running continuously ebb, the speed alternately increasing and decreasing without coming to a slack or reversing. The expression maximum ebb is also applicable to any ebb current at the time of greatest speed.

EQUATORIAL TIDAL CURRENTS—Tidal currents occurring semimonthly as a result of the Moon being over the Equator. At these times the tendency of the Moon to produce a diurnal inequality in the tidal current is at a minimum.

EQUATORIAL TIDES—Tides occurring semi monthly as the result of the Moon being over the Equator. At these times the tendency of the Moon to produce a diurnal inequality in the tide is at a minimum.

FLOOD CURRENT—The movement of a tidal current toward the shore or up a tidal river or estuary. In the mixed type of reversing current, the terms *greater flood* and *lesser flood* are applied respectively to the flood currents of greater and lesser speed of each day. The terms *maximum flood* and *minimum flood* are applied to the maximum and minimum speeds of a flood current, the speed of which alternately increases and decreases without coming to a slack or reversing. The expression maximum flood is also applicable to any flood current at the time of greatest speed.

GREAT DIURNAL RANGE (Gt)—The difference in height between mean higher high water and mean lower low water. The expression may also be used in its contracted form, *diurnal range*.

GREENWICH INTERVAL—An interval referred to the transit of the Moon over the meridian of Greenwich as distinguished from the local interval which is referred to the Moon's transit over the local meridian. The relation in hours between Greenwich and local intervals may be expressed by the formula:

Greenwich interval = local interval + 0.069 L
where L is the west longitude of the local meridian in degrees. For east longitude, L is to be considered negative.

GULF COAST LOW WATER DATUM—A chart datum. Specifically, the tidal datum formerly designated for the coastal waters of the Gulf Coast of the United States. It was defined as *mean lower low water* when the type of tide was mixed and *mean low water* when the type of tide was diurnal.

HALF-TIDE LEVEL—See *mean tide level*.

GLOSSARY OF TERMS

- HARMONIC ANALYSIS**—The mathematical process by which the observed tide or tidal current at any place is separated into basic harmonic constituents.
- HARMONIC CONSTANTS**—The amplitudes and epochs of the harmonic constituents of the tide or tidal current at any place.
- HARMONIC CONSTITUENT**—One of the harmonic elements in a mathematical expression for the tide-producing force and in corresponding formulas for the tide or tidal current. Each constituent represents a periodic change or variation in the relative positions of the Earth, Moon, and Sun. A single constituent is usually written in the form $y=A \cos (at+\alpha)$, in which y is a function of time as expressed by the symbol t and is reckoned from a specific origin. The coefficient A is called the amplitude of the constituent and is a measure of its relative importance. The angle $(at+\alpha)$ changes uniformly and its value at any time is called the phase of the constituent. The speed of the constituent is the rate of change in its phase and is represented by the symbol a in the formula. The quantity α is the phase of the constituent at the initial instant from which the time is reckoned. The period of the constituent is the time required for the phase to change through 360° and is the cycle of the astronomical condition represented by the constituent.
- HIGH WATER (HW)**—The maximum height reached by a rising tide. The height may be due solely to the periodic tidal forces or it may have superimposed upon it the effects of prevailing meteorological conditions. Use of the synonymous term, *high tide*, is discouraged.
- HIGHER HIGH WATER (HHW)**—The higher of the two high waters of any tidal day.
- HIGHER LOW WATER (HLW)**—The higher of the two low waters of any tidal day.
- HYDRAULIC CURRENT**—A current in a channel caused by a difference in the surface level at the two ends. Such a current may be expected in a strait connecting two bodies of water in which the tides differ in time or range. The current in the East River, N.Y., connecting Long Island Sound and New York Harbor, is an example.
- KNOT**—A unit of speed, one international nautical mile (1,852.0 meters or 6,076.11549 international feet) per hour.
- LOW WATER (LW)**—The minimum height reached by a falling tide. The height may be due solely to the periodic tidal forces or it may have superimposed upon it the effects of meteorological conditions. Use of the synonymous term, *low tide*, is discouraged.
- LOWER HIGH WATER (LHW)**—The lower of the two high waters of any tidal day.
- LOWER LOW WATER (LLW)**—The lower of the two low waters of any tidal day.
- LUNAR DAY**—The time of the rotation of the Earth with respect to the Moon, or the interval between two successive upper transits of the Moon over the meridian of a place. The mean lunar day is approximately 24.84 solar hours long, or 1.035 times as long as the mean solar day.
- LUNAR INTERVAL**—The difference in time between the transit of the Moon over the meridian of Greenwich and over a local meridian. The average value of this interval expressed in hours is $0.069 L$, in which L is the local longitude in degrees, positive for west longitude and negative for east longitude. The lunar interval equals the difference between the local and Greenwich interval of a tide or current phase.
- LUNICURRENT INTERVAL**—The interval between the Moon's transit (upper or lower) over the local or Greenwich meridian and a specified phase of the tidal current following the transit. Examples: *strength of flood interval and strength of ebb interval*, which may be abbreviated to *flood interval and ebb interval*, respectively. The interval is described as local or Greenwich according to whether the reference is to the Moon's transit over the local or Greenwich meridian. When not otherwise specified, the reference is assumed to be local.
- LUNITIDAL INTERVAL**—The interval between the Moon's transit (upper or lower) over the local or Greenwich meridian and the following high or low water. The average of all high water intervals for all phases of the Moon is known as *mean high water lunitidal interval* and is abbreviated to high water interval (HWI). Similarly the *mean low water lunitidal interval* is abbreviated to low water interval (LWI). The interval is described as local or Greenwich according to whether the reference is to the transit over the local or Greenwich meridian. When not otherwise specified, the reference is assumed to be local.
- MEAN HIGH WATER (MHW)**—A tidal datum. The arithmetic mean of the high water heights observed over a specific 19-year Metonic cycle (the National Tidal Datum Epoch). For stations with shorter series, simultaneous observational comparisons are made with a primary control tide station in order to derive the equivalent of a 19-year value.

GLOSSARY OF TERMS

- MEAN HIGHER HIGH WATER (MHHW)**—A tidal datum. The arithmetic mean of the higher high water heights of a mixed tide observed over a specific 19-year Metonic cycle (the National Tidal Datum Epoch). Only the higher high water of each pair of high waters, or the only high water of a tidal day is included in the mean.
- MEAN HIGHER HIGH WATER LINE (MHHWL)**—The intersection of the land with the water surface at the elevation of mean higher high water.
- MEAN LOW WATER (MLW)**—A tidal datum. The arithmetic mean of the low water heights observed over a specific 19-year Metonic cycle (the National Tidal Datum Epoch). For stations with shorter series, simultaneous observational comparisons are made with a primary control tide station in order to derive the equivalent of a 19-year value.
- MEAN LOW WATER SPRINGS (MLWS)**—A tidal datum. Frequently abbreviated *spring low water*. The arithmetic mean of the low water heights occurring at the time of the spring tides observed over a specific 19-year Metonic cycle (the National Tidal Datum Epoch).
- MEAN LOWER LOW WATER (MLLW)**—A tidal datum. The arithmetic mean of the lower low water heights of a mixed tide observed over a specific 19-year Metonic cycle (the National Tidal Datum Epoch). Only the lower low water of each pair of low waters, or the only low water of a tidal day is included in the mean.
- MEAN RANGE OF TIDE (Mn)**—The difference in height between mean high water and mean low water.
- MEAN RIVER LEVEL**—A tidal datum. The average height of the surface of a tidal river at any point for all stages of the tide observed over a 19-year Metonic cycle (the National Tidal Datum Epoch), usually determined from hourly height readings. In rivers subject to occasional freshets the river level may undergo wide variations, and for practical purposes certain months of the year may be excluded in the determination of tidal datums. For charting purposes, tidal datums for rivers are usually based on observations during selected periods when the river is at or near low water stage.
- MEAN SEA LEVEL (MSL)**—A tidal datum. The arithmetic mean of hourly water elevations observed over a specific 19-year Metonic cycle (the National Tidal Datum Epoch). Shorter series are specified in the name; e.g., monthly mean sea level and yearly mean sea level.
- MEAN TIDE LEVEL (MTL)**—Also called half-tide level. A tidal datum midway between mean high water and mean low water.
- MIXED TIDE**—Type of tide with a large inequality in the high and/or low water heights, with two high waters and two low waters usually occurring each tidal day. In strictness, all tides are mixed but the name is usually applied to the tides intermediate to those predominantly semidiurnal and those predominantly diurnal.
- NATIONAL TIDAL DATUM EPOCH**—The specific 19-year period adopted by the National Ocean Service as the official time segment over which tide observations are taken and reduced to obtain mean values (e.g., mean lower low water, etc.) for tidal datums. It is necessary for standardization because of periodic and apparent secular trends in sea level. The present National Tidal Datum Epoch is 1960 through 1978. It is reviewed annually for possible revision and must be actively considered for revision every 25 years.
- NEAP TIDES OR TIDAL CURRENTS**—Tides of decreased range or tidal currents of decreased speed occurring semimonthly as the result of the Moon being in quadrature. The *neap range* (N_p) of the tide is the average semidiurnal range occurring at the time of neap tides and is most conveniently computed from the harmonic constants. It is smaller than the mean range where the type of tide is either semidiurnal or mixed and is of no practical significance where the type of tide is diurnal. The average height of the high waters of the neap tides is called *neap high water* or *high water neaps* (MHWN) and the average height of the corresponding low waters is called neap low water or low water neaps (MLWN).
- PERIGEAN TIDES OR TIDAL CURRENTS**—Tides of increased range or tidal currents of increased speed occurring monthly as the result of the Moon being in perigee or nearest the Earth. The *perigean range* (P_n) of tide is the average semidiurnal range occurring at the time of perigean tides and is most conveniently computed from the harmonic constants. It is larger than the mean range where the type of tide is either semidiurnal or mixed, and is of no practical significance where the type of tide is diurnal.
- RANGE OF TIDE**—The difference in height between consecutive high and low waters, the *mean range* is the difference in height between mean high water and mean low water. Where the type of tide is diurnal the mean range is the same as the diurnal range.

GLOSSARY OF TERMS

For other ranges, see great diurnal, spring, neap, perigean, apogean, and tropic tides.

REFERENCE STATION—A tide or current station for which independent daily predictions are given in the *Tide Tables and Tidal Current Tables*, and from which corresponding predictions are obtained for subordinate stations by means of differences and ratios.

REVERSING CURRENT—A tidal current which flows alternately in approximately opposite directions with a slack water at each reversal of direction. Currents of this type usually occur in rivers and straits where the direction of flow is more or less restricted to certain channels. When the movement is towards the shore or up a stream, the current is said to be flooding, and when in the opposite direction it is said to be ebbing. The combined flood and ebb movement including the slack water covers, on an average, 12.42 hours for the semidiurnal current. If unaffected by a nontidal flow, the flood and ebb movements will each last about 6 hours, but when combined with such a flow, the durations of flood and ebb may be quite unequal. During the flow in each direction the speed of the current will vary from zero at the time of slack water to a maximum about midway between the slacks.

ROTARY CURRENT—A tidal current that flows continually with the direction of flow changing through all points of the compass during the tidal period. Rotary currents are usually found offshore where the direction of flow is not restricted by any barriers. The tendency for the rotation in direction has its origin in the Coriolis force and, unless modified by local conditions, the change is clockwise in the Northern Hemisphere and counterclockwise in the Southern. The speed of the current usually varies throughout the tidal cycle, passing through the two maxima in approximately opposite directions and the two minima with the direction of the current at approximately 90° from the direction at time of maximum speed.

SEMI-DIURNAL—Having a period or cycle of approximately one-half of a tidal day. The predominating type of tide throughout the world is semidiurnal, with two high waters and two low waters each tidal day. The tidal current is said to be semidiurnal when there are two flood and two ebb periods each day.

SET (OF CURRENT)—The direction *towards* which the current flows.

SLACK WATER—The state of a tidal current when its speed is near zero, especially the moment when a

reversing current changes direction and its speed is zero. The term is also applied to the entire period of low speed near the time of turning of the current when it is too weak to be of any practical importance in navigation. The relation of the time of slack water to the tidal phases varies in different localities. For standing tidal waves, slack water occurs near the times of high and low water, while for progressive tidal waves, slack water occurs midway between high and low water.

SPRING TIDES OR TIDAL CURRENTS—Tides of increased range or tidal currents of increased speed occurring semimonthly as the result of the Moon being new or full. The *spring range* (Sg) of tide is the average semidiurnal range occurring at the time of spring tides and is most conveniently computed from the harmonic constants. It is larger than the mean range where the type of tide is either semidiurnal or mixed, and is of no practical significance where the type of tide is diurnal. The mean of the high waters of the spring tide is called *spring high water or mean high water springs* (MHWS), and the average height of the corresponding low waters is called *spring low water or mean low water springs* (MLWS).

STAND OF TIDE—Sometimes called a platform tide. An interval at high or low water when there is no sensible change in the height of the tide. The water level is stationary at high and low water for only an instant, but the change in level near these times is so slow that it is not usually perceptible. In general, the duration of the apparent stand will depend upon the range of tide, being longer for a small range than for a large range, but where there is a tendency for a double tide the stand may last for several hours even with a large range of tide.

STANDARD TIME—A kind of time based upon the transit of the Sun over a certain specified meridian, called the *time meridian*, and adopted for use over a considerable area. With a few exceptions, standard time is based upon some meridian which differs by a multiple of 15° from the meridian of Greenwich.

STRENGTH OF CURRENT—Phase of tidal current in which the speed is a maximum; also the speed at this time. Beginning with slack before flood in the period of a reversing tidal current (or minimum before flood in a rotary current), the speed gradually increases to flood strength and then diminishes to slack before ebb (or minimum before ebb in a rotary current), after which the current turns in direction, the speed increases to ebb strength and then diminishes to slack before flood completing the cycle. If it is assumed that the speed throughout the cycle varies as the ordinates of a cosine curve, it can

GLOSSARY OF TERMS

be shown that the average speed for an entire flood or ebb period is equal to $2/\pi$ or 0.6366 of the speed of the corresponding strength of current.

SUBORDINATE CURRENT STATION—(1) A current station from which a relatively short series of observations is reduced by comparison with simultaneous observations from a control current station. (2) A station listed in the *Tidal Current Tables* for which predictions are to be obtained by means of differences and ratios applied to the full predictions at a reference station .

SUBORDINATE TIDE STATION—(1) A tide station from which a relatively short series of observations is reduced by comparison with simultaneous observations from a tide station with a relatively long series of observations. (2) A station listed in the *Tide Tables* for which predictions are to be obtained by means of differences and ratios applied to the full predictions at a reference station.

TIDAL CURRENT TABLES—Tables which give daily predictions of the times and speeds of the tidal currents. These predictions are usually supplemented by current differences and constants through which additional predictions can be obtained for numerous other places.

TIDAL DIFFERENCE—Difference in time or height of a high or low water at a subordinate station and at a reference station for which predictions are given in the *Tide Tables*. The difference, when applied according to sign to the prediction at the reference station, gives the corresponding time or height for the subordinate station .

TIDE—The periodic rise and fall of the water resulting from gravitational interactions between the Sun, Moon, and Earth. The vertical component of the particulate motion of a tidal wave. Although the accompanying horizontal movement of the water is part of the same phenomenon, it is preferable to designate the motion as tidal current.

TIDE TABLES—Tables which give daily predictions of the times and heights of high and low waters. These predictions are usually supplemented by tidal differences and constants through which additional predictions can be obtained for numerous other places.

TIME MERIDIAN—A meridian used as a reference for time.

TROPIC CURRENTS—Tidal currents occurring semimonthly when the effect of the Moon's maximum declination is greatest. At these times the tendency of the Moon to produce a diurnal inequality in the current is at a maximum.

TROPIC RANGES—The *great tropic range* (G_c), or *tropic range*, is the difference in height between tropic higher high water and tropic lower low water. The *small tropic range* (S_c) is the difference in height between tropic lower high water and tropic higher low water. The *mean tropic range* (M_c) is the mean between the great tropic range and the small tropic range. The small tropic range and the mean tropic range are applicable only when the type of tide is semidiurnal or mixed. Tropic ranges are most conveniently computed from the harmonic constants.

TROPIC TIDES—Tides occurring semimonthly when the effect of the Moon's maximum declination is greatest. At these times there is a tendency for an increase in the diurnal range. The tidal datums pertaining to the tropic tides are designated as *tropic higher high water* (T_cHHW), *tropic lower high water* (T_cLHW), *tropic higher low water* (T_cHLW), and *tropic lower low water* (T_cLLW).

TYPE OF TIDE—A classification based on characteristic forms of a tide curve. Qualitatively, when the two high waters and two low waters of each tidal day are approximately equal in height, the tide is said to be *semidiurnal*; when there is a relatively large diurnal inequality in the high or low waters or both, it is said to be *mixed*; and when there is only one high water and one low water in each tidal day, it is said to be *diurnal*.

VANISHING TIDE—In a mixed tide with very large diurnal inequality, the lower high water (or higher low water) frequently becomes indistinct (or vanishes) at time of extreme declinations. During these periods the diurnal tide has such overriding dominance that the semidiurnal tide, although still present, cannot be readily seen on the tide curve.

INDEX TO STATIONS
(Numbers refer to table 2)

[Stations marked with an asterisk (*) are reference stations for which daily predictions are given in table 1. Page numbers of reference stations are given in parentheses.]

A	No.	B	No.
Aberdeen.....	1311	B Street Pier, San Diego.....	76
Active Pass * (68).....	2316	Baby Pass, Aleutian Islands.....	5521
Adak Strait.....	5651-5661	Bainbridge Pass, Alaska.....	4536-4546
Admiralty Head.....	1491	Baker Beach.....	256
Admiralty Inlet.....	1471-1561	Balangui ngui Island.....	6151
Admiralty Inlet * (48).....	1541	Balch Passage, Puget Sound.....	1826
Affleck Canal.....	3536	Ballast Point, San Diego Bay.....	36-46
Afognak Strait.....	5291	Barbara Point.....	4901
Agate Passage.....	1636, 1641	Barnes Island.....	2071
Airport Coast Guard Station.....	71	Barnes Bay.....	2516
Ajax Reef.....	2821	Barren Island Light.....	2641
Akashi Kai kyo * (154).....	5981	Basilan Strait, eastern entrance.....	6111
Aki Nada.....	6016	Basilan Strait, off Zamboanga * (174).....	6106
Akun Strait.....	5491	Battery Point, Lynn Canal.....	4031
Akutan Bay.....	5486	Bay of Panama.....	1, 6
Akutan Pass * (134).....	5516	Bayoneta Island.....	1
Alalakeiki Channel.....	5926, 5931	Bear Cape.....	4471, 4476
Alameda Radar Tower.....	436	Beardslee Islands.....	4381
Alaska Peninsula.....	5416-5436	Beaulerc Island Light.....	3616
Alcatraz Island.....	291-311	Beaver Creek.....	2861
Alden Point.....	2286	Bechevin Bay.....	5436, 5451
Aleutian Islands.....	5456-5741	Behm Canal.....	2921-2946
Alexandria Narrows.....	2611	Behm Narrows.....	2936
Alitak Bay.....	5401	Bellingham Channel.....	2121
Alki Point, Puget Sound.....	1681	Beluga Shoal.....	5101
Allan Island, Rosario Strait.....	2006, 2011	Benicia Bridge * (28).....	826
Allan Point, Nakwasi na Passage.....	4191	Berg Bay, Alaska.....	3076
Alligator Island.....	5211	Bering Sea.....	5841-5916
Altoona.....	1181	Big Rose Island, Peril Strait.....	4276
Amak Island.....	5426, 5431	Biorka Channel.....	4131
Amchitka Island.....	5701	Bird Point.....	5281
Amelius Island.....	3606	Bisan Seto.....	5991, 5996
Anchor Point, Cook Inlet.....	4936-4951	Bishop Point, Taku Inlet, Alaska.....	3881
Anchor Point, Wrangell Narrows.....	3766	Bishop Point, Unalaska Island.....	5571
Anchorage, Cook Inlet.....	5141, 5146	Black Cape.....	5216
Anchorage Shipdock.....	5151	Blackstone Point.....	4736
Aneskett Pt., El Capitán Passage.....	3496-3506	Blaine Point, Pearse Canal.....	2686
Angel es Point.....	1351	Blake Channel.....	3071-3096
Angel Island.....	566-591	Blake Island, Blake Channel.....	3071
Angle Point.....	2751	Blake Island, Puget Sound.....	1691, 1731
Annoy Rock.....	5666, 5671	Blanche Rock.....	3061
Ano Nuevo Island.....	166	Blank Point.....	2911
Antioch Point.....	926	Blaquiere Point.....	3681
Apavawook Cape.....	5881	Bligh Island.....	4766
Apokak Creek entrance.....	5836	Blind Channel, B. C.....	2536
Apple Cove Point.....	1621	Bluff Point, San Francisco Bay.....	621, 626
Argonne Point, Aleutian Islands.....	5661	Blunt Point, Wrangell Narrows.....	3791
Army Point Pier Lt.....	796	Boat Rocks, Cordova Bay.....	3211
Arran Rapids, B. C.....	2521	Boca de Finas, Alaska.....	3411
Arriaga Passage.....	3391	Bonita Channel.....	216-226
Astoria Range.....	1136	Boston Islands.....	2661
Attu Island.....	5736	Bostwick Point.....	2901, 2906
Auau Channel.....	5941	Boundary Pass and Haro Strait.....	2246-2296
Auke Bay.....	3961	Boxer Point, Goletas Channel.....	2486
Augustine Island.....	4876, 4886	Brandt Bridge, San Joaquin River.....	941
Aurora Basin.....	3946	Brockman Island, east of.....	3481
Avatanak Strait.....	5496	Broken Island, Johnstone Strait.....	2431
Avon Pier.....	831	Broughton Strait.....	2446-2461
Ayala Cove.....	616	Bubuan Island.....	6131

	No.		No.
D		Eureka Channel	3206
Dalco Passage	1756	Eva Islands	4321
Dana Passage	1846	Evans Island, Alaska	4521
Danger Point Light	4101	The Eye Opener	3666
Dangerous Pass.	4561	F	
Davidson Bank	5456	Fai rhaven	1021
Davidson Inlet to Bucarelli Bay... 3316-3466		Fai rway Isl and	4326
Davis Point	751, 756	Fai rway Isl and, Sumner Strait	3541, 3546
Dead Tree Point	3416	Fai rway Rock	5911, 5916
Deception Island	1961, 1981, 1991	False Head	2466
Deception Pass * (56)	1956	False Lindenber g Head	4311
Decision Passage	3531	Fauntleroy Point Light	2036
Delarof Islands	5681-5691	Felice Strait	2806-2866
Derbin Strait	5501	Fenimore Rock	5611
Devils Elbow	3711	Fi dal go Head	2021
Devils Head	1841	Fi fth Avenue Marina entrance	86
Dewey Rocks	3201	Fi nch Cove	5606
Dickens Point	2711	Fi nski Point	4626
Dillingham	5816	Fi re Isl and	5111-5121
Dillon Point	2471	Fi re Isl and Shoal	5106
Discovery Bay entrance	1441	Fi sh Bay	4771
Discovery Island	1406, 1411, 2246	Fi sh Egg Isl and	3361
Discovery Passage	2371-2401	Fl at Point, Portland Canal	2701
Diver Islands	3296	Fl at Point, Taku Inlet	3896
Dixon Entrance	2611-2666	Fl eming Point	596
Dodd Narrows	2331	Fort Point	261, 286
Doe Point	5761	Fort San Pedro	6196
Doldol, Ilolo Strait	6211	Foul weather Bl uff, Hood Canal	1566
Dosaki	6086	Foul weather Bl uff, Puget Sound	1611
Douglas	3916	Found Isl and, Zimovi a Strait	3101
Drayton Harbor entrance	2301	Frederi ck Sound	3811
Drayton Passage	1836	Frost Isl and	2046
Driest Point	2896	G	
Dri ft Ri ver Terminal	5001	G Street Pier, San Diego	81
Dry Pass	3601	Gabri ola Pass	2326
Duke Island	2951	Gal as Point	5646
Duke Point	2736	Gambell	5896
Dumangas Point	6216	Garel oi Isl and	5686
Dumbarton Highway Bridge	526, 531	Gasti neu Channel	3906-3971
Dumbarton Point	536, 541	Geese Channel	5376
Dundas Isl and	2651	Geese Isl and	5371
Duval Point	2481	George Islands	4356
E		Georgia Strait	2301-2366
Eagle Isl and	3706	Gibson Point	1806
Eagle Point	3286	Gig Harbor entrance	1761
East Devil Rock	2646	Glaci er Bay	4381
East Foreland	5056, 5061	Glaci er Isl and	4791
East Passage, Puget Sound	1741	Glaci er Point	4021
East Point, Zimovi a Strait	3121	Glaci er Spi t	4906
East Sound	2241	Goat Isl and	1941
East Sound entrance	2236	Godwi n Poi nt	2531
Eastern Channel, Sitka Sound	4141	Gol etas Channel	2481-2501
Eaton Point	3051	Golden Gate	176-286
Ediz Hook Light	1376-1386	Golden Gate Bridge	271-281
Edmonds	1616	Golden Gate Bridge * (12)	271
El Capitan Passage	3471-3511	Goodnews Bay entrance	5821
El Segundo	131	Goose Isl and	4751
Elbow Passage	4336	Gordon Channel, Queen Charlotte Strait	2476
Eld Inlet entrance	1861	Gotsu Sho	6091
Eldred Rock	4016	Graham Point	1906
Eleanor Isl and, Alaska	4601	Grand Isl and	3236
Eliza Isl and	2116	Grass Rock, Clarence Strait	2961
Ella Point	2441	Grass Rock, Felice Strait	2836
Elliott Bay entrance	1676	Gravina Point	4661
Elrington Passage	4526	Grays Harbor	1276-1316
Entrance Point	5746, 5751	Grays Harbor Channel	1301, 1306
Ernest Sound	3041-3066	Grays Harbor entrance	1276-1296
Esther Pass	4741, 4716	Grays Harbor entrance * (36)	1291
Etolin Point	5806	Green Isl and Pass	4586
		Green Poi nt Rapids	2541

Green Point, Rosario Strait.....	No. 2026	Isanotski Strait.....	No. 5446, 5451
Green Point, Wrangell Narrows.....	3781	Isanotski Strait * (124).....	5446
Grenville Channel.....	2586	Iyo Nada.....	6051
Gri ndall I sl and.....	2996		
Guard I sl and s.....	2946, 3016	J	
Guard I sl and s Lighthouse.....	3011	Janabatas Channel.....	6266, 6271
Guemes Channel.....	2091	Jaro Poi nt.....	6206
Guemes I sl and.....	2101	Jaw Poi nt.....	3891
Gul f of Ni coya.....	11	Johns I sl and.....	2266
		Johnson Bay, Al aska.....	4566
H		Johnston Channel.....	5766
Hague Channel.....	5761	Johnston Poi nt.....	4596, 4646
Hale Passage, Puget Sound.....	1791, 1796	Johnston Poi nt.....	4641
Hale Passage, Rosario Strait.....	2146	Johnstone Strait.....	2406-2441
Hal ftide Rock.....	5766	Jol o I sl and.....	6156
Hal ibut Creek.....	2976, 2981	Juneau Harbor.....	3921-3941
Hal ibut Nose.....	3266		
Hammersley Inlet.....	1891, 1896	K	
Hammond.....	1151	Kachemak Bay.....	4921-4931
Harbor I sl and.....	61	Kagal aska Strait.....	5646
Harbor Poi nt.....	5756	Kake Harbor.....	3736
Hari ma Nada.....	5986	Kaku Narrows.....	4251
Harney Channel.....	2231	Kal gi n I sl and.....	4986, 4991
Haro Strait and Boundary Pass.....	2246-2296	Kal i gagan I sl and.....	5511
Harri ot Poi nt.....	4996	Kal i ni n Poi nt.....	4241
Harri s I sl and.....	2816	Kal ma Upper Range.....	1266
Hawai ian I sl and s.....	5921-5951	Kal ohi Channel.....	5946
Hawk Inlet.....	4121, 4126	Kamen Poi nt.....	1436
Hawki ns I sl and.....	4811	Kanaga Pass.....	5666, 5671
Hayasaki Kai kyo.....	6091	Kanak I sl and.....	4441
Hayatomo Seto.....	6071	Kane I sl and s.....	4226, 4231
Haystack I sl and.....	2671	Kanmon Kai kyo * (162).....	6071
Hazel Poi nt.....	1591	Kanmon Kai kyo (O Seto).....	6076
Hazy I sl and s.....	4056	Kannon Saki.....	5956
Heath Poi nt.....	2496	Karheen Passage.....	3446
Hecate Strait.....	2576-2606	Kasaan Bay.....	3001, 3006
Hecete Head.....	1071	Kashevarof Passage.....	3161
Hei gun Sui do.....	6046	Keku Strait.....	3686-3731
Helm Poi nt.....	2941	Kel let Bl uff.....	2251
Helm Rock.....	3641	Kenai.....	5011
Herendeen Bay.....	5761, 5766	Kenai Ci ty Wharf.....	5016
Hi d Reef.....	2871	Kenai River.....	5021
Hi gh I sl and.....	3721, 3726	Kennedy Entrance * (104).....	4851
Hi gh Poi nt, Ti evak Strait.....	3241	Ketchi kan.....	2786
Hi ghwater I sl and.....	4216	Key Reef.....	3141
Hi tchenbrook Entrance.....	4451	Keyport.....	1651
Hi ra Shi ma.....	6081	Khaz Bay.....	4336
Hole In The Wall.....	2511	Ki chyatt Poi nt, Al aska.....	4431
Hood Canal.....	1566-1601	Ki lli anoo Harbor.....	4096
Hooper Bay entrance.....	5866	King I sl and.....	5906
Hope I sl and.....	1946	Ki ngsmi ll Poi nt Li ght.....	4076
Horse I sl and.....	3966	Ki ngs Poi nt.....	2191
Hotspur I sl and.....	2806	Ki tadomari no Seto.....	5971
Hoyo Kai kyo.....	6061	Kl ag I sl and.....	4336
Huckleberry I sl and.....	2106	Kl awock Narrows.....	3361
Humboldt Bay.....	991-1026	Kni k Arm * (116).....	5176, 5181
Humboldt Bay Entrance Channel * (32)...	996	Kni k Arm Mud Fl ats.....	5186
Hunter Poi nt.....	1881	Kni ght Inlet.....	2566, 2571
Hunting I sl and.....	1216	Kni ght I sl and Passage.....	4551, 4571, 4576
		Knowl es Head.....	4636
I		Knowl es Head.....	4631
Iceberg Poi nt.....	1966	Kodi ak Harbor Narrows * (120).....	5326
Icy Strait.....	4371-4386	Kodi ak I sl and.....	5191-5401
I gi tki n Pass.....	5616	Kone Shi ma.....	6001
I lliamna Bay.....	4911	Konets Head.....	5551
I lli uli uk Bay.....	5591	Krootznahoo Inlet.....	4106
I lloilo Ri ver entrance.....	6201	Krestof Sound.....	4171-4181
I lloilo Strait.....	6171-6221	Krysi Pass.....	5721
I lloilo Strait * (178).....	6191	Kudako Sui do.....	6026
I ndi an Reef.....	2841	Kuhushan Poi nt.....	2361
I ndi an Rock Buoy.....	2846, 2851	Kukak Bay.....	5221
I nski n Bay.....	4916	Kul assei n I sl and.....	6161

	No.
Kupreanof Strait.....	5261-5271
Kurushima Kai kyo (middle chan.) * (158)	6006
Kurushima Kai kyo (west channel).....	6011
Kuskokwim Bay.....	5821-5836
Kutegi Point.....	3461
Kvichak.....	5786
Kvichak Bay.....	5776-5786
Kvichak Bay * (138).....	5776
Kvichak River.....	5786
Kwain Bay.....	2856
Kyushu.....	6081-6091

L

Labouchere Island.....	3626
Larson Bay.....	5241
Latouche Pass.....	4516
Lawrence Point.....	2141
Lawson Bluff.....	2306
Leading Point.....	3206
Ledge Point, Broughton Strait.....	2456
Left Cape.....	5351
Lemon Point.....	2491
Leonard Point.....	2451
Libby Point.....	1891
Liberty Bay entrance.....	1656
Lighted Horn Buoy R "C".....	1101
Lighthouse Point.....	5196
Limestone Point.....	2221
Linawan Island.....	6131, 6136
Lincaln Rock Light.....	3036
Lindenberg Head.....	4316
Lion Point.....	2731
Little Coyote Point.....	501-511
Little Sitkin Island.....	5711
Little Tanaga Strait.....	5641
Littleton Point.....	2561
Lituya Bay entrance.....	4391
Lively Islands.....	3271
Lone Island.....	4711
Long Beach.....	126
Lopez Island.....	2191
Lopez Pass.....	2001
Los Angeles.....	126
Low Point.....	4036
Lummi Point.....	2146
Lynn Canal.....	3991-4046

M

Maalea Bay.....	5936
Mabel Island.....	3031
Marmot Island.....	5301, 5306
Marmot Strait.....	5296-5306
McFarland Islands.....	3246
McGowan.....	1156
McHenry Ledge.....	3041
McMicken Island.....	1916
Magdalena Bay entrance.....	16
Makaka Point.....	4661
March Point.....	2096
Mare Island Strait.....	761-771
Mariposa Reef.....	3631
Marrowstone Point.....	1511-1531
Martinez Marina.....	781-791
Mary Island, Felice Strait.....	2861
Masset Harbor.....	2616
Mataja Island.....	6126
Matia Island.....	2086, 2156
Maui Island.....	5921, 5936
Meares Island.....	3281
Meares Passage.....	3281-3296
Mellen Rock.....	3226
Metlakatla.....	2886

Meyers Narrows.....	2576
Middle Channel, Sitka Sound.....	4146
Middle Ground Shoal.....	5066
Middle Ground Shoal.....	4651
Middle Point, Peril Strait.....	4271
Middle Point Lt.....	861
Middy Point.....	2741
Midway Island.....	3866
Mihara Seto.....	6001
Mill Rock Lt.....	246
Mill Creek.....	3091
Millar Rocks.....	3291
Miners Point.....	2726
Mission Rock.....	411-421
Moi ra Rock.....	2966
Moi ra Sound entrance.....	2971
Montague Point.....	4481, 4486
Montague Strait.....	4506
Montague Strait * (100).....	4511
Monterey Bay.....	156, 161
Montezuma Slough.....	801, 806, 881
Moose Point.....	5076, 5081
Morakas Point.....	5781
Moriarty Point.....	2396
Moro Shima Suido.....	6036
Morris Reef.....	4331
Mountain Point.....	3786
Mud bay.....	4676
Mulford Gardens Channel.....	496
Muskomee Bay.....	5256
Mutiny Bay.....	1551
Muyano Seto.....	5966

N

Naden Harbour.....	2611
Naga Point.....	5651, 5656
Naikai.....	5961-6076
Nakat Bay.....	2656
Naked Island.....	4751
Naked Island, Alaska.....	4601
Naknek River.....	5776, 5781
Nakwasi na Passage.....	4191
Nakwasi na Sound.....	4186
Narrow Point.....	3026
Narrow Strait.....	5311
Narrows Point.....	5636
Naruto * (150).....	5961
Natalia Point.....	5366
National City.....	106, 111
Naval as Point.....	6221
Nawhitti Bar.....	2501
Neal Point.....	3191
Nepean Sound.....	2581
Neptune Beach.....	2171
Neva Strait.....	4206-4231
New Dungeness Light.....	1396, 1401
New York Slough.....	886, 891
Ni black Islands.....	3056
Nichols Passage.....	2871-2916
Nikiski.....	5036
Ninilchik Harbor.....	4976
Nismeni Point.....	4291
Nisqualy Reach.....	1816, 1821
No Name Island.....	3106
Nodule Point.....	1536
North Bay Channel, Humboldt Bay ..	1016-1026
North Foreland.....	5071
North Inian Pass * (96).....	4361
North Island.....	56
North Passage, Icy Strait.....	4371
Nushagak Bay.....	5791-5816
Nushagak Bay entrance.....	5801
Nuwa Shima Suido.....	6031

	No.
Point Wilson.....	1471-1486, 1496
Point Woronzof.....	5126-5136
Point Young.....	3956
Popof Strait.....	5406
Porcupine Point.....	4766
Porlier Pass.....	2321
Port Althrop entrance.....	4356
Port Angel es.....	1371
Port Beauclerc.....	3621
Port Chatham.....	4871
Port Gamble Bay.....	1571-1581
Port Graham.....	4881
Port Gravi na.....	4656
Port Hei den.....	5771
Port Mackenzie.....	5156, 5171
Port Madison entrance.....	1631
Port Moller.....	5746-5756
Port Orchard.....	1646-1656, 1711
Port Protection.....	3656
Port Susan.....	1926
Port Townsend.....	1501
Port Townsend Canal.....	1561
Port Walter Light.....	4066
Port Washington Narrows.....	1721, 1726
Port Wells.....	4781
Portillo Channel.....	3371
Portland Canal.....	2691-2731
Portland Inlet.....	2666
Portland Island.....	3971
Possession Sound.....	1921
Potrero Point.....	426-431
Povorotni Island.....	4281
President Point.....	1626
Pribilof Islands.....	5841-5861
Prince of Wales Pass.....	4531
Prince Rupert Harbor.....	2596, 2601
Prince William Sound.....	4451-4596
Prolwy Rocks.....	3806
Protection Point.....	5796
Puffin Island Light.....	2166
Puget Island, Wauna Range.....	1221
Puget Island, Westport Turn & Range.....	1226
Puget Sound.....	1606-1916
Pul teney Point.....	2461
Punta Gorda.....	976
Puntarenas.....	11

Q

Quarantine Station, La Playa.....	51
Quarry Point.....	581
The Quarries, Shakan Bay.....	3586
Quartermaster Harbor entrance.....	1746
Queen Charlotte Strait.....	2466-2476
Quillayute River entrance.....	1321
Quinn Island.....	1201

R

Raccoon Point.....	2076
Raccoon Strait.....	606-616
Race Passage, Johnstone Strait.....	2416
Race Passage, Strait of Juan de Fuca.....	1366
Race Point, Discovery Passage.....	2381
Race Point, Revi l l a g e d o Channel.....	2761
Race Rocks * (44).....	1356
Race Rocks.....	1361
Ransom Point.....	2426
Rasa Island.....	6241
Raspberry Cape.....	5261
Raspberry Strait.....	5256
Rat Islands.....	5706, 5716-5726

Red Bay.....	3661
Red Rock.....	671, 676
Redding Rock Light.....	1036
Redoubt Point.....	4981
Redwood Point.....	521
Reef Point.....	2756
Restoration Point.....	1686
Revi l l a g e d o Channel.....	2736-2761
Rich Passage.....	1691-1706
Richardson Bay entrance.....	601
Richmond * (20).....	666
Rincon Point.....	401-406
Ripple Bluff.....	2566
Ripple Point.....	2406
Robson Bight.....	2436
Rock Point.....	3776
Rocky Point, Prince William Sound.....	4791
Rocky Point, Skagit Bay.....	1936
Roe Island.....	846, 851
Root Point.....	2556
Rosa Reef.....	2796
Rosario Point.....	2241
Rosario Strait.....	1951-2166
Rosario Strait * (60).....	1996
Rose Spit.....	2606
Round Island Light.....	3146
Round Point.....	3181
Ruins Point, Sumner Strait.....	3561
Russian Harbor.....	5386

S

Sacramento River.....	896-906
Saginaw Channel.....	3981
St. George Island.....	5846
St. George Reef.....	1041
St. Lawrence Island.....	5876-5896
St. Matthew Island.....	5871
St. Nicholas Channel.....	3366, 3381
St. Paul Harbor.....	5331
St. Paul Island.....	5846, 5856, 5861
Salisbury Sound.....	4236-4246
Salmo Point.....	4671, 4811
Salmo Point.....	4681
Salt Point.....	951
Samoa Channel.....	1026
San Bernardino Strait * (190).....	6276
San Clemente Island.....	21
San Christoval Rock.....	3386
San Christoval Channel.....	3396
San Diego.....	66
San Diego Bay.....	31-106
San Diego Bay entrance * (4).....	31
San Francisco Bay.....	291-691
San Francisco Bay entrance * (8).....	266
San Francisco-Oakland Bay Bridge.....	341
San Joaquin River.....	911-941
San Juan Channel.....	2181-2241
San Juan Channel * (64).....	2186
San Juani co Strait.....	6246-6271
San Juani co Strait, Tacloban * (186).....	6246
San Juani co Strait, off Uban Point.....	6256
San Juani to Islands.....	3341
San Mateo Bridge.....	516
San Pablo Bay.....	696-756
San Pedro Channel.....	121
Sand I.....	1126
Sand Island Tower.....	1106, 1111, 1116
Sandy Point.....	1816
Sansum Narrows.....	2311
Santa Monica Bay.....	131
Saratoga Passage.....	1931
Saxman Spire.....	2781

	No.
The Brothers.....	3826-3836
The Five Fingers, Stephens Passage.....	3821
The Forelands * (112).....	5051
The Great Bend.....	1601
The Narrows.....	1766-1786
The Narrows * (52).....	1766
The Sentinels.....	3261
Three Tree Point.....	1196
Thoms Place.....	3106
Tillamook Bay entrance.....	1096
Timbered Island.....	3406
Tlevak Narrows.....	3276
Tlevak Strait.....	3231-3276
Toe Point.....	2296
Token Bay.....	3466
Tokyo Wan entrance * (142).....	5956
Tomogashi ma Sui do * (146).....	5976
Tongass Islands.....	2656
Tongass Narrows.....	2771-2801
Tongass Passage.....	2671
Tongue Point.....	1176
Tonki Cape.....	5296
Tonowek Bay.....	3421
Tonowek Narrows.....	3441
Torre Island.....	6261
Toti Island.....	3346
Totten Inlet entrance.....	1886
Towhead Island.....	2126
Tracy Arm, Alaska.....	3851-3861
Treasure Island.....	316-326, 346-356
Tree Point, Portland Canal.....	2706
Trial Island.....	1391
Trinidad Head.....	1031
Tsurushi ma Sui do.....	6021
Tubalubac Island.....	6166
Tubigan Island.....	6161
Tuck Narrows.....	2601
Tunga Inlet, off of.....	3486
Turn Point, Boundary Pass.....	2256
Turn Point, Kootznahoo Inlet.....	4106
Turn Point, Tlevak Strait.....	3276
Turn Point, Wrangel I Narrows.....	3796
Turn Rock Light.....	2201
Turnabout Island.....	3816
Tuxedni Channel.....	4971
Tuxekan Passage.....	3451-3461
Twenty eighth Street Pier.....	96-101

U

Uban Point.....	6256
Udagak Strait.....	5536
Ugak Bay.....	5346
Ugamak Strait.....	5506, 5511
Ukol noi Island.....	5416
Ulak Pass.....	5691
Ulakta Head.....	5586
Ulloa Channel.....	3301-3311
Umak Pass.....	5636
Umnak Pass.....	5546-5561
Umpqua River entrance.....	1066
Unakwik Inlet.....	4786
Unalga Pass.....	5526
Unga Strait.....	5411
Unimak Island.....	5441
Unimak Pass.....	5461-5481
Unimak Pass * (130).....	5466
Unocal Pier, Alaska.....	5031
Unsal Point.....	1866
Ursua Channel.....	3376
Uselless Bay.....	1606
Ushagat Island.....	4841, 4846
Uyak Anchorage.....	5236
Uyak Bay.....	5236, 5241

V

	No.
Valdez Arms.....	4801
Valdez Boah Harbor Approach.....	4706
Valdez Narrows.....	4696
Valdez Terminal.....	4701
Vancouver I., passages north of... ..	2506-2571
Vancouver Island, west coast.....	1336
Vanderbilt Reef.....	4001
Vank Island.....	3191
Vexation Point.....	3771
Vichnefski Rock Light.....	3671
Village Islands.....	3111
Village Point.....	2886
Viollet Point.....	1426, 1431
Vitskari Island.....	4151
Vixen Point.....	3046
Vulcan Island.....	936

W

Wal den Rocks.....	2916
Waldron Island.....	2271
Wales Point, Portland Canal.....	2666, 2691
Walker Island, Columbia River.....	1251
Walker Island, Reivilagigedo Channel... ..	2746
Walker Island Channel.....	1246
Walrus Island.....	5841
Warehouse Bluff.....	5831
Warren Channel.....	3516
Wasp Passage.....	2206
Wasp Passage Light.....	2211
Waterfall Cannery.....	3311
Waterman.....	1711
Webster Point.....	3221
Welibore Channel.....	2546
West Devil Rock.....	2636
West Foreland.....	5026, 5046
West Island Light.....	931
West Juneau.....	3936
West Point, Puget Sound.....	1666, 1671
West Point, Rosario Strait.....	1986
Western Channel, Sitka Sound.....	4161
Westport.....	1286, 1296-1306, 1316
Weynton Passage.....	2441
Whale Passage.....	5276-5286
Whale Rock.....	3431
Wharburton Island.....	2891
Whidbey Island.....	1986
Whirlpool Rapids.....	2546
White Point.....	2716
Whitestone Narrows.....	4206
Willapa River.....	1271
William Point Light.....	2111
Willow Island.....	2046
Wilson Point.....	741, 746
Wingham Island.....	4436
Wooded Island.....	4461
Woody Channel.....	5321
Woody Island.....	3771
Woody Island.....	5316
Woody Island Channel.....	1186, 1191
Wrangell Harbor.....	3126, 3131
Wrangell Harbor entrance.....	3126
Wrangell Narrows.....	3741-3806
Wrangell Narrows, off Petersburg * (88) ..	3801
Wusong Kou * (170).....	6101
Wyvil Reef.....	4211

	No.		No.
Y			
Yaqui na	1086	Yucul ta Rapi ds.	2526
Yaqui na Bay.	1076-1091	Yunaska Isl and.	5601
Yaqui na Ri ver.	1086, 1091	Yura Seto.	5976
Yel low Bl uff, San Francis co Bay.	546-551	Yushi ma Seto.	6086
Yerba Buena Isl and.	331, 361	Z	
Yokeko Poi nt.	1951	Zai kof Poi nt.	4471
Young Rock.	3116	Zamboanga.	6106
Youngs Bay Bri dge.	1146	Zeal Poi nt.	4221
Youngs Bay Entrance.	1141	Zi movi a Strai t.	3101-3136

ASTRONOMICAL DATA, 2012

January			
	d	h	m
☉	1	06	15
A	2	20	20
N	6	22	..
☽	9	07	30
E	13	17	..
☾	16	09	08
P	17	21	29
S	20	02	..
●	23	07	39
E	26	20	..
A	30	17	43
☉	31	04	10

February			
	d	h	m
N	3	08	..
☽	7	21	54
E	10	01	..
P	11	18	33
☾	14	17	04
S	16	09	..
●	21	22	35
E	23	05	..
A	27	14	03

March			
	d	h	m
☉	1	01	21
N	1	17	..
☽	8	09	39
E	8	11	..
P	10	10	03
S	14	14	..
●	15	01	25
☽ _m	20	05	14
E	21	12	..
●	22	14	37
P	26	06	05
N	29	00	..
☉	30	19	41

April			
	d	h	m
E	4	21	..
☽	6	19	19
P	7	17	00
S	10	21	..
☾	13	10	50
E	17	18	..
●	21	07	18
A	22	13	50
N	25	06	..
☉	29	09	57

May			
	d	h	m
E	2	07	..
P	6	03	34
☽	6	03	35
S	8	07	..
☾	12	21	47
E	14	23	..
A	19	16	14
●	20	23	47
N	22	12	..
☉	28	20	16
E	29	15	..

June			
	d	h	m
P	3	13	21
☽	4	11	12
S	4	17	..
E	11	06	..
☾	11	10	41
A	16	01	25
N	18	18	..
●	19	15	02
☽ _j	20	23	09
E	25	21	..
☉	27	03	30

July			
	d	h	m
P	1	18	02
S	2	04	..
☽	3	18	52
E	8	15	..
☾	11	01	48
A	13	16	48
N	16	02	..
●	19	04	24
E	23	03	..
☉	26	08	56
A	29	08	31
S	29	13	..

August			
	d	h	m
☽	2	03	27
E	5	01	..
☾	9	18	55
A	10	10	53
N	12	10	..
●	17	15	54
E	19	10	..
P	23	19	40
☉	24	13	54
S	25	19	..
☽	31	13	58

September			
	d	h	m
E	1	10	..
A	7	06	01
☾	8	13	15
N	8	19	..
E	15	19	..
●	16	02	11
P	19	02	53
S	22	00	..
☽ _s	22	14	49
☉	22	19	41
E	28	17	..
☽	30	03	19

October			
	d	h	m
A	5	00	44
N	6	02	..
☾	8	07	33
E	13	05	..
●	15	12	02
P	17	01	03
S	19	07	..
☉	22	03	32
E	25	23	..
☽	29	19	49

November			
	d	h	m
A	1	15	31
N	2	10	..
☾	7	00	36
E	9	15	..
●	13	22	08
P	14	10	23
S	15	16	..
☉	20	14	31
E	21	23	..
☽	28	14	46
A	28	19	36
N	29	15	..

December			
	d	h	m
☾	6	15	31
E	6	23	..
P	12	23	15
S	13	04	..
●	13	08	42
E	19	12	..
☉	20	05	19
☽ _d	21	11	12
A	25	21	21
N	26	17	..
☽	28	10	21

LUNAR DATA

- -- new Moon
- ☾ -- first quarter
- ☽ -- full Moon
- ☉ -- last quarter
- A -- Moon in apogee
- P -- Moon in perigee
- N -- Moon farthest north of Equator
- E -- Moon on Equator
- S -- Moon farthest south of Equator

SOLAR DATA

- ☽_m -- March equinox
- ☽_j -- June solstice
- ☽_s -- September equinox
- ☽_d -- December solstice

Greenwich mean time (GMT) or universal time (UT) is the mean solar time on the Greenwich meridian reckoned in days of 24 mean solar hours written as 00^h at midnight and 12^h at noon. To convert the above times to those of other standard time meridians, add 1 hour for each 15° of east longitude of the desired meridian and subtract 1 hour for each 15° of west longitude. This table was compiled from data supplied by the Nautical Almanac Office, United States Naval Observatory.